

Tae Dong Kweon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5005718/tae-dong-kweon-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25
papers

205
citations

8
h-index

13
g-index

27
ext. papers

231
ext. citations

3
avg, IF

2.48
L-index

#	Paper	IF	Citations
25	Equal Ratio Ventilation Reduces Blood Loss During Posterior Lumbar Interbody Fusion Surgery. <i>Spine</i> , 2021 , 46, E852-E858	3.3	0
24	Relationship between PaO ₂ /FiO ₂ and number of regions with B-line on transthoracic lung ultrasound: a prospective, observational study. <i>Anesthesia and Pain Medicine</i> , 2019 , 14, 187-192	0.3	3
23	Cervical ganglion block attenuates the progression of pulmonary hypertension via nitric oxide and arginase pathways. <i>Hypertension</i> , 2014 , 63, 309-15	8.5	24
22	Anatomical analysis of medial branches of dorsal rami of cervical nerves for radiofrequency thermocoagulation. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 465-71	3.4	15
21	Analytical and clinical performance of a new point of care LABGEOIB D-dimer test for diagnosis of venous thromboembolism. <i>Annals of Clinical and Laboratory Science</i> , 2014 , 44, 254-61	0.9	
20	Comparison of meperidine and nefopam for prevention of shivering during spinal anesthesia. <i>Korean Journal of Anesthesiology</i> , 2013 , 64, 229-33	3.8	20
19	Heart rate variability as a predictor of hypotension after spinal anesthesia in hypertensive patients. <i>Korean Journal of Anesthesiology</i> , 2013 , 65, 317-21	3.8	8
18	Hemodynamic effect of full flexion of the hips and knees in the supine position: a comparison with straight leg raising. <i>Korean Journal of Anesthesiology</i> , 2012 , 62, 317-21	3.8	7
17	Update of sedation in view of Joint Commission International standards. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 1284	0.5	3
16	Participation of K(ATP) Channels in the Antinociceptive Effect of Pregabalin in Rat Formalin Test. <i>Korean Journal of Pain</i> , 2011 , 24, 131-6	2.1	10
15	The effect of beta1-adrenergic receptor gene polymorphism on prolongation of corrected QT interval during endotracheal intubation under sevoflurane anesthesia. <i>Korean Journal of Anesthesiology</i> , 2011 , 61, 117-21	3.8	3
14	Sedation under JCI standard. <i>Korean Journal of Anesthesiology</i> , 2011 , 61, 190-4	3.8	5
13	Ejaculatory failure after unilateral neurolytic celiac plexus block. <i>Korean Journal of Pain</i> , 2010 , 23, 274-7	2.1	7
12	Ultrasonic doppler flowmeter-guided occipital nerve block. <i>Korean Journal of Anesthesiology</i> , 2010 , 59, 394-7	3.8	9
11	Stress-induced cardiomyopathy following cephalosporin-induced anaphylactic shock during general anesthesia. <i>Canadian Journal of Anaesthesia</i> , 2009 , 56, 432-6	3	30
10	Effect of various anesthetic induction agents on blood magnesium and calcium concentration. <i>Korean Journal of Anesthesiology</i> , 2009 , 56, 254-258	3.8	1
9	The Expression of the Ca ⁺⁺ Channel α 1B subunit and TRPM8 in the Dorsal Root Ganglion of Sympathetically Maintained Pain and Sympathetic Independent Pain Rat Models. <i>The Korean Journal of Pain</i> , 2008 , 21, 11		1

8	Antiallodynic effect of pregabalin in rat models of sympathetically maintained and sympathetic independent neuropathic pain. <i>Yonsei Medical Journal</i> , 2007 , 48, 41-7	3	28
7	Short Term Outcomes and Prognostic Factors Based on Radiofrequency Thermocoagulation on Lumbar Medial Branches. <i>The Korean Journal of Pain</i> , 2007 , 20, 116		1
6	The Prognostic Factors of Selective Transforaminal Epidural Block in Patients with Low Back Pain. <i>The Korean Journal of Pain</i> , 2007 , 20, 54		5
5	The Effect of 6% Hydroxyethyl Starch 130/0.4 on Hemostasis and Hemodynamic Efficacy in Off-pump Coronary Artery Bypass Surgery: a Comparison with 6% Hydroxyethyl Starch 200/0.5. <i>Daehan Macwiŕgwa Haghoeji</i> , 2007 , 53, S14		2
4	The Interaction between Intrathecal NMDA Receptor Antagonist and 5-HT ₃ Receptor Agonist in the Rat Formalin Test. <i>Daehan Macwiŕgwa Haghoeji</i> , 2007 , 52, 694		1
3	The Analgesic Effects of Intrathecal Pregabalin in Rat Formalin Tests: Comparison between Pre- and Post-treatment. <i>Daehan Macwiŕgwa Haghoeji</i> , 2007 , 53, 491		1
2	Does the tibial and sural nerve transection model represent sympathetically independent pain?. <i>Yonsei Medical Journal</i> , 2006 , 47, 847-51	3	15
1	The Changes of Blood Pressure, Heart Rate and Heart Rate Variability after Stellate Ganglion Block. <i>The Korean Journal of Pain</i> , 2006 , 19, 202		4