

# Wei Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5006787/publications.pdf>

Version: 2024-02-01

96  
papers

16,367  
citations

20817

60  
h-index

34986

98  
g-index

99  
all docs

99  
docs citations

99  
times ranked

11915  
citing authors

#	ARTICLE	IF	CITATIONS
1	Wet-chemical synthesis of Li <sub>7</sub> P <sub>3</sub> S <sub>11</sub> with tailored particle size for solid state electrolytes. <i>Chemical Engineering Journal</i> , 2022, 429, 132334.	12.7	12
2	Crosslinked Polyethyleneimine Gel Polymer Interface to Improve Cycling Stability of RFBs. <i>Energy Material Advances</i> , 2022, 2022, .	11.0	3
3	High-energy and low-cost membrane-free chlorine flow battery. <i>Nature Communications</i> , 2022, 13, 1281.	12.8	34
4	Evaluation of Deep Learning Architectures for Aqueous Solubility Prediction. <i>ACS Omega</i> , 2022, 7, 15695-15710.	3.5	20
5	An Electrochemical Hydrogen-Looping System for Low-Cost CO <sub>2</sub> Capture from Seawater. <i>ACS Energy Letters</i> , 2022, 7, 1947-1952.	17.4	17
6	Emerging chemistries and molecular designs for flow batteries. <i>Nature Reviews Chemistry</i> , 2022, 6, 524-543.	30.2	93
7	Physics-informed CoKriging model of a redox flow battery. <i>Journal of Power Sources</i> , 2022, 542, 231668.	7.8	5
8	Analytical modeling for redox flow battery design. <i>Journal of Power Sources</i> , 2021, 482, 228817.	7.8	23
9	Accelerated design of vanadium redox flow battery electrolytes through tunable solvation chemistry. <i>Cell Reports Physical Science</i> , 2021, 2, 100323.	5.6	12
10	A membrane with repelling power. <i>Nature Energy</i> , 2021, 6, 452-453.	39.5	3
11	Reversible ketone hydrogenation and dehydrogenation for aqueous organic redox flow batteries. <i>Science</i> , 2021, 372, 836-840.	12.6	135
12	Symmetry-breaking design of an organic iron complex catholyte for a long cyclability aqueous organic redox flow battery. <i>Nature Energy</i> , 2021, 6, 873-881.	39.5	76
13	A two-dimensional analytical unit cell model for redox flow battery evaluation and optimization. <i>Journal of Power Sources</i> , 2021, 506, 230192.	7.8	15
14	Decomposition pathways and mitigation strategies for highly-stable hydroxyphenazine flow battery anolytes. <i>Journal of Materials Chemistry A</i> , 2021, 9, 21918-21928.	10.3	25
15	Graphical Gaussian process regression model for aqueous solvation free energy prediction of organic molecules in redox flow batteries. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 24892-24904.	2.8	8
16	Machine Learning Coupled Multi-scale Modeling for Redox Flow Batteries. <i>Advanced Theory and Simulations</i> , 2020, 3, 1900167.	2.8	21
17	Reversible redox chemistry in azobenzene-based organic molecules for high-capacity and long-life nonaqueous redox flow batteries. <i>Nature Communications</i> , 2020, 11, 3843.	12.8	76
18	Monitoring the State-of-Charge of a Vanadium Redox Flow Battery with the Acoustic Attenuation Coefficient: An In Operando Noninvasive Method. <i>Small Methods</i> , 2019, 3, 1900494.	8.6	14

#	ARTICLE	IF	CITATIONS
19	A Two-Electron Storage Nonaqueous Organic Redox Flow Battery. <i>Advanced Sustainable Systems</i> , 2018, 2, 1700131.	5.3	60
20	A Long Cycle Life, Self-Healing Zinc-Iodine Flow Battery with High Power Density. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11171-11176.	13.8	150
21	A membrane-free interfacial battery with high energy density. <i>Chemical Communications</i> , 2018, 54, 11626-11629.	4.1	20
22	A biomimetic high-capacity phenazine-based anolyte for aqueous organic redox flow batteries. <i>Nature Energy</i> , 2018, 3, 508-514.	39.5	337
23	Towards an all-vanadium redox flow battery with higher theoretical volumetric capacities by utilizing the VO <sub>2</sub> <sup>+</sup> /V <sup>3+</sup> couple. <i>Journal of Energy Chemistry</i> , 2018, 27, 1381-1385.	12.9	14
24	Wine-Dark Sea in an Organic Flow Battery: Storing Negative Charge in 2,1,3-Benzothiadiazole Radicals Leads to Improved Cyclability. <i>ACS Energy Letters</i> , 2017, 2, 1156-1161.	17.4	160
25	Unraveling pH dependent cycling stability of ferricyanide/ferrocyanide in redox flow batteries. <i>Nano Energy</i> , 2017, 42, 215-221.	16.0	210
26	Materials and Systems for Organic Redox Flow Batteries: Status and Challenges. <i>ACS Energy Letters</i> , 2017, 2, 2187-2204.	17.4	359
27	Annulated Dialkoxybenzenes as Catholyte Materials for Nonaqueous Redox Flow Batteries: Achieving High Chemical Stability through Bicyclic Substitution. <i>Advanced Energy Materials</i> , 2017, 7, 1701272.	19.5	57
28	Material design and engineering of next-generation flow-battery technologies. <i>Nature Reviews Materials</i> , 2017, 2, .	48.7	559
29	Highly Reversible Zinc-Ion Intercalation into Chevrel Phase Mo <sub>6</sub> S <sub>8</sub> Nanocubes and Applications for Advanced Zinc-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 13673-13677.	8.0	256
30	A High-Current, Stable Nonaqueous Organic Redox Flow Battery. <i>ACS Energy Letters</i> , 2016, 1, 705-711.	17.4	202
31	A symmetric organic-based nonaqueous redox flow battery and its state of charge diagnostics by FTIR. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5448-5456.	10.3	167
32	Tuning the Perfluorosulfonic Acid Membrane Morphology for Vanadium Redox-Flow Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 34327-34334.	8.0	48
33	Preferential Solvation of an Asymmetric Redox Molecule. <i>Journal of Physical Chemistry C</i> , 2016, 120, 27834-27839.	3.1	18
34	The lightest organic radical cation for charge storage in redox flow batteries. <i>Scientific Reports</i> , 2016, 6, 32102.	3.3	59
35	Tunable Oxygen Functional Groups as Electrocatalysts on Graphite Felt Surfaces for All-Vanadium Flow Batteries. <i>ChemSusChem</i> , 2016, 9, 1455-1461.	6.8	66
36	Metal-Organic Frameworks as Highly Active Electrocatalysts for High-Energy Density, Aqueous Zinc-Polyiodide Redox Flow Batteries. <i>Nano Letters</i> , 2016, 16, 4335-4340.	9.1	79

#	ARTICLE	IF	CITATIONS
37	Nuclear magnetic resonance studies of the solvation structures of a high-performance nonaqueous redox flow electrolyte. <i>Journal of Power Sources</i> , 2016, 308, 172-179.	7.8	15
38	A Total Organic Aqueous Redox Flow Battery Employing a Low Cost and Sustainable Methyl Viologen Anolyte and 4- <i>HO</i> -TEMPO Catholyte. <i>Advanced Energy Materials</i> , 2016, 6, 1501449.	19.5	480
39	Performance of a low cost interdigitated flow design on a 1 kW class all vanadium mixed acid redox flow battery. <i>Journal of Power Sources</i> , 2016, 306, 24-31.	7.8	64
40	Stack Developments in a kW Class All Vanadium Mixed Acid Redox Flow Battery at the Pacific Northwest National Laboratory. <i>Journal of the Electrochemical Society</i> , 2016, 163, A5211-A5219.	2.9	71
41	Redox flow batteries go organic. <i>Nature Chemistry</i> , 2016, 8, 204-206.	13.6	106
42	An Aqueous Redox Flow Battery Based on Neutral Alkali Metal Ferri/ferrocyanide and Polysulfide Electrolytes. <i>Journal of the Electrochemical Society</i> , 2016, 163, A5150-A5153.	2.9	64
43	Hard carbon nanoparticles as high-capacity, high-stability anodic materials for Na-ion batteries. <i>Nano Energy</i> , 2016, 19, 279-288.	16.0	341
44	Anion-Tunable Properties and Electrochemical Performance of Functionalized Ferrocene Compounds. <i>Scientific Reports</i> , 2015, 5, 14117.	3.3	62
45	Radical Compatibility with Nonaqueous Electrolytes and Its Impact on an All-Organic Redox Flow Battery. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 8684-8687.	13.8	271
46	Aqua-Vanadyl Ion Interaction with Nafion <sup>®</sup> Membranes. <i>Frontiers in Energy Research</i> , 2015, 3, .	2.3	7
47	Comparative analysis for various redox flow batteries chemistries using a cost performance model. <i>Journal of Power Sources</i> , 2015, 293, 388-399.	7.8	75
48	Natural abundance <sup>17</sup> O nuclear magnetic resonance and computational modeling studies of lithium based liquid electrolytes. <i>Journal of Power Sources</i> , 2015, 285, 146-155.	7.8	29
49	Ambipolar zinc-polyiodide electrolyte for a high-energy density aqueous redox flow battery. <i>Nature Communications</i> , 2015, 6, 6303.	12.8	392
50	Porous Polymeric Composite Separators for Redox Flow Batteries. <i>Polymer Reviews</i> , 2015, 55, 247-272.	10.9	48
51	Performance of Nafion <sup>®</sup> N115, Nafion <sup>®</sup> NR-212, and Nafion <sup>®</sup> NR-211 in a 1 kW class all vanadium mixed acid redox flow battery. <i>Journal of Power Sources</i> , 2015, 285, 425-430.	7.8	99
52	Nanostructured Electrocatalysts for PEM Fuel Cells and Redox Flow Batteries: A Selected Review. <i>ACS Catalysis</i> , 2015, 5, 7288-7298.	11.2	78
53	Understanding Aqueous Electrolyte Stability through Combined Computational and Magnetic Resonance Spectroscopy: A Case Study on Vanadium Redox Flow Battery Electrolytes. <i>ChemPlusChem</i> , 2015, 80, 428-437.	2.8	32
54	Towards High-Performance Nonaqueous Redox Flow Electrolyte Via Ionic Modification of Active Species. <i>Advanced Energy Materials</i> , 2015, 5, 1400678.	19.5	181

#	ARTICLE	IF	CITATIONS
55	TEMPO-Based Catholyte for High-Energy Density Nonaqueous Redox Flow Batteries. <i>Advanced Materials</i> , 2014, 26, 7649-7653.	21.0	387
56	Diffusional motion of redox centers in carbonate electrolytes. <i>Journal of Chemical Physics</i> , 2014, 141, 104509.	3.0	24
57	Nanorod Niobium Oxide as Powerful Catalysts for an All Vanadium Redox Flow Battery. <i>Nano Letters</i> , 2014, 14, 158-165.	9.1	279
58	Capacity Decay Mechanism of Microporous Separator-Based All Vanadium Redox Flow Batteries and its Recovery. <i>ChemSusChem</i> , 2014, 7, 577-584.	6.8	72
59	Controlling SEI Formation on SnSb-Porous Carbon Nanofibers for Improved Na Ion Storage. <i>Advanced Materials</i> , 2014, 26, 2901-2908.	21.0	441
60	Cost and performance model for redox flow batteries. <i>Journal of Power Sources</i> , 2014, 247, 1040-1051.	7.8	329
61	Li-Ion Battery with LiFePO <sub>4</sub> Cathode and Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Anode for Stationary Energy Storage. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013, 44, 21-25.	2.2	38
62	Surface-Driven Sodium Ion Energy Storage in Nanocellular Carbon Foams. <i>Nano Letters</i> , 2013, 13, 3909-3914.	9.1	245
63	Fe/V redox flow battery electrolyte investigation and optimization. <i>Journal of Power Sources</i> , 2013, 229, 1-5.	7.8	30
64	Elucidating the higher stability of vanadium(V) cations in mixed acid based redox flow battery electrolytes. <i>Journal of Power Sources</i> , 2013, 241, 173-177.	7.8	85
65	Simply AlF <sub>3</sub> -treated Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> composite anode materials for stable and ultrahigh power lithium-ion batteries. <i>Journal of Power Sources</i> , 2013, 236, 169-174.	7.8	51
66	1.1kWh/1kWh advanced vanadium redox flow battery utilizing mixed acid electrolytes. <i>Journal of Power Sources</i> , 2013, 237, 300-309.	7.8	160
67	Capacity Decay and Remediation of Nafion-based All Vanadium Redox Flow Batteries. <i>ChemSusChem</i> , 2013, 6, 268-274.	6.8	160
68	Bismuth Nanoparticle Decorating Graphite Felt as a High-Performance Electrode for an All-Vanadium Redox Flow Battery. <i>Nano Letters</i> , 2013, 13, 1330-1335.	9.1	392
69	Nanoporous Polytetrafluoroethylene/Silica Composite Separator as a High-Performance All Vanadium Redox Flow Battery Membrane. <i>Advanced Energy Materials</i> , 2013, 3, 1215-1220.	19.5	143
70	Recent Progress in Redox Flow Battery Research and Development. <i>Advanced Functional Materials</i> , 2013, 23, 970-986.	14.9	1,240
71	Polyvinyl Chloride/Silica Nanoporous Composite Separator for All-Vanadium Redox Flow Battery Applications. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1215-A1218.	2.9	38
72	Electrochemical Model of the Fe/V Redox Flow Battery. <i>Journal of the Electrochemical Society</i> , 2012, 159, A1993-A2000.	2.9	23

#	ARTICLE	IF	CITATIONS
73	Sodium Ion Insertion in Hollow Carbon Nanowires for Battery Applications. <i>Nano Letters</i> , 2012, 12, 3783-3787.	9.1	1,552
74	A new hybrid redox flow battery with multiple redox couples. <i>Journal of Power Sources</i> , 2012, 216, 99-103.	7.8	32
75	In-situ investigation of vanadium ion transport in redox flow battery. <i>Journal of Power Sources</i> , 2012, 218, 15-20.	7.8	71
76	Microporous separators for Fe/V redox flow batteries. <i>Journal of Power Sources</i> , 2012, 218, 39-45.	7.8	59
77	Anthraquinone with tailored structure for a nonaqueous metal-organic redox flow battery. <i>Chemical Communications</i> , 2012, 48, 6669.	4.1	217
78	High capacity, reversible alloying reactions in SnSb/C nanocomposites for Na-ion battery applications. <i>Chemical Communications</i> , 2012, 48, 3321.	4.1	566
79	Hollow core-shell structured porous Si-C nanocomposites for Li-ion battery anodes. <i>Journal of Materials Chemistry</i> , 2012, 22, 11014.	6.7	280
80	Enhanced performance of graphite anode materials by AlF <sub>3</sub> coating for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 12745.	6.7	129
81	A New Fe/V Redox Flow Battery Using a Sulfuric/Chloric Mixed Acid Supporting Electrolyte. <i>Advanced Energy Materials</i> , 2012, 2, 487-493.	19.5	114
82	Chloride supporting electrolytes for all-vanadium redox flow batteries. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 18186.	2.8	126
83	Thermal stability and phase transformation of electrochemically charged/discharged LiMnPO <sub>4</sub> cathode for Li-ion batteries. <i>Energy and Environmental Science</i> , 2011, 4, 4560.	30.8	107
84	A new redox flow battery using Fe/V redox couples in chloride supporting electrolyte. <i>Energy and Environmental Science</i> , 2011, 4, 4068.	30.8	181
85	Effects of additives on the stability of electrolytes for all-vanadium redox flow batteries. <i>Journal of Applied Electrochemistry</i> , 2011, 41, 1215-1221.	2.9	118
86	Reversible Sodium Ion Insertion in Single Crystalline Manganese Oxide Nanowires with Long Cycle Life. <i>Advanced Materials</i> , 2011, 23, 3155-3160.	21.0	638
87	A Stable Vanadium Redox Flow Battery with High Energy Density for Large Scale Energy Storage. <i>Advanced Energy Materials</i> , 2011, 1, 394-400.	19.5	688
88	Vertically aligned silicon/carbon nanotube (VASCNT) arrays: Hierarchical anodes for lithium-ion battery. <i>Electrochemistry Communications</i> , 2011, 13, 429-432.	4.7	94
89	LiMnPO <sub>4</sub> Nanoplate Grown via Solid-State Reaction in Molten Hydrocarbon for Li-Ion Battery Cathode. <i>Nano Letters</i> , 2010, 10, 2799-2805.	9.1	354
90	Lithium-ion batteries for stationary energy storage. <i>Jom</i> , 2010, 62, 24-30.	1.9	59

#	ARTICLE	IF	CITATIONS
91	Li-ion batteries from LiFePO <sub>4</sub> cathode and anatase/graphene composite anode for stationary energy storage. <i>Electrochemistry Communications</i> , 2010, 12, 378-381.	4.7	145
92	Nanostructured Hybrid Silicon/Carbon Nanotube Heterostructures: Reversible High-Capacity Lithium-Ion Anodes. <i>ACS Nano</i> , 2010, 4, 2233-2241.	14.6	509
93	Stabilization of Silicon Anode for Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2010, 157, A1047.	2.9	108
94	Silicon-based composite anodes for Li-ion rechargeable batteries. <i>Journal of Materials Chemistry</i> , 2007, 17, 3229.	6.7	76
95	Reversible high capacity nanocomposite anodes of Si/C/SWNTs for rechargeable Li-ion batteries. <i>Journal of Power Sources</i> , 2007, 172, 650-658.	7.8	102
96	Impact response by a foamlake forest of coiled carbon nanotubes. <i>Journal of Applied Physics</i> , 2006, 100, 064309.	2.5	72