

Aleksandra Lisowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5006789/publications.pdf>

Version: 2024-02-01

60
papers

612
citations

687220

13
h-index

713332

21
g-index

60
all docs

60
docs citations

60
times ranked

832
citing authors

#	ARTICLE	IF	CITATIONS
1	Preclinical atherosclerosis in cystic fibrosis: Two distinct presentations are related to pancreatic status. <i>Journal of Cystic Fibrosis</i> , 2022, 21, 26-33.	0.3	7
2	Fat-Soluble Vitamins in Standard vs. Liposomal Form Enriched with Vitamin K2 in Cystic Fibrosis: A Randomized Multi-Center Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 462.	1.0	4
3	Severe Genotype, Pancreatic Insufficiency and Low Dose of Pancreatic Enzymes Associate with Abnormal Serum Sterol Profile in Cystic Fibrosis. <i>Biomolecules</i> , 2021, 11, 313.	1.8	3
4	Leukocyte Telomere Length Is Not Reduced in Children and Adults with Cystic Fibrosis but Associates with Clinical Characteristics—A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 590.	1.0	0
5	Endurance Training Depletes Antioxidant System but Does Not Affect Endothelial Functions in Women with Abdominal Obesity: A Randomized Trial with a Comparison to Endurance-Strength Training. <i>Journal of Clinical Medicine</i> , 2021, 10, 1639.	1.0	9
6	The effect of endurance and endurance-strength training on body composition and cardiometabolic markers in abdominally obese women: a randomised trial. <i>Scientific Reports</i> , 2021, 11, 12339.	1.6	13
7	Comparison of Subjective and Objective Methods to Measure the Physical Activity of Non-Depressed Middle-Aged Healthy Subjects with Normal Cognitive Function and Mild Cognitive Impairment—A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8042.	1.2	5
8	<i>Helicobacter pylori</i> Infection in Children with Phenylketonuria Does Not Depend on Metabolic Control and Is Not More Frequent Than in Healthy Subjects—A Cross-Sectional Study. <i>Children</i> , 2021, 8, 713.	0.6	0
9	Comparison of the Effect of Amaranth Oil vs. Rapeseed Oil on Selected Atherosclerosis Markers in Overweight and Obese Subjects: A Randomized Double-Blind Cross-Over Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8540.	1.2	4
10	The Effect of Endurance and Endurance-Strength Training on Bone Mineral Density and Content in Abdominally Obese Postmenopausal Women: A Randomized Trial. <i>Healthcare (Switzerland)</i> , 2021, 9, 1074.	1.0	2
11	Fat-Soluble Vitamin Supplementation Using Liposomes, Cyclodextrins, or Medium-Chain Triglycerides in Cystic Fibrosis: A Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 4554.	1.7	12
12	Body Fat Changes and Liver Safety in Obese and Overweight Women Supplemented with Conjugated Linoleic Acid: A 12-Week Randomised, Double-Blind, Placebo-Controlled Trial. <i>Nutrients</i> , 2020, 12, 1811.	1.7	13
13	No Difference in Lactoferrin Levels between Metabolically Healthy and Unhealthy Obese Women. <i>Nutrients</i> , 2019, 11, 1976.	1.7	7
14	Cystic fibrosis dyslipidaemia: A cross-sectional study. <i>Journal of Cystic Fibrosis</i> , 2019, 18, 566-571.	0.3	24
15	Amaranth Oil Increases Total and LDL Cholesterol Levels without Influencing Early Markers of Atherosclerosis in an Overweight and Obese Population: A Randomized Double-Blind Cross-Over Study in Comparison with Rapeseed Oil Supplementation. <i>Nutrients</i> , 2019, 11, 3069.	1.7	2
16	Lactose intolerance, lactose malabsorption and genetic predisposition to adult-type hypolactasia in patients after restorative proctocolectomy. <i>Acta Biochimica Polonica</i> , 2019, 66, 173-175.	0.3	4
17	Comparison of the effects of endurance and endurance—strength training programmes on the level of endothelial dysfunction in women with abdominal obesity: study protocol for a Randomised controlled trial. <i>Journal of Medical Science</i> , 2019, 88, 266-272.	0.2	4
18	Conjugated linoleic acid does not affect digestion and absorption of fat and starch—a randomized, double-blinded, placebo-controlled parallel study. <i>Journal of Breath Research</i> , 2018, 12, 016010.	1.5	3

#	ARTICLE	IF	CITATIONS
19	Vitamin K status in cystic fibrosis patients with liver cirrhosis. <i>Digestive and Liver Disease</i> , 2017, 49, 672-675.	0.4	9
20	Gastroesophageal reflux is not associated with short-term variability of parasympathetic activity in children. <i>Advances in Medical Sciences</i> , 2017, 62, 103-109.	0.9	2
21	Mulberry leaf extract decreases digestion and absorption of starch in healthy subjects – A randomized, placebo-controlled, crossover study. <i>Advances in Medical Sciences</i> , 2017, 62, 302-306.	0.9	27
22	Serum Phospholipid Fatty Acid Composition in Cystic Fibrosis Patients with and without Liver Cirrhosis. <i>Annals of Nutrition and Metabolism</i> , 2017, 71, 91-98.	1.0	7
23	Increased Soluble VCAM-1 and Normal P-Selectin in Cystic Fibrosis: a Cross-Sectional Study. <i>Lung</i> , 2017, 195, 445-453.	1.4	11
24	Determinants of Serum Glycerophospholipid Fatty Acids in Cystic Fibrosis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 185.	1.8	9
25	Supplementation of ursodeoxycholic acid improves fat digestion and absorption in cystic fibrosis patients with mild liver involvement. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 645-649.	0.8	13
26	Smaller Width of the Pancreatic Duct During Secretin-Enhanced Magnetic Resonance Cholangiopancreatography in Pancreatic-Sufficient Cystic Fibrosis Patients. <i>Pancreas</i> , 2016, 45, 1175-1178.	0.5	1
27	Exocrine pancreatic function in children with Alagille syndrome. <i>Scientific Reports</i> , 2016, 6, 35229.	1.6	4
28	Pancreatic Elastase-1 Quick Test for rapid assessment of pancreatic status in cystic fibrosis patients. <i>Journal of Cystic Fibrosis</i> , 2016, 15, 664-668.	0.3	11
29	Twelve weeks CLA supplementation decreases the hip circumference in overweight and obese women. A double-blind, randomized, placebo-controlled trial. <i>Acta Scientiarum Polonorum, Technologia Alimentaria</i> , 2016, 15, 107-113.	0.2	14
30	Green tea extract decreases starch digestion and absorption from a test meal in humans: a randomized, placebo-controlled crossover study. <i>Scientific Reports</i> , 2015, 5, 12015.	1.6	33
31	Esophageal pH Monitoring in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 61, 212-214.	0.9	6
32	Gastroesophageal Reflux Disease in Children with Cystic Fibrosis. <i>Advances in Experimental Medicine and Biology</i> , 2015, 873, 1-7.	0.8	17
33	Fecal pyruvate kinase is not suitable for discrimination between inflammatory bowel disease exacerbation and acute gastroenteritis. <i>Medycyna Wieku Rozwojowego</i> , 2015, 19, 167-73.	0.2	0
34	Comparison of fecal pyruvate kinase isoform M2 and calprotectin in acute diarrhea in hospitalized children. <i>Scientific Reports</i> , 2014, 4, 4769.	1.6	7
35	Small intestinal bacterial overgrowth in patients with progressive familial intrahepatic cholestasis. <i>Acta Biochimica Polonica</i> , 2014, 61, 103-7.	0.3	3
36	Single dose of green tea extract decreases lipid digestion and absorption from a test meal in humans.. <i>Acta Biochimica Polonica</i> , 2013, 60, .	0.3	17

#	ARTICLE	IF	CITATIONS
37	Single dose of green tea extract decreases lipid digestion and absorption from a test meal in humans. <i>Acta Biochimica Polonica</i> , 2013, 60, 481-3.	0.3	7
38	Lactose malabsorption is a risk factor for decreased bone mineral density in pancreatic insufficient cystic fibrosis patients. <i>European Journal of Human Genetics</i> , 2012, 20, 1092-1095.	1.4	10
39	Adaptive changes of pancreatic protease secretion to a short-term vegan diet: influence of reduced intake and modification of protein. <i>British Journal of Nutrition</i> , 2012, 107, 272-276.	1.2	11
40	Oral antibiotic therapy improves fat absorption in cystic fibrosis patients with small intestine bacterial overgrowth. <i>Journal of Cystic Fibrosis</i> , 2011, 10, 418-421.	0.3	32
41	Mild CFTR mutations and genetic predisposition to lactase persistence in cystic fibrosis. <i>European Journal of Human Genetics</i> , 2011, 19, 748-752.	1.4	9
42	Antibiotic therapy and fat digestion and absorption in cystic fibrosis.. <i>Acta Biochimica Polonica</i> , 2011, 58, .	0.3	5
43	Antibiotic therapy and fat digestion and absorption in cystic fibrosis. <i>Acta Biochimica Polonica</i> , 2011, 58, 345-7.	0.3	0
44	Acid steatorrhea determination is not helpful in cystic fibrosis patients without or with mild steatorrhea. <i>Pediatric Pulmonology</i> , 2010, 45, 249-254.	1.0	7
45	Early intestinal manifestation in infants with cystic fibrosis – a pilot study. <i>Przegląd Gastroenterologiczny</i> , 2010, 3, 164-167.	0.3	0
46	Small intestine bacterial overgrowth does not correspond to intestinal inflammation in cystic fibrosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 322-326.	0.6	29
47	Adult-type hypolactasia and lactose malabsorption in Poland.. <i>Acta Biochimica Polonica</i> , 2010, 57, .	0.3	18
48	Cystic fibrosis is a risk factor for celiac disease. <i>Acta Biochimica Polonica</i> , 2010, 57, 115-8.	0.3	22
49	Normal levels of serum pancreatic enzymes in patients with progressive familial intrahepatic cholestasis type 2. <i>Acta Biochimica Polonica</i> , 2010, 57, 573-5.	0.3	1
50	Adult-type hypolactasia and lactose malabsorption in Poland. <i>Acta Biochimica Polonica</i> , 2010, 57, 585-8.	0.3	9
51	Znaczenie witaminy K w mukowiscydozie. <i>Pediatrica Polska</i> , 2009, 84, 265-269.	0.1	0
52	Small intestine bacterial overgrowth is frequent in cystic fibrosis: combined hydrogen and methane measurements are required for its detection. <i>Acta Biochimica Polonica</i> , 2009, 56, 631-4.	0.3	37
53	Chronic pouchitis is not related to small intestine bacterial overgrowth. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 1102-1104.	0.9	13
54	The changing face of the exocrine pancreas in cystic fibrosis: pancreatic sufficiency, pancreatitis and genotype. <i>European Journal of Gastroenterology and Hepatology</i> , 2008, 20, 157-160.	0.8	59

#	ARTICLE	IF	CITATIONS
55	Polyunsaturated Fatty Acids in Cystic Fibrosis Are Related to Nutrition and Clinical Expression of the Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007, 45, 488-489.	0.9	14
56	The elimination of meat from the diet selectively decreases pancreatic elastase secretion. <i>British Journal of Nutrition</i> , 2007, 98, 154-158.	1.2	5
57	Unresponsive or non-compliant steatorrhea in cystic fibrosis?. <i>Journal of Cystic Fibrosis</i> , 2006, 5, 253-255.	0.3	4
58	Re: Fecal Elastase: Pancreatic Status Verification and Influence on Nutritional Status in Children with Cystic Fibrosis.. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 42, 117.	0.9	2
59	Pancreatic enzyme therapy and gastrointestinal symptoms in patients with cystic fibrosis. <i>Journal of Pediatrics</i> , 2005, 147, 870-871.	0.9	2
60	Serum Lipase After Secretin Stimulation Detects Mild Pancreatic Involvement in Cystic Fibrosis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004, 38, 430-435.	0.9	9