HCWDeVet

List of Publications by Citations

Source: https://exaly.com/author-pdf/5007170/h-c-w-de-vet-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156 24,452 144 43 h-index g-index citations papers 6.89 156 29,704 4.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
144	Quality criteria were proposed for measurement properties of health status questionnaires. Journal of Clinical Epidemiology, 2007, 60, 34-42	5.7	5497
143	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 737-45	5.7	2108
142	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010 , 19, 539-49	3.7	2029
141	STARD 2015: an updated list of essential items for reporting diagnostic accuracy studies. <i>BMJ, The</i> , 2015 , 351, h5527	5.9	1209
140	Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. <i>Quality of Life Research</i> , 2012 , 21, 651-7	3.7	1144
139	When to use agreement versus reliability measures. Journal of Clinical Epidemiology, 2006, 59, 1033-9	5.7	1096
138	Measurement in Medicine: A Practical Guide 2011 ,		1076
137	COSMIN guideline for systematic reviews of patient-reported outcome measures. <i>Quality of Life Research</i> , 2018 , 27, 1147-1157	3.7	829
136	The STARD statement for reporting studies of diagnostic accuracy: explanation and elaboration. <i>Annals of Internal Medicine</i> , 2003 , 138, W1-12	8	789
135	STARD 2015 guidelines for reporting diagnostic accuracy studies: explanation and elaboration. <i>BMJ Open</i> , 2016 , 6, e012799	3	789
134	Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. Standards for Reporting of Diagnostic Accuracy. <i>Clinical Chemistry</i> , 2003 , 49, 1-6	5.5	700
133	COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. <i>Quality of Life Research</i> , 2018 , 27, 1171-1179	3.7	674
132	COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. <i>Quality of Life Research</i> , 2018 , 27, 1159-1170	3.7	499
131	Responsiveness of functional status in low back pain: a comparison of different instruments. <i>Pain</i> , 1996 , 65, 71-76	8	448
130	Development of a methodological PubMed search filter for finding studies on measurement properties of measurement instruments. <i>Quality of Life Research</i> , 2009 , 18, 1115-23	3.7	423
129	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 335-41	2.4	393
128	The COnsensus-based Standards for the selection of health Measurement INstruments (COSMIN) and how to select an outcome measurement instrument. <i>Brazilian Journal of Physical Therapy</i> , 2016 , 20, 105-13	3.7	275

(2019-2015)

127	STARD 2015: An Updated List of Essential Items for Reporting Diagnostic Accuracy Studies. <i>Clinical Chemistry</i> , 2015 , 61, 1446-52	5.5	271
126	Nutrition screening tools: does one size fit all? A systematic review of screening tools for the hospital setting. <i>Clinical Nutrition</i> , 2014 , 33, 39-58	5.9	271
125	Manual therapy, physical therapy, or continued care by a general practitioner for patients with neck pain. A randomized, controlled trial. <i>Annals of Internal Medicine</i> , 2002 , 136, 713-22	8	231
124	Minimally important change determined by a visual method integrating an anchor-based and a distribution-based approach. <i>Quality of Life Research</i> , 2007 , 16, 131-42	3.7	229
123	Mind the MIC: large variation among populations and methods. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 524-34	5.7	199
122	Are factor analytical techniques used appropriately in the validation of health status questionnaires? A systematic review on the quality of factor analysis of the SF-36. <i>Quality of Life Research</i> , 2005 , 14, 1203-18; dicussion 1219-21, 1223-4	3.7	187
121	Clinicians are right not to like Cohenß []BMJ, The, 2013 , 346, f2125	5.9	170
120	Current challenges in clinimetrics. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 1137-41	5.7	169
119	Factors associated with initiation of advance care planning in dementia: a systematic review. Journal of Alzheimera Disease, 2014 , 40, 743-57	4.3	130
118	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009 , 18, 313-33	3.7	125
117	Missing data in a multi-item instrument were best handled by multiple imputation at the item score level. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 335-42	5.7	124
116	Global incidence of oral and oropharynx cancer in patients younger than 45 years versus older patients: Aßystematic review. <i>European Journal of Cancer</i> , 2017 , 82, 115-127	7.5	124
115	Missing data: a systematic review of how they are reported and handled. <i>Epidemiology</i> , 2012 , 23, 729-32	23.1	107
114	Three ways to quantify uncertainty in individually applied "minimally important change" values. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 37-45	5.7	95
113	Unfulfilled Expectations After Total Hip and Knee Arthroplasty Surgery: There Is a Need for Better Preoperative Patient Information and Education. <i>Journal of Arthroplasty</i> , 2016 , 31, 2139-45	4.4	81
112	Differences in Connection Strength between Mental Symptoms Might Be Explained by Differences in Variance: Reanalysis of Network Data Did Not Confirm Staging. <i>PLoS ONE</i> , 2016 , 11, e0155205	3.7	78
111	Dutch-Flemish translation of 17 item banks from the patient-reported outcomes measurement information system (PROMIS). <i>Quality of Life Research</i> , 2014 , 23, 1733-41	3.7	72
110	What does quality of life mean to older adults? A thematic synthesis. <i>PLoS ONE</i> , 2019 , 14, e0213263	3.7	69

109	Fried phenotype of frailty: cross-sectional comparison of three frailty stages on various health domains. <i>BMC Geriatrics</i> , 2015 , 15, 77	4.1	67
108	The effectiveness of high-intensity versus low-intensity back schools in an occupational setting: a pragmatic randomized controlled trial. <i>Spine</i> , 2006 , 31, 1075-82	3.3	64
107	Spearman-Brown prophecy formula and Cronbach® alpha: different faces of reliability and opportunities for new applications. <i>Journal of Clinical Epidemiology</i> , 2017 , 85, 45-49	5.7	63
106	A systematic review of malnutrition screening tools for the nursing home setting. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 171-184	5.9	58
105	The quality of systematic reviews of health-related outcome measurement instruments. <i>Quality of Life Research</i> , 2016 , 25, 767-79	3.7	55
104	COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. <i>BMC Medical Research Methodology</i> , 2020 , 20, 293	4.7	48
103	Minimal important change (MIC) based on a predictive modeling approach was more precise than MIC based on ROC analysis. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1388-96	5.7	46
102	Measurement of patient safety: a systematic review of the reliability and validity of adverse event detection with record review. <i>BMJ Open</i> , 2016 , 6, e011078	3	46
101	Natural History of Vanishing White Matter. <i>Annals of Neurology</i> , 2018 , 84, 274-288	9.4	42
100	The assessment of anorexia in patients with cancer: cut-off values for the FAACT-A/CS and the VAS for appetite. <i>Supportive Care in Cancer</i> , 2016 , 24, 661-666	3.9	37
99	Insights into the use of thermography to assess burn wound healing potential: a reliable and valid technique when compared to laser Doppler imaging. <i>Journal of Biomedical Optics</i> , 2016 , 21, 96006	3.5	37
98	Minimally important change values of a measurement instrument depend more on baseline values than on the type of intervention. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 518-24	5.7	36
97	The SNAQ(RC), an easy traffic light system as a first step in the recognition of undernutrition in residential care. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 83-9	5.2	36
96	Predictive value of interim positron emission tomography in diffuse large B-cell lymphoma: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 65-79	8.8	34
95	Effects of two feedback interventions on end-of-life outcomes in nursing home residents with dementia: A cluster-randomized controlled three-armed trial. <i>Palliative Medicine</i> , 2018 , 32, 693-702	5.5	33
94	Tools to Assess Pain or Lack of Comfort in Dementia: A Content Analysis. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 659-75.e3	4.8	32
93	Prospective Observations of Discomfort, Pain, and Dyspnea in Nursing Home Residents With Dementia and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 128-35	5.9	30
92	Advance Care Planning in Nursing Home Patients With Dementia: A Qualitative Interview Study Among Family and Professional Caregivers. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 979-89	5.9	29

(2020-2016)

91	Updating standards for reporting diagnostic accuracy: the development of STARD 2015. <i>Research Integrity and Peer Review</i> , 2016 , 1, 7	6.1	28	
90	Characteristics of chiropractors and their patients in Belgium. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010 , 33, 618-25	1.3	28	
89	Measuring individual work performance: identifying and selecting indicators. Work, 2014 , 48, 229-38	1.6	27	
88	Radical vs conservative treatment of intraosseous ameloblastoma: Systematic review and meta-analysis. <i>Oral Diseases</i> , 2019 , 25, 1683-1696	3.5	27	
87	Are psychological factors prognostic indicators of outcome in patients with sub-acute neck pain?. <i>Manual Therapy</i> , 2010 , 15, 111-6		26	
86	Experience with HPV self-sampling and clinician-based sampling in women attending routine cervical screening in the Netherlands. <i>Preventive Medicine</i> , 2019 , 125, 5-11	4.3	25	
85	The burden of neck pain: its meaning for persons with neck pain and healthcare providers, explored by concept mapping. <i>Quality of Life Research</i> , 2016 , 25, 1219-25	3.7	25	
84	The hand held Doppler device for the detection of perforators in reconstructive surgery: what you hear is not always what you get. <i>Burns</i> , 2014 , 40, 1702-6	2.3	25	
83	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. <i>PLoS ONE</i> , 2015 , 10, e0134094	3.7	25	
82	Transepidermal water loss measured with the Tewameter TM300 in burn scars. <i>Burns</i> , 2016 , 42, 1455-1	462 3	25	
81	Comfort goal of care and end-of-life outcomes in dementia: A prospective study. <i>Palliative Medicine</i> , 2015 , 29, 538-46	5.5	24	
80	The Dutch-Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. <i>Journal of Clinical Epidemiology</i> , 2017 , 87, 47-58	5.7	23	
79	Reliability, responsiveness and interpretability of the neck disability index-Dutch version in primary care. <i>European Spine Journal</i> , 2015 , 24, 88-93	2.7	23	
78	Specific agreement on dichotomous outcomes can be calculated for more than two raters. <i>Journal of Clinical Epidemiology</i> , 2017 , 83, 85-89	5.7	22	
77	The Aesthetic Items Scale: A Tool for the Evaluation of Aesthetic Outcome after Breast Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017 , 5, e1254	1.2	22	
76	Somatization is associated with worse outcome in a chiropractic patient population with neck pain and low back pain. <i>Manual Therapy</i> , 2016 , 21, 170-6		20	
75	The Four-Dimensional Symptom Questionnaire (4DSQ) in the general population: scale structure, reliability, measurement invariance and normative data: a cross-sectional survey. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 130	3	20	
74	Global incidence and profile of ameloblastoma: A systematic review and meta-analysis. <i>Oral Diseases</i> , 2020 , 26, 12-21	3.5	20	

73	In a clinimetric analysis, 3D stereophotogrammetry was found to be reliable and valid for measuring scar volume in clinical research. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 782-7	5.7	19
72	Validation of two PROMIS item banks for measuring social participation in the Dutch general population. <i>Quality of Life Research</i> , 2019 , 28, 211-220	3.7	19
71	Development and validation of a short food questionnaire to screen for low protein intake in community-dwelling older adults: The Protein Screener 55+ (Pro55+). <i>PLoS ONE</i> , 2018 , 13, e0196406	3.7	19
70	Lifetime stability of ADHD symptoms in older adults. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2016 , 8, 13-20	3.1	18
69	Calibration of the Dutch-Flemish PROMIS Pain Behavior item bank in patients with chronic pain. <i>European Journal of Pain</i> , 2016 , 20, 284-96	3.7	17
68	High and Intensive Care in Psychiatry: Validating the HIC Monitor as a Tool for Assessing the Quality of Psychiatric Intensive Care Units. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019 , 46, 34-43	3.1	15
67	Substitution of Fried® performance-based physical frailty criteria with self-report questions. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 75, 91-95	4	15
66	Decision support systems for incurable non-small cell lung cancer: a systematic review. <i>BMC Medical Informatics and Decision Making</i> , 2017 , 17, 144	3.6	14
65	Interobserver Agreement of Interim and End-of-Treatment F-FDG PET/CT in Diffuse Large B-Cell Lymphoma: Impact on Clinical Practice and Trials. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 1831-1836	8.9	14
64	The applicability of the Tampa Scale of Kinesiophobia for patients with sub-acute neck pain: a qualitative study. <i>Quality and Quantity</i> , 2009 , 43, 773-780	2.4	14
63	Clinical Usefulness of Tools to Support Decision-making for Palliative Treatment of Metastatic Colorectal Cancer: A Systematic Review. <i>Clinical Colorectal Cancer</i> , 2018 , 17, e1-e12	3.8	13
62	Long-term trajectories of patients with neck pain and low back pain presenting to chiropractic care: A latent class growth analysis. <i>European Journal of Pain</i> , 2018 , 22, 103-113	3.7	13
61	Comparison of two- and three-dimensional assessment methods of nasolabial appearance in cleft lip and palate patients: Do the assessment methods measure the same outcome?. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017 , 45, 1220-1226	3.6	12
60	Optimizing Workflows for Fast and Reliable Metabolic Tumor Volume Measurements in Diffuse Large B Cell Lymphoma. <i>Molecular Imaging and Biology</i> , 2020 , 22, 1102-1110	3.8	11
59	Can resources moderate the impact of levels of frailty on adverse outcomes among (pre-) frail older people? A longitudinal study. <i>BMC Geriatrics</i> , 2017 , 17, 185	4.1	11
58	Can personal dignity be assessed by others? A survey study comparing nursing home residentsP with family membersP nursesPand physiciansPanswers on the MIDAM-LTC. <i>International Journal of Nursing Studies</i> , 2015 , 52, 555-67	5.8	11
57	Psychometric evaluation of the Orofacial Pain Scale for Non-Verbal Individuals as a screening tool for orofacial pain in people with dementia. <i>Gerodontology</i> , 2018 , 35, 200	2.8	10
56	Analyzing Incomplete Item Scores in Longitudinal Data by Including Item Score Information as Auxiliary Variables. <i>Structural Equation Modeling</i> , 2015 , 22, 588-602	3.7	10

(2016-2021)

55	Automated Segmentation of Baseline Metabolic Total Tumor Burden in Diffuse Large B-Cell Lymphoma: Which Method Is Most Successful? A Study on Behalf of the PETRA Consortium. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 332-337	8.9	10
54	Specific agreement on ordinal and multiple nominal outcomes can be calculated for more than two raters. <i>Journal of Clinical Epidemiology</i> , 2018 , 96, 47-53	5.7	9
53	Noise-Induced Variability of Immuno-PET with Zirconium-89-Labeled Antibodies: an Analysis Based on Count-Reduced Clinical Images. <i>Molecular Imaging and Biology</i> , 2018 , 20, 1025-1034	3.8	9
52	Minimal important change in the pelvic floor distress inventory-20 among women opting for conservative prolapse treatment. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 397.e1-397	.64	9
51	Development of a measurement instrument30-64		9
50	Optimal timing and criteria of interim PET in DLBCL: a comparative study of 1692 patients. <i>Blood Advances</i> , 2021 , 5, 2375-2384	7.8	9
49	Improving comfort in people with dementia and pneumonia: a cluster randomized trial. <i>BMC Medicine</i> , 2016 , 14, 116	11.4	9
48	F-FDG PET baseline radiomics features improve the prediction of treatment outcome in diffuse large B-cell lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 1	8.8	9
47	Interobserver reproducibility of tumor uptake quantification with Zr-immuno-PET: a multicenter analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1840-1849	8.8	8
46	Systematic reviews of measurement properties275-314		8
45	The Baker Classification for Capsular Contracture in Breast Implant Surgery Is Unreliable as a Diagnostic Tool. <i>Plastic and Reconstructive Surgery</i> , 2020 , 146, 956-962	2.7	8
44	Key concepts in clinical epidemiology: Responsiveness, the longitudinal aspect of validity. <i>Journal of Clinical Epidemiology</i> , 2021 ,	5.7	8
43	Including auxiliary item information in longitudinal data analyses improved handling missing questionnaire outcome data. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 637-45	5.7	7
42	Rating Nasolabial Aesthetics in Unilateral Cleft Lip and Palate Patients: Cropped Versus Full-Face Images. <i>Cleft Palate-Craniofacial Journal</i> , 2018 , 55, 747-752	1.9	7
41	Concepts, theories and models, and types of measurements7-29		7
40	Systematic Review on the Content of Outcome Measurement Instruments on Scar Quality. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019 , 7, e2424	1.2	7
39	Interpretability227-274		6
38	Which characteristics of nursing home residents relate to factors influencing their dignity?. <i>Geriatric Nursing</i> , 2016 , 37, 365-370	2.1	6

37	Defining and categorizing outcomes of Moral Case Deliberation (MCD): concept mapping with experienced MCD participants. <i>BMC Medical Ethics</i> , 2018 , 19, 88	2.9	6
36	Reliability of the Animated Activity Questionnaire for assessing activity limitations of patients with hip and knee osteoarthritis. <i>Musculoskeletal Care</i> , 2018 , 16, 363-369	1.6	6
35	Assessing the equivalence of Web-based and paper-and-pencil questionnaires using differential item and test functioning (DIF and DTF) analysis: a case of the Four-Dimensional Symptom Questionnaire (4DSQ). <i>Quality of Life Research</i> , 2018 , 27, 1191-1200	3.7	5
34	Field-testing: item reduction and data structure65-95		5
33	The official update of the POSAS: An invitation to share experiences to improve the POSAS in Project POSAS 3.0P. <i>Burns</i> , 2017 , 43, 893-894	2.3	4
32	The 25-item Dizziness Handicap Inventory was shortened for use in general practice by 60 percent. Journal of Clinical Epidemiology, 2020 , 126, 56-64	5.7	4
31	Symptom relief in patients with pneumonia and dementia: implementation of a practice guideline. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 829-839	3.9	4
30	Responsiveness202-226		4
29	Psychometric properties of the Dutch-Flemish Patient-Reported Outcomes Measurement Information System Pain Behavior item bank in patients with musculoskeletal complaints. <i>Journal of Pain</i> , 2019 , 20, 1328-1337	5.2	3
28	Moral competence, moral teamwork and moral action - the European Moral Case Deliberation Outcomes (Euro-MCD) Instrument 2.0 and its revision process. <i>BMC Medical Ethics</i> , 2020 , 21, 53	2.9	3
27	Physicians using spinal manipulative treatment in The Netherlands: a description of their characteristics and their patients. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 512	2.8	3
26	Adding Psychosocial Factors Does Not Improve Predictive Models for People With Spinal Pain Enough to Warrant Extensive Screening for Them at Baseline. <i>Physical Therapy</i> , 2016 , 96, 1179-89	3.3	3
25	Validity of the "Rate-a-Plate" Method to Estimate Energy and Protein Intake in Acutely Ill, Hospitalized Patients. <i>Nutrition in Clinical Practice</i> , 2020 , 35, 959-966	3.6	3
24	Impact of Verb Tense on Response to the Four-Dimensional Symptom Questionnaire (4DSQ). European Journal of Psychological Assessment, 2015 , 31, 202-210	2.2	3
23	Reliability and Clinical Utility of Gender Identity-Related Diagnoses: Comparisons Between the ICD-11, ICD-10, DSM-IV, and DSM-5. <i>LGBT Health</i> , 2021 , 8, 133-142	4.9	3
22	Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients With Musculoskeletal Complaints. <i>Spine</i> , 2019 , 44, 411-419	3.3	3
21	Proposed New Dynamic Prognostic Index for Diffuse Large B-Cell Lymphoma: International Metabolic Prognostic Index <i>Journal of Clinical Oncology</i> , 2022 , JCO2102063	2.2	3
20	Development and psychometric evaluation of the CO-PARTNER tool for collaboration and parent participation in neonatal care. <i>PLoS ONE</i> , 2021 , 16, e0252074	3.7	2

19	Development of the Submental Nasal Appearance Scale for the Assessment of Repaired Unilateral Complete Cleft Lip: A Pilot Study. <i>Cleft Palate-Craniofacial Journal</i> , 2019 , 56, 791-798	1.9	2
18	Measurement equivalence of the Four-Dimensional Symptom Questionnaire (4DSQ) in adolescents and emerging adults. <i>PLoS ONE</i> , 2019 , 14, e0221904	3.7	1
17	Rasch Analysis of the Patient and Observer Scar Assessment Scale in Linear Scars: Suggestions for a Patient and Observer Scar Assessment Scale v2.1. <i>Plastic and Reconstructive Surgery</i> , 2020 , 146, 378e-38	8 <i>0</i> €7	1
16	Interobserver Agreement on Automated Metabolic Tumor Volume Measurements of Deauville Score 4 and 5 Lesions at Interim F-FDG PET in Diffuse Large B-Cell Lymphoma. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 1531-1536	8.9	1
15	Predicting Mortality in Nursing Home Residents With Dementia and Pneumonia Treated With Antibiotics: Validation of a Prediction Model in a More Recent Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1922-1928	6.4	1
14	Needs with Regard to Decision Support Systems for Treating Patients with Incurable Non-small Cell Lung Cancer. <i>Journal of Cancer Education</i> , 2020 , 35, 345-351	1.8	1
13	Minimally important change and smallest detectable change of the OSTRC questionnaire in half-and full-marathon runners. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 1048-1058	4.6	1
12	Reply to the concerns raised by McKenna and Heaney about COSMIN. <i>Journal of Medical Economics</i> , 2021 , 24, 857-859	2.4	1
11	Field-Testing the Euro-MCD Instrument: Important Outcomes According to Participants Before and After Moral Case Deliberation. <i>HEC Forum</i> , 2020 , 1	1.1	0
10	Concurrent validity and discriminative ability of Dutch performance-based motor tests in 5 to 6 years old children. <i>PLoS ONE</i> , 2019 , 14, e0224722	3.7	O
9	The Submental Nasal Appearance Scale for the Assessment of Repaired Unilateral Complete Cleft Lip: A Validation Study. <i>Cleft Palate-Craniofacial Journal</i> , 2021 , 58, 637-643	1.9	0
8	Atypical Outcomes of Nasal and Lip Appearance After Unilateral Cleft Lip Repair: Judgment by Professionals, Patients, and Laypeople. <i>Cleft Palate-Craniofacial Journal</i> , 2021 , 58, 1226-1235	1.9	O
7	The interobserver agreement of ECG abnormalities using Minnesota codes in people with type 2 diabetes. <i>PLoS ONE</i> , 2021 , 16, e0255466	3.7	0
6	Pain trajectories and possible predictors of a favourable course of low back pain in patients consulting musculoskeletal physicians in The Netherlands. <i>Chiropractic & Manual Therapies</i> , 2021 , 29, 38	1.8	O
5	Aberrant patterns of PET response during treatment for DLBCL patients with MYC gene rearrangements. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 1	8.8	O
4	The Forensic High and Intensive Care Monitor: Measurement Properties of a Model Fidelity Scale for Contact-Based Care in Forensic Psychiatry <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2022 , 1	3.1	O
3	F258 IDENTIFYING PREDICTORS FOR CHRONIFICATION OF NEUROPATHIC PAIN TRESULTS OF A DELPHI SURVEY. <i>European Journal of Pain Supplements</i> , 2011 , 5, 141-141		
2	Additional abstracts from the e_Musk meeting. <i>Acta Orthopaedica</i> , 2002 , 73, 63-69		

Inventory of oncologistsPunmet needs for tools to support decision-making about palliative treatment for metastatic colorectal cancer. *BMC Medical Informatics and Decision Making*, **2018**, 18, 132 ^{3.6}