

H C W De Vet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5007170/publications.pdf>

Version: 2024-02-01

149
papers

35,072
citations

50566

48
h-index

12940

136
g-index

156
all docs

156
docs citations

156
times ranked

39263
citing authors

#	ARTICLE	IF	CITATIONS
1	Field-Testing the Euro-MCD Instrument: Important Outcomes According to Participants Before and After Moral Case Deliberation. <i>HEC Forum</i> , 2022, 34, 1-24.	0.6	5
2	Quantitative Radiomics Features in Diffuse Large B-Cell Lymphoma: Does Segmentation Method Matter?. <i>Journal of Nuclear Medicine</i> , 2022, 63, 389-395.	2.8	16
3	¹⁸ F-FDG PET baseline radiomics features improve the prediction of treatment outcome in diffuse large B-cell lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 932-942.	3.3	62
4	The Impact of Semiautomatic Segmentation Methods on Metabolic Tumor Volume, Intensity, and Dissemination Radiomics in ¹⁸ F-FDG PET Scans of Patients with Classical Hodgkin Lymphoma. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1424-1430.	2.8	20
5	The Forensic High and Intensive Care Monitor: Measurement Properties of a Model Fidelity Scale for Contact-Based Care in Forensic Psychiatry. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2022, , 1.	1.2	1
6	Proposed New Dynamic Prognostic Index for Diffuse Large B-Cell Lymphoma: International Metabolic Prognostic Index. <i>Journal of Clinical Oncology</i> , 2022, 40, 2352-2360.	0.8	53
7	Blood-circulating EV-miRNAs, serum TARC, and quantitative FDG-PET features in classical Hodgkin lymphoma. <i>EJHaem</i> , 2022, 3, 908-912.	0.4	2
8	Measurement properties of the Dutch PROMIS-29 v2.1 profile in people with and without chronic conditions. <i>Quality of Life Research</i> , 2022, 31, 3447-3458.	1.5	9
9	Automated Segmentation of Baseline Metabolic Total Tumor Burden in Diffuse Large B-Cell Lymphoma: Which Method Is Most Successful? A Study on Behalf of the PETRA Consortium. <i>Journal of Nuclear Medicine</i> , 2021, 62, 332-337.	2.8	53
10	The Submental Nasal Appearance Scale for the Assessment of Repaired Unilateral Complete Cleft Lip: A Validation Study. <i>Cleft Palate-Craniofacial Journal</i> , 2021, 58, 637-643.	0.5	2
11	Minimally important change and smallest detectable change of the OSTRC questionnaire in half- and full-marathon runners. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1048-1058.	1.3	3
12	Reply to the concerns raised by McKenna and Heaney about COSMIN. <i>Journal of Medical Economics</i> , 2021, 24, 857-859.	1.0	7
13	Atypical Outcomes of Nasal and Lip Appearance After Unilateral Cleft Lip Repair: Judgment by Professionals, Patients, and Laypeople. <i>Cleft Palate-Craniofacial Journal</i> , 2021, 58, 1226-1235.	0.5	1
14	Interobserver Agreement on Automated Metabolic Tumor Volume Measurements of Deauville Score 4 and 5 Lesions at Interim ¹⁸ F-FDG PET in Diffuse Large B-Cell Lymphoma. <i>Journal of Nuclear Medicine</i> , 2021, 62, 1531-1536.	2.8	8
15	Reliability and Clinical Utility of Gender Identity-Related Diagnoses: Comparisons Between the ICD-11, ICD-10, DSM-IV, and DSM-5. <i>LGBT Health</i> , 2021, 8, 133-142.	1.8	4
16	Optimal timing and criteria of interim PET in DLBCL: a comparative study of 1692 patients. <i>Blood Advances</i> , 2021, 5, 2375-2384.	2.5	40
17	Development and psychometric evaluation of the CO-PARTNER tool for collaboration and parent participation in neonatal care. <i>PLoS ONE</i> , 2021, 16, e0252074.	1.1	10
18	Key concepts in clinical epidemiology: Responsiveness, the longitudinal aspect of validity. <i>Journal of Clinical Epidemiology</i> , 2021, 140, 159-162.	2.4	41

#	ARTICLE	IF	CITATIONS
19	The interobserver agreement of ECG abnormalities using Minnesota codes in people with type 2 diabetes. <i>PLoS ONE</i> , 2021, 16, e0255466.	1.1	2
20	Pain trajectories and possible predictors of a favourable course of low back pain in patients consulting musculoskeletal physicians in The Netherlands. <i>Chiropractic & Manual Therapies</i> , 2021, 29, 38.	0.6	4
21	Aberrant patterns of PET response during treatment for DLBCL patients with MYC gene rearrangements. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, , 1.	3.3	4
22	Cost-effectiveness of shortening treatment duration based on interim PET outcome in patients with diffuse large B-cell lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, , .	0.2	0
23	Validity of the ϵ -Rate ϵ Plate ϵ Method to Estimate Energy and Protein Intake in Acutely Ill, Hospitalized Patients. <i>Nutrition in Clinical Practice</i> , 2020, 35, 959-966.	1.1	6
24	Global incidence and profile of ameloblastoma: A systematic review and meta-analysis. <i>Oral Diseases</i> , 2020, 26, 12-21.	1.5	59
25	Needs with Regard to Decision Support Systems for Treating Patients with Incurable Non-small Cell Lung Cancer. <i>Journal of Cancer Education</i> , 2020, 35, 345-351.	0.6	3
26	The Baker Classification for Capsular Contracture in Breast Implant Surgery Is Unreliable as a Diagnostic Tool. <i>Plastic and Reconstructive Surgery</i> , 2020, 146, 956-962.	0.7	26
27	Rasch Analysis of the Patient and Observer Scar Assessment Scale in Linear Scars: Suggestions for a Patient and Observer Scar Assessment Scale v2.1. <i>Plastic and Reconstructive Surgery</i> , 2020, 146, 378e-380e.	0.7	1
28	COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. <i>BMC Medical Research Methodology</i> , 2020, 20, 293.	1.4	205
29	The 25-item Dizziness Handicap Inventory was shortened for use in general practice by 60 percent. <i>Journal of Clinical Epidemiology</i> , 2020, 126, 56-64.	2.4	8
30	Moral competence, moral teamwork and moral action - the European Moral Case Deliberation Outcomes (Euro-MCD) Instrument 2.0 and its revision process. <i>BMC Medical Ethics</i> , 2020, 21, 53.	1.0	17
31	Optimizing Workflows for Fast and Reliable Metabolic Tumor Volume Measurements in Diffuse Large B Cell Lymphoma. <i>Molecular Imaging and Biology</i> , 2020, 22, 1102-1110.	1.3	32
32	Predictive value of interim positron emission tomography in diffuse large B-cell lymphoma: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 65-79.	3.3	55
33	High and Intensive Care in Psychiatry: Validating the HIC Monitor as a Tool for Assessing the Quality of Psychiatric Intensive Care Units. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019, 46, 34-43.	1.2	18
34	Measurement equivalence of the Four-Dimensional Symptom Questionnaire (4DSQ) in adolescents and emerging adults. <i>PLoS ONE</i> , 2019, 14, e0221904.	1.1	1
35	Experience with HPV self-sampling and clinician-based sampling in women attending routine cervical screening in the Netherlands. <i>Preventive Medicine</i> , 2019, 125, 5-11.	1.6	48
36	Interobserver reproducibility of tumor uptake quantification with ^{89}Zr -immuno-PET: a multicenter analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1840-1849.	3.3	11

#	ARTICLE	IF	CITATIONS
37	Psychometric properties of the Dutch-Flemish Patient-Reported Outcomes Measurement Information System Pain Behavior item bank in patients with musculoskeletal complaints. <i>Journal of Pain</i> , 2019, 20, 1328-1337.	0.7	6
38	What does quality of life mean to older adults? A thematic synthesis. <i>PLoS ONE</i> , 2019, 14, e0213263.	1.1	176
39	Concurrent validity and discriminative ability of Dutch performance-based motor tests in 5 to 6 years old children. <i>PLoS ONE</i> , 2019, 14, e0224722.	1.1	2
40	Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients With Musculoskeletal Complaints. <i>Spine</i> , 2019, 44, 411-419.	1.0	6
41	Radical vs conservative treatment of intraosseous ameloblastoma: Systematic review and meta-analysis. <i>Oral Diseases</i> , 2019, 25, 1683-1696.	1.5	62
42	Predicting Mortality in Nursing Home Residents With Dementia and Pneumonia Treated With Antibiotics: Validation of a Prediction Model in a More Recent Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1922-1928.	1.7	6
43	Validation of two PROMIS item banks for measuring social participation in the Dutch general population. <i>Quality of Life Research</i> , 2019, 28, 211-220.	1.5	33
44	Development of the Submental Nasal Appearance Scale for the Assessment of Repaired Unilateral Complete Cleft Lip: A Pilot Study. <i>Cleft Palate-Craniofacial Journal</i> , 2019, 56, 791-798.	0.5	3
45	Systematic Review on the Content of Outcome Measurement Instruments on Scar Quality. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2424.	0.3	22
46	COSMIN guideline for systematic reviews of patient-reported outcome measures. <i>Quality of Life Research</i> , 2018, 27, 1147-1157.	1.5	1,600
47	Effects of two feedback interventions on end-of-life outcomes in nursing home residents with dementia: A cluster-randomized controlled three-armed trial. <i>Palliative Medicine</i> , 2018, 32, 693-702.	1.3	49
48	Rating Nasolabial Aesthetics in Unilateral Cleft Lip and Palate Patients. <i>Cleft Palate-Craniofacial Journal</i> , 2018, 55, 747-752.	0.5	10
49	Specific agreement on ordinal and multiple nominal outcomes can be calculated for more than two raters. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 47-53.	2.4	19
50	COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. <i>Quality of Life Research</i> , 2018, 27, 1171-1179.	1.5	1,264
51	Psychometric evaluation of the Orofacial Pain Scale for Non-Verbal Individuals as a screening tool for orofacial pain in people with dementia. <i>Gerodontology</i> , 2018, 35, 200-213.	0.8	16
52	Noise-Induced Variability of Immuno-PET with Zirconium-89-Labeled Antibodies: an Analysis Based on Count-Reduced Clinical Images. <i>Molecular Imaging and Biology</i> , 2018, 20, 1025-1034.	1.3	13
53	COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. <i>Quality of Life Research</i> , 2018, 27, 1159-1170.	1.5	1,020
54	Assessing the equivalence of Web-based and paper-and-pencil questionnaires using differential item and test functioning (DIF and DTF) analysis: a case of the Four-Dimensional Symptom Questionnaire (4DSQ). <i>Quality of Life Research</i> , 2018, 27, 1191-1200.	1.5	9

#	ARTICLE	IF	CITATIONS
55	Clinical Usefulness of Tools to Support Decision-making for Palliative Treatment of Metastatic Colorectal Cancer: A Systematic Review. <i>Clinical Colorectal Cancer</i> , 2018, 17, e1-e12.	1.0	20
56	Long-term trajectories of patients with neck pain and low back pain presenting to chiropractic care: A latent class growth analysis. <i>European Journal of Pain</i> , 2018, 22, 103-113.	1.4	25
57	Substitution of Fried's performance-based physical frailty criteria with self-report questions. <i>Archives of Gerontology and Geriatrics</i> , 2018, 75, 91-95.	1.4	23
58	Defining and categorizing outcomes of Moral Case Deliberation (MCD): concept mapping with experienced MCD participants. <i>BMC Medical Ethics</i> , 2018, 19, 88.	1.0	10
59	Inventory of oncologists' unmet needs for tools to support decision-making about palliative treatment for metastatic colorectal cancer. <i>BMC Medical Informatics and Decision Making</i> , 2018, 18, 132.	1.5	0
60	Development and validation of a short food questionnaire to screen for low protein intake in community-dwelling older adults: The Protein Screener 55+ (Pro55+). <i>PLoS ONE</i> , 2018, 13, e0196406.	1.1	40
61	Reliability of the Animated Activity Questionnaire for assessing activity limitations of patients with hip and knee osteoarthritis. <i>Musculoskeletal Care</i> , 2018, 16, 363-369.	0.6	9
62	Natural History of Vanishing White Matter. <i>Annals of Neurology</i> , 2018, 84, 274-288.	2.8	69
63	Interobserver Agreement of Interim and End-of-Treatment $¹⁸$ F-FDG PET/CT in Diffuse Large B-Cell Lymphoma: Impact on Clinical Practice and Trials. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1831-1836.	2.8	23
64	Specific agreement on dichotomous outcomes can be calculated for more than two raters. <i>Journal of Clinical Epidemiology</i> , 2017, 83, 85-89.	2.4	35
65	The official update of the POSAS: An invitation to share experiences to improve the POSAS in "Project POSAS 3.0". <i>Burns</i> , 2017, 43, 893-894.	1.1	6
66	Comparison of two- and three-dimensional assessment methods of nasolabial appearance in cleft lip and palate patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017, 45, 1220-1226.	0.7	15
67	The Dutch "Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. <i>Journal of Clinical Epidemiology</i> , 2017, 87, 47-58.	2.4	28
68	Spearman's "Brown prophecy formula and Cronbach's alpha: different faces of reliability and opportunities for new applications. <i>Journal of Clinical Epidemiology</i> , 2017, 85, 45-49.	2.4	112
69	The Aesthetic Items Scale: A Tool for the Evaluation of Aesthetic Outcome after Breast Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017, 5, e1254.	0.3	34
70	Global incidence of oral and oropharynx cancer in patients younger than 45 years versus older patients: A systematic review. <i>European Journal of Cancer</i> , 2017, 82, 115-127.	1.3	192
71	Minimal important change in the pelvic floor distress inventory-20 among women opting for conservative prolapse treatment. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 397.e1-397.e7.	0.7	21
72	Symptom relief in patients with pneumonia and dementia: implementation of a practice guideline. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 829-839.	1.3	5

#	ARTICLE	IF	CITATIONS
73	Can resources moderate the impact of levels of frailty on adverse outcomes among (pre-) frail older people? A longitudinal study. <i>BMC Geriatrics</i> , 2017, 17, 185.	1.1	16
74	Physicians using spinal manipulative treatment in The Netherlands: a description of their characteristics and their patients. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 512.	0.8	4
75	Decision support systems for incurable non-small cell lung cancer: a systematic review. <i>BMC Medical Informatics and Decision Making</i> , 2017, 17, 144.	1.5	19
76	The COnsensus-based Standards for the selection of health Measurement INstruments (COSMIN) and how to select an outcome measurement instrument. <i>Brazilian Journal of Physical Therapy</i> , 2016, 20, 105-113.	1.1	469
77	The Four-Dimensional Symptom Questionnaire (4DSQ) in the general population: scale structure, reliability, measurement invariance and normative data: a cross-sectional survey. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 130.	1.0	31
78	Calibration of the Dutchâ€Flemish <scp>PROMIS</scp> Pain Behavior item bank in patients with chronic pain. <i>European Journal of Pain</i> , 2016, 20, 284-296.	1.4	18
79	Measurement of patient safety: a systematic review of the reliability and validity of adverse event detection with record review. <i>BMJ Open</i> , 2016, 6, e011078.	0.8	70
80	STARD 2015 guidelines for reporting diagnostic accuracy studies: explanation and elaboration. <i>BMJ Open</i> , 2016, 6, e012799.	0.8	1,324
81	Transepidermal water loss measured with the Tewameter TM300 in burn scars. <i>Burns</i> , 2016, 42, 1455-1462.	1.1	44
82	Unfulfilled Expectations After Total Hip and Knee Arthroplasty Surgery: There Is a Need for Better Preoperative Patient Information and Education. <i>Journal of Arthroplasty</i> , 2016, 31, 2139-2145.	1.5	120
83	Improving comfort in people with dementia and pneumonia: a cluster randomized trial. <i>BMC Medicine</i> , 2016, 14, 116.	2.3	14
84	Which characteristics of nursing home residents relate to factors influencing their dignity?. <i>Geriatric Nursing</i> , 2016, 37, 365-370.	0.9	9
85	Updating standards for reporting diagnostic accuracy: the development of STARD 2015. <i>Research Integrity and Peer Review</i> , 2016, 1, 7.	2.2	48
86	Adding Psychosocial Factors Does Not Improve Predictive Models for People With Spinal Pain Enough to Warrant Extensive Screening for Them at Baseline. <i>Physical Therapy</i> , 2016, 96, 1179-1189.	1.1	6
87	The assessment of anorexia in patients with cancer: cut-off values for the FAACTâ€A/CS and the VAS for appetite. <i>Supportive Care in Cancer</i> , 2016, 24, 661-666.	1.0	62
88	The quality of systematic reviews of health-related outcome measurement instruments. <i>Quality of Life Research</i> , 2016, 25, 767-779.	1.5	72
89	The burden of neck pain: its meaning for persons with neck pain and healthcare providers, explored by concept mapping. <i>Quality of Life Research</i> , 2016, 25, 1219-1225.	1.5	35
90	Prospective Observations of Discomfort, Pain, and Dyspnea in Nursing Home Residents With Dementia and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 128-135.	1.2	35

#	ARTICLE	IF	CITATIONS
91	Somatization is associated with worse outcome in a chiropractic patient population with neck pain and low back pain. <i>Manual Therapy</i> , 2016, 21, 170-176.	1.6	24
92	Lifetime stability of ADHD symptoms in older adults. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2016, 8, 13-20.	1.7	23
93	Insights into the use of thermography to assess burn wound healing potential: a reliable and valid technique when compared to laser Doppler imaging. <i>Journal of Biomedical Optics</i> , 2016, 21, 1.	1.4	43
94	Differences in Connection Strength between Mental Symptoms Might Be Explained by Differences in Variance: Reanalysis of Network Data Did Not Confirm Staging. <i>PLoS ONE</i> , 2016, 11, e0155205.	1.1	108
95	Analyzing Incomplete Item Scores in Longitudinal Data by Including Item Score Information as Auxiliary Variables. <i>Structural Equation Modeling</i> , 2015, 22, 588-602.	2.4	14
96	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. <i>PLoS ONE</i> , 2015, 10, e0134094.	1.1	32
97	STARD 2015: an updated list of essential items for reporting diagnostic accuracy studies. <i>BMJ</i> , The, 2015, 351, h5527.	3.0	1,914
98	Advance Care Planning in Nursing Home Patients With Dementia: A Qualitative Interview Study Among Family and Professional Caregivers. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 979-989.	1.2	42
99	Can personal dignity be assessed by others? A survey study comparing nursing home residents'™ with family members'™, nurses'™ and physicians'™ answers on the MIDAM-LTC. <i>International Journal of Nursing Studies</i> , 2015, 52, 555-567.	2.5	14
100	In a clinimetric analysis, 3D stereophotogrammetry was found to be reliable and valid for measuring scar volume in clinical research. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 782-787.	2.4	24
101	Including auxiliary item information in longitudinal data analyses improved handling missing questionnaire outcome data. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 637-645.	2.4	9
102	Comfort goal of care and end-of-life outcomes in dementia: A prospective study. <i>Palliative Medicine</i> , 2015, 29, 538-546.	1.3	30
103	Minimally important change values of a measurement instrument depend more on baseline values than on the type of intervention. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 518-524.	2.4	41
104	Tools to Assess Pain or Lack of Comfort in Dementia: A Content Analysis. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 659-675.e3.	0.6	41
105	STARD 2015: An Updated List of Essential Items for Reporting Diagnostic Accuracy Studies. <i>Clinical Chemistry</i> , 2015, 61, 1446-1452.	1.5	449
106	Fried phenotype of frailty: cross-sectional comparison of three frailty stages on various health domains. <i>BMC Geriatrics</i> , 2015, 15, 77.	1.1	108
107	Minimal important change (MIC) based on a predictive modeling approach was more precise than MIC based on ROC analysis. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1388-1396.	2.4	99
108	Reliability, responsiveness and interpretability of the neck disability index-Dutch version in primary care. <i>European Spine Journal</i> , 2015, 24, 88-93.	1.0	27

#	ARTICLE	IF	CITATIONS
109	Impact of Verb Tense on Response to the Four-Dimensional Symptom Questionnaire (4DSQ). European Journal of Psychological Assessment, 2015, 31, 202-210.	1.7	3
110	Measuring individual work performance: Identifying and selecting indicators. Work, 2014, 48, 229-238.	0.6	55
111	Dutchâ€Flemish translation of 17 item banks from the Patient-Reported Outcomes Measurement Information System (PROMIS). Quality of Life Research, 2014, 23, 1733-41.	1.5	102
112	Missing data in a multi-item instrument were best handled by multiple imputation at the item score level. Journal of Clinical Epidemiology, 2014, 67, 335-342.	2.4	193
113	The hand held Doppler device for the detection of perforators in reconstructive surgery: What you hear is not always what you get. Burns, 2014, 40, 1702-1706.	1.1	39
114	Nutrition screening tools: Does one size fit all? A systematic review of screening tools for the hospital setting. Clinical Nutrition, 2014, 33, 39-58.	2.3	374
115	A Systematic Review of Malnutrition Screening Tools for the Nursing Home Setting. Journal of the American Medical Directors Association, 2014, 15, 171-184.	1.2	75
116	Factors Associated with Initiation of Advance Care Planning in Dementia: A Systematic Review. Journal of Alzheimer's Disease, 2014, 40, 743-757.	1.2	161
117	Clinicians are right not to like Cohen's \hat{A} . BMJ, The, 2013, 346, f2125-f2125.	3.0	201
118	Missing Data. Epidemiology, 2012, 23, 729-732.	1.2	155
119	Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. Quality of Life Research, 2012, 21, 651-657.	1.5	1,463
120	F258 IDENTIFYING PREDICTORS FOR CHRONIFICATION OF NEUROPATHIC PAIN - RESULTS OF A DELPHI SURVEY. European Journal of Pain Supplements, 2011, 5, 141-141.	0.0	0
121	Development of a measurement instrument. , 2011, , 30-64.		15
122	Field-testing: item reduction and data structure. , 2011, , 65-95.		7
123	Responsiveness. , 2011, , 202-226.		6
124	Interpretability. , 2011, , 227-274.		8
125	Systematic reviews of measurement properties. , 2011, , 275-314.		11
126	The SNAQRC, an easy traffic light system as a first step in the recognition of undernutrition in residential care. Journal of Nutrition, Health and Aging, 2010, 14, 83-89.	1.5	48

#	ARTICLE	IF	CITATIONS
127	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010, 19, 539-549.	1.5	2,751
128	Are psychological factors prognostic indicators of outcome in patients with sub-acute neck pain?. <i>Manual Therapy</i> , 2010, 15, 111-116.	1.6	38
129	Characteristics of Chiropractors and their Patients in Belgium. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010, 33, 618-625.	0.4	41
130	Three ways to quantify uncertainty in individually applied "minimally important change" values. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 37-45.	2.4	113
131	Mind the MIC: large variation among populations and methods. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 524-534.	2.4	245
132	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 737-745.	2.4	2,945
133	The applicability of the Tampa Scale of Kinesiophobia for patients with sub-acute neck pain: a qualitative study. <i>Quality and Quantity</i> , 2009, 43, 773-780.	2.0	18
134	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009, 18, 313-333.	1.5	146
135	Development of a methodological PubMed search filter for finding studies on measurement properties of measurement instruments. <i>Quality of Life Research</i> , 2009, 18, 1115-1123.	1.5	579
136	Quality criteria were proposed for measurement properties of health status questionnaires. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 34-42.	2.4	7,331
137	Minimally important change determined by a visual method integrating an anchor-based and a distribution-based approach. <i>Quality of Life Research</i> , 2007, 16, 131-142.	1.5	276
138	When to use agreement versus reliability measures. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1033-1039.	2.4	1,356
139	The Effectiveness of High-Intensity Versus Low-Intensity Back Schools in an Occupational Setting. <i>Spine</i> , 2006, 31, 1075-1082.	1.0	83
140	Are factor analytical techniques used appropriately in the validation of health status questionnaires? A systematic review on the quality of factor analysis of the SF-36. <i>Quality of Life Research</i> , 2005, 14, 1203-1218.	1.5	231
141	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 335-341.	0.5	457
142	Current challenges in clinimetrics. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1137-1141.	2.4	189
143	Towards Complete and Accurate Reporting of Studies of Diagnostic Accuracy: The STARD Initiative. <i>Clinical Chemistry</i> , 2003, 49, 1-6.	1.5	805
144	The STARD Statement for Reporting Studies of Diagnostic Accuracy: Explanation and Elaboration. <i>Annals of Internal Medicine</i> , 2003, 138, W1.	2.0	956

#	ARTICLE	IF	CITATIONS
145	Manual Therapy, Physical Therapy, or Continued Care by a General Practitioner for Patients with Neck Pain. <i>Annals of Internal Medicine</i> , 2002, 136, 713.	2.0	283
146	Additional abstracts from the e_Musk meeting. <i>Acta Orthopaedica</i> , 2002, 73, 63-69.	1.4	0
147	Responsiveness of functional status in low back pain: a comparison of different instruments. <i>Pain</i> , 1996, 65, 71-76.	2.0	507
148	Concepts, theories and models, and types of measurements. , 0, , 7-29.		7
149	STARD 2015 guidelines for reporting diagnostic accuracy studies: explanation and elaboration. Translation to Russian. <i>Digital Diagnostics</i> , 0, , .	0.3	1