

# Neville G Suskin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5008055/publications.pdf>

Version: 2024-02-01

69  
papers

2,751  
citations

186209

28  
h-index

182361

51  
g-index

69  
all docs

69  
docs citations

69  
times ranked

3658  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex, Depression, and More in Cardiac Rehabilitation. Canadian Journal of Cardiology, 2021, 37, 357-358.	0.8	2
2	Measuring True Change in Individual Patients: Reliable Change Indices of Cardiac Rehabilitation Outcomes, and Implications for Quality Indicators. CJC Open, 2021, 3, 1139-1148.	0.7	1
3	The impact of 6 months of exercise-based cardiac rehabilitation on sympathetic neural recruitment during apneic stress. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2021, 321, R174-R185.	0.9	1
4	Post Cardiac Surgery Rehabilitation. , 2021, , 687-696.		0
5	Therapies for Advanced Heart Failure Patients Ineligible for Heart Transplantation: Beyond Pharmacotherapy. Canadian Journal of Cardiology, 2020, 36, 234-243.	0.8	6
6	Does vascular stiffness predict white matter hyperintensity burden in ischemic heart disease with preserved ejection fraction?. American Journal of Physiology - Heart and Circulatory Physiology, 2020, 318, H1401-H1409.	1.5	4
7	Interventions supporting long term adherence and decreasing cardiovascular events after myocardial infarction (ISLAND): pragmatic randomised controlled trial. BMJ, The, 2020, 369, m1731.	3.0	38
8	Cardiac Rehabilitation During the COVID-19 Era: Guidance on Implementing Virtual Care. Canadian Journal of Cardiology, 2020, 36, 1317-1321.	0.8	68
9	Can causal explanations about endothelial pathophysiology benefit patient education? A cluster randomized controlled trial in cardiac rehabilitation. Patient Education and Counseling, 2019, 102, 1672-1679.	1.0	3
10	Effects of 6 Months of Exercise-Based Cardiac Rehabilitation on Autonomic Function and Neuro-Cardiovascular Stress Reactivity in Coronary Artery Disease Patients. Journal of the American Heart Association, 2019, 8, e012257.	1.6	23
11	Importance of Completing Hybrid Cardiac Rehabilitation for Long-Term Outcomes: A Real-World Evaluation. Journal of Clinical Medicine, 2019, 8, 290.	1.0	7
12	Exercise for stroke prevention. Stroke and Vascular Neurology, 2018, 3, 59-68.	1.5	53
13	Carotid Arterial Stiffness Predicts White Matter Lesion Volume in Older Adults. FASEB Journal, 2018, 32, 713.8.	0.2	0
14	The Impact of Burst Exercise on Cardiometabolic Status of Patients Newly Diagnosed With Type 2 Diabetes. Canadian Journal of Cardiology, 2017, 33, 1645-1651.	0.8	11
15	Comprehensive Cardiac Rehabilitation for Secondary Prevention After Transient Ischemic Attack or Mild Stroke. Journal of Cardiopulmonary Rehabilitation and Prevention, 2017, 37, 428-436.	1.2	13
16	Feasibility of an exercise intervention for fatigued breast cancer patients at a community-based cardiac rehabilitation program. Cancer Management and Research, 2017, Volume 9, 29-39.	0.9	44
17	Feasibility of Assessing 2 Cardiac Rehabilitation Quality Indicators. Journal of Cardiopulmonary Rehabilitation and Prevention, 2016, 36, 112-116.	1.2	7
18	Effects of aging and coronary artery disease on sympathetic neural recruitment strategies during end-inspiratory and end-expiratory apnea. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 311, H1040-H1050.	1.5	33

#	ARTICLE	IF	CITATIONS
19	Aerobic Fitness and Risk of Ventricular Arrhythmia Following Physical Exertion. <i>Canadian Journal of Cardiology</i> , 2016, 32, 533-538.	0.8	11
20	Coronary artery disease affects cortical circuitry associated with brain-heart integration during volitional exercise. <i>Journal of Neurophysiology</i> , 2015, 114, 835-845.	0.9	5
21	Impaired Cerebrovascular Function in Coronary Artery Disease Patients and Recovery Following Cardiac Rehabilitation. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 224.	1.7	41
22	Pan-Canadian Development of Cardiac Rehabilitation and Secondary Prevention Quality Indicators. <i>Canadian Journal of Cardiology</i> , 2014, 30, 945-948.	0.8	82
23	The Quality of Cardiac Rehabilitation in Canada: A Report of the Canadian Cardiac Rehab Registry. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1452-1455.	0.8	14
24	An investigation of changes in regional gray matter volume in cardiovascular disease patients, pre and post cardiovascular rehabilitation. <i>NeuroImage: Clinical</i> , 2013, 3, 388-395.	1.4	36
25	One, two and three-dimensional ultrasound measurements of carotid atherosclerosis before and after cardiac rehabilitation: preliminary results of a randomized controlled trial. <i>Cardiovascular Ultrasound</i> , 2013, 11, 39.	0.5	5
26	Clinical and Pharmacogenetic Predictors of Circulating Atorvastatin and Rosuvastatin Concentrations in Routine Clinical Care. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 400-408.	5.1	168
27	Primary Care Provider Receipt of Cardiac Rehabilitation Discharge Summaries. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2013, 6, 83-89.	0.9	9
28	Randomized trial of an internet-based computer-tailored expert system for physical activity in patients with heart disease. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1357-1364.	0.8	117
29	The role of clinical and geographic factors in the use of hospital versus home-based cardiac rehabilitation. <i>International Journal of Rehabilitation Research</i> , 2012, 35, 220-226.	0.7	22
30	Perceptions of cardiac rehabilitation patients, specialists and rehabilitation programs regarding cardiac rehabilitation wait times. <i>BMC Health Services Research</i> , 2012, 12, 259.	0.9	22
31	Systematizing Inpatient Referral to Cardiac Rehabilitation 2010: Canadian Association of Cardiac Rehabilitation and Canadian Cardiovascular Society Joint Position Paper. <i>Canadian Journal of Cardiology</i> , 2011, 27, 192-199.	0.8	79
32	Smoking Cessation and the Cardiovascular Specialist: Canadian Cardiovascular Society Position Paper. <i>Canadian Journal of Cardiology</i> , 2011, 27, 132-137.	0.8	34
33	The Relationship Between Need and Capacity for Multidisciplinary Cardiovascular Risk-Reduction Programs in Ontario. <i>Canadian Journal of Cardiology</i> , 2011, 27, 200-207.	0.8	32
34	Systematizing Inpatient Referral to Cardiac Rehabilitation 2010. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2011, 31, E1-E8.	1.2	23
35	Primary care provider perceptions of intake transition records and shared care with outpatient cardiac rehabilitation programs. <i>BMC Health Services Research</i> , 2011, 11, 231.	0.9	8
36	Comprehensive Cardiac Rehabilitation for Secondary Prevention After Transient Ischemic Attack or Mild Stroke. <i>Stroke</i> , 2011, 42, 3207-3213.	1.0	80

#	ARTICLE	IF	CITATIONS
37	Quality of Life Following Participation in Cardiac Rehabilitation Programs of Longer or Shorter than 6 Months: Does Duration Matter?. <i>Population Health Management</i> , 2011, 14, 181-188.	0.8	12
38	Drive time to cardiac rehabilitation: at what point does it affect utilization?. <i>International Journal of Health Geographics</i> , 2010, 9, 27.	1.2	55
39	The Canadian Heart Health Strategy and Action Plan: Cardiac rehabilitation as an exemplar of chronic disease management. <i>Canadian Journal of Cardiology</i> , 2010, 26, 37-41.	0.8	30
40	End-of-life planning in heart failure: It should be the end of the beginning. <i>Canadian Journal of Cardiology</i> , 2010, 26, 135-141.	0.8	33
41	A Multisite Examination of Sex Differences in Cardiac Rehabilitation Barriers by Participation Status. <i>Journal of Women's Health</i> , 2009, 18, 209-216.	1.5	97
42	The association among depressive symptoms, smoking status and antidepressant use in cardiac outpatients. <i>Journal of Behavioral Medicine</i> , 2009, 32, 478-490.	1.1	29
43	Degree and correlates of patient trust in their cardiologist. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 634-640.	0.9	22
44	Concordance of self- and program-reported rates of cardiac rehabilitation referral, enrollment and participation. <i>Canadian Journal of Cardiology</i> , 2009, 25, e96-e99.	0.8	28
45	A mixed methods study of continuity of care from cardiac rehabilitation to primary care physicians. <i>Canadian Journal of Cardiology</i> , 2009, 25, e187-e192.	0.8	13
46	Barriers to Cardiac Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009, 29, 183-187.	1.2	78
47	Cardiologists' charting varied by risk factor, and was often discordant with patient report. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1073-1079.	2.4	11
48	Smokers paradox or not in heart failure. Just quit. <i>European Heart Journal</i> , 2008, 29, 1932-1933.	1.0	12
49	Contribution of patient and physician factors to cardiac rehabilitation referral: a prospective multilevel study. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008, 5, 653-662.	3.3	58
50	Contribution of patient and physician factors to cardiac rehabilitation enrollment: a prospective multilevel study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 548-556.	3.1	119
51	The effects of exercise training on insulin resistance in patients with coronary artery disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 803-808.	3.1	8
52	A prospective comparison of cardiac rehabilitation enrollment following automatic vs usual referral. <i>Acta Dermato-Venereologica</i> , 2007, 39, 239-245.	0.6	65
53	Recurrent hepatocellular carcinoma after transplantation: Use of a pathological score on explanted livers to predict recurrence. <i>Liver Transplantation</i> , 2007, 13, 543-551.	1.3	140
54	Pergolide and cabergoline increased risk for valvular heart disease in Parkinson disease. <i>ACP Journal Club</i> , 2007, 146, 76.	0.1	2

#	ARTICLE	IF	CITATIONS
55	Pergolide and cabergoline were associated with increased risk for newly diagnosed cardiac valve regurgitation. ACP Journal Club, 2007, 146, 75.	0.1	3
56	Referral to and discharge from cardiac rehabilitation: key informant views on continuity of care. Journal of Evaluation in Clinical Practice, 2006, 12, 155-163.	0.9	36
57	Eosinophilic esophagitis in adults: distinguishing features from gastroesophageal reflux disease: a study of 41 patients. Modern Pathology, 2006, 19, 90-96.	2.9	199
58	Illness perceptions among cardiac patients: Relation to depressive symptomatology and sex. Journal of Psychosomatic Research, 2005, 59, 153-160.	1.2	76
59	The Ontario Cardiac Rehabilitation Pilot Project. Canadian Journal of Cardiology, 2004, 20, 957-61.	0.8	12
60	ANXIETY AND DEPRESSION ARE RELATED TO THE OUTCOME OF EMERGENCY TREATMENT IN PATIENTS WITH OBSTRUCTIVE PULMONARY DISEASE.. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 236.	0.5	1
61	Cardiac rehabilitation and secondary prevention services in Ontario: recommendations from a consensus panel. Canadian Journal of Cardiology, 2003, 19, 833-8.	0.8	17
62	The Ontario Cardiac Rehabilitation Pilot Project. Journal of Cardiopulmonary Rehabilitation and Prevention, 2002, 22, 5-6.	0.5	0
63	Relationship of current and past smoking to mortality and morbidity in patients with left ventricular dysfunction. Journal of the American College of Cardiology, 2001, 37, 1677-1682.	1.2	157
64	QT dispersion: An electrocardiographic derivative of QT prolongation. American Heart Journal, 2001, 141, 111-116.	1.2	17
65	Acute cardiovascular responses to leg-press resistance exercise in heart transplant recipients. International Journal of Cardiology, 2001, 81, 61-74.	0.8	18
66	Changes in Exercise Capacity and Lipids after Clinic Versus Home-based Aerobic Training in Coronary Artery Bypass Graft Surgery Patients. Journal of Cardiopulmonary Rehabilitation and Prevention, 2001, 21, 31-36.	0.5	50
67	Glucose and insulin abnormalities relate to functional capacity in patients with congestive heart failure. European Heart Journal, 2000, 21, 1368-1375.	1.0	224
68	Atypical Squamous Cells of Undetermined Significance: A Cytohistological Study in a Colposcopy Clinic. , 1999, 21, 211-216.		13
69	Clinical Workload Decreases the Level of Aerobic Fitness in Housestaff Physicians. Journal of Cardiopulmonary Rehabilitation and Prevention, 1998, 18, 216-220.	0.5	14