

Sarah K Bronson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5008442/publications.pdf>

Version: 2024-02-01

37
papers

3,166
citations

279701

23
h-index

377752

34
g-index

37
all docs

37
docs citations

37
times ranked

4497
citing authors

#	ARTICLE	IF	CITATIONS
1	The use of emotional intelligence skills in combating burnout among residency and fellowship program directors. <i>BMC Medical Education</i> , 2022, 22, 127.	1.0	3
2	Podocyte-specific chemokine (C-C motif) receptor 2 overexpression mediates diabetic renal injury in mice. <i>Kidney International</i> , 2017, 91, 671-682.	2.6	27
3	Insulin treatment normalizes retinal neuroinflammation but not markers of synapse loss in diabetic rats. <i>Experimental Eye Research</i> , 2014, 125, 95-106.	1.2	14
4	Nanoliposomal minocycline for ocular drug delivery. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2013, 9, 130-140.	1.7	49
5	Trpc2 depletion protects red blood cells from oxidative stress-induced hemolysis. <i>Experimental Hematology</i> , 2012, 40, 71-83.	0.2	18
6	Multi-Modal Proteomic Analysis of Retinal Protein Expression Alterations in a Rat Model of Diabetic Retinopathy. <i>PLoS ONE</i> , 2011, 6, e16271.	1.1	44
7	Interdisciplinary Graduate Education: A Case Study. <i>Cell</i> , 2011, 147, 1207-1208.	13.5	2
8	Chronic insulin treatment of diabetes does not fully normalize alterations in the retinal transcriptome. <i>BMC Medical Genomics</i> , 2011, 4, 40.	0.7	23
9	Circulating sphingolipid biomarkers in models of type 1 diabetes. <i>Journal of Lipid Research</i> , 2011, 52, 509-517.	2.0	133
10	Hyperglycemia-Induced O-GlcNAcylation and Truncation of 4E-BP1 Protein in Liver of a Mouse Model of Type 1 Diabetes. <i>Journal of Biological Chemistry</i> , 2011, 286, 34286-34297.	1.6	24
11	Enhanced Osteoclastic Resorption and Responsiveness to Mechanical Load in Gap Junction Deficient Bone. <i>PLoS ONE</i> , 2011, 6, e23516.	1.1	127
12	Derivation of murine induced pluripotent stem cells (iPS) and assessment of their differentiation toward osteogenic lineage. <i>Journal of Cellular Biochemistry</i> , 2010, 109, 643-652.	1.2	79
13	Skeletal muscle protein balance in mTOR heterozygous mice in response to inflammation and leucine. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 298, E1283-E1294.	1.8	49
14	A multistep validation process of biomarkers for preclinical drug development. <i>Pharmacogenomics Journal</i> , 2010, 10, 385-395.	0.9	27
15	Transcriptomic comparison of the retina in two mouse models of diabetes. <i>Journal of Ocular Biology, Diseases, and Informatics</i> , 2009, 2, 202-213.	0.2	35
16	Whole genome assessment of the retinal response to diabetes reveals a progressive neurovascular inflammatory response. <i>BMC Medical Genomics</i> , 2008, 1, 26.	0.7	98
17	Dendrite Remodeling and Other Abnormalities in the Retinal Ganglion Cells of <i>Ins2^{Akita}</i> Diabetic Mice. , 2008, 49, 2635.		151
18	Nonobese, insulin-deficient <i>Ins2^{Akita}</i> mice develop type 2 diabetes phenotypes including insulin resistance and cardiac remodeling. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E1687-E1696.	1.8	64

#	ARTICLE	IF	CITATIONS
19	Disruption of BCATm in Mice Leads to Increased Energy Expenditure Associated with the Activation of a Futile Protein Turnover Cycle. <i>Cell Metabolism</i> , 2007, 6, 181-194.	7.2	326
20	BCATm KO mice have elevated branched chain amino acids (BCAAs), a propensity to be lean, and show improvements in endpoints associated with obesity comorbidities. <i>FASEB Journal</i> , 2007, 21, A163.	0.2	0
21	Osteogenic Nodule Formation from Single Embryonic Stem Cell-Derived Progenitors. <i>Stem Cells and Development</i> , 2006, 15, 865-879.	1.1	26
22	Artificial chromosome-based transgenes in the study of genome function. <i>Mammalian Genome</i> , 2006, 17, 791-807.	1.0	26
23	Diabetic Retinopathy. <i>Diabetes</i> , 2006, 55, 2401-2411.	0.3	673
24	The Ins2AkitaMouse as a Model of Early Retinal Complications in Diabetes. , 2005, 46, 2210.		442
25	A β GT-AT1A receptor transgene protects renal cortical structure in AT1 receptor-deficient mice. <i>Physiological Genomics</i> , 2004, 18, 290-298.	1.0	13
26	Mice with Deficiency of G Protein β 3 Are Lean and Have Seizures. <i>Molecular and Cellular Biology</i> , 2004, 24, 7758-7768.	1.1	81
27	Tissue-specific expression of a BAC transgene targeted to the Hprt locus in mouse embryonic stem cells. <i>Genomics</i> , 2004, 83, 1072-1082.	1.3	33
28	Transgenic bcl-2 is not sufficient to rescue all hematolymphoid defects in STAT5A/5B-deficient mice. <i>Experimental Hematology</i> , 2003, 31, 1253-1258.	0.2	13
29	Calcium-dependent interaction of calcineurin with bcl-2 in neuronal tissue. <i>Neuroscience</i> , 2003, 117, 541-555.	1.1	64
30	Bone Nodule Formation via In Vitro Differentiation of Murine Embryonic Stem Cells. <i>Methods in Enzymology</i> , 2003, 365, 241-251.	0.4	11
31	Loss of G Protein β 7 Alters Behavior and Reduces Striatal Dopamine Level and cAMP Production. <i>Journal of Biological Chemistry</i> , 2003, 278, 6575-6579.	1.6	110
32	An eye on insulin. <i>Journal of Clinical Investigation</i> , 2003, 111, 1817-1819.	3.9	21
33	An eye on insulin. <i>Journal of Clinical Investigation</i> , 2003, 111, 1817-1819.	3.9	5
34	Generation of single-copy transgenic mouse embryos directly from ES cells by tetraploid embryo complementation. <i>BMC Biotechnology</i> , 2001, 1, 12.	1.7	27
35	Single-copy transgenic mice with chosen-site integration.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 9067-9072.	3.3	286
36	A Novel Creb Family Gene Telomeric of HLA-DRA in the HLA Complex. <i>Genomics</i> , 1995, 30, 149-156.	1.3	34

#	ARTICLE	IF	CITATIONS
37	Molecular linkage of the HLA-DR, HLA-DQ, and HLA-DO genes in yeast artificial chromosomes. Genomics, 1991, 11, 577-586.	1.3	8