

Matthias S Wilm

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5010658/matthias-s-wilm-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

36,523
citations

71
h-index

119
g-index

119
ext. papers

38,857
ext. citations

14.9
avg, IF

6.79
L-index

#	Paper	IF	Citations
115	Lipid Discovery by Combinatorial Screening and Untargeted LC-MS/MS. <i>Scientific Reports</i> , 2016 , 6, 27920	4.9	8
114	Bioactive hydrolysates from bovine blood globulins: Generation, characterisation, and in silico prediction of toxicity and allergenicity. <i>Journal of Functional Foods</i> , 2016 , 24, 142-155	5.1	32
113	DMSO enhances electrospray response, boosting sensitivity of proteomic experiments. <i>Nature Methods</i> , 2013 , 10, 989-91	21.6	170
112	Structural basis for targeting the chromatin repressor Sfmtb to Polycomb response elements. <i>Genes and Development</i> , 2013 , 27, 2367-79	12.6	32
111	p38 MAPK controls prothrombin expression by regulated RNA 3'end processing. <i>Molecular Cell</i> , 2011 , 41, 298-310	17.6	56
110	Principles of electrospray ionization. <i>Molecular and Cellular Proteomics</i> , 2011 , 10, M111.009407	7.6	141
109	Histone H2A deubiquitinase activity of the Polycomb repressive complex PR-DUB. <i>Nature</i> , 2010 , 465, 243-7	50.4	558
108	Quantitative proteomics in biological research. <i>Proteomics</i> , 2009 , 9, 4590-605	4.8	69
107	Peptide Sequencing by Nanoelectrospray Tandem Mass Spectrometry. <i>Springer Protocols</i> , 2009 , 1095-1105	5	5
106	RBM5/Luca-15/H37 regulates Fas alternative splice site pairing after exon definition. <i>Molecular Cell</i> , 2008 , 32, 81-95	17.6	131
105	Translation initiation by the c-myc mRNA internal ribosome entry sequence and the poly(A) tail. <i>Rna</i> , 2008 , 14, 1579-89	5.8	19
104	Cdk11 is a RanGTP-dependent microtubule stabilization factor that regulates spindle assembly rate. <i>Journal of Cell Biology</i> , 2008 , 180, 867-75	7.3	70
103	A compartmentalized phosphorylation/dephosphorylation system that regulates U snRNA export from the nucleus. <i>Molecular and Cellular Biology</i> , 2008 , 28, 487-97	4.8	20
102	Costimulation induced phosphorylation of L-plastin facilitates surface transport of the T cell activation molecules CD69 and CD25. <i>European Journal of Immunology</i> , 2007 , 37, 649-62	6.1	71
101	Combination of peptide OFFGEL fractionation and label-free quantitation facilitated proteomics profiling of extraocular muscle. <i>Proteomics</i> , 2007 , 7, 3404-16	4.8	41
100	Splicing factors stimulate polyadenylation via USEs at non-canonical 3'end formation signals. <i>EMBO Journal</i> , 2007 , 26, 2658-69	13	65
99	Pcl-PRC2 is needed to generate high levels of H3-K27 trimethylation at Polycomb target genes. <i>EMBO Journal</i> , 2007 , 26, 4078-88	13	208

98	Geminin cleavage during apoptosis by caspase-3 alters its binding ability to the SWI/SNF subunit Brahma. <i>Journal of Biological Chemistry</i> , 2007 , 282, 9346-9357	5.4	21
97	Quantitative proteomics profiling of sarcomere associated proteins in limb and extraocular muscle allotypes. <i>Molecular and Cellular Proteomics</i> , 2007 , 6, 728-37	7.6	33
96	IRAG mediates NO/cGMP-dependent inhibition of platelet aggregation and thrombus formation. <i>Blood</i> , 2007 , 109, 552-9	2.2	114
95	The sec14 homology module of neurofibromin binds cellular glycerophospholipids: mass spectrometry and structure of a lipid complex. <i>Journal of Molecular Biology</i> , 2007 , 366, 551-62	6.5	57
94	HURP is part of a Ran-dependent complex involved in spindle formation. <i>Current Biology</i> , 2006 , 16, 743-54	5.3	202
93	A Polycomb group protein complex with sequence-specific DNA-binding and selective methyl-lysine-binding activities. <i>Genes and Development</i> , 2006 , 20, 1110-22	12.6	287
92	NuSAP, a mitotic RanGTP target that stabilizes and cross-links microtubules. <i>Molecular Biology of the Cell</i> , 2006 , 17, 2646-60	3.5	93
91	Sex-lethal imparts a sex-specific function to UNR by recruiting it to the msl-2 mRNA 3'UTR: translational repression for dosage compensation. <i>Genes and Development</i> , 2006 , 20, 368-79	12.6	67
90	Legionella pneumophila glucosyltransferase inhibits host elongation factor 1A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 16953-8	11.5	108
89	Nuclear pore components are involved in the transcriptional regulation of dosage compensation in <i>Drosophila</i> . <i>Molecular Cell</i> , 2006 , 21, 811-23	17.6	331
88	A general precursor ion-like scanning mode on quadrupole-TOF instruments compatible with chromatographic separation. <i>Proteomics</i> , 2006 , 6, 41-53	4.8	28
87	The Physiology of Prothrombin Gene Expression Integrates RNA Polyadenylation and Splicing in a Novel Regulatable 3' RNP-Complex.. <i>Blood</i> , 2006 , 108, 1601-1601	2.2	
86	Identification of 40LoVe, a <i>Xenopus</i> hnRNP D family protein involved in localizing a TGF-beta-related mRNA during oogenesis. <i>Developmental Cell</i> , 2005 , 8, 505-15	10.2	77
85	Nup155 regulates nuclear envelope and nuclear pore complex formation in nematodes and vertebrates. <i>EMBO Journal</i> , 2005 , 24, 3519-31	13	89
84	Silicone/graphite coating for on-target desalting and improved peptide mapping performance of matrix-assisted laser desorption/ionization-mass spectrometry targets in proteomic experiments. <i>Proteomics</i> , 2005 , 5, 1460-71	4.8	37
83	The role of RNA interference in drug target validation: Application to Hepatitis C 2005 , 318-330		1
82	An enzymatic cascade of Rab5 effectors regulates phosphoinositide turnover in the endocytic pathway. <i>Journal of Cell Biology</i> , 2005 , 170, 607-18	7.3	309
81	Building the stator of the yeast vacuolar-ATPase: specific interaction between subunits E and G. <i>Journal of Biological Chemistry</i> , 2004 , 279, 40670-6	5.4	42

80	Importin alpha associates with membranes and participates in nuclear envelope assembly in vitro. <i>EMBO Journal</i> , 2004 , 23, 1526-35	13	69
79	A subset of human 35S U5 proteins, including Prp19, function prior to catalytic step 1 of splicing. <i>EMBO Journal</i> , 2004 , 23, 2381-91	13	145
78	Genome-wide analysis of mRNAs regulated by the THO complex in <i>Drosophila melanogaster</i> . <i>Nature Structural and Molecular Biology</i> , 2004 , 11, 558-66	17.6	172
77	Prothymosin alpha associates with the oncoprotein SET and is involved in chromatin decondensation. <i>FEBS Letters</i> , 2004 , 577, 496-500	3.8	44
76	APPL proteins link Rab5 to nuclear signal transduction via an endosomal compartment. <i>Cell</i> , 2004 , 116, 445-56	56.2	453
75	The Rab5 effector Rabankyrin-5 regulates and coordinates different endocytic mechanisms. <i>PLoS Biology</i> , 2004 , 2, E261	9.7	162
74	Biochemical function of female-lethal (2)D/Wilms tumor suppressor-1-associated proteins in alternative pre-mRNA splicing. <i>Journal of Biological Chemistry</i> , 2003 , 278, 3040-7	5.4	71
73	Complexes between the nonsense-mediated mRNA decay pathway factor human upf1 (up-frameshift protein 1) and essential nonsense-mediated mRNA decay factors in HeLa cells. <i>Biochemical Journal</i> , 2003 , 373, 775-83	3.8	30
72	Proteomic characterisation of neuronal sphingolipid-cholesterol microdomains: role in plasminogen activation. <i>Brain Research</i> , 2003 , 987, 107-16	3.7	36
71	Nano-electrospray-based detection and sequencing of substoichiometric amounts of phosphopeptides in complex mixtures. <i>Journal of Mass Spectrometry</i> , 2003 , 38, 131-7	2.2	32
70	Noise filtering techniques for electrospray quadrupole time of flight mass spectra. <i>Journal of the American Society for Mass Spectrometry</i> , 2003 , 14, 766-76	3.5	39
69	Preprocessing of tandem mass spectrometric data to support automatic protein identification. <i>Proteomics</i> , 2003 , 3, 1597-610	4.8	77
68	Matrix-assisted laser desorption/ionization directed nano-electrospray ionization tandem mass spectrometric analysis for protein identification. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 1825-34	2.2	18
67	RanGTP mediates nuclear pore complex assembly. <i>Nature</i> , 2003 , 424, 689-94	50.4	185
66	An efficient protein complex purification method for functional proteomics in higher eukaryotes. <i>Nature Biotechnology</i> , 2003 , 21, 89-92	44.5	173
65	A homologue of cysteine-rich secretory proteins induces premature degradation of vitelline envelopes and hatching of <i>Xenopus laevis</i> embryos. <i>Mechanisms of Development</i> , 2003 , 120, 937-48	1.7	19
64	The conserved Nup107-160 complex is critical for nuclear pore complex assembly. <i>Cell</i> , 2003 , 113, 195-206	96.2	321
63	MOF-regulated acetylation of MSL-3 in the <i>Drosophila</i> dosage compensation complex. <i>Molecular Cell</i> , 2003 , 11, 1265-77	17.6	73

62	Reverse genetics in the mosquito <i>Anopheles gambiae</i> : targeted disruption of the Defensin gene. <i>EMBO Reports</i> , 2002 , 3, 852-6	6.5	298
61	The DEXD/H-box RNA helicase RHII/Gu is a co-factor for c-Jun-activated transcription. <i>EMBO Journal</i> , 2002 , 21, 451-60	13	87
60	Characterization of novel SF3b and 17S U2 snRNP proteins, including a human Prp5p homologue and an SF3b DEAD-box protein. <i>EMBO Journal</i> , 2002 , 21, 4978-88	13	184
59	"De novo" sequencing of peptides recovered from in-gel digested proteins by nanoelectrospray tandem mass spectrometry. <i>Molecular Biotechnology</i> , 2002 , 20, 107-18	3	72
58	Hsp90 enables Ctf13p/Skp1p to nucleate the budding yeast kinetochore. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 8585-90	11.5	58
57	Protein composition of human prespliceosomes isolated by a tobramycin affinity-selection method. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 16719-24	11.5	241
56	Small nuclear ribonucleoprotein remodeling during catalytic activation of the spliceosome. <i>Science</i> , 2002 , 298, 2205-8	33.3	297
55	Automated de novo sequencing of proteins using the differential scanning technique. <i>Proteomics</i> , 2001 , 1, 668-82	4.8	37
54	Phosphorylation and structure-based functional studies reveal a positive and a negative role for the activation loop of the c-Abl tyrosine kinase. <i>Oncogene</i> , 2001 , 20, 8075-84	9.2	69
53	The DEXH/D box protein HEL/UAP56 is essential for mRNA nuclear export in <i>Drosophila</i> . <i>Current Biology</i> , 2001 , 11, 1716-21	6.3	196
52	The <i>S. cerevisiae</i> SET3 complex includes two histone deacetylases, Hos2 and Hst1, and is a meiotic-specific repressor of the sporulation gene program. <i>Genes and Development</i> , 2001 , 15, 2991-3004	12.6	199
51	Lysine and polyamines are substrates for transglutamination of Rho by the <i>Bordetella</i> dermonecrotic toxin. <i>Infection and Immunity</i> , 2001 , 69, 7663-70	3.7	19
50	The tandem affinity purification (TAP) method: a general procedure of protein complex purification. <i>Methods</i> , 2001 , 24, 218-29	4.6	1360
49	The p120 catenin partner Kaiso is a DNA methylation-dependent transcriptional repressor. <i>Genes and Development</i> , 2001 , 15, 1613-8	12.6	359
48	Ran induces spindle assembly by reversing the inhibitory effect of importin alpha on TPX2 activity. <i>Cell</i> , 2001 , 104, 83-93	56.2	496
47	Regulation of intracellular calcium by a signalling complex of IRAG, IP3 receptor and cGMP kinase Ibeta. <i>Nature</i> , 2000 , 404, 197-201	50.4	383
46	The C-terminal domain of TAP interacts with the nuclear pore complex and promotes export of specific CTE-bearing RNA substrates. <i>Rna</i> , 2000 , 6, 136-58	5.8	268
45	REF, an evolutionary conserved family of hnRNP-like proteins, interacts with TAP/Mex67p and participates in mRNA nuclear export. <i>Rna</i> , 2000 , 6, 638-50	5.8	296

44	Rabenosyn-5, a novel Rab5 effector, is complexed with hVPS45 and recruited to endosomes through a FYVE finger domain. <i>Journal of Cell Biology</i> , 2000 , 151, 601-12	7.3	293
43	TPX2, A novel xenopus MAP involved in spindle pole organization. <i>Journal of Cell Biology</i> , 2000 , 149, 1405-18	7.3	315
42	Mass spectrometric analysis of proteins. <i>Advances in Protein Chemistry</i> , 2000 , 54, 1-30		20
41	Vesicular stomatitis virus matrix protein inhibits host cell gene expression by targeting the nucleoporin Nup98. <i>Molecular Cell</i> , 2000 , 6, 1243-52	17.6	208
40	A common core RNP structure shared between the small nucleolar box C/D RNPs and the spliceosomal U4 snRNP. <i>Cell</i> , 2000 , 103, 457-66	56.2	289
39	PHAX, a mediator of U snRNA nuclear export whose activity is regulated by phosphorylation. <i>Cell</i> , 2000 , 101, 187-98	56.2	266
38	De Novo peptide sequencing by nanoelectrospray tandem mass spectrometry using triple quadrupole and quadrupole/time-of-flight instruments. <i>Methods in Molecular Biology</i> , 2000 , 146, 1-16	1.4	88
37	Sample preparation methods for mass spectrometric peptide mapping directly from 2-DE gels. <i>Methods in Molecular Biology</i> , 1999 , 112, 513-30	1.4	181
36	Peptide sequencing of 2-DE gel-isolated proteins by nanoelectrospray tandem mass spectrometry. <i>Methods in Molecular Biology</i> , 1999 , 112, 571-88	1.4	56
35	RanGTP-regulated interactions of CRM1 with nucleoporins and a shuttling DEAD-box helicase. <i>Molecular and Cellular Biology</i> , 1999 , 19, 6276-85	4.8	183
34	Mass spectrometric analysis of nitric oxide-modified caspase-3. <i>Journal of Biological Chemistry</i> , 1999 , 274, 20931-6	5.4	85
33	Phosphatidylinositol-3-OH kinases are Rab5 effectors. <i>Nature Cell Biology</i> , 1999 , 1, 249-52	23.4	510
32	A generic protein purification method for protein complex characterization and proteome exploration. <i>Nature Biotechnology</i> , 1999 , 17, 1030-2	44.5	2298
31	The modified base J is the target for a novel DNA-binding protein in kinetoplastid protozoans. <i>EMBO Journal</i> , 1999 , 18, 6573-81	13	58
30	Phosphorylation and inactivation of BAD by mitochondria-anchored protein kinase A. <i>Molecular Cell</i> , 1999 , 3, 413-22	17.6	567
29	Structural basis for activation of the titin kinase domain during myofibrillogenesis. <i>Nature</i> , 1998 , 395, 863-9	50.4	300
28	TAP, the human homolog of Mex67p, mediates CTE-dependent RNA export from the nucleus. <i>Molecular Cell</i> , 1998 , 1, 649-59	17.6	490
27	Rapid protein sequencing by tandem mass spectrometry and cDNA cloning of p20-CGGBP. A novel protein that binds to the unstable triplet repeat 5Rd(CGG) _n -3Rn in the human FMR1 gene. <i>Journal of Biological Chemistry</i> , 1997 , 272, 16761-8	5.4	38

26	mRNA silencing in erythroid differentiation: hnRNP K and hnRNP E1 regulate 15-lipoxygenase translation from the 3' end. <i>Cell</i> , 1997 , 89, 597-606	56.2	434
25	A novel Rab5 GDP/GTP exchange factor complexed to Rabaptin-5 links nucleotide exchange to effector recruitment and function. <i>Cell</i> , 1997 , 90, 1149-59	56.2	510
24	Activity of DNA ligase IV stimulated by complex formation with XRCC4 protein in mammalian cells. <i>Nature</i> , 1997 , 388, 492-5	50.4	520
23	Chromatin-remodelling factor CHRAC contains the ATPases ISWI and topoisomerase II. <i>Nature</i> , 1997 , 388, 598-602	50.4	437
22	Gln 63 of Rho is deamidated by Escherichia coli cytotoxic necrotizing factor-1. <i>Nature</i> , 1997 , 387, 725-9	50.4	465
21	Molecular cloning and N-terminal analysis of bovine cystatin C. Identification of a full-length N-terminal region. <i>BBA - Proteins and Proteomics</i> , 1997 , 1343, 203-10		7
20	Peptide sequencing by mass spectrometry for homology searches and cloning of genes. <i>The Protein Journal</i> , 1997 , 16, 481-90		115
19	The application of robotics and mass spectrometry to the characterisation of the Drosophila melanogaster indirect flight muscle proteome. <i>International Journal of Peptide Research and Therapeutics</i> , 1997 , 4, 57-65		7
18	Rapid de novo peptide sequencing by a combination of nanoelectrospray, isotopic labeling and a quadrupole/time-of-flight mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1997 , 11, 1015-24	2.2	373
17	Clostridium novyi alpha-toxin-catalyzed incorporation of GlcNAc into Rho subfamily proteins. <i>Journal of Biological Chemistry</i> , 1996 , 271, 25173-7	5.4	103
16	Parent ion scans of unseparated peptide mixtures. <i>Analytical Chemistry</i> , 1996 , 68, 527-33	7.8	272
15	Analytical properties of the nanoelectrospray ion source. <i>Analytical Chemistry</i> , 1996 , 68, 1-8	7.8	1639
14	Linking genome and proteome by mass spectrometry: large-scale identification of yeast proteins from two dimensional gels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 14440-5	11.5	1292
13	Applications of sustained off-resonance irradiation (SORI) and quadrupolar excitation axialization (QEA) for the characterization of biomolecules by Fourier-transform mass spectrometry (FTMS). <i>Biochemical Society Transactions</i> , 1996 , 24, 943-7	5.1	6
12	Mass spectrometric sequencing of proteins silver-stained polyacrylamide gels. <i>Analytical Chemistry</i> , 1996 , 68, 850-8	7.8	7831
11	New carbamate supports for the preparation of 3'-amino-modified oligonucleotides. <i>Bioorganic and Medicinal Chemistry</i> , 1996 , 4, 1649-58	3.4	19
10	Nano electrospray combined with a quadrupole ion trap for the analysis of peptides and protein digests. <i>Journal of the American Society for Mass Spectrometry</i> , 1996 , 7, 150-6	3.5	56
9	Femtomole sequencing of proteins from polyacrylamide gels by nano-electrospray mass spectrometry. <i>Nature</i> , 1996 , 379, 466-9	50.4	1574

8	Activation of a novel calcium-dependent protein-tyrosine kinase. Correlation with c-Jun N-terminal kinase but not mitogen-activated protein kinase activation. <i>Journal of Biological Chemistry</i> , 1996 , 271, 29993-8	5.4	227
7	A strategy for identifying gel-separated proteins in sequence databases by MS alone. <i>Biochemical Society Transactions</i> , 1996 , 24, 893-6	5.1	192
6	Glucosylation of Rho proteins by Clostridium difficile toxin B. <i>Nature</i> , 1995 , 375, 500-3	50.4	895
5	The enterotoxin from Clostridium difficile (ToxA) monoglucosylates the Rho proteins. <i>Journal of Biological Chemistry</i> , 1995 , 270, 13932-6	5.4	369
4	Electrospray mass spectrometry for protein characterization. <i>Trends in Biochemical Sciences</i> , 1995 , 20, 219-24	10.3	193
3	Preparation of oligonucleotide-dexamethasone conjugates. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995 , 5, 1577-1580	2.9	18
2	Electrospray and Taylor-Cone theory, Dole's beam of macromolecules at last?. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1994 , 136, 167-180		728
1	Error-tolerant identification of peptides in sequence databases by peptide sequence tags. <i>Analytical Chemistry</i> , 1994 , 66, 4390-9	7.8	1367