

Manel M Santafe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5011055/publications.pdf>

Version: 2024-02-01

63
papers

1,469
citations

257101

24
h-index

344852

36
g-index

63
all docs

63
docs citations

63
times ranked

896
citing authors

#	ARTICLE	IF	CITATIONS
1	Dry Needling Produces Mild Injuries Irrespective to Muscle Stiffness and Tension in Ex Vivo Mice Muscles. <i>Pain Research and Management</i> , 2022, 2022, 1-10.	0.7	3
2	Safety analysis of percutaneous needle electrolysis: a study of needle composition, morphology, and electrical resistance. <i>Acupuncture in Medicine</i> , 2021, 39, 471-477.	0.4	3
3	Epigenetic Changes Governing Scn5a Expression in Denervated Skeletal Muscle. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2755.	1.8	7
4	Effects of a Fat-Rich Diet on the Spontaneous Release of Acetylcholine in the Neuromuscular Junction of Mice. <i>Nutrients</i> , 2020, 12, 3216.	1.7	3
5	Acupuncture and electroacupuncture in the treatment of carpal tunnel syndrome: Systematic review. <i>Revista Fisioterapia Invasiva / Journal of Invasive Techniques in Physical Therapy</i> , 2020, 03, 013-025.	0.1	3
6	Changes in pH as a result of galvanic currents used in percutaneous needle electrolysis. <i>Revista Fisioterapia Invasiva / Journal of Invasive Techniques in Physical Therapy</i> , 2020, 03, 006-006.	0.1	2
7	Percutaneous Application of Galvanic Current in Rodents Reverses Signs of Myofascial Trigger Points. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-9.	0.5	7
8	Percutaneous Needle Electrolysis Reverses Neurographic Signs of Nerve Entrapment by Induced Fibrosis in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-7.	0.5	4
9	rMSIKeylon: An Ion Filtering R Package for Untargeted Analysis of Metabolomic LDI-MS Images. <i>Metabolites</i> , 2019, 9, 162.	1.3	2
10	Acupuncture Points and Perforating Cutaneous Vessels Identified Using Infrared Thermography: A Cross-Sectional Pilot Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-9.	0.5	8
11	Experimental myofascial trigger point creation in rodents. <i>Journal of Applied Physiology</i> , 2019, 126, 160-169.	1.2	27
12	Adenosine Receptors in Developing and Adult Mouse Neuromuscular Junctions and Functional Links With Other Metabotropic Receptor Pathways. <i>Frontiers in Pharmacology</i> , 2018, 9, 397.	1.6	15
13	Presynaptic Membrane Receptors Modulate ACh Release, Axonal Competition and Synapse Elimination during Neuromuscular Junction Development. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 132.	1.4	23
14	Muscle Contraction Regulates BDNF/TrkB Signaling to Modulate Synaptic Function through Presynaptic cPKC β 1 and cPKC β 2. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 147.	1.4	62
15	Presynaptic muscarinic acetylcholine autoreceptors (M1, M2 and M4 subtypes), adenosine receptors (A1 and A2A) and tropomyosin-related kinase B receptor (TrkB) modulate the developmental synapse elimination process at the neuromuscular junction. <i>Molecular Brain</i> , 2016, 9, 67.	1.3	36
16	The novel protein kinase C epsilon isoform modulates acetylcholine release in the rat neuromuscular junction. <i>Molecular Brain</i> , 2015, 8, 80.	1.3	22
17	Adenosine receptors and muscarinic receptors cooperate in acetylcholine release modulation in the neuromuscular synapse. <i>European Journal of Neuroscience</i> , 2015, 42, 1775-1787.	1.2	28
18	The novel protein kinase C epsilon isoform at the adult neuromuscular synapse: location, regulation by synaptic activity-dependent muscle contraction through TrkB signaling and coupling to ACh release. <i>Molecular Brain</i> , 2015, 8, 8.	1.3	27

#	ARTICLE	IF	CITATIONS
19	Presynaptic membrane receptors in acetylcholine release modulation in the neuromuscular synapse. <i>Journal of Neuroscience Research</i> , 2014, 92, 543-554.	1.3	41
20	Adenosine A2B and A3 receptor location at the mouse neuromuscular junction. <i>Journal of Anatomy</i> , 2014, 225, 109-117.	0.9	15
21	Protein kinase α isoforms at the neuromuscular junction: localization and specific roles in neurotransmission and development. <i>Journal of Anatomy</i> , 2014, 224, 61-73.	0.9	24
22	The interaction between tropomyosin-related kinase B receptors and serine kinases modulates acetylcholine release in adult neuromuscular junctions. <i>Neuroscience Letters</i> , 2014, 561, 171-175.	1.0	20
23	Cellular localization of the atypical isoforms of protein kinase C (α PKC β and α PKC δ) on the neuromuscular synapse. <i>Neuroscience Letters</i> , 2013, 556, 166-169.	1.0	4
24	Adenosine A ₁ and A _{2A} receptor-mediated modulation of acetylcholine release in the mice neuromuscular junction. <i>European Journal of Neuroscience</i> , 2013, 38, 2229-2241.	1.2	33
25	Neuromuscular Damage and Repair after Dry Needling in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-10.	0.5	66
26	Exogenous ciliary neurotrophic factor (CNTF) reduces synaptic depression during repetitive stimulation. <i>Journal of the Peripheral Nervous System</i> , 2012, 17, 312-323.	1.4	5
27	Silent synapses in neuromuscular junction development. <i>Journal of Neuroscience Research</i> , 2011, 89, 3-12.	1.3	15
28	Blocking p75 ^{NTR} receptors alters polyinnervation of neuromuscular synapses during development. <i>Journal of Neuroscience Research</i> , 2011, 89, 1331-1341.	1.3	18
29	Transmitter release in the neuromuscular synapse of the protein kinase C θ -deficient adult mouse. <i>Journal of Comparative Neurology</i> , 2011, 519, 849-855.	0.9	7
30	Involvement of brain-derived neurotrophic factor (BDNF) in the functional elimination of synaptic contacts at polyinnervated neuromuscular synapses during development. <i>Journal of Neuroscience Research</i> , 2010, 88, 1406-1419.	1.3	32
31	Synaptic activity-related classical protein kinase C isoform localization in the adult rat neuromuscular synapse. <i>Journal of Comparative Neurology</i> , 2010, 518, 211-228.	0.9	30
32	Localization of brain-derived neurotrophic factor, neurotrophin-4, tropomyosin-related kinase b receptor, and p75 ^{NTR} receptor by high-resolution immunohistochemistry on the adult mouse neuromuscular junction. <i>Journal of the Peripheral Nervous System</i> , 2010, 15, 40-49.	1.4	45
33	The Interaction between Tropomyosin-Related Kinase B Receptors and Presynaptic Muscarinic Receptors Modulates Transmitter Release in Adult Rodent Motor Nerve Terminals. <i>Journal of Neuroscience</i> , 2010, 30, 16514-16522.	1.7	51
34	Neurotrophin-4 couples to locally modulated ACh release at the end of neuromuscular synapse maturation. <i>Neuroscience Letters</i> , 2010, 468, 72-74.	1.0	12
35	Involvement of neurotrophin-3 (NT-3) in the functional elimination of synaptic contacts during neuromuscular development. <i>Neuroscience Letters</i> , 2010, 473, 141-145.	1.0	12
36	The glial cell line-derived neurotrophic factor (GDNF) does not acutely change acetylcholine release in developing and adult neuromuscular junction. <i>Neuroscience Letters</i> , 2010, 480, 127-131.	1.0	10

#	ARTICLE	IF	CITATIONS
37	Decreased phosphorylation of delta and epsilon subunits of the acetylcholine receptor coincides with delayed postsynaptic maturation in PKC theta deficient mouse. <i>Experimental Neurology</i> , 2010, 225, 183-195.	2.0	20
38	Effect of anti-GM2 antibodies on rat sciatic nerve: Electrophysiological and morphological study. <i>Journal of Neuroimmunology</i> , 2009, 208, 61-69.	1.1	3
39	Presynaptic muscarinic receptors, calcium channels, and protein kinase C modulate the functional disconnection of weak inputs at polyinnervated neonatal neuromuscular synapses. <i>Journal of Neuroscience Research</i> , 2009, 87, 1195-1206.	1.3	27
40	Histology in neuroscience. <i>Journal of Molecular Histology</i> , 2008, 39, 251-252.	1.0	0
41	Anti-GM2 gangliosides IgM paraprotein induces neuromuscular block without neuromuscular damage. <i>Journal of Neuroimmunology</i> , 2008, 204, 20-28.	1.1	4
42	Short-Term Effects of β -Amyloid25-35Peptide Aggregates on Transmitter Release in Neuromuscular Synapses. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008, 67, 250-259.	0.9	6
43	Coupling of presynaptic muscarinic autoreceptors to serine kinases in low and high release conditions on the rat motor nerve terminal. <i>Neuroscience</i> , 2007, 148, 432-440.	1.1	37
44	Plastic-embedded semithin cross-sections as a tool for high-resolution immunofluorescence analysis of the neuromuscular junction molecules: Specific cellular location of protease-activated receptor-1. <i>Journal of Neuroscience Research</i> , 2007, 85, 748-756.	1.3	30
45	Protein kinase C activity affects neurotransmitter release at polyinnervated neuromuscular synapses. <i>Journal of Neuroscience Research</i> , 2007, 85, 1449-1457.	1.3	16
46	Muscarinic autoreceptors modulate transmitter release through protein kinase C and protein kinase A in the rat motor nerve terminal. <i>European Journal of Neuroscience</i> , 2006, 23, 2048-2056.	1.2	73
47	Changes in the neuromuscular synapse induced by an antibody against gangliosides. <i>Annals of Neurology</i> , 2005, 57, 396-407.	2.8	32
48	Localization of neuronal calcium sensor-1 at the adult and developing rat neuromuscular junction. <i>Journal of Neuroscience Research</i> , 2005, 82, 1-9.	1.3	4
49	Calcium inflow-dependent protein kinase C activity is involved in the modulation of transmitter release in the neuromuscular junction of the adult rat. <i>Synapse</i> , 2005, 57, 76-84.	0.6	35
50	Muscarinic autoreceptors related with calcium channels in the strong and weak inputs at polyinnervated developing rat neuromuscular junctions. <i>Neuroscience</i> , 2004, 123, 61-73.	1.1	42
51	Role and expression of thrombin receptor PAR-1 in muscle cells and neuromuscular junctions during the synapse elimination period in the neonatal rat. <i>Journal of Neuroscience Research</i> , 2003, 73, 10-21.	1.3	23
52	Modulation of ACh release by presynaptic muscarinic autoreceptors in the neuromuscular junction of the newborn and adult rat. <i>European Journal of Neuroscience</i> , 2003, 17, 119-127.	1.2	74
53	Decreased calcium influx into the neonatal rat motor nerve terminals can recruit additional neuromuscular junctions during the synapse elimination period. <i>Neuroscience</i> , 2002, 110, 147-154.	1.1	26
54	Pre- and postsynaptic maturation of the neuromuscular junction during neonatal synapse elimination depends on protein kinase C. <i>Journal of Neuroscience Research</i> , 2002, 67, 607-617.	1.3	50

#	ARTICLE	IF	CITATIONS
55	Calcium channels coupled to neurotransmitter release at dually innervated neuromuscular junctions in the newborn rat. <i>Neuroscience</i> , 2001, 102, 697-708.	1.1	51
56	Pertussis toxin-sensitive G-protein and protein kinase C activity are involved in normal synapse elimination in the neonatal rat muscle. <i>Journal of Neuroscience Research</i> , 2001, 63, 330-340.	1.3	53
57	IgM monoclonal antibody against terminal moiety of GM2, GalNAc-GD1a and GalNAc-GM1b from a pure motor chronic demyelinating polyneuropathy patient: effects on neurotransmitter release. <i>Journal of Neuroimmunology</i> , 2001, 119, 114-123.	1.1	47
58	Multiple types of calcium channels mediate transmitter release during functional recovery of botulinum toxin type A-poisoned mouse motor nerve terminals. <i>Neuroscience</i> , 1999, 95, 227-234.	1.1	49
59	Physiological activity-dependent ultrastructural plasticity in normal adult rat neuromuscular junctions. <i>Biology of the Cell</i> , 1997, 89, 19-28.	0.7	8
60	Activity-dependent plastic changes in the motor nerve terminals of the adult rat. <i>Biology of the Cell</i> , 1993, 79, 133-137.	0.7	7
61	Pattern of arborization of the motor nerve terminals in the fast and slow mammalian muscles. <i>Biology of the Cell</i> , 1992, 74, 299-305.	0.7	14
62	Motor nerve terminal morphologic plasticity induced by small changes in the locomotor activity of the adult rat. <i>Neuroscience Letters</i> , 1989, 106, 137-140.	1.0	14
63	Size-related differences in the branching pattern of the motor nerve terminals in triangularis sterni muscle of the mouse. <i>Biology of the Cell</i> , 1989, 65, 271-280.	0.7	2