

# Johan Ormel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5011323/publications.pdf>

Version: 2024-02-01

385  
papers

44,072  
citations

3334

91  
h-index

2571

195  
g-index

394  
all docs

394  
docs citations

394  
times ranked

38028  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2581.	7.4	2,696
2	Grading the severity of chronic pain. <i>Pain</i> , 1992, 50, 133-149.	4.2	2,409
3	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 378-385.	2.8	1,854
4	The Hierarchical Taxonomy of Psychopathology (HiTOP): A dimensional alternative to traditional nosologies.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 454-477.	1.9	1,804
5	The global burden of mental disorders: An update from the WHO World Mental Health (WMH) Surveys. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 23-33.	0.9	1,412
6	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2007, 190, 402-409.	2.8	1,118
7	An International Study of the Relation between Somatic Symptoms and Depression. <i>New England Journal of Medicine</i> , 1999, 341, 1329-1335.	27.0	1,056
8	Cross-National Associations Between Gender and Mental Disorders in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2009, 66, 785.	12.3	1,018
9	Prognostic Association of Depression Following Myocardial Infarction With Mortality and Cardiovascular Events: A Meta-analysis. <i>Psychosomatic Medicine</i> , 2004, 66, 814-822.	2.0	863
10	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 121-140.	2.1	791
11	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1617-1628.	2.2	566
12	Common Mental Disorders and Disability Across Cultures. <i>JAMA - Journal of the American Medical Association</i> , 1994, 272, 1741.	7.4	539
13	Bullying and Victimization in Elementary Schools: A Comparison of Bullies, Victims, Bully/Victims, and Uninvolved Preadolescents.. <i>Developmental Psychology</i> , 2005, 41, 672-682.	1.6	500
14	Adequacy and Duration of Antidepressant Treatment in Primary Care. <i>Medical Care</i> , 1992, 30, 67-76.	2.4	485
15	The Structure and Stability of Common Mental Disorders. <i>Archives of General Psychiatry</i> , 2001, 58, 597.	12.3	478
16	Neuroticism and common mental disorders: Meaning and utility of a complex relationship. <i>Clinical Psychology Review</i> , 2013, 33, 686-697.	11.4	466
17	Integrating nature and nurture: Implications of person-environment correlations and interactions for developmental psychopathology. <i>Development and Psychopathology</i> , 1997, 9, 335-364.	2.3	424
18	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2011, 68, 90.	12.3	410

#	ARTICLE	IF	CITATIONS
19	Duration of major depressive episodes in the general population: Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>British Journal of Psychiatry</i> , 2002, 181, 208-213.	2.8	403
20	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010, 27, 351-364.	4.1	363
21	Survey Non-response in the Netherlands Effects on Prevalence Estimates and Associations. <i>Annals of Epidemiology</i> , 2003, 13, 105-110.	1.9	353
22	Recognition, Management, and Course of Anxiety and Depression in General Practice. <i>Archives of General Psychiatry</i> , 1991, 48, 700.	12.3	351
23	Childhood Predictors of Adult Attention-Deficit/Hyperactivity Disorder: Results from the World Health Organization World Mental Health Survey Initiative. <i>Biological Psychiatry</i> , 2009, 65, 46-54.	1.3	346
24	Evaluation of non-response bias in mental health determinants and outcomes in a large sample of pre-adolescents. <i>European Journal of Epidemiology</i> , 2005, 20, 173-181.	5.7	335
25	Progress in achieving quantitative classification of psychopathology. <i>World Psychiatry</i> , 2018, 17, 282-293.	10.4	329
26	Disability and treatment of specific mental and physical disorders across the world. <i>British Journal of Psychiatry</i> , 2008, 192, 368-375.	2.8	326
27	Universal risk factors for multifactorial diseases. <i>European Journal of Epidemiology</i> , 2008, 23, 67-74.	5.7	301
28	Effects of antidepressant treatment following myocardial infarction. <i>British Journal of Psychiatry</i> , 2007, 190, 460-466.	2.8	297
29	The Interplay and Etiological Continuity of Neuroticism, Difficulties, and Life Events in the Etiology of Major and Subsyndromal, First and Recurrent Depressive Episodes in Later Life. <i>American Journal of Psychiatry</i> , 2001, 158, 885-891.	7.2	286
30	Temporal and Reciprocal Relationship Between IADL/ADL Disability and Depressive Symptoms in Late Life. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002, 57, P338-P347.	3.9	285
31	How neuroticism, long-term difficulties, and life situation change influence psychological distress: A longitudinal model.. <i>Journal of Personality and Social Psychology</i> , 1991, 60, 744-755.	2.8	284
32	Temperament profiles associated with internalizing and externalizing problems in preadolescence. <i>Development and Psychopathology</i> , 2004, 16, 421-40.	2.3	283
33	Association of Childhood Adversities and Early-Onset Mental Disorders With Adult-Onset Chronic Physical Conditions. <i>Archives of General Psychiatry</i> , 2011, 68, 838.	12.3	281
34	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011, 133, 76-85.	4.1	278
35	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010, 5, e10574.	2.5	273
36	Comorbid Mental Disorders Account for the Role Impairment of Commonly Occurring Chronic Physical Disorders: Results From the National Comorbidity Survey. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 1257-1266.	1.7	271

#	ARTICLE	IF	CITATIONS
37	Vulnerability Before, During, and After a Major Depressive Episode. Archives of General Psychiatry, 2004, 61, 990.	12.3	262
38	Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133.	2.4	251
39	Subjective Well-Being and Social Production Functions. Social Indicators Research, 1999, 46, 61-90.	2.7	250
40	Cohort Profile: The Dutch 'Tracking Adolescents' Individual Lives' Survey'; TRAILS. International Journal of Epidemiology, 2008, 37, 1227-1235.	1.9	248
41	The Structure of Psychopathology in Adolescence. Clinical Psychological Science, 2015, 3, 850-860.	4.0	245
42	Neuroticism: a non-informative marker of vulnerability to psychopathology. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 906-912.	3.1	230
43	Symptom Dimensions of Depression Following Myocardial Infarction and Their Relationship With Somatic Health Status and Cardiovascular Prognosis. American Journal of Psychiatry, 2006, 163, 138-144.	7.2	225
44	Longitudinal associations between depressive problems, academic performance, and social functioning in adolescent boys and girls.. Developmental Psychology, 2014, 50, 247-257.	1.6	220
45	Functioning, Well-Being, and Health Perception in Late Middle-Aged and Older People: Comparing the Effects of Depressive Symptoms and Chronic Medical Conditions. Journal of the American Geriatrics Society, 1998, 46, 39-48.	2.6	215
46	Mental disorders among persons with heart disease – results from World Mental Health surveys. General Hospital Psychiatry, 2007, 29, 325-334.	2.4	204
47	The Dyadic Nature of Bullying and Victimization: Testing a Dual-Perspective Theory. Child Development, 2007, 78, 1843-1854.	3.0	202
48	Outcome of Depression and Anxiety in Primary Care. Archives of General Psychiatry, 1993, 50, 759.	12.3	194
49	Adolescents' cortisol responses to awakening and social stress; Effects of gender, menstrual phase and oral contraceptives. The TRAILS study. Psychoneuroendocrinology, 2009, 34, 884-893.	2.7	193
50	Meta-analysis and meta-regression of hypothalamic-pituitary-adrenal axis activity in functional somatic disorders. Biological Psychology, 2011, 87, 183-194.	2.2	188
51	Five-year prospective outcome of psychopathology in the adolescent offspring of bipolar parents. Bipolar Disorders, 2005, 7, 344-350.	1.9	186
52	The biological and psychological basis of neuroticism: Current status and future directions. Neuroscience and Biobehavioral Reviews, 2013, 37, 59-72.	6.1	186
53	Quality of life and social production functions: A framework for understanding health effects. Social Science and Medicine, 1997, 45, 1051-1063.	3.8	182
54	Individual differences in dispositional mindfulness and brain activity involved in reappraisal of emotion. Social Cognitive and Affective Neuroscience, 2010, 5, 369-377.	3.0	181

#	ARTICLE	IF	CITATIONS
55	A cross-cultural study of the structure of comorbidity among common psychopathological syndromes in the general health care setting.. Journal of Abnormal Psychology, 2003, 112, 437-447.	1.9	180
56	The Structure of The Extended Psychosis Phenotype in Early Adolescence--A Cross-sample Replication. Schizophrenia Bulletin, 2011, 37, 850-860.	4.3	168
57	Mutual reinforcement between neuroticism and life experiences: A five-wave, 16-year study to test reciprocal causation.. Journal of Personality and Social Psychology, 2014, 107, 751-764.	2.8	162
58	Self-report disability in an international primary care study of psychological illness. Journal of Clinical Epidemiology, 1996, 49, 297-303.	5.0	153
59	Personality, chronic medical morbidity, and health-related quality of life among older persons.. Health Psychology, 1997, 16, 539-546.	1.6	148
60	Neuroticism and the brain: A quantitative meta-analysis of neuroimaging studies investigating emotion processing. Neuroscience and Biobehavioral Reviews, 2013, 37, 1518-1529.	6.1	145
61	Prevalence of Psychopathology in Children of a Bipolar Parent. Journal of the American Academy of Child and Adolescent Psychiatry, 2001, 40, 1094-1102.	0.5	142
62	Activation of Anterior Insula during Self-Reflection. PLoS ONE, 2009, 4, e4618.	2.5	142
63	Timing matters: Long term effects of adversities from prenatal period up to adolescence on adolescents' cortisol stress response. The TRAILS study. Psychoneuroendocrinology, 2012, 37, 1439-1447.	2.7	142
64	Psychological status among elderly people with chronic diseases: Does type of disease play a part?. Journal of Psychosomatic Research, 1996, 40, 521-534.	2.6	140
65	Stressful life events and depressive problems in early adolescent boys and girls: The influence of parental depression, temperament and family environment. Journal of Affective Disorders, 2008, 105, 185-193.	4.1	140
66	Psychosocial Disability Before, During, and After a Major Depressive Episode. Archives of General Psychiatry, 2004, 61, 387.	12.3	137
67	Treatment of Post-Myocardial Infarction Depressive Disorder: A Randomized, Placebo-Controlled Trial With Mirtazapine. Psychosomatic Medicine, 2007, 69, 606-613.	2.0	136
68	Effortful control as modifier of the association between negative emotionality and adolescents' mental health problems. Development and Psychopathology, 2007, 19, 523-39.	2.3	136
69	Gender differences in the relation between social support, problems in parent-offspring communication, and depression and anxiety. Social Science and Medicine, 2005, 60, 2549-2559.	3.8	133
70	Early risk factors for being a bully, victim, or bully/victim in late elementary and early secondary education. The longitudinal TRAILS study. BMC Public Health, 2011, 11, 440.	2.9	133
71	Only Incident Depressive Episodes After Myocardial Infarction Are Associated With New Cardiovascular Events. Journal of the American College of Cardiology, 2006, 48, 2204-2208.	2.8	131
72	Externalizing and Internalizing Problems in Relation to Autonomic Function. Journal of the American Academy of Child and Adolescent Psychiatry, 2007, 46, 378-386.	0.5	129

#	ARTICLE	IF	CITATIONS
73	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1132-1143.	5.0	128
74	Stability and change in psychological distress and their relationship with self-esteem and locus of control: A dynamic equilibrium model.. <i>Journal of Personality and Social Psychology</i> , 1991, 60, 288-299.	2.8	122
75	Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. <i>British Journal of Psychiatry</i> , 2011, 198, 206-212.	2.8	122
76	The state effect of depressive and anxiety disorders on big five personality traits. <i>Journal of Psychiatric Research</i> , 2012, 46, 644-650.	3.1	122
77	Nonresponse to Treatment for Depression Following Myocardial Infarction: Association With Subsequent Cardiac Events. <i>American Journal of Psychiatry</i> , 2007, 164, 1371-1378.	7.2	121
78	Socioeconomic position and mental health problems in pre- and early-adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 231-238.	3.1	121
79	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e80573.	2.5	119
80	Life events, difficulties and onset of depressive episodes in later life. <i>Psychological Medicine</i> , 2001, 31, 859-869.	4.5	118
81	Cohort Profile Update: The TRacking Adolescents' Individual Lives Survey (TRAILS). <i>International Journal of Epidemiology</i> , 2015, 44, 76-76n.	1.9	118
82	Rejection and Acceptance Across Contexts: Parents and Peers as Risks and Buffers for Early Adolescent Psychopathology. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2010, 38, 119-130.	3.5	116
83	The TRacking Adolescents' Individual Lives Survey (TRAILS): Design, Current Status, and Selected Findings. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 1020-1036.	0.5	112
84	A Genome-Wide Association Meta-Analysis of Attention-Deficit/Hyperactivity Disorder Symptoms in Population-Based Pediatric Cohorts. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 896-905.e6.	0.5	112
85	Towards understanding successful ageing: patterned change in resources and goals. <i>Ageing and Society</i> , 1998, 18, 441-467.	1.7	111
86	Temperament, parenting, and depressive symptoms in a population sample of preadolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2006, 47, 684-695.	5.2	108
87	The effects of cognitive-behavior therapy for depression on repetitive negative thinking: A meta-analysis. <i>Behaviour Research and Therapy</i> , 2018, 106, 71-85.	3.1	106
88	The Relation Between Popularity and Aggressive, Destructive, and Norm-Breaking Behaviors: Moderating Effects of Athletic Abilities, Physical Attractiveness, and Prosociality. <i>Journal of Research on Adolescence</i> , 2009, 19, 401-413.	3.7	103
89	Determinants of persistence of major depressive episodes in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Journal of Affective Disorders</i> , 2004, 81, 231-240.	4.1	98
90	Temperament, environment, and antisocial behavior in a population sample of preadolescent boys and girls. <i>International Journal of Behavioral Development</i> , 2006, 30, 422-432.	2.4	98

#	ARTICLE	IF	CITATIONS
91	Depression in later life: three etiologically different subgroups. <i>Journal of Affective Disorders</i> , 2001, 65, 19-26.	4.1	96
92	Determinants of smoking status: cross-sectional data on smoking initiation and cessation. <i>European Journal of Public Health</i> , 2005, 15, 256-261.	0.3	96
93	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017, 8, 15805.	12.8	95
94	Mismatch or Cumulative Stress. <i>Psychological Science</i> , 2014, 25, 684-692.	3.3	93
95	Relationship between left ventricular dysfunction and depression following myocardial infarction: data from the MIND-IT. <i>European Heart Journal</i> , 2005, 26, 2650-2656.	2.2	91
96	Victimisation and suicide ideation in the TRAILS study: specific vulnerabilities of victims. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008, 49, 867-876.	5.2	91
97	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. <i>Psychosomatic Medicine</i> , 2008, 70, 1035-1043.	2.0	91
98	Stressed out? Associations between perceived and physiological stress responses in adolescents: The TRAILS study. <i>Psychophysiology</i> , 2011, 48, 441-452.	2.4	91
99	Impact of stressful life events, familial loading and their interaction on the onset of mood disorders. <i>British Journal of Psychiatry</i> , 2004, 185, 97-101.	2.8	90
100	Timing of Stressful Life Events Affects Stability and Change of Neuroticism. <i>European Journal of Personality</i> , 2014, 28, 193-200.	3.1	88
101	Anxiety and depression are risk factors rather than consequences of functional somatic symptoms in a general population of adolescents: The TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010, 51, 304-312.	5.2	87
102	Mental Health Problems and Educational Attainment in Adolescence: 9-Year Follow-Up of the TRAILS Study. <i>PLoS ONE</i> , 2014, 9, e101751.	2.5	85
103	Postpartum depression predicts offspring mental health problems in adolescence independently of parental lifetime psychopathology. <i>Journal of Affective Disorders</i> , 2012, 136, 948-954.	4.1	84
104	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 401-410.	7.4	84
105	Disruptive behaviors and HPA-axis activity in young adolescent boys and girls from the general population. <i>Journal of Psychiatric Research</i> , 2007, 41, 570-578.	3.1	82
106	Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009, 143, 76-83.	4.2	82
107	Redefining phenotypes to advance psychiatric genetics: Implications from hierarchical taxonomy of psychopathology. <i>Journal of Abnormal Psychology</i> , 2020, 129, 143-161.	1.9	82
108	The relationship of functional limitations to disability and the moderating effects of psychological attributes in community-dwelling older persons. <i>Social Science and Medicine</i> , 1999, 48, 1161-1172.	3.8	81

#	ARTICLE	IF	CITATIONS
109	Prosocial and antisocial behavior in preadolescence: Teachers' and parents' perceptions of the behavior of girls and boys. <i>International Journal of Behavioral Development</i> , 2008, 32, 243-251.	2.4	81
110	Chronicity of depressive problems and the cortisol response to psychosocial stress in adolescents: The TRAILS study. <i>Psychoneuroendocrinology</i> , 2013, 38, 659-666.	2.7	80
111	Urinary free cortisol excretion in elderly persons with minor and major depression. <i>Psychiatry Research</i> , 2001, 104, 39-47.	3.3	79
112	Truancy in late elementary and early secondary education: The influence of social bonds and self-controlâ€”the TRAILS study. <i>International Journal of Behavioral Development</i> , 2010, 34, 302-310.	2.4	77
113	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012, 200, 454-461.	2.8	77
114	Depressive Symptoms and the Experience of Pleasure in Daily Life: An Exploration of Associations in Early and Late Adolescence. <i>Journal of Abnormal Child Psychology</i> , 2016, 44, 999-1009.	3.5	77
115	Treatment of depression after myocardial infarction and the effects on cardiac prognosis and quality of life: Rationale and outline of the Myocardial Infarction and Depression-Intervention Trial (MIND-IT). <i>American Heart Journal</i> , 2002, 144, 219-225.	2.7	76
116	Altered activation and functional connectivity of neural systems supporting cognitive control of emotion in psychosis proneness. <i>Schizophrenia Research</i> , 2010, 118, 88-97.	2.0	76
117	Parental history of depression or anxiety and the cortisol awakening response. <i>British Journal of Psychiatry</i> , 2010, 197, 180-185.	2.8	75
118	Mediation of Sensation Seeking and Behavioral Inhibition on the Relationship Between Heart Rate and Antisocial Behavior: The TRAILS Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 493-502.	0.5	75
119	The Dimensional Nature of Externalizing Behaviors in Adolescence: Evidence from a Direct Comparison of Categorical, Dimensional, and Hybrid Models. <i>Journal of Abnormal Child Psychology</i> , 2011, 39, 553-561.	3.5	75
120	Interpreting neuroticism scores across the adult life course: immutable or experience-dependent set points of negative affect?. <i>Clinical Psychology Review</i> , 2012, 32, 71-79.	11.4	75
121	The genetics of depression: successful genome-wide association studies introduce new challenges. <i>Translational Psychiatry</i> , 2019, 9, 114.	4.8	75
122	Predicting life-time and regular cannabis use during adolescence; the roles of temperament and peer substance use: the TRAILS study. <i>Addiction</i> , 2010, 105, 699-708.	3.3	74
123	Differences between participants and non-participants in an RCT on physical activity and psychological interventions for older persons. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 236-245.	2.9	73
124	Mental health problems during puberty: Tanner stageâ€”related differences in specific symptoms. The TRAILS study. <i>Journal of Adolescence</i> , 2011, 34, 73-85.	2.4	73
125	Depression following myocardial infarction: first-ever versus ongoing and recurrent episodes. <i>General Hospital Psychiatry</i> , 2005, 27, 411-417.	2.4	71
126	Chronic disease in elderly couples. <i>Journal of Psychosomatic Research</i> , 2001, 51, 693-696.	2.6	70



#	ARTICLE	IF	CITATIONS
127	Buffers and risks in temperament and family for early adolescent psychopathology: Generic, conditional, or domain-specific effects? The trails study.. <i>Developmental Psychology</i> , 2009, 45, 419-430.	1.6	70
128	Somatic symptom overlap in Beck Depression Inventoryâ€™ll scores following myocardial infarction. <i>British Journal of Psychiatry</i> , 2010, 197, 61-65.	2.8	70
129	Relationship of Domain-Specific Measures of Health to Perceived Overall Health among Older Subjects. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 11-18.	5.0	69
130	Bidirectional Prospective Associations Between Physical Activity and Depressive Symptoms. The TRAILS Study. <i>Journal of Adolescent Health</i> , 2012, 50, 503-508.	2.5	69
131	The neural correlates of worry in association with individual differences in neuroticism. <i>Human Brain Mapping</i> , 2014, 35, 4303-4315.	3.6	69
132	Hypothalamic-pituitary-adrenal axis activity and early onset of cannabis use. <i>Addiction</i> , 2006, 101, 1581-1588.	3.3	68
133	Rejection sensitivity relates to hypocortisolism and depressed mood state in young women. <i>Psychoneuroendocrinology</i> , 2008, 33, 551-559.	2.7	68
134	Life Stressors as Mediators of the Relation Between Socioeconomic Position and Mental Health Problems in Early Adolescence: The TRAILS Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 1031-1038.	0.5	68
135	Serious, Minor, and Non-Delinquents in Early Adolescence: The Impact of Cumulative Risk and Promotive Factors. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2010, 38, 339-351.	3.5	68
136	Cortisol in the morning and dimensions of anxiety, depression, and aggression in children from a general population and clinic-referred cohort: An integrated analysis. The TRAILS study. <i>Psychoneuroendocrinology</i> , 2013, 38, 1281-1298.	2.7	68
137	Executive functioning shows differential maturation from early to late adolescence: Longitudinal findings from a TRAILS study.. <i>Neuropsychology</i> , 2014, 28, 177-187.	1.3	68
138	A model of stability and change in minor psychiatric symptoms: results from three longitudinal studies. <i>Psychological Medicine Monograph Supplement</i> , 1990, 18, 1-28.	1.0	67
139	Catechol-o-methyltransferase polymorphism and susceptibility to major depressive disorder modulates psychological stress response. <i>Psychiatric Genetics</i> , 2007, 17, 183-193.	1.1	67
140	Information processing profiles of internalizing and externalizing behavior problems: evidence from a population-based sample of preadolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007, 48, 185-193.	5.2	67
141	Being Admired or Being Liked: Classroom Social Status and Depressive Problems in Early Adolescent Girls and Boys. <i>Journal of Abnormal Child Psychology</i> , 2007, 35, 417-427.	3.5	67
142	Connectomics and Neuroticism: An Altered Functional Network Organization. <i>Neuropsychopharmacology</i> , 2015, 40, 296-304.	5.4	65
143	Physical fitness related to age and physical activity in older persons. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 434-441.	0.4	65
144	Testing the tripartite model in young adolescents: Is hyperarousal specific for anxiety and not depression?. <i>Journal of Affective Disorders</i> , 2007, 102, 55-63.	4.1	64

#	ARTICLE	IF	CITATIONS
145	Externalizing behaviors in preadolescents: familial risk to externalizing behaviors and perceived parenting styles. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 567-575.	4.7	64
146	Early Cannabis Use and Estimated Risk of Later Onset of Depression Spells: Epidemiologic Evidence From the Population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010, 172, 149-159.	3.4	64
147	Peer Stressors and Gender Differences in Adolescents' Mental Health: The TRAILS Study. <i>Journal of Adolescent Health</i> , 2010, 46, 444-450.	2.5	64
148	Associations of type-D personality and depression with somatic health in myocardial infarction patients. <i>Journal of Psychosomatic Research</i> , 2007, 63, 477-482.	2.6	63
149	Self-reflection and the psychosis-prone brain: An fMRI study.. <i>Neuropsychology</i> , 2011, 25, 295-305.	1.3	63
150	Can the Gateway Hypothesis, the Common Liability Model and/or, the Route of Administration Model Predict Initiation of Cannabis Use During Adolescence? A Survival Analysisâ€”The TRAILS Study. <i>Journal of Adolescent Health</i> , 2011, 48, 73-78.	2.5	62
151	Does neuroticism explain variations in care service use for mental health problems in the general population?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 425-431.	3.1	61
152	Homotypic Versus Heterotypic Continuity of Anxiety Symptoms in Young Adolescents: Evidence for Distinctions Between DSM-IV Subtypes. <i>Journal of Abnormal Child Psychology</i> , 2007, 35, 325-333.	3.5	60
153	The effects of latent variables in the development of comorbidity among common mental disorders. <i>Depression and Anxiety</i> , 2011, 28, 29-39.	4.1	60
154	Cannabis use and vulnerability for psychosis in early adolescenceâ€”a <sc>TRAILS</sc> study. <i>Addiction</i> , 2013, 108, 733-740.	3.3	60
155	Latent class analysis of anxiety and depressive symptoms of the Youth Self-Report in a general population sample of young adolescents. <i>Behaviour Research and Therapy</i> , 2006, 44, 849-860.	3.1	59
156	Limited validity of parental recall on pregnancy, birth, and early childhood at child age 10 years. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 185-191.	5.0	59
157	Accuracy of general practitioner's prognosis of the 1-year course of depression and generalised anxiety. <i>British Journal of Psychiatry</i> , 2001, 178, 18-22.	2.8	58
158	Depression in older people after fall-related injuries: a prospective study. <i>Age and Ageing</i> , 2003, 32, 88-94.	1.6	58
159	Preadolescents' Somatic and Cognitive-Affective Depressive Symptoms Are Differentially Related to Cardiac Autonomic Function and Cortisol: The TRAILS Study. <i>Psychosomatic Medicine</i> , 2009, 71, 944-950.	2.0	58
160	The adaptive role of perceived control before and after cancer diagnosis: A prospective study. <i>Social Science and Medicine</i> , 2010, 70, 1825-1831.	3.8	58
161	Morbidity and quality of life and the moderating effects of level of education in the elderly. <i>Social Science and Medicine</i> , 1999, 49, 143-149.	3.8	57
162	Benefits of extensive recruitment effort persist during follow-ups and are consistent across age group and survey method. The TRAILS study. <i>BMC Medical Research Methodology</i> , 2012, 12, 93.	3.1	57

#	ARTICLE	IF	CITATIONS
163	Depression. <i>Current Opinion in Psychiatry</i> , 2019, 32, 348-354.	6.3	57
164	Who is at risk of post-MI depressive symptoms?. <i>Journal of Psychosomatic Research</i> , 2005, 58, 425-432.	2.6	56
165	Does the Revised Child Anxiety and Depression Scale (RCADS) measure anxiety symptoms consistently across adolescence? The TRAILS study. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 27-35.	2.1	56
166	Integrating Autism-Related Symptoms into the Dimensional Internalizing and Externalizing Model of Psychopathology. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2015, 43, 577-587.	3.5	56
167	More treatment but no less depression: The treatment-prevalence paradox. <i>Clinical Psychology Review</i> , 2022, 91, 102111.	11.4	56
168	Models of health-related quality of life in a population of community-dwelling Dutch elderly. <i>Quality of Life Research</i> , 2000, 9, 801-810.	3.1	55
169	Communicative skills of general practitioners augment the effectiveness of guideline-based depression treatment. <i>Journal of Affective Disorders</i> , 2005, 84, 43-51.	4.1	55
170	Enhanced treatment for depression in primary care: long-term outcomes of a psycho-educational prevention program alone and enriched with psychiatric consultation or cognitive behavioral therapy. <i>Psychological Medicine</i> , 2007, 37, 849-862.	4.5	55
171	Spontaneous baroreflex sensitivity in (pre)adolescents. <i>Journal of Hypertension</i> , 2006, 24, 345-352.	0.5	54
172	HPA-axis activity and externalizing behavior problems in early adolescents from the general population: The role of comorbidity and gender. <i>Psychoneuroendocrinology</i> , 2008, 33, 789-798.	2.7	54
173	Hypothalamic-pituitary-adrenal axis reactivity to social stress and adolescent cannabis use: the TRAILS study. <i>Addiction</i> , 2011, 106, 1484-1492.	3.3	54
174	Prevention of depression will only succeed when it is structurally embedded and targets big determinants. <i>World Psychiatry</i> , 2019, 18, 111-112.	10.4	54
175	Prediction of the three-year course of recurrent depression in primary care patients: Different risk factors for different outcomes. <i>Journal of Affective Disorders</i> , 2008, 105, 267-271.	4.1	53
176	Lifestyle risk factors for cancer: the relationship with psychosocial work environment. <i>International Journal of Epidemiology</i> , 2000, 29, 785-792.	1.9	52
177	Beta-Blockers and Depression After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2006, 48, 2209-2214.	2.8	52
178	Low Heart Rate: A Marker of Stress Resilience. The TRAILS Study. <i>Biological Psychiatry</i> , 2008, 63, 1141-1146.	1.3	52
179	Reduced autonomic flexibility as a predictor for future anxiety in girls from the general population: The TRAILS study. <i>Psychiatry Research</i> , 2010, 179, 187-193.	3.3	52
180	Unipolar Depression and the Progression of Coronary Artery Disease: Toward an Integrative Model. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 264-274.	8.8	52

#	ARTICLE	IF	CITATIONS
181	Childhood adversities and adolescent depression: A matter of both risk and resilience. <i>Development and Psychopathology</i> , 2014, 26, 1067-1075.	2.3	52
182	Filling the Gap: Relationship Between the Serotonin-Transporter-Linked Polymorphic Region and Amygdala Activation. <i>Psychological Science</i> , 2014, 25, 2058-2066.	3.3	52
183	Training primary care physicians improves the management of depression. <i>General Hospital Psychiatry</i> , 1999, 21, 168-176.	2.4	51
184	Psychopathology in the adolescent offspring of bipolar parents. <i>Journal of Affective Disorders</i> , 2004, 78, 67-71.	4.1	51
185	Maternal depressive symptoms, and not anxiety symptoms, are associated with positive mother's child reporting discrepancies of internalizing problems in children: a report on the TRAILS Study. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 379-388.	4.7	51
186	Predictors of incident major depression in diabetic outpatients with subthreshold depression. <i>Diabetic Medicine</i> , 2010, 27, 1295-1301.	2.3	51
187	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: Randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016, 208, 366-373.	2.8	51
188	Concurrent validity of the DSM-IV scales Affective Problems and Anxiety Problems of the Youth Self-Report. <i>Behaviour Research and Therapy</i> , 2005, 43, 1485-1494.	3.1	50
189	Interaction Between Childhood Adversity, Brain-Derived Neurotrophic Factor val/met and Serotonin Transporter Promoter Polymorphism on Depression: The TRAILS Study. <i>Biological Psychiatry</i> , 2010, 68, 209-212.	1.3	50
190	Depression treatment after myocardial infarction and long-term risk of subsequent cardiovascular events and mortality: A randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2013, 74, 25-30.	2.6	49
191	The impact of multiple impairments on disability in community-dwelling older people. <i>Age and Ageing</i> , 1998, 27, 595-604.	1.6	47
192	Signs of a higher prevalence of autoimmune thyroiditis in female offspring of bipolar parents. <i>European Neuropsychopharmacology</i> , 2007, 17, 394-399.	0.7	47
193	Epidemiologic Trends and Costs of Fragmentation. <i>Medical Clinics of North America</i> , 2006, 90, 549-572.	2.5	46
194	No distinctions between different types of anxiety symptoms in pre-adolescents from the general population. <i>Journal of Anxiety Disorders</i> , 2006, 20, 207-221.	3.2	46
195	Self-reported depressive symptoms, diagnosed clinical depression and cardiac morbidity and mortality after myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 167, 2775-2780.	1.7	46
196	Anhedonia and depressed mood in adolescence: course, stability, and reciprocal relation in the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 579-586.	4.7	46
197	Functioning after a major depressive episode: complete or incomplete recovery?. <i>Journal of Affective Disorders</i> , 2004, 82, 363-71.	4.1	45
198	Depressive Symptoms in Elderly Patients After a Somatic Illness Event: Prevalence, Persistence, and Risk Factors. <i>Psychosomatics</i> , 2006, 47, 33-42.	2.5	45

#	ARTICLE	IF	CITATIONS
199	Externalizing behaviors in preadolescents: familial risk to externalizing behaviors, prenatal and perinatal risks, and their interactions. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 65-74.	4.7	45
200	Cognitive ability, parental socioeconomic position and internalising and externalising problems in adolescence: Findings from two European cohort studies. <i>European Journal of Epidemiology</i> , 2010, 25, 569-580.	5.7	45
201	Perinatal risk factors interacting with catechol O-methyltransferase and the serotonin transporter gene predict ASD symptoms in children with ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010, 51, 1242-1250.	5.2	45
202	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012, 12, 125.	2.6	45
203	Synchrony of Change in Depression and Disability. <i>Archives of General Psychiatry</i> , 2000, 57, 381.	12.3	44
204	Preschool Behavioral and Social-Cognitive Problems as Predictors of (Pre)adolescent Disruptive Behavior. <i>Child Psychiatry and Human Development</i> , 2007, 38, 221-236.	1.9	44
205	Parental Divorce and Offspring Depressive Symptoms: Dutch Developmental Trends During Early Adolescence. <i>Journal of Marriage and Family</i> , 2008, 70, 284-293.	2.6	44
206	Mental health intervention programs in primary care: their scientific basis. <i>Journal of Affective Disorders</i> , 1991, 21, 273-284.	4.1	43
207	Prediction of depressive disorder following myocardial infarction. <i>International Journal of Cardiology</i> , 2006, 109, 88-94.	1.7	43
208	Symptom-specific associations between low cortisol responses and functional somatic symptoms: The TRAILS study. <i>Psychoneuroendocrinology</i> , 2012, 37, 332-340.	2.7	43
209	Personality as modifier of the life change-distress relationship. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1989, 24, 187-195.	3.1	42
210	Effects of divorce on Dutch boys' and girls' externalizing behavior in Gene-Environment perspective: Diathesis stress or differential susceptibility in the Dutch Tracking Adolescents' Individual Lives Survey study?. <i>Development and Psychopathology</i> , 2012, 24, 929-939.	2.3	42
211	The Cross-Cultural Equivalence of Parental Rearing Measure: EMBU-C. <i>European Journal of Psychological Assessment</i> , 2006, 22, 85-91.	3.0	42
212	The use of the GBI as predictor of bipolar disorder in a population of adolescent offspring of parents with a bipolar disorder. <i>Journal of Affective Disorders</i> , 2005, 89, 147-155.	4.1	41
213	Pubertal Status Predicts Back Pain, Overtiredness, and Dizziness in American and Dutch Adolescents. <i>Pediatrics</i> , 2011, 128, 553-559.	2.1	40
214	Self- or parent report of (co-occurring) internalizing and externalizing problems, and basal or reactivity measures of HPA-axis functioning: A systematic evaluation of the internalizing-hyperresponsivity versus externalizing-hyporesponsivity HPA-axis hypothesis. <i>Biological Psychology</i> , 2013, 94, 175-184.	2.2	40
215	Adolescent Personality: Associations With Basal, Awakening, and Stress-Induced Cortisol Responses. <i>Journal of Personality</i> , 2015, 83, 262-273.	3.2	40
216	Improvement of mindfulness skills during Mindfulness-Based Cognitive Therapy predicts long-term reductions of neuroticism in persons with recurrent depression in remission. <i>Journal of Affective Disorders</i> , 2017, 213, 112-117.	4.1	40

#	ARTICLE	IF	CITATIONS
217	Continuing change in neuroticism during adulthood—structural modelling of a 16-year, 5-wave community study. <i>Personality and Individual Differences</i> , 2000, 28, 461-478.	2.9	39
218	The Relationship Between Social Dysfunctioning and Psychopathology among Primary Care Attenders. <i>British Journal of Psychiatry</i> , 1993, 163, 37-44.	2.8	38
219	Are Adolescents Gambling With Cannabis Use? A Longitudinal Study of Impulsivity Measures and Adolescent Substance Use: The TRAILS Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2011, 72, 70-78.	1.0	38
220	Effects of family cohesion and heart rate reactivity on aggressive/rule-breaking behavior and prosocial behavior in adolescence: The Tracking Adolescents' Individual Lives Survey study. <i>Development and Psychopathology</i> , 2013, 25, 699-712.	2.3	38
221	HPA-axis activity as a predictor of future disruptive behaviors in young adolescents. <i>Psychophysiology</i> , 2008, 45, 398-404.	2.4	37
222	Externalizing Behavior Problems and Cigarette Smoking as Predictors of Cannabis Use: The TRAILS Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 61-69.	0.5	37
223	Social Predictors of Recovery in Late Middle-Aged and Older Persons After Injury to the Extremities: A Prospective Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2001, 56, S229-S236.	3.9	36
224	A test of the vulnerability model: temperament and temperament change as predictors of future mental disorders—The TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 227-236.	5.2	36
225	Adolescent Heavy Drinking Does Not Affect Maturation of Basic Executive Functioning: Longitudinal Findings from the TRAILS Study. <i>PLoS ONE</i> , 2015, 10, e0139186.	2.5	36
226	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015, 187, 54-61.	4.1	36
227	Personality and coping: their relationship with lifestyle risk factors for cancer. <i>Personality and Individual Differences</i> , 2001, 31, 541-553.	2.9	35
228	Cognitive, physiological, and personality correlates of recurrence of depression. <i>Journal of Affective Disorders</i> , 2005, 87, 221-229.	4.1	35
229	Childhood-Limited Versus Persistent Antisocial Behavior. <i>Journal of Early Adolescence</i> , 2009, 29, 718-742.	1.9	35
230	Psychosocial and vascular risk factors of depression in later life. <i>Journal of Affective Disorders</i> , 2003, 74, 237-246.	4.1	34
231	Dopamine receptor D4 gene moderates the effect of positive and negative peer experiences on later delinquency: The Tracking Adolescents' Individual Lives Survey study. <i>Development and Psychopathology</i> , 2013, 25, 1107-1117.	2.3	34
232	What is needed to eradicate the depression epidemic, and why. <i>Mental Health and Prevention</i> , 2020, 17, 200177.	1.3	34
233	The Measurement of Reciprocity in Ego-Centered Networks of Personal Relationships: A Comparison of Various Indices. <i>Social Psychology Quarterly</i> , 1991, 54, 54.	2.1	33
234	Stressful life events and onset of mood disorders in children of bipolar parents during 14-month follow-up. <i>Journal of Affective Disorders</i> , 2005, 87, 253-263.	4.1	33

#	ARTICLE	IF	CITATIONS
235	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. <i>Journal of Affective Disorders</i> , 2010, 124, 38-44.	4.1	33
236	Trajectories of Psychosocial Problems in Adolescents Predicted by Findings From Early Well-Child Assessments. <i>Journal of Adolescent Health</i> , 2012, 51, 475-483.	2.5	33
237	Family environment is associated with HPA-axis activity in adolescents. The TRAILS study. <i>Biological Psychology</i> , 2012, 89, 460-466.	2.2	33
238	The effectiveness of lithium prophylaxis in bipolar and unipolar depressions and schizo-affective disorders. <i>Journal of Affective Disorders</i> , 1986, 11, 275-280.	4.1	32
239	Are the vulnerability effects of personality and psychosocial functioning on depression accounted for by subthreshold symptoms?. <i>Depression and Anxiety</i> , 2007, 24, 472-478.	4.1	32
240	Socioeconomic Position Predicts Specialty Mental Health Service Use Independent of Clinical Severity: The TRAILS Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 647-655.	0.5	32
241	Associations of life events during pregnancy with longitudinal change in symptoms of antenatal anxiety and depression. <i>Midwifery</i> , 2014, 30, 526-531.	2.3	32
242	A longitudinal perspective on childhood adversities and onset risk of various psychiatric disorders. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 641-650.	4.7	32
243	Cardiovascular reactivity as a mechanism linking child trauma to adolescent psychopathology. <i>Biological Psychology</i> , 2016, 120, 108-119.	2.2	32
244	Anxiety and Disruptive Behavior Mediate Pathways From Attention-Deficit/Hyperactivity Disorder to Depression. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e108-e113.	2.2	32
245	Beliefs Concerning Death, Dying, and Hastening Death Among Older, Functionally Impaired Dutch Adults: A One-Year Longitudinal Study. <i>Journal of the American Geriatrics Society</i> , 1998, 46, 1251-1257.	2.6	31
246	Predictors of time to remission from depression in primary care patients: Do some people benefit more from positive life change than others?. <i>Journal of Abnormal Psychology</i> , 2000, 109, 299-307.	1.9	31
247	Correlates of symptomatic, minor and major depression in the elderly. <i>Journal of Affective Disorders</i> , 2000, 60, 87-95.	4.1	31
248	Perceived control and long-term changes in disability in late middle-aged and older persons: An eight-year follow-up study. <i>Psychology and Health</i> , 2005, 20, 193-206.	2.2	31
249	Decreased impact of post-myocardial infarction depression on cardiac prognosis?. <i>Journal of Psychosomatic Research</i> , 2006, 61, 493-499.	2.6	31
250	The genetic relationship between neuroticism and autonomic function in female twins. <i>Psychological Medicine</i> , 2007, 37, 257-267.	4.5	31
251	Optimal use of multi-informant data on co-occurrence of internalizing and externalizing problems: the TRAILS study. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 174-183.	2.1	31
252	Investigating the Molecular Basis of Major Depressive Disorder Etiology. <i>Annals of the New York Academy of Sciences</i> , 2008, 1148, 42-56.	3.8	31

#	ARTICLE	IF	CITATIONS
253	Cognitive-behavioural therapy vs. usual care in recurrent depression. <i>British Journal of Psychiatry</i> , 2008, 193, 505-506.	2.8	31
254	Neurobiological correlates of theory of mind in psychosis proneness. <i>Neuropsychologia</i> , 2010, 48, 3715-3724.	1.6	31
255	The role of depressive symptoms in recovery from injuries to the extremities in older persons. A prospective study. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 14-22.	2.7	30
256	The role of temperament in the relationship between early onset of tobacco and cannabis use: The TRAILS study. <i>Drug and Alcohol Dependence</i> , 2009, 104, 113-118.	3.2	30
257	Stressful life events and depressive symptoms in young adolescents: Modulation by respiratory sinus arrhythmia? The TRAILS study. <i>Biological Psychology</i> , 2009, 81, 40-47.	2.2	30
258	Do Automatic Self-Associations Relate to Suicidal Ideation?. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 428-437.	1.2	30
259	Impact of Birth Weight and Genetic Liability on Psychopathology in Children of Bipolar Parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2003, 42, 1116-1121.	0.5	29
260	Risk of emotional disorder in offspring of depressed parents: gender differences in the effect of a second emotionally affected parent. <i>Depression and Anxiety</i> , 2008, 25, 653-660.	4.1	28
261	The Role of Perceived Control in the Process of Older Peoples' Recovery of Physical Functions After Fall-Related Injuries: A Prospective Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003, 58, P35-P41.	3.9	27
262	The delicate balance between parental protection, unsupervised wandering, and adolescents' autonomy and its relation with antisocial behavior: The TRAILS study. <i>International Journal of Behavioral Development</i> , 2010, 34, 159-167.	2.4	27
263	When Parent and Teacher Ratings Don't Agree: The Tracking Adolescents' Individual Lives Survey (TRAILS). <i>Journal of Child and Adolescent Psychopharmacology</i> , 2011, 21, 389-397.	1.3	27
264	SYMPTOM PROFILES OF DSM-IV-DEFINED REMISSION, RECOVERY, RELAPSE, AND RECURRENCE OF DEPRESSION: THE ROLE OF THE CORE SYMPTOMS. <i>Depression and Anxiety</i> , 2012, 29, 638-645.	4.1	27
265	Child Behavior Checklist-Mania Scale (CBCL-MS): Development and Evaluation of a Population-Based Screening Scale for Bipolar Disorder. <i>PLoS ONE</i> , 2013, 8, e69459.	2.5	27
266	Prospective community study of family stress and anxiety in (pre)adolescents: the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 483-491.	4.7	26
267	No Associations Between Single Nucleotide Polymorphisms in Corticoid Receptor Genes and Heart Rate and Cortisol Responses to a Standardized Social Stress Test in Adolescents: The TRAILS Study. <i>Behavior Genetics</i> , 2011, 41, 253-261.	2.1	26
268	Mental health care use in adolescents with and without mental disorders. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 501-508.	4.7	26
269	The Effect of Criticism on Functional Brain Connectivity and Associations with Neuroticism. <i>PLoS ONE</i> , 2013, 8, e69606.	2.5	26
270	Social functioning of bipolar offspring. <i>Journal of Affective Disorders</i> , 2007, 98, 207-213.	4.1	25



#	ARTICLE	IF	CITATIONS
271	Adolescent Family Adversity and Mental Health Problems: The Role of Adaptive Self-regulation Capacities. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2011, 39, 341-350.	3.5	25
272	Childhood Family Instability and Mental Health Problems During Late Adolescence: A Test of Two Mediation Modelsâ€”The TRAILS Study. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2012, 41, 166-176.	3.4	25
273	The wideâ€”ranging life outcome correlates of a general psychopathology factor in adolescent psychopathology. <i>Personality and Mental Health</i> , 2020, 14, 9-29.	1.2	25
274	The care provided by general practitioners for persistent depression. <i>European Psychiatry</i> , 2006, 21, 87-92.	0.2	24
275	Stressful life events as a link between problems in nonverbal communication and recurrence of depression. <i>Journal of Affective Disorders</i> , 2007, 97, 161-169.	4.1	24
276	Multiple dimensions of familial psychopathology affect risk of mood disorder in children of bipolar parents. <i>American Journal of Medical Genetics Part A</i> , 2004, 127B, 35-41.	2.4	23
277	Need for mental health care in adolescents and its determinants: The TRAILS Study. <i>European Journal of Public Health</i> , 2013, 23, 236-241.	0.3	23
278	Legal substance use and the development of a <scp>DSM</scp>â€”<scp>IV</scp> cannabis use disorder during adolescence: the <scp>TRAILS</scp> study. <i>Addiction</i> , 2014, 109, 303-311.	3.3	23
279	Self-Reported Physical Fitness of Older Persons: A Substitute for Performance-Based Measures of Physical Fitness?. <i>Journal of Aging and Physical Activity</i> , 1997, 5, 298-310.	1.0	22
280	The role of premorbid psychological attributes in short- and long-term adjustment after cardiac disease. A prospective study in the elderly in The Netherlands. <i>Social Science and Medicine</i> , 2005, 60, 1035-1045.	3.8	22
281	Set-Point Theory and personality development. , 2017, , 117-137.		22
282	On Imbalance of Impulse Control and Sensation Seeking and Adolescent Risk: An Intra-individual Developmental Test of the Dual Systems and Maturational Imbalance Models. <i>Journal of Youth and Adolescence</i> , 2021, 50, 827-840.	3.5	22
283	Conjugal Bereavement and Well-Being of Elderly Men and Women: A Preliminary Study. <i>Omega: Journal of Death and Dying</i> , 1999, 38, 113-141.	1.0	21
284	The Association Between Levels of Cortisol Secretion and Fear Perception in Patients With Remitted Depression Predicts Recurrence. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 478-484.	1.0	21
285	Hypothalamicâ€”pituitaryâ€”adrenal axis and smoking and drinking onset among adolescents: the longitudinal cohort TRacking Adolescents' Individual Lives Survey (TRAILS). <i>Addiction</i> , 2009, 104, 1927-1936.	3.3	21
286	Child temperament moderates the impact of parental separation on adolescent mental health: The trails study.. <i>Journal of Family Psychology</i> , 2011, 25, 97-106.	1.3	21
287	The dopamine receptor D4 gene and familial loading interact with perceived parenting in predicting externalizing behavior problems in early adolescence: The TRacking Adolescents' Individual Lives Survey (TRAILS). <i>Psychiatry Research</i> , 2013, 209, 66-73.	3.3	21
288	Predictability of the one-year course of depression and generalized anxiety in primary care. <i>General Hospital Psychiatry</i> , 2002, 24, 156-163.	2.4	20

#	ARTICLE	IF	CITATIONS
289	Are effects of depression management training for General Practitioners on patient outcomes mediated by improvements in the process of care?. <i>Journal of Affective Disorders</i> , 2004, 80, 173-179.	4.1	20
290	Adolescents with Low Intelligence Are at Risk of Functional Somatic Symptoms: The TRAILS Study. <i>Journal of Adolescent Health</i> , 2011, 49, 621-626.	2.5	20
291	Self-assessed parental depressive problems are associated with blunted cortisol responses to a social stress test in daughters. The TRAILS Study. <i>Psychoneuroendocrinology</i> , 2011, 36, 854-863.	2.7	20
292	Neuroticism and Morning Cortisol Secretion: Both Heritable, But No Shared Genetic Influences. <i>Journal of Personality</i> , 2009, 77, 1561-1576.	3.2	19
293	Non-right-handedness and mental health problems among adolescents from the general population: The Trails Study. <i>Laterality</i> , 2010, 15, 304-316.	1.0	19
294	Effortful control as predictor of adolescents' psychological and physiological responses to a social stress test: The Tracking Adolescents' Individual Lives Survey. <i>Development and Psychopathology</i> , 2011, 23, 679-688.	2.3	19
295	Response time variability and response inhibition predict affective problems in adolescent girls, not in boys: the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 277-287.	4.7	19
296	Associations between genetic risk, functional brain network organization and neuroticism. <i>Brain Imaging and Behavior</i> , 2017, 11, 1581-1591.	2.1	19
297	Strategies for handling missing data in longitudinal studies with questionnaires. <i>Journal of Statistical Computation and Simulation</i> , 2018, 88, 3415-3436.	1.2	19
298	The impact of physical performance and cognitive status on subsequent ADL disability in low-functioning older adults. , 1998, 13, 480-483.		18
299	PRegnancy Outcomes after a Maternity Intervention for Stressful EmotionS (PROMISES): study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 157.	1.6	18
300	Age- and sex-specific associations between adverse life events and functional bodily symptoms in the general population. <i>Journal of Psychosomatic Research</i> , 2015, 79, 112-116.	2.6	18
301	Using Response Surface Analysis to Interpret the Impact of Parent-Offspring Personality Similarity on Adolescent Externalizing Problems. <i>European Journal of Personality</i> , 2017, 31, 104-117.	3.1	18
302	Sequences of maladaptation: Preadolescent self-regulation, adolescent negative social interactions, and young adult psychopathology. <i>Development and Psychopathology</i> , 2019, 31, 279-292.	2.3	18
303	Puzzling Findings in Studying the Outcome of "Real World" Adolescent Mental Health Services: The TRAILS Study. <i>PLoS ONE</i> , 2012, 7, e44704.	2.5	18
304	Classes of adolescents with disruptive behaviors in a general population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 931-938.	3.1	17
305	Predicting Onset of Cannabis Use in Early Adolescence: The Interrelation Between High-Intensity Pleasure and Disruptive Behavior. The TRAILS Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2009, 70, 850-858.	1.0	17
306	The Association between Intelligence and Telomere Length: A Longitudinal Population Based Study. <i>PLoS ONE</i> , 2012, 7, e49356.	2.5	17

#	ARTICLE	IF	CITATIONS
307	Stressful events and psychological difficulties: testing alternative candidates for sensitivity. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 103-113.	4.7	17
308	Chronic Stress and Adolescents'™ Mental Health: Modifying Effects of Basal Cortisol and Parental Psychiatric History. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2015, 43, 1119-1130.	3.5	17
309	Lower dorsal striatum activation in association with neuroticism during the acceptance of unfair offers. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015, 15, 537-552.	2.0	17
310	The predictive value of childhood subthreshold manic symptoms for adolescent and adult psychiatric outcomes. <i>Journal of Affective Disorders</i> , 2017, 212, 86-92.	4.1	17
311	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011, 11, 8.	2.6	16
312	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. <i>European Journal of Personality</i> , 2013, 27, 389-397.	3.1	16
313	The Tianjin Mental Health Survey (TJMHS): study rationale, design and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	16
314	Does HPA-axis activity mediate the relationship between obstetric complications and externalizing behavior problems? The TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 565-573.	4.7	15
315	Genetic and Environmental Influences on the Longitudinal Structure of Neuroticism. <i>Psychological Science</i> , 2013, 24, 1780-1790.	3.3	15
316	The antidepressant standoff: why it continues and how to resolve it. <i>Psychological Medicine</i> , 2020, 50, 177-186.	4.5	15
317	The use of the GBI in a population of adolescent offspring of parents with a bipolar disorder. <i>Journal of Affective Disorders</i> , 2004, 80, 263-267.	4.1	14
318	Lack of association between conversation partners' nonverbal behavior predicts recurrence of depression, independently of personality. <i>Psychiatry Research</i> , 2006, 142, 79-88.	3.3	14
319	Nonverbal behavioral similarity between patients with depression in remission and interviewers in relation to satisfaction and recurrence of depression. <i>Depression and Anxiety</i> , 2006, 23, 200-209.	4.1	14
320	No Replication of Genotype Effect of 5-HTTLPR on Cortisol Response to Social Stress in Larger Adolescent Sample. <i>Biological Psychiatry</i> , 2010, 68, e33-e34.	1.3	14
321	The relationship between parental religiosity and mental health of pre-adolescents in a community sample: the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 253-260.	4.7	14
322	Continued smoking and continued alcohol consumption during early pregnancy distinctively associated with personality. <i>Addictive Behaviors</i> , 2014, 39, 980-986.	3.0	14
323	Adolescents'™ Use of Care for Behavioral and Emotional Problems: Types, Trends, and Determinants. <i>PLoS ONE</i> , 2014, 9, e93526.	2.5	14
324	Gender-specific risk factors for mortality associated with incident coronary heart disease"™ A prospective community-based study. <i>Preventive Medicine</i> , 2006, 43, 361-367.	3.4	13

#	ARTICLE	IF	CITATIONS
325	The association between neurocognitive functioning and smoking in adolescence: The TRAILS study.. <i>Neuropsychology</i> , 2012, 26, 541-550.	1.3	13
326	Stressful Events and Continued Smoking and Continued Alcohol Consumption during Mid-Pregnancy. <i>PLoS ONE</i> , 2014, 9, e86359.	2.5	13
327	Genetic influences on baroreflex sensitivity during rest and mental stress. <i>Journal of Hypertension</i> , 2006, 24, 1779-1786.	0.5	12
328	Early Findings of Preventive Child Healthcare Professionals Predict Psychosocial Problems in Preadolescence: The TRAILS Study. <i>Journal of Pediatrics</i> , 2010, 157, 316-321.e2.	1.8	12
329	Mindfulness facets and Big Five personality facets in persons with recurrent depression in remission. <i>Personality and Individual Differences</i> , 2017, 110, 109-114.	2.9	12
330	The association of developmental trajectories of adolescent mental health with early-adult functioning. <i>PLoS ONE</i> , 2020, 15, e0233648.	2.5	12
331	The Rational Behavior Inventory (RBI): A psychometric evaluation. <i>Personality and Individual Differences</i> , 1987, 8, 561-569.	2.9	11
332	Explaining service use for mental health problems in the Dutch general population: the role of resources, emotional disorder and functional impairment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 285-293.	3.1	11
333	Psychiatric neuroimaging: Joining forces with epidemiology. <i>European Psychiatry</i> , 2008, 23, 315-319.	0.2	11
334	L-DRD4 genotype not associated with sensation seeking, gambling performance and startle reactivity in adolescents: The TRAILS study. <i>Neuropsychologia</i> , 2011, 49, 1359-1362.	1.6	11
335	Heterogeneity of Patients With Coronary Artery Disease and Distress and the Need to Identify Relevant Subtypes. <i>Archives of General Psychiatry</i> , 2008, 65, 851.	12.3	10
336	Duration of subsequent episodes and periods of recovery in recurrent major depression. <i>Journal of Affective Disorders</i> , 2010, 125, 141-145.	4.1	10
337	Identifying target groups for the prevention of depression in early adolescence: The TRAILS study. <i>Journal of Affective Disorders</i> , 2012, 138, 287-294.	4.1	10
338	Predictors of a Functional Somatic Syndrome Diagnosis in Patients with Persistent Functional Somatic Symptoms. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 206-212.	1.7	10
339	Heart Rate and Antisocial Behavior: Mediation and Moderation by Affiliation With Bullies. The TRAILS Study. <i>Journal of Adolescent Health</i> , 2013, 52, 102-107.	2.5	10
340	Stress-sensitivity and reciprocal associations between stressful events and adolescent temperament. <i>Personality and Individual Differences</i> , 2015, 81, 76-83.	2.9	10
341	Preventive Child Health Care Findings on Early Childhood Predict Peer-Group Social Status in Early Adolescence. <i>Journal of Adolescent Health</i> , 2012, 51, 637-642.	2.5	9
342	Parental Social Status and Intrasexual Competitiveness among Adolescents. <i>Evolutionary Psychology</i> , 2014, 12, 1022-1037.	0.9	9

#	ARTICLE	IF	CITATIONS
343	The Role of Basal Cortisol in Predicting Change in Mental Health Problems Across the Transition to Middle School. <i>Journal of Adolescent Health</i> , 2015, 56, 489-495.	2.5	9
344	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. <i>BJPsych Open</i> , 2019, 5, e12.	0.7	9
345	Personality as modifier of the life event-distress relationship: A longitudinal structural equation model. <i>Personality and Individual Differences</i> , 1988, 9, 973-982.	2.9	8
346	Do depressive episodes lead to accumulation of vulnerability in the elderly?. <i>Depression and Anxiety</i> , 2003, 18, 67-75.	4.1	8
347	Why Does Frustration Predict Psychopathology? Multiple Prospective Pathways over Adolescence: A Trails Study. <i>European Journal of Personality</i> , 2017, 31, 85-103.	3.1	8
348	SNP-Based Heritability Estimates of Common and Specific Variance in Self- and Informant-Reported Neuroticism Scales. <i>Journal of Personality</i> , 2017, 85, 906-919.	3.2	8
349	Chronic Stressors and Adolescents' Externalizing Problems: Genetic Moderation by Dopamine Receptor D4. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2018, 46, 73-82.	3.5	8
350	Executive functioning before and after onset of alcohol use disorder in adolescence. A TRAILS study. <i>Journal of Psychiatric Research</i> , 2016, 78, 78-85.	3.1	7
351	Adversity-driven changes in hypothalamic-pituitary-adrenal axis functioning during adolescence. The trails study. <i>Psychoneuroendocrinology</i> , 2017, 85, 49-55.	2.7	7
352	Reducing Common Mental Disorder Prevalence in Populations. <i>JAMA Psychiatry</i> , 2021, 78, 359.	11.0	7
353	Improving long-term outcome of depression in primary care: a review of RCTs with psychological and supportive interventions. <i>European Journal of Psychiatry</i> , 2007, 21, .	1.3	7
354	Generation of Interpersonal Stressful Events. <i>Journal of Early Adolescence</i> , 2011, 31, 633-655.	1.9	6
355	An Approximate Marginal Logistic Distribution for the Analysis of Longitudinal Ordinal Data. <i>Biometrics</i> , 2016, 72, 253-261.	1.4	6
356	Demographic, health-related and psychosocial predictors of changes in depressive symptoms and anxiety in late middle-aged and older persons with fall-related injuries. <i>Psychology and Health</i> , 2004, 19, 103-115.	2.2	5
357	Social Skills as Precursors of Cannabis Use in Young Adolescents: A Trails Study. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2011, 40, 706-714.	3.4	5
358	Life changes and depressive symptoms: the effects of valence and amount of change. <i>BMC Psychology</i> , 2013, 1, 14.	2.1	5
359	The Twin Interdisciplinary Neuroticism Study. <i>Twin Research and Human Genetics</i> , 2013, 16, 268-270.	0.6	5
360	Are stress related factors associated with alcohol intake?. <i>International Journal of Behavioral Medicine</i> , 2004, 11, 225-235.	1.7	4

#	ARTICLE	IF	CITATIONS
361	HPA AXIS ACTIVITY: A RESPONSE TO COMMENTS BY GUNTER SCHUMANN. <i>Addiction</i> , 2006, 101, 1833-1834.	3.3	4
362	Cortisol Levels in Childhood and Psychosis Risk in late Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 765-766.	0.5	4
363	Prefrontal cortex activation during a cognitive reappraisal task is associated with real-life negative affect reactivity. <i>PLoS ONE</i> , 2018, 13, e0202888.	2.5	4
364	Debate: Giving prevention a chance to prove its worth in lowering common mental disorder prevalence: how long will it take?. <i>Child and Adolescent Mental Health</i> , 2021, 26, 86-88.	3.5	4
365	Continuity of Psychopathology Throughout Adolescence and Young Adulthood. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2022, , 1-14.	3.4	4
366	Sensitivity to psychosocial chronic stressors and adolescents' externalizing problems: Combined moderator effects of resting heart rate and parental psychiatric history. <i>Biological Psychology</i> , 2018, 134, 20-29.	2.2	3
367	Mental Disorder During Adolescence: Evidence of Arrested Personality Development. <i>Clinical Psychological Science</i> , 2020, 8, 395-411.	4.0	3
368	Can loss of agency and oppositional perturbation associated with antidepressant monotherapy and low-fidelity psychological treatment dilute the benefits of guideline-consistent depression treatment at the population level?. <i>European Psychiatry</i> , 2020, 63, e89.	0.2	3
369	Dynamic risk for first onset of depressive disorders in adolescence: does change matter?. <i>Psychological Medicine</i> , 2023, 53, 2352-2360.	4.5	3
370	Is personality stable and symptoms fleeting? A longitudinal comparison in adolescence. <i>Journal of Research in Personality</i> , 2022, 97, 104190.	1.7	3
371	Risk Factors for Developing Cardiac Disease in Late Middle-Aged and Older Men and Women: A Prospective Study. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1575-1577.	2.6	2
372	The Relationship Between Neuroticism and Inflammatory Markers: A Twin Study. <i>Twin Research and Human Genetics</i> , 2014, 17, 177-182.	0.6	2
373	Risk Score for Predicting Adolescent Mental Health Problems Among Children Using Parental Report Only: The TRAILS Study. <i>Academic Pediatrics</i> , 2014, 14, 589-596.	2.0	2
374	PERSONALITY DOES NOT PREDICT STRESSFUL EVENT OCCURRENCE IN ELDERLY PERSONS. <i>Social Behavior and Personality</i> , 2003, 31, 49-54.	0.6	1
375	THE STRUCTURE OF THE EXTENDED PSYCHOSIS PHENOTYPE IN EARLY ADOLESCENCE. <i>Schizophrenia Research</i> , 2010, 117, 322.	2.0	1
376	80: Effects of cognitive behavioural therapy for antenatal anxiety and depression on mother and offspring. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S65.	1.3	1
377	Parental social status and intrasexual competitiveness among adolescents. <i>Evolutionary Psychology</i> , 2014, 12, 1022-37.	0.9	1
378	Long-Term Stability of the Rational Behavior Inventory and the General Health Questionnaire. <i>Psychological Reports</i> , 1987, 60, 637-638.	1.7	0

#	ARTICLE	IF	CITATIONS
379	Kempen and Ormel Respond. American Journal of Public Health, 1998, 88, 838-838.	2.7	0
380	Effects of divorce on Dutch boys' and girls' externalizing behavior in Gene – Environment perspective: Diathesis stress or differential susceptibility in the Tracking Adolescents' Individual Lives Survey study? – CORRIGENDUM. Development and Psychopathology, 2014, 26, 555-555.	2.3	0
381	Title is missing!. , 2020, 15, e0233648.		0
382	Title is missing!. , 2020, 15, e0233648.		0
383	Title is missing!. , 2020, 15, e0233648.		0
384	Title is missing!. , 2020, 15, e0233648.		0
385	A normal-probit-binomial model for the analysis of repeated sum scores from multi-item questionnaires. Communications in Statistics Part B: Simulation and Computation, 0, , 1-18.	1.2	0