

Johan Ormel

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5011323/johan-ormel-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

382
papers

35,367
citations

86
h-index

177
g-index

394
ext. papers

39,598
ext. citations

5.1
avg, IF

6.96
L-index

#	Paper	IF	Citations
382	Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2581-90	27.4	2063
381	Grading the severity of chronic pain. <i>Pain</i> , 1992 , 50, 133-149	8	1902
380	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010 , 197, 378-85	5.4	1337
379	The Hierarchical Taxonomy of Psychopathology (HiTOP): A dimensional alternative to traditional nosologies. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 454-477	7	1098
378	The global burden of mental disorders: an update from the WHO World Mental Health (WMH) surveys. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 23-33		1049
377	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2007 , 190, 402-9	5.4	925
376	An international study of the relation between somatic symptoms and depression. <i>New England Journal of Medicine</i> , 1999 , 341, 1329-35	59.2	859
375	Cross-national associations between gender and mental disorders in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2009 , 66, 785-95		751
374	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis. <i>Psychosomatic Medicine</i> , 2004 , 66, 814-22	3.7	715
373	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 121-40	4.3	694
372	Common Mental Disorders and Disability Across Cultures. <i>JAMA - Journal of the American Medical Association</i> , 1994 , 272, 1741	27.4	462
371	Twelve-month prevalence of and risk factors for suicide attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1617-28	4.6	430
370	Bullying and victimization in elementary schools: a comparison of bullies, victims, bully/victims, and uninvolved preadolescents. <i>Developmental Psychology</i> , 2005 , 41, 672-82	3.7	426
369	Adequacy and duration of antidepressant treatment in primary care. <i>Medical Care</i> , 1992 , 30, 67-76	3.1	425
368	The structure and stability of common mental disorders: the NEMESIS study. <i>Archives of General Psychiatry</i> , 2001 , 58, 597-603		412
367	Integrating nature and nurture: implications of person-environment correlations and interactions for developmental psychopathology. <i>Development and Psychopathology</i> , 1997 , 9, 335-64	4.3	368
366	Neuroticism and common mental disorders: meaning and utility of a complex relationship. <i>Clinical Psychology Review</i> , 2013 , 33, 686-697	10.8	359

365	Duration of major depressive episodes in the general population: results from The Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>British Journal of Psychiatry</i> , 2002 , 181, 208-13	5.4	333
364	Development of lifetime comorbidity in the World Health Organization world mental health surveys. <i>Archives of General Psychiatry</i> , 2011 , 68, 90-100		328
363	Survey non-response in the Netherlands: effects on prevalence estimates and associations. <i>Annals of Epidemiology</i> , 2003 , 13, 105-10	6.4	308
362	Evaluation of non-response bias in mental health determinants and outcomes in a large sample of pre-adolescents. <i>European Journal of Epidemiology</i> , 2005 , 20, 173-81	12.1	302
361	Childhood predictors of adult attention-deficit/hyperactivity disorder: results from the World Health Organization World Mental Health Survey Initiative. <i>Biological Psychiatry</i> , 2009 , 65, 46-54	7.9	300
360	Recognition, management, and course of anxiety and depression in general practice. <i>Archives of General Psychiatry</i> , 1991 , 48, 700-6		297
359	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010 , 27, 351-64	8.4	295
358	Disability and treatment of specific mental and physical disorders across the world. <i>British Journal of Psychiatry</i> , 2008 , 192, 368-75	5.4	267
357	How neuroticism, long-term difficulties, and life situation change influence psychological distress: A longitudinal model.. <i>Journal of Personality and Social Psychology</i> , 1991 , 60, 744-755	6.5	257
356	Effects of antidepressant treatment following myocardial infarction. <i>British Journal of Psychiatry</i> , 2007 , 190, 460-6	5.4	249
355	The interplay and etiological continuity of neuroticism, difficulties, and life events in the etiology of major and subsyndromal, first and recurrent depressive episodes in later life. <i>American Journal of Psychiatry</i> , 2001 , 158, 885-91	11.9	248
354	Association of childhood adversities and early-onset mental disorders with adult-onset chronic physical conditions. <i>Archives of General Psychiatry</i> , 2011 , 68, 838-44		241
353	Temporal and reciprocal relationship between IADL/ADL disability and depressive symptoms in late life. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002 , 57, P338-47	4.6	233
352	Cohort profile: the Dutch 'TRacking Adolescents' Individual Lives' Survey'; TRAILS. <i>International Journal of Epidemiology</i> , 2008 , 37, 1227-35	7.8	226
351	Universal risk factors for multifactorial diseases: LifeLines: a three-generation population-based study. <i>European Journal of Epidemiology</i> , 2008 , 23, 67-74	12.1	226
350	Temperament profiles associated with internalizing and externalizing problems in preadolescence. <i>Development and Psychopathology</i> , 2004 , 16, 421-40	4.3	226
349	Cross-national analysis of the associations between traumatic events and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010 , 5, e10574	3.7	225
348	Progress in achieving quantitative classification of psychopathology. <i>World Psychiatry</i> , 2018 , 17, 282-293	14.4	225

347	Two-year course of depressive and anxiety disorders: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011 , 133, 76-85	6.6	223
346	Vulnerability before, during, and after a major depressive episode: a 3-wave population-based study. <i>Archives of General Psychiatry</i> , 2004 , 61, 990-6		217
345	Comorbid mental disorders account for the role impairment of commonly occurring chronic physical disorders: results from the National Comorbidity Survey. <i>Journal of Occupational and Environmental Medicine</i> , 2003 , 45, 1257-66	2	215
344	Neuroticism: a non-informative marker of vulnerability to psychopathology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 906-12	4.5	201
343	Symptom dimensions of depression following myocardial infarction and their relationship with somatic health status and cardiovascular prognosis. <i>American Journal of Psychiatry</i> , 2006 , 163, 138-44	11.9	200
342	Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , 2007 , 29, 123-33	5.6	197
341	The Structure of Psychopathology in Adolescence: Replication of a General Psychopathology Factor in the TRAILS Study. <i>Clinical Psychological Science</i> , 2015 , 3, 850-860	6	192
340	Subjective Well-Being and Social Production Functions. <i>Social Indicators Research</i> , 1999 , 46, 61-90	2.7	186
339	The dyadic nature of bullying and victimization: testing a dual-perspective theory. <i>Child Development</i> , 2007 , 78, 1843-54	4.9	180
338	Functioning, well-being, and health perception in late middle-aged and older people: comparing the effects of depressive symptoms and chronic medical conditions. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 39-48	5.6	175
337	Five-year prospective outcome of psychopathology in the adolescent offspring of bipolar parents. <i>Bipolar Disorders</i> , 2005 , 7, 344-50	3.8	172
336	Adolescents' cortisol responses to awakening and social stress; effects of gender, menstrual phase and oral contraceptives. The TRAILS study. <i>Psychoneuroendocrinology</i> , 2009 , 34, 884-93	5	167
335	Outcome of depression and anxiety in primary care. A three-wave 3 1/2-year study of psychopathology and disability. <i>Archives of General Psychiatry</i> , 1993 , 50, 759-66		163
334	Meta-analysis and meta-regression of hypothalamic-pituitary-adrenal axis activity in functional somatic disorders. <i>Biological Psychology</i> , 2011 , 87, 183-94	3.2	157
333	Quality of life and social production functions: a framework for understanding health effects. <i>Social Science and Medicine</i> , 1997 , 45, 1051-63	5.1	157
332	Individual differences in dispositional mindfulness and brain activity involved in reappraisal of emotion. <i>Social Cognitive and Affective Neuroscience</i> , 2010 , 5, 369-77	4	153
331	Longitudinal associations between depressive problems, academic performance, and social functioning in adolescent boys and girls. <i>Developmental Psychology</i> , 2014 , 50, 247-57	3.7	151
330	A cross-cultural study of the structure of comorbidity among common psychopathological syndromes in the general health care setting. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 437-47	7	151

329	The biological and psychological basis of neuroticism: current status and future directions. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 59-72	9	146
328	Personality, chronic medical morbidity, and health-related quality of life among older persons.. <i>Health Psychology</i> , 1997 , 16, 539-546	5	142
327	Self-report disability in an international primary care study of psychological illness. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 297-303	5.7	139
326	The structure of the extended psychosis phenotype in early adolescence--a cross-sample replication. <i>Schizophrenia Bulletin</i> , 2011 , 37, 850-60	1.3	138
325	Prevalence of psychopathology in children of a bipolar parent. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001 , 40, 1094-102	7.2	128
324	Psychological status among elderly people with chronic diseases: does type of disease play a part?. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 521-34	4.1	128
323	Activation of anterior insula during self-reflection. <i>PLoS ONE</i> , 2009 , 4, e4618	3.7	127
322	Timing matters: long term effects of adversities from prenatal period up to adolescence on adolescents' cortisol stress response. The TRAILS study. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1439-47	5	125
321	Neuroticism and the brain: a quantitative meta-analysis of neuroimaging studies investigating emotion processing. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 1518-29	9	123
320	Externalizing and internalizing problems in relation to autonomic function: a population-based study in preadolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 378-386	7.2	121
319	Psychosocial disability before, during, and after a major depressive episode: a 3-wave population-based study of state, scar, and trait effects. <i>Archives of General Psychiatry</i> , 2004 , 61, 387-92		119
318	Stability and change in psychological distress and their relationship with self-esteem and locus of control: A dynamic equilibrium model.. <i>Journal of Personality and Social Psychology</i> , 1991 , 60, 288-299	6.5	118
317	Effortful control as modifier of the association between negative emotionality and adolescents' mental health problems. <i>Development and Psychopathology</i> , 2007 , 19, 523-39	4.3	117
316	Mutual reinforcement between neuroticism and life experiences: a five-wave, 16-year study to test reciprocal causation. <i>Journal of Personality and Social Psychology</i> , 2014 , 107, 751-64	6.5	114
315	Stressful life events and depressive problems in early adolescent boys and girls: the influence of parental depression, temperament and family environment. <i>Journal of Affective Disorders</i> , 2008 , 105, 185-93	6.6	114
314	Treatment of post-myocardial infarction depressive disorder: a randomized, placebo-controlled trial with mirtazapine. <i>Psychosomatic Medicine</i> , 2007 , 69, 606-13	3.7	113
313	Gender differences in the relation between social support, problems in parent-offspring communication, and depression and anxiety. <i>Social Science and Medicine</i> , 2005 , 60, 2549-59	5.1	111
312	Only incident depressive episodes after myocardial infarction are associated with new cardiovascular events. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2204-8	15.1	107

311	Socioeconomic position and mental health problems in pre- and early-adolescents: the TRAILS study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 231-8	4.5	105
310	Nonresponse to treatment for depression following myocardial infarction: association with subsequent cardiac events. <i>American Journal of Psychiatry</i> , 2007 , 164, 1371-8	11.9	104
309	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 1132-43	5.7	103
308	Life events, difficulties and onset of depressive episodes in later life. <i>Psychological Medicine</i> , 2001 , 31, 859-69	6.9	101
307	The state effect of depressive and anxiety disorders on big five personality traits. <i>Journal of Psychiatric Research</i> , 2012 , 46, 644-50	5.2	100
306	Early risk factors for being a bully, victim, or bully/victim in late elementary and early secondary education. The longitudinal TRAILS study. <i>BMC Public Health</i> , 2011 , 11, 440	4.1	99
305	Rejection and acceptance across contexts: parents and peers as risks and buffers for early adolescent psychopathology. the TRAILS study. <i>Journal of Abnormal Child Psychology</i> , 2010 , 38, 119-30	4	98
304	The Relation Between Popularity and Aggressive, Destructive, and Norm-Breaking Behaviors: Moderating Effects of Athletic Abilities, Physical Attractiveness, and Prosociality. <i>Journal of Research on Adolescence</i> , 2009 , 19, 401-413	3.2	94
303	Temperament, parenting, and depressive symptoms in a population sample of preadolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2006 , 47, 684-95	7.9	94
302	Determinants of persistence of major depressive episodes in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Journal of Affective Disorders</i> , 2004 , 81, 231-40	6.6	94
301	Cohort Profile Update: the TRacking Adolescents' Individual Lives Survey (TRAILS). <i>International Journal of Epidemiology</i> , 2015 , 44, 76-76n	7.8	91
300	Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. <i>British Journal of Psychiatry</i> , 2011 , 198, 206-12	5.4	91
299	Mental disorders among persons with heart disease - results from World Mental Health surveys. <i>General Hospital Psychiatry</i> , 2007 , 29, 325-34	5.6	91
298	The TRacking Adolescents' Individual Lives Survey (TRAILS): design, current status, and selected findings. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 1020-36	7.2	88
297	Associations between lifetime traumatic events and subsequent chronic physical conditions: a cross-national, cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e80573	3.7	88
296	Towards understanding successful ageing: patterned change in resources and goals. <i>Ageing and Society</i> , 1998 , 18, 441-467	1.7	86
295	Mismatch or cumulative stress: the pathway to depression is conditional on attention style. <i>Psychological Science</i> , 2014 , 25, 684-92	7.9	85
294	Determinants of smoking status: cross-sectional data on smoking initiation and cessation. <i>European Journal of Public Health</i> , 2005 , 15, 256-61	2.1	84

293	Temperament, environment, and antisocial behavior in a population sample of preadolescent boys and girls. <i>International Journal of Behavioral Development</i> , 2006 , 30, 422-432	2.6	82
292	Relationship between left ventricular dysfunction and depression following myocardial infarction: data from the MIND-IT. <i>European Heart Journal</i> , 2005 , 26, 2650-6	9.5	80
291	Impact of stressful life events, familial loading and their interaction on the onset of mood disorders: study in a high-risk cohort of adolescent offspring of parents with bipolar disorder. <i>British Journal of Psychiatry</i> , 2004 , 185, 97-101	5.4	80
290	A Genome-Wide Association Meta-Analysis of Attention-Deficit/Hyperactivity Disorder Symptoms in Population-Based Pediatric Cohorts. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016 , 55, 896-905.e6	7.2	80
289	Victimization and suicide ideation in the TRAILS study: specific vulnerabilities of victims. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 867-76	7.9	79
288	Childhood adversity, early-onset depressive/anxiety disorders, and adult-onset asthma. <i>Psychosomatic Medicine</i> , 2008 , 70, 1035-43	3.7	79
287	The relationship of functional limitations to disability and the moderating effects of psychological attributes in community-dwelling older persons. <i>Social Science and Medicine</i> , 1999 , 48, 1161-72	5.1	77
286	Postpartum depression predicts offspring mental health problems in adolescence independently of parental lifetime psychopathology. <i>Journal of Affective Disorders</i> , 2012 , 136, 948-54	6.6	76
285	Disruptive behaviors and HPA-axis activity in young adolescent boys and girls from the general population. <i>Journal of Psychiatric Research</i> , 2007 , 41, 570-8	5.2	76
284	Timing of Stressful Life Events Affects Stability and Change of Neuroticism. <i>European Journal of Personality</i> , 2014 , 28, 193-200	5.1	75
283	Stressed out? Associations between perceived and physiological stress responses in adolescents: the TRAILS study. <i>Psychophysiology</i> , 2011 , 48, 441-52	4.1	73
282	Childhood psychosocial stressors and adult onset arthritis: broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009 , 143, 76-83	8	71
281	Altered activation and functional connectivity of neural systems supporting cognitive control of emotion in psychosis proneness. <i>Schizophrenia Research</i> , 2010 , 118, 88-97	3.6	69
280	The dimensional nature of externalizing behaviors in adolescence: evidence from a direct comparison of categorical, dimensional, and hybrid models. <i>Journal of Abnormal Child Psychology</i> , 2011 , 39, 553-61	4	68
279	Predicting life-time and regular cannabis use during adolescence; the roles of temperament and peer substance use: the TRAILS study. <i>Addiction</i> , 2010 , 105, 699-708	4.6	68
278	Depression in later life: three etiologically different subgroups. <i>Journal of Affective Disorders</i> , 2001 , 65, 19-26	6.6	68
277	Urinary free cortisol excretion in elderly persons with minor and major depression. <i>Psychiatry Research</i> , 2001 , 104, 39-47	9.9	68
276	Parental history of depression or anxiety and the cortisol awakening response. <i>British Journal of Psychiatry</i> , 2010 , 197, 180-5	5.4	67

275	Rejection sensitivity relates to hypocortisolism and depressed mood state in young women. <i>Psychoneuroendocrinology</i> , 2008 , 33, 551-9	5	67
274	Mediation of Sensation Seeking and Behavioral Inhibition on the Relationship Between Heart Rate and Antisocial Behavior: The TRAILS Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 493-502	7.2	66
273	Chronicity of depressive problems and the cortisol response to psychosocial stress in adolescents: the TRAILS study. <i>Psychoneuroendocrinology</i> , 2013 , 38, 659-66	5	65
272	Anxiety and depression are risk factors rather than consequences of functional somatic symptoms in a general population of adolescents: the TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010 , 51, 304-12	7.9	63
271	Serious, minor, and non-delinquents in early adolescence: the impact of cumulative risk and promotive factors. The TRAILS study. <i>Journal of Abnormal Child Psychology</i> , 2010 , 38, 339-51	4	62
270	Prosocial and antisocial behavior in preadolescence: Teachers' and parents' perceptions of the behavior of girls and boys. <i>International Journal of Behavioral Development</i> , 2008 , 32, 243-251	2.6	62
269	Truancy in late elementary and early secondary education: The influence of social bonds and self-control. The TRAILS study. <i>International Journal of Behavioral Development</i> , 2010 , 34, 302-310	2.6	61
268	Depression following myocardial infarction: first-ever versus ongoing and recurrent episodes. <i>General Hospital Psychiatry</i> , 2005 , 27, 411-7	5.6	61
267	Chronic disease in elderly couples: are women more responsive to their spouses' health condition than men?. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 693-6	4.1	61
266	Depressive Symptoms and the Experience of Pleasure in Daily Life: An Exploration of Associations in Early and Late Adolescence. <i>Journal of Abnormal Child Psychology</i> , 2016 , 44, 999-1009	4	60
265	Interpreting neuroticism scores across the adult life course: immutable or experience-dependent set points of negative affect?. <i>Clinical Psychology Review</i> , 2012 , 32, 71-9	10.8	60
264	Catechol-o-methyltransferase polymorphism and susceptibility to major depressive disorder modulates psychological stress response. <i>Psychiatric Genetics</i> , 2007 , 17, 183-93	2.9	60
263	Cortisol in the morning and dimensions of anxiety, depression, and aggression in children from a general population and clinic-referred cohort: An integrated analysis. The TRAILS study. <i>Psychoneuroendocrinology</i> , 2013 , 38, 1281-98	5	59
262	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012 , 200, 454-61	5.4	59
261	Differences between participants and non-participants in an RCT on physical activity and psychological interventions for older persons. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 236-45	4.8	59
260	Self-reflection and the psychosis-prone brain: an fMRI study. <i>Neuropsychology</i> , 2011 , 25, 295-305	3.8	58
259	Early cannabis use and estimated risk of later onset of depression spells: Epidemiologic evidence from the population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010 , 172, 149-59	3.8	58
258	Buffers and risks in temperament and family for early adolescent psychopathology: generic, conditional, or domain-specific effects? The trails study. <i>Developmental Psychology</i> , 2009 , 45, 419-30	3.7	58

257	Being admired or being liked: classroom social status and depressive problems in early adolescent girls and boys. <i>Journal of Abnormal Child Psychology</i> , 2007 , 35, 417-27	4	58
256	Life stressors as mediators of the relation between socioeconomic position and mental health problems in early adolescence: the TRAILS study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 1031-1038	7.2	56
255	Somatic symptom overlap in Beck Depression Inventory-II scores following myocardial infarction. <i>British Journal of Psychiatry</i> , 2010 , 197, 61-6	5.4	56
254	Testing the tripartite model in young adolescents: is hyperarousal specific for anxiety and not depression?. <i>Journal of Affective Disorders</i> , 2007 , 102, 55-63	6.6	56
253	Physical fitness related to age and physical activity in older persons. <i>Medicine and Science in Sports and Exercise</i> , 1998 , 30, 434-41	1.2	56
252	Information processing profiles of internalizing and externalizing behavior problems: evidence from a population-based sample of preadolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007 , 48, 185-93	7.9	55
251	Associations of type-D personality and depression with somatic health in myocardial infarction patients. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 477-82	4.1	55
250	The effects of cognitive-behavior therapy for depression on repetitive negative thinking: A meta-analysis. <i>Behaviour Research and Therapy</i> , 2018 , 106, 71-85	5.2	54
249	Hypothalamic-pituitary-adrenal axis activity and early onset of cannabis use. <i>Addiction</i> , 2006 , 101, 1581-8	4.6	54
248	Does neuroticism explain variations in care service use for mental health problems in the general population? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 425-31	4.5	54
247	The neural correlates of worry in association with individual differences in neuroticism. <i>Human Brain Mapping</i> , 2014 , 35, 4303-15	5.9	53
246	Bidirectional prospective associations between physical activity and depressive symptoms. The TRAILS Study. <i>Journal of Adolescent Health</i> , 2012 , 50, 503-8	5.8	52
245	Limited validity of parental recall on pregnancy, birth, and early childhood at child age 10 years. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 185-91	5.7	52
244	Preadolescents' somatic and cognitive-affective depressive symptoms are differentially related to cardiac autonomic function and cortisol: the TRAILS study. <i>Psychosomatic Medicine</i> , 2009 , 71, 944-50	3.7	52
243	Accuracy of general practitioner's prognosis of the 1-year course of depression and generalised anxiety. <i>British Journal of Psychiatry</i> , 2001 , 178, 18-22	5.4	52
242	Mental health problems and educational attainment in adolescence: 9-year follow-up of the TRAILS study. <i>PLoS ONE</i> , 2014 , 9, e101751	3.7	52
241	Cannabis use and vulnerability for psychosis in early adolescence--a TRAILS study. <i>Addiction</i> , 2013 , 108, 733-40	4.6	51
240	Can the gateway hypothesis, the common liability model and/or, the route of administration model predict initiation of cannabis use during adolescence? A survival analysis--the TRAILS study. <i>Journal of Adolescent Health</i> , 2011 , 48, 73-8	5.8	51

239	The effects of latent variables in the development of comorbidity among common mental disorders. <i>Depression and Anxiety</i> , 2011 , 28, 29-39	8.4	51
238	Peer stressors and gender differences in adolescents' mental health: the TRAILS study. <i>Journal of Adolescent Health</i> , 2010 , 46, 444-50	5.8	51
237	Relationship of domain-specific measures of health to perceived overall health among older subjects. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 11-8	5.7	51
236	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017 , 8, 15805	17.4	50
235	Connectomics and neuroticism: an altered functional network organization. <i>Neuropsychopharmacology</i> , 2015 , 40, 296-304	8.7	50
234	Mental health problems during puberty: Tanner stage-related differences in specific symptoms. The TRAILS study. <i>Journal of Adolescence</i> , 2011 , 34, 73-85	3.4	50
233	Interaction between childhood adversity, brain-derived neurotrophic factor val/met and serotonin transporter promoter polymorphism on depression: the TRAILS study. <i>Biological Psychiatry</i> , 2010 , 68, 209-12	7.9	50
232	Externalizing behaviors in preadolescents: familial risk to externalizing behaviors and perceived parenting styles. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 567-75	5.5	50
231	HPA-axis activity and externalizing behavior problems in early adolescents from the general population: the role of comorbidity and gender The TRAILS study. <i>Psychoneuroendocrinology</i> , 2008 , 33, 789-98	5	50
230	Depression in older people after fall-related injuries: a prospective study. <i>Age and Ageing</i> , 2003 , 32, 88-94	5	50
229	Morbidity and quality of life and the moderating effects of level of education in the elderly. <i>Social Science and Medicine</i> , 1999 , 49, 143-9	5.1	50
228	The genetics of depression: successful genome-wide association studies introduce new challenges. <i>Translational Psychiatry</i> , 2019 , 9, 114	8.6	49
227	Benefits of extensive recruitment effort persist during follow-ups and are consistent across age group and survey method. The TRAILS study. <i>BMC Medical Research Methodology</i> , 2012 , 12, 93	4.7	49
226	Who is at risk of post-MI depressive symptoms?. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 425-32; discussion 433-4	4.1	49
225	Latent class analysis of anxiety and depressive symptoms of the Youth Self-Report in a general population sample of young adolescents. <i>Behaviour Research and Therapy</i> , 2006 , 44, 849-60	5.2	49
224	Models of health-related quality of life in a population of community-dwelling Dutch elderly. <i>Quality of Life Research</i> , 2000 , 9, 801-10	3.7	49
223	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018 , 5, 401-410	23.3	48
222	Treatment of depression after myocardial infarction and the effects on cardiac prognosis and quality of life: Rationale and outline of the Myocardial INfarction and Depression-Intervention Trial (MIND-IT). <i>American Heart Journal</i> , 2002 , 144, 219-225	4.9	48

221	Lifestyle risk factors for cancer: the relationship with psychosocial work environment. <i>International Journal of Epidemiology</i> , 2000 , 29, 785-92	7.8	48
220	Integrating autism-related symptoms into the dimensional internalizing and externalizing model of psychopathology. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2015 , 43, 577-87	4	47
219	The adaptive role of perceived control before and after cancer diagnosis: A prospective study. <i>Social Science and Medicine</i> , 2010 , 70, 1825-31	5.1	47
218	Prediction of the three-year course of recurrent depression in primary care patients: different risk factors for different outcomes. <i>Journal of Affective Disorders</i> , 2008 , 105, 267-71	6.6	47
217	Low heart rate: a marker of stress resilience. The TRAILS study. <i>Biological Psychiatry</i> , 2008 , 63, 1141-6	7.9	47
216	Homotypic versus heterotypic continuity of anxiety symptoms in young adolescents: evidence for distinctions between DSM-IV subtypes. <i>Journal of Abnormal Child Psychology</i> , 2007 , 35, 325-33	4	47
215	Redefining phenotypes to advance psychiatric genetics: Implications from hierarchical taxonomy of psychopathology. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 143-161	7	47
214	Does the Revised Child Anxiety and Depression Scale (RCADS) measure anxiety symptoms consistently across adolescence? The TRAILS study. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 27-35	4.3	46
213	Reduced autonomic flexibility as a predictor for future anxiety in girls from the general population: The TRAILS study. <i>Psychiatry Research</i> , 2010 , 179, 187-93	9.9	46
212	Enhanced treatment for depression in primary care: long-term outcomes of a psycho-educational prevention program alone and enriched with psychiatric consultation or cognitive behavioral therapy. <i>Psychological Medicine</i> , 2007 , 37, 849-62	6.9	46
211	Spontaneous baroreflex sensitivity in (pre)adolescents. <i>Journal of Hypertension</i> , 2006 , 24, 345-52	1.9	46
210	Beta-blockers and depression after myocardial infarction: a multicenter prospective study. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2209-14	15.1	45
209	Predictors of incident major depression in diabetic outpatients with subthreshold depression. <i>Diabetic Medicine</i> , 2010 , 27, 1295-301	3.5	44
208	Unipolar depression and the progression of coronary artery disease: toward an integrative model. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 264-74	9.4	44
207	Communicative skills of general practitioners augment the effectiveness of guideline-based depression treatment. <i>Journal of Affective Disorders</i> , 2005 , 84, 43-51	6.6	44
206	Executive functioning shows differential maturation from early to late adolescence: longitudinal findings from a TRAILS study. <i>Neuropsychology</i> , 2014 , 28, 177-87	3.8	43
205	Hypothalamic-pituitary-adrenal axis reactivity to social stress and adolescent cannabis use: the TRAILS study. <i>Addiction</i> , 2011 , 106, 1484-92	4.6	43
204	Signs of a higher prevalence of autoimmune thyroiditis in female offspring of bipolar parents. <i>European Neuropsychopharmacology</i> , 2007 , 17, 394-9	1.2	43

203	Concurrent validity of the DSM-IV scales Affective Problems and Anxiety Problems of the Youth Self-Report. <i>Behaviour Research and Therapy</i> , 2005 , 43, 1485-94	5.2	43
202	Psychopathology in the adolescent offspring of bipolar parents. <i>Journal of Affective Disorders</i> , 2004 , 78, 67-71	6.6	43
201	A model of stability and change in minor psychiatric symptoms: results from three longitudinal studies. <i>Psychological Medicine Monograph Supplement</i> , 1990 , 18, 1-28		43
200	No distinctions between different types of anxiety symptoms in pre-adolescents from the general population. <i>Journal of Anxiety Disorders</i> , 2006 , 20, 207-21	10.9	42
199	Childhood adversities and adolescent depression: a matter of both risk and resilience. <i>Development and Psychopathology</i> , 2014 , 26, 1067-75	4.3	41
198	Depressive symptoms in elderly patients after a somatic illness event: prevalence, persistence, and risk factors. <i>Psychosomatics</i> , 2006 , 47, 33-42	2.6	41
197	The impact of multiple impairments on disability in community-dwelling older people. <i>Age and Ageing</i> , 1998 , 27, 595-604	3	41
196	Training primary care physicians improves the management of depression. <i>General Hospital Psychiatry</i> , 1999 , 21, 168-76	5.6	41
195	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 366-73	5.4	41
194	Maternal depressive symptoms, and not anxiety symptoms, are associated with positive mother-child reporting discrepancies of internalizing problems in children: a report on the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 379-88	5.5	40
193	Filling the gap: relationship between the serotonin-transporter-linked polymorphic region and amygdala activation. <i>Psychological Science</i> , 2014 , 25, 2058-66	7.9	39
192	Prediction of depressive disorder following myocardial infarction data from the Myocardial INfarction and Depression-Intervention Trial (MIND-IT). <i>International Journal of Cardiology</i> , 2006 , 109, 88-94	3.2	39
191	Self-reported depressive symptoms, diagnosed clinical depression and cardiac morbidity and mortality after myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 2775-80	3.2	38
190	Externalizing behaviors in preadolescents: familial risk to externalizing behaviors, prenatal and perinatal risks, and their interactions. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 65-74	5.5	38
189	Perinatal risk factors interacting with catechol O-methyltransferase and the serotonin transporter gene predict ASD symptoms in children with ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010 , 51, 1242-50	7.9	37
188	Cognitive ability, parental socioeconomic position and internalising and externalising problems in adolescence: findings from two European cohort studies. <i>European Journal of Epidemiology</i> , 2010 , 25, 569-80	12.1	37
187	Synchrony of change in depression and disability: what next?. <i>Archives of General Psychiatry</i> , 2000 , 57, 381-2		37
186	Mental health intervention programs in primary care: their scientific basis. <i>Journal of Affective Disorders</i> , 1991 , 21, 273-84	6.6	37

185	The Cross-Cultural Equivalence of Parental Rearing Measure: EMBU-C. <i>European Journal of Psychological Assessment</i> , 2006 , 22, 85-91	2.2	37
184	Symptom-specific associations between low cortisol responses and functional somatic symptoms: the TRAILS study. <i>Psychoneuroendocrinology</i> , 2012 , 37, 332-40	5	36
183	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012 , 12, 125	4.2	36
182	HPA-axis activity as a predictor of future disruptive behaviors in young adolescents. <i>Psychophysiology</i> , 2008 , 45, 398-404	4.1	36
181	Parental Divorce and Offspring Depressive Symptoms: Dutch Developmental Trends During Early Adolescence. <i>Journal of Marriage and Family</i> , 2008 , 70, 284-293	4.5	36
180	Epidemiologic trends and costs of fragmentation. <i>Medical Clinics of North America</i> , 2006 , 90, 549-72	7	36
179	Personality as modifier of the life change-distress relationship. A longitudinal modelling approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1989 , 24, 187-95	4.5	35
178	Preschool behavioral and social-cognitive problems as predictors of (Pre)adolescent disruptive behavior. <i>Child Psychiatry and Human Development</i> , 2007 , 38, 221-36	3.3	34
177	Depression: more treatment but no drop in prevalence: how effective is treatment? And can we do better?. <i>Current Opinion in Psychiatry</i> , 2019 , 32, 348-354	4.9	34
176	Depression treatment after myocardial infarction and long-term risk of subsequent cardiovascular events and mortality: a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 25-30	4.1	33
175	Functioning after a major depressive episode: complete or incomplete recovery?. <i>Journal of Affective Disorders</i> , 2004 , 82, 363-71	6.6	33
174	The use of the GBI as predictor of bipolar disorder in a population of adolescent offspring of parents with a bipolar disorder. <i>Journal of Affective Disorders</i> , 2005 , 89, 147-55	6.6	33
173	Continuing change in neuroticism during adulthood: structural modelling of a 16-year, 5-wave community study. <i>Personality and Individual Differences</i> , 2000 , 28, 461-478	3.3	33
172	Self- or parent report of (co-occurring) internalizing and externalizing problems, and basal or reactivity measures of HPA-axis functioning: a systematic evaluation of the internalizing-hyperresponsivity versus externalizing-hyporesponsivity HPA-axis hypothesis. <i>Biological Psychology</i> , 2013 , 94, 175-84	3.2	32
171	Adolescent personality: associations with Basal, awakening, and stress-induced cortisol responses. <i>Journal of Personality</i> , 2015 , 83, 262-73	4.4	32
170	Effects of divorce on Dutch boys' and girls' externalizing behavior in Gene x Environment perspective: diathesis stress or differential susceptibility in the Dutch Tracking Adolescents' Individual Lives Survey study?. <i>Development and Psychopathology</i> , 2012 , 24, 929-39	4.3	32
169	The relationship between social dysfunctioning and psychopathology among primary care attenders. <i>British Journal of Psychiatry</i> , 1993 , 163, 37-44	5.4	32
168	Prevention of depression will only succeed when it is structurally embedded and targets big determinants. <i>World Psychiatry</i> , 2019 , 18, 111-112	14.4	32

167	Associations of life events during pregnancy with longitudinal change in symptoms of antenatal anxiety and depression. <i>Midwifery</i> , 2014 , 30, 526-31	2.8	30
166	Effects of family cohesion and heart rate reactivity on aggressive/rule-breaking behavior and prosocial behavior in adolescence: the Tracking Adolescents' Individual Lives Survey study. <i>Development and Psychopathology</i> , 2013 , 25, 699-712	4.3	30
165	Dopamine receptor D4 gene moderates the effect of positive and negative peer experiences on later delinquency: the Tracking Adolescents' Individual Lives Survey study. <i>Development and Psychopathology</i> , 2013 , 25, 1107-17	4.3	30
164	Are adolescents gambling with cannabis use? A longitudinal study of impulsivity measures and adolescent substance use: the TRAILS study. <i>Journal of Studies on Alcohol and Drugs</i> , 2011 , 72, 70-8	1.9	30
163	Externalizing Behavior Problems and Cigarette Smoking as Predictors of Cannabis Use: The TRAILS Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 61-69	7.2	30
162	The role of temperament in the relationship between early onset of tobacco and cannabis use: the TRAILS study. <i>Drug and Alcohol Dependence</i> , 2009 , 104, 113-8	4.9	30
161	Pubertal status predicts back pain, overtiredness, and dizziness in American and Dutch adolescents. <i>Pediatrics</i> , 2011 , 128, 553-9	7.4	30
160	Stressful life events and onset of mood disorders in children of bipolar parents during 14-month follow-up. <i>Journal of Affective Disorders</i> , 2005 , 87, 253-63	6.6	30
159	Personality and coping: their relationship with lifestyle risk factors for cancer. <i>Personality and Individual Differences</i> , 2001 , 31, 541-553	3.3	30
158	Cardiovascular reactivity as a mechanism linking child trauma to adolescent psychopathology. <i>Biological Psychology</i> , 2016 , 120, 108-119	3.2	29
157	Anhedonia and depressed mood in adolescence: course, stability, and reciprocal relation in the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 579-86	5.5	29
156	Decreased impact of post-myocardial infarction depression on cardiac prognosis?. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 493-9	4.1	29
155	Psychosocial and vascular risk factors of depression in later life. <i>Journal of Affective Disorders</i> , 2003 , 74, 237-46	6.6	29
154	The role of depressive symptoms in recovery from injuries to the extremities in older persons. A prospective study. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 14-22	3.9	29
153	Cognitive, physiological, and personality correlates of recurrence of depression. <i>Journal of Affective Disorders</i> , 2005 , 87, 221-9	6.6	29
152	Predictors of time to remission from depression in primary care patients: Do some people benefit more from positive life change than others?. <i>Journal of Abnormal Psychology</i> , 2000 , 109, 299-307	7	29
151	Anxiety and disruptive behavior mediate pathways from attention-deficit/hyperactivity disorder to depression. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e108-13	4.6	29
150	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015 , 187, 54-61	6.6	28

149	Adolescent Heavy Drinking Does Not Affect Maturation of Basic Executive Functioning: Longitudinal Findings from the TRAILS Study. <i>PLoS ONE</i> , 2015 , 10, e0139186	3.7	28
148	Stressful life events and depressive symptoms in young adolescents: Modulation by respiratory sinus arrhythmia? The TRAILS study. <i>Biological Psychology</i> , 2009 , 81, 40-7	3.2	28
147	Do Automatic Self-Associations Relate to Suicidal Ideation?. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010 , 32, 428-437	2	28
146	Neurobiological correlates of theory of mind in psychosis proneness. <i>Neuropsychologia</i> , 2010 , 48, 3715-3722	3.4	28
145	Cognitive-behavioural therapy v. usual care in recurrent depression. <i>British Journal of Psychiatry</i> , 2008 , 193, 505-6	5.4	28
144	Optimal use of multi-informant data on co-occurrence of internalizing and externalizing problems: the TRAILS study. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 174-83	4.3	28
143	Investigating the molecular basis of major depressive disorder etiology: a functional convergent genetic approach. <i>Annals of the New York Academy of Sciences</i> , 2008 , 1148, 42-56	6.5	28
142	Social predictors of recovery in late middle-aged and older persons after injury to the extremities: a prospective study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2001 , 56, S229-36	4.6	28
141	A test of the vulnerability model: temperament and temperament change as predictors of future mental disorders in the TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 227-36	7.9	27
140	Impact of birth weight and genetic liability on psychopathology in children of bipolar parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2003 , 42, 1116-21	7.2	27
139	The Measurement of Reciprocity in Ego-Centered Networks of Personal Relationships: A Comparison of Various Indices. <i>Social Psychology Quarterly</i> , 1991 , 54, 54	1.8	27
138	The effectiveness of lithium prophylaxis in bipolar and unipolar depressions and schizo-affective disorders. <i>Journal of Affective Disorders</i> , 1986 , 11, 275-80	6.6	27
137	Family environment is associated with HPA-axis activity in adolescents. The TRAILS study. <i>Biological Psychology</i> , 2012 , 89, 460-6	3.2	26
136	Socioeconomic position predicts specialty mental health service use independent of clinical severity: the TRAILS study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 647-55	7.2	26
135	Childhood-Limited Versus Persistent Antisocial Behavior: Why Do Some Recover and Others Do Not? The TRAILS Study. <i>Journal of Early Adolescence</i> , 2009 , 29, 718-742	1.9	26
134	Are the vulnerability effects of personality and psychosocial functioning on depression accounted for by subthreshold symptoms?. <i>Depression and Anxiety</i> , 2007 , 24, 472-8	8.4	26
133	Symptom profiles of DSM-IV-defined remission, recovery, relapse, and recurrence of depression: the role of the core symptoms. <i>Depression and Anxiety</i> , 2012 , 29, 638-45	8.4	25
132	No associations between single nucleotide polymorphisms in corticoid receptor genes and heart rate and cortisol responses to a standardized social stress test in adolescents: the TRAILS study. <i>Behavior Genetics</i> , 2011 , 41, 253-61	3.2	25

131	The genetic relationship between neuroticism and autonomic function in female twins. <i>Psychological Medicine</i> , 2007 , 37, 257-67	6.9	25
130	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. <i>Journal of Affective Disorders</i> , 2010 , 124, 38-44	6.6	24
129	Beliefs concerning death, dying, and hastening death among older, functionally impaired Dutch adults: a one-year longitudinal study. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1251-7	5.6	24
128	Improvement of mindfulness skills during Mindfulness-Based Cognitive Therapy predicts long-term reductions of neuroticism in persons with recurrent depression in remission. <i>Journal of Affective Disorders</i> , 2017 , 213, 112-117	6.6	23
127	A longitudinal perspective on childhood adversities and onset risk of various psychiatric disorders. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 641-50	5.5	23
126	When parent and teacher ratings don't agree: the Tracking Adolescents' Individual Lives Survey (TRAILS). <i>Journal of Child and Adolescent Psychopharmacology</i> , 2011 , 21, 389-97	2.9	23
125	Risk of emotional disorder in offspring of depressed parents: gender differences in the effect of a second emotionally affected parent. <i>Depression and Anxiety</i> , 2008 , 25, 653-60	8.4	23
124	The care provided by general practitioners for persistent depression. <i>European Psychiatry</i> , 2006 , 21, 87-92		23
123	Perceived control and long-term changes in disability in late middle-aged and older persons: An eight-year follow-up study. <i>Psychology and Health</i> , 2005 , 20, 193-206	2.9	23
122	Correlates of symptomatic, minor and major depression in the elderly. <i>Journal of Affective Disorders</i> , 2000 , 60, 87-95	6.6	23
121	Mental health care use in adolescents with and without mental disorders. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 501-8	5.5	22
120	Legal substance use and the development of a DSM-IV cannabis use disorder during adolescence: the TRAILS study. <i>Addiction</i> , 2014 , 109, 303-11	4.6	22
119	The delicate balance between parental protection, unsupervised wandering, and adolescents' autonomy and its relation with antisocial behavior: The TRAILS study. <i>International Journal of Behavioral Development</i> , 2010 , 34, 159-167	2.6	22
118	Prospective community study of family stress and anxiety in (pre)adolescents: the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 483-91	5.5	22
117	Trajectories of psychosocial problems in adolescents predicted by findings from early well-child assessments. <i>Journal of Adolescent Health</i> , 2012 , 51, 475-83	5.8	21
116	Adolescent family adversity and mental health problems: the role of adaptive self-regulation capacities. The TRAILS study. <i>Journal of Abnormal Child Psychology</i> , 2011 , 39, 341-50	4	21
115	Stressful life events as a link between problems in nonverbal communication and recurrence of depression. <i>Journal of Affective Disorders</i> , 2007 , 97, 161-9	6.6	21
114	The effect of criticism on functional brain connectivity and associations with neuroticism. <i>PLoS ONE</i> , 2013 , 8, e69606	3.7	21

113	Child Behavior Checklist-Mania Scale (CBCL-MS): development and evaluation of a population-based screening scale for bipolar disorder. <i>PLoS ONE</i> , 2013 , 8, e69459	3.7	20
112	Child temperament moderates the impact of parental separation on adolescent mental health: The trails study. <i>Journal of Family Psychology</i> , 2011 , 25, 97-106	2.7	20
111	Self-Reported Physical Fitness of Older Persons: A Substitute for Performance-Based Measures of Physical Fitness?. <i>Journal of Aging and Physical Activity</i> , 1997 , 5, 298-310	1.6	20
110	Social functioning of bipolar offspring. <i>Journal of Affective Disorders</i> , 2007 , 98, 207-13	6.6	20
109	The role of perceived control in the process of older peoples' recovery of physical functions after fall-related injuries: a prospective study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003 , 58, P35-41	4.6	20
108	The role of premorbid psychological attributes in short- and long-term adjustment after cardiac disease. A prospective study in the elderly in The Netherlands. <i>Social Science and Medicine</i> , 2005 , 60, 1035-45	5.1	20
107	Self-assessed parental depressive problems are associated with blunted cortisol responses to a social stress test in daughters. The TRAILS Study. <i>Psychoneuroendocrinology</i> , 2011 , 36, 854-63	5	19
106	Hypothalamic-pituitary-adrenal axis and smoking and drinking onset among adolescents: the longitudinal cohort TRacking Adolescents' Individual Lives Survey (TRAILS). <i>Addiction</i> , 2009 , 104, 1927-36	4.6	19
105	Need for mental health care in adolescents and its determinants: the TRAILS Study. <i>European Journal of Public Health</i> , 2013 , 23, 236-41	2.1	18
104	Childhood family instability and mental health problems during late adolescence: a test of two mediation models--the TRAILS study. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2012 , 41, 166-76	5.4	18
103	Neuroticism and morning cortisol secretion: both heritable, but no shared genetic influences. <i>Journal of Personality</i> , 2009 , 77, 1561-75	4.4	17
102	The impact of physical performance and cognitive status on subsequent ADL disability in low-functioning older adults. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 480-3	3.9	17
101	Multiple dimensions of familial psychopathology affect risk of mood disorder in children of bipolar parents. <i>American Journal of Medical Genetics Part A</i> , 2004 , 127B, 35-41		17
100	Predictability of the one-year course of depression and generalized anxiety in primary care. <i>General Hospital Psychiatry</i> , 2002 , 24, 156-63	5.6	17
99	Classes of adolescents with disruptive behaviors in a general population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 931-8	4.5	17
98	Conjugal Bereavement and Well-Being of Elderly Men and Women: A Preliminary Study. <i>Omega: Journal of Death and Dying</i> , 1999 , 38, 113-141	1.6	17
97	The dopamine receptor D4 gene and familial loading interact with perceived parenting in predicting externalizing behavior problems in early adolescence: the TRacking Adolescents' Individual Lives Survey (TRAILS). <i>Psychiatry Research</i> , 2013 , 209, 66-73	9.9	16
96	Stressful events and psychological difficulties: testing alternative candidates for sensitivity. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 103-13	5.5	16

95	Response time variability and response inhibition predict affective problems in adolescent girls, not in boys: the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2012 , 21, 277-87	5.5	16
94	Effortful control as predictor of adolescents' psychological and physiological responses to a social stress test: the Tracking Adolescents' Individual Lives Survey. <i>Development and Psychopathology</i> , 2011 , 23, 679-88	4.3	16
93	Non-right-handedness and mental health problems among adolescents from the general population: The Trails Study. <i>Laterality</i> , 2010 , 15, 304-16	2	16
92	The association between levels of cortisol secretion and fear perception in patients with remitted depression predicts recurrence. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 478-84	1.8	16
91	Are effects of depression management training for General Practitioners on patient outcomes mediated by improvements in the process of care?. <i>Journal of Affective Disorders</i> , 2004 , 80, 173-9	6.6	16
90	Age- and sex-specific associations between adverse life events and functional bodily symptoms in the general population. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 112-6	4.1	15
89	The association between intelligence and telomere length: a longitudinal population based study. <i>PLoS ONE</i> , 2012 , 7, e49356	3.7	15
88	Genetic and environmental influences on the longitudinal structure of neuroticism: a trait-state approach. <i>Psychological Science</i> , 2013 , 24, 1780-90	7.9	15
87	Adolescents with low intelligence are at risk of functional somatic symptoms: the TRAILS study. <i>Journal of Adolescent Health</i> , 2011 , 49, 621-6	5.8	15
86	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011 , 11, 8	4.2	15
85	PRegnanCy Outcomes after a Maternity Intervention for Stressful Emotions (PROMISES): study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 157	2.8	15
84	What is needed to eradicate the depression epidemic, and why. <i>Mental Health and Prevention</i> , 2020 , 17, 200177	2.3	15
83	Chronic Stress and Adolescents' Mental Health: Modifying Effects of Basal Cortisol and Parental Psychiatric History. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2015 , 43, 1119-30	4	14
82	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. <i>European Journal of Personality</i> , 2013 , 27, 389-397	5.1	14
81	Predicting onset of cannabis use in early adolescence: the interrelation between high-intensity pleasure and disruptive behavior. The TRAILS Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2009 , 70, 850-8	1.9	14
80	Sequences of maladaptation: Preadolescent self-regulation, adolescent negative social interactions, and young adult psychopathology. <i>Development and Psychopathology</i> , 2019 , 31, 279-292	4.3	13
79	No replication of genotype effect of 5-HTTLPR on cortisol response to social stress in larger adolescent sample. <i>Biological Psychiatry</i> , 2010 , 68, e33-4; author reply e35	7.9	13
78	Gender-specific risk factors for mortality associated with incident coronary heart disease--a prospective community-based study. <i>Preventive Medicine</i> , 2006 , 43, 361-7	4.3	13

77	The use of the GBI in a population of adolescent offspring of parents with a bipolar disorder. <i>Journal of Affective Disorders</i> , 2004 , 80, 263-7	6.6	13
76	The predictive value of childhood subthreshold manic symptoms for adolescent and adult psychiatric outcomes. <i>Journal of Affective Disorders</i> , 2017 , 212, 86-92	6.6	12
75	Using Response Surface Analysis to Interpret the Impact of Parent-Offspring Personality Similarity on Adolescent Externalizing Problems. <i>European Journal of Personality</i> , 2017 , 31, 104-117	5.1	12
74	Set-Point Theory and personality development 2017 , 117-137		12
73	Associations between genetic risk, functional brain network organization and neuroticism. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1581-1591	4.1	12
72	The Tianjin Mental Health Survey (TJMHS): study rationale, design and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	12
71	The association between neurocognitive functioning and smoking in adolescence: the TRAILS study. <i>Neuropsychology</i> , 2012 , 26, 541-50	3.8	12
70	Strategies for handling missing data in longitudinal studies with questionnaires. <i>Journal of Statistical Computation and Simulation</i> , 2018 , 88, 3415-3436	0.9	12
69	Lower dorsal striatum activation in association with neuroticism during the acceptance of unfair offers. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015 , 15, 537-52	3.5	11
68	Stressful events and continued smoking and continued alcohol consumption during mid-pregnancy. <i>PLoS ONE</i> , 2014 , 9, e86359	3.7	11
67	Continued smoking and continued alcohol consumption during early pregnancy distinctively associated with personality. <i>Addictive Behaviors</i> , 2014 , 39, 980-6	4.2	11
66	Lack of association between conversation partners' nonverbal behavior predicts recurrence of depression, independently of personality. <i>Psychiatry Research</i> , 2006 , 142, 79-88	9.9	11
65	Genetic influences on baroreflex sensitivity during rest and mental stress. <i>Journal of Hypertension</i> , 2006 , 24, 1779-86	1.9	11
64	Puzzling findings in studying the outcome of "real world" adolescent mental health services: the TRAILS study. <i>PLoS ONE</i> , 2012 , 7, e44704	3.7	11
63	Adolescents' use of care for behavioral and emotional problems: types, trends, and determinants. <i>PLoS ONE</i> , 2014 , 9, e93526	3.7	11
62	Identifying target groups for the prevention of depression in early adolescence: the TRAILS study. <i>Journal of Affective Disorders</i> , 2012 , 138, 287-94	6.6	10
61	L-DRD4 genotype not associated with sensation seeking, gambling performance and startle reactivity in adolescents: the TRAILS study. <i>Neuropsychologia</i> , 2011 , 49, 1359-1362	3.2	10
60	Does HPA-axis activity mediate the relationship between obstetric complications and externalizing behavior problems? The TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 565-73	5.5	10

59	Early findings of preventive child healthcare professionals predict psychosocial problems in preadolescence: the TRAILS study. <i>Journal of Pediatrics</i> , 2010 , 157, 316-321.e2	3.6	10
58	Psychiatric neuroimaging: joining forces with epidemiology. <i>European Psychiatry</i> , 2008 , 23, 315-9	6	10
57	Nonverbal behavioral similarity between patients with depression in remission and interviewers in relation to satisfaction and recurrence of depression. <i>Depression and Anxiety</i> , 2006 , 23, 200-9	8.4	10
56	Explaining service use for mental health problems in the Dutch general population: the role of resources, emotional disorder and functional impairment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 285-93	4.5	10
55	Heart rate and antisocial behavior: mediation and moderation by affiliation with bullies. the TRAILS Study. <i>Journal of Adolescent Health</i> , 2013 , 52, 102-7	5.8	9
54	Duration of subsequent episodes and periods of recovery in recurrent major depression. <i>Journal of Affective Disorders</i> , 2010 , 125, 141-5	6.6	9
53	Heterogeneity of patients with coronary artery disease and distress and the need to identify relevant subtypes. <i>Archives of General Psychiatry</i> , 2008 , 65, 851-2; author reply 852-3		9
52	The Rational Behavior Inventory (RBI): A psychometric evaluation. <i>Personality and Individual Differences</i> , 1987 , 8, 561-569	3.3	9
51	On Imbalance of Impulse Control and Sensation Seeking and Adolescent Risk: An Intra-individual Developmental Test of the Dual Systems and Maturational Imbalance Models. <i>Journal of Youth and Adolescence</i> , 2021 , 50, 827-840	4.5	9
50	Mindfulness facets and Big Five personality facets in persons with recurrent depression in remission. <i>Personality and Individual Differences</i> , 2017 , 110, 109-114	3.3	8
49	Stress-sensitivity and reciprocal associations between stressful events and adolescent temperament. <i>Personality and Individual Differences</i> , 2015 , 81, 76-83	3.3	8
48	Predictors of a functional somatic syndrome diagnosis in patients with persistent functional somatic symptoms. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 206-12	2.6	7
47	The relationship between parental religiosity and mental health of pre-adolescents in a community sample: the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2011 , 20, 253-60	5.5	7
46	Do depressive episodes lead to accumulation of vulnerability in the elderly?. <i>Depression and Anxiety</i> , 2003 , 18, 67-75	8.4	7
45	More treatment but no less depression: The treatment-prevalence paradox.. <i>Clinical Psychology Review</i> , 2021 , 91, 102111	10.8	7
44	Parental Social Status and Intrasexual Competitiveness among Adolescents. <i>Evolutionary Psychology</i> , 2014 , 12, 147470491401200	1.5	6
43	Preventive child health care findings on early childhood predict peer-group social status in early adolescence. <i>Journal of Adolescent Health</i> , 2012 , 51, 637-42	5.8	6
42	Personality as modifier of the life event-distress relationship: A longitudinal structural equation model. <i>Personality and Individual Differences</i> , 1988 , 9, 973-982	3.3	6

41	SNP-Based Heritability Estimates of Common and Specific Variance in Self- and Informant-Reported Neuroticism Scales. <i>Journal of Personality</i> , 2017 , 85, 906-919	4.4	5
40	Chronic Stressors and Adolescents' Externalizing Problems: Genetic Moderation by Dopamine Receptor D4. The TRAILS Study. <i>Journal of Abnormal Child Psychology</i> , 2018 , 46, 73-82	4	5
39	Adversity-driven changes in hypothalamic-pituitary-adrenal axis functioning during adolescence. The trails study. <i>Psychoneuroendocrinology</i> , 2017 , 85, 49-55	5	5
38	Social skills as precursors of cannabis use in young adolescents: a TRAILS study. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2011 , 40, 706-14	5.4	5
37	Demographic, health-related and psychosocial predictors of changes in depressive symptoms and anxiety in late middle-aged and older persons with fall-related injuries. <i>Psychology and Health</i> , 2004 , 19, 103-115	2.9	5
36	The wide-ranging life outcome correlates of a general psychopathology factor in adolescent psychopathology. <i>Personality and Mental Health</i> , 2020 , 14, 9-29	3.1	5
35	Executive functioning before and after onset of alcohol use disorder in adolescence. A TRAILS study. <i>Journal of Psychiatric Research</i> , 2016 , 78, 78-85	5.2	5
34	Why Does Frustration Predict Psychopathology? Multiple Prospective Pathways over Adolescence: A Trails Study. <i>European Journal of Personality</i> , 2017 , 31, 85-103	5.1	4
33	The role of Basal cortisol in predicting change in mental health problems across the transition to middle school. <i>Journal of Adolescent Health</i> , 2015 , 56, 489-95	5.8	4
32	The Twin Interdisciplinary Neuroticism Study. <i>Twin Research and Human Genetics</i> , 2013 , 16, 268-70	2.2	4
31	Generation of Interpersonal Stressful Events: The Role of Poor Social Skills and Early Physical Maturation in Young Adolescents The TRAILS Study. <i>Journal of Early Adolescence</i> , 2011 , 31, 633-655	1.9	4
30	Improving long-term outcome of depression in primary care: a review of RCTs with psychological and supportive interventions. <i>European Journal of Psychiatry</i> , 2007 , 21,	1	4
29	Reducing Common Mental Disorder Prevalence in Populations. <i>JAMA Psychiatry</i> , 2021 , 78, 359-360	14.5	4
28	Sensitivity to psychosocial chronic stressors and adolescents' externalizing problems: Combined moderator effects of resting heart rate and parental psychiatric history. <i>Biological Psychology</i> , 2018 , 134, 20-29	3.2	3
27	Life changes and depressive symptoms: the effects of valence and amount of change. <i>BMC Psychology</i> , 2013 , 1, 14	2.8	3
26	Cortisol levels in childhood and psychosis risk in late adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 765-766	7.2	3
25	HPA axis activity: A response to comments by Gunter Schumann. <i>Addiction</i> , 2006 , 101, 1833-4	4.6	3
24	Are stress related factors associated with alcohol intake?. <i>International Journal of Behavioral Medicine</i> , 2004 , 11, 225-35	2.6	3

23	An approximate marginal logistic distribution for the analysis of longitudinal ordinal data. <i>Biometrics</i> , 2016 , 72, 253-61	1.8	3
22	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. <i>BJPsych Open</i> , 2019 , 5, e12	5	2
21	Mental Disorder During Adolescence: Evidence of Arrested Personality Development. <i>Clinical Psychological Science</i> , 2020 , 8, 395-411	6	2
20	Risk score for predicting adolescent mental health problems among children using parental report only: the TRAILS study. <i>Academic Pediatrics</i> , 2014 , 14, 589-96	2.7	2
19	The relationship between neuroticism and inflammatory markers: a twin study. <i>Twin Research and Human Genetics</i> , 2014 , 17, 177-82	2.2	2
18	Risk factors for developing cardiac disease in late middle-aged and older men and women: a prospective study. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 1575-7	5.6	2
17	Can loss of agency and oppositional perturbation associated with antidepressant monotherapy and low-fidelity psychological treatment dilute the benefits of guideline-consistent depression treatment at the population level?. <i>European Psychiatry</i> , 2020 , 63, e89	6	2
16	Prefrontal cortex activation during a cognitive reappraisal task is associated with real-life negative affect reactivity. <i>PLoS ONE</i> , 2018 , 13, e0202888	3.7	2
15	The association of developmental trajectories of adolescent mental health with early-adult functioning. <i>PLoS ONE</i> , 2020 , 15, e0233648	3.7	1
14	Dynamic risk for first onset of depressive disorders in adolescence: does change matter?. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	1
13	Debate: Giving prevention a chance to prove its worth in lowering common mental disorder prevalence: how long will it take?. <i>Child and Adolescent Mental Health</i> , 2021 , 26, 86-88	2.2	1
12	Parental social status and intrasexual competitiveness among adolescents. <i>Evolutionary Psychology</i> , 2014 , 12, 1022-37	1.5	1
11	Continuity of Psychopathology Throughout Adolescence and Young Adulthood.. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2022 , 1-14	5.4	1
10	PERSONALITY DOES NOT PREDICT STRESSFUL EVENT OCCURRENCE IN ELDERLY PERSONS. <i>Social Behavior and Personality</i> , 2003 , 31, 49-54	1.2	0
9	Effects of divorce on Dutch boys and girls: externalizing behavior in Gene-Environment perspective: Diathesis stress or differential susceptibility in the Tracking Adolescents' Individual Lives Survey study? CORRIGENDUM. <i>Development and Psychopathology</i> , 2014 , 26, 555-555	4.3	
8	Kempen and Ormel Respond. <i>American Journal of Public Health</i> , 1998 , 88, 838-838	5.1	
7	Long-term stability of the Rational Behavior Inventory and the General Health Questionnaire. <i>Psychological Reports</i> , 1987 , 60, 637-8	1.6	
6	Is personality stable and symptoms fleeting? A longitudinal comparison in adolescence.. <i>Journal of Research in Personality</i> , 2022 , 97, 104190-104190	2.8	

- 5 Functionele uitkomsten van psychische stoornissen bij kinderen en adolescenten. *Kind En Adolescent*, **2018**, 39, 183-204 o
- 4 The association of developmental trajectories of adolescent mental health with early-adult functioning **2020**, 15, e0233648
- 3 The association of developmental trajectories of adolescent mental health with early-adult functioning **2020**, 15, e0233648
- 2 The association of developmental trajectories of adolescent mental health with early-adult functioning **2020**, 15, e0233648
- 1 The association of developmental trajectories of adolescent mental health with early-adult functioning **2020**, 15, e0233648