

# MarÃ-a Cruz MinguillÃ³n

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5011797/publications.pdf>

Version: 2024-02-01

89  
papers

6,410  
citations

66234

42  
h-index

69108

77  
g-index

127  
all docs

127  
docs citations

127  
times ranked

6532  
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in air quality during the lockdown in Barcelona (Spain) one month into the SARS-CoV-2 epidemic. <i>Science of the Total Environment</i> , 2020, 726, 138540.	3.9	610
2	Source origin of trace elements in PM from regional background, urban and industrial sites of Spain. <i>Atmospheric Environment</i> , 2007, 41, 7219-7231.	1.9	396
3	Spatial and temporal variations in airborne particulate matter (PM10 and PM2.5) across Spain 1999–2005. <i>Atmospheric Environment</i> , 2008, 42, 3964-3979.	1.9	287
4	AIRUSE-LIFE+: a harmonized PM speciation and source apportionment in five southern European cities. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 3289-3309.	1.9	267
5	Assessment of air quality microsensors versus reference methods: The EuNetAir joint exercise. <i>Atmospheric Environment</i> , 2016, 147, 246-263.	1.9	182
6	Variations in vanadium, nickel and lanthanoid element concentrations in urban air. <i>Science of the Total Environment</i> , 2010, 408, 4569-4579.	3.9	163
7	Recreational atmospheric pollution episodes: Inhalable metalliferous particles from firework displays. <i>Atmospheric Environment</i> , 2007, 41, 913-922.	1.9	158
8	Fossil versus contemporary sources of fine elemental and organic carbonaceous particulate matter during the DAURE campaign in Northeast Spain. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 12067-12084.	1.9	157
9	Subway platform air quality: Assessing the influences of tunnel ventilation, train piston effect and station design. <i>Atmospheric Environment</i> , 2014, 92, 461-468.	1.9	141
10	Exposure to airborne particulate matter in the subway system. <i>Science of the Total Environment</i> , 2015, 511, 711-722.	3.9	140
11	Factors controlling air quality in different European subway systems. <i>Environmental Research</i> , 2016, 146, 35-46.	3.7	138
12	Urban air quality comparison for bus, tram, subway and pedestrian commutes in Barcelona. <i>Environmental Research</i> , 2015, 142, 495-510.	3.7	136
13	Inter-comparison of receptor models for PM source apportionment: Case study in an industrial area. <i>Atmospheric Environment</i> , 2008, 42, 3820-3832.	1.9	134
14	2001–2012 trends on air quality in Spain. <i>Science of the Total Environment</i> , 2014, 490, 957-969.	3.9	123
15	On the isolation of OC and EC and the optimal strategy of radiocarbon-based source apportionment of carbonaceous aerosols. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 10841-10856.	1.9	122
16	ACTRIS ACSM intercomparison – Part 2: Intercomparison of ME-2 organic source apportionment results from 15 individual, co-located aerosol mass spectrometers. <i>Atmospheric Measurement Techniques</i> , 2015, 8, 2555-2576.	1.2	118
17	A new look at inhalable metalliferous airborne particles on rail subway platforms. <i>Science of the Total Environment</i> , 2015, 505, 367-375.	3.9	116
18	Variability of carbonaceous aerosols in remote, rural, urban and industrial environments in Spain: implications for air quality policy. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 6185-6206.	1.9	104

#	ARTICLE	IF	CITATIONS
19	ACTRIS ACSM intercomparison “ Part 1: Reproducibility of concentration and fragment results from 13 individual Quadrupole Aerosol Chemical Speciation Monitors (Q-ACSM) and consistency with co-located instruments. Atmospheric Measurement Techniques, 2015, 8, 5063-5087.	1.2	104
20	Fine and coarse PM composition and sources in rural and urban sites in Switzerland: Local or regional pollution?. Science of the Total Environment, 2012, 427-428, 191-202.	3.9	103
21	Origin of inorganic and organic components of PM 2.5 in subway stations of Barcelona, Spain. Environmental Pollution, 2016, 208, 125-136.	3.7	95
22	Source apportionment of size and time resolved trace elements and organic aerosols from an urban courtyard site in Switzerland. Atmospheric Chemistry and Physics, 2011, 11, 8945-8963.	1.9	90
23	Lanthanoid Geochemistry of Urban Atmospheric Particulate Matter. Environmental Science & Technology, 2008, 42, 6502-6507.	4.6	84
24	Seasonal and spatial variations of sources of fine and quasi-ultrafine particulate matter in neighborhoods near the Los Angeles Long Beach harbor. Atmospheric Environment, 2008, 42, 7317-7328.	1.9	82
25	Long-term real-time chemical characterization of submicron aerosols at Montsec (southern Pyrenees.) Tj ETQq1 1 0,784314 rgBT /Overl 1.9 80	1.9	80
26	Elemental composition of ambient aerosols measured with high temporal resolution using an online XRF spectrometer. Atmospheric Measurement Techniques, 2017, 10, 2061-2076.	1.2	79
27	Organic aerosol source apportionment by offline-AMS over a full year in Marseille. Atmospheric Chemistry and Physics, 2017, 17, 8247-8268.	1.9	75
28	Organic compound characterization and source apportionment of indoor and outdoor quasi-ultrafine particulate matter in retirement homes of the Los Angeles Basin. Indoor Air, 2010, 20, 17-30.	2.0	73
29	Application of Optimally Scaled Target Factor Analysis for Assessing Source Contribution of Ambient PM <sub>10</sub> . Journal of the Air and Waste Management Association, 2009, 59, 1296-1307.	0.9	72
30	Assessment of air quality microsensors versus reference methods: The EuNetAir Joint Exercise “ Part II. Atmospheric Environment, 2018, 193, 127-142.	1.9	72
31	Chemical characterization of submicron regional background aerosols in the western Mediterranean using an Aerosol Chemical Speciation Monitor. Atmospheric Chemistry and Physics, 2015, 15, 6379-6391.	1.9	69
32	Source apportionment of indoor, outdoor and personal PM <sub>2.5</sub> exposure of pregnant women in Barcelona, Spain. Atmospheric Environment, 2012, 59, 426-436.	1.9	68
33	Oxidative potential of subway PM 2.5. Atmospheric Environment, 2017, 148, 230-238.	1.9	63
34	Deposition of aerosol particles from a subway microenvironment in the human respiratory tract. Journal of Aerosol Science, 2015, 90, 103-113.	1.8	62
35	Spatial variability of trace elements and sources for improved exposure assessment in Barcelona. Atmospheric Environment, 2014, 89, 268-281.	1.9	61
36	Organic compounds in aerosols from selected European sites “ Biogenic versus anthropogenic sources. Atmospheric Environment, 2012, 59, 243-255.	1.9	57

#	ARTICLE	IF	CITATIONS
37	Detection of Saharan dust and biomass burning events using near-real-time intensive aerosol optical properties in the north-western Mediterranean. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 12567-12586.	1.9	54
38	Effects of sources and meteorology on particulate matter in the Western Mediterranean Basin: An overview of the DAURE campaign. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 4978-5010.	1.2	49
39	The effect of ventilation protocols on airborne particulate matter in subway systems. <i>Science of the Total Environment</i> , 2017, 584-585, 1317-1323.	3.9	49
40	Particulate air pollution and preeclampsia: a source-based analysis. <i>Occupational and Environmental Medicine</i> , 2014, 71, 570-577.	1.3	46
41	Variability of aerosols and chemical composition of PM <sub>10</sub> , PM <sub>2.5</sub> and PM <sub>1</sub> on a platform of the Prague underground metro. <i>Atmospheric Environment</i> , 2015, 118, 176-183.	1.9	46
42	Bioaerosols in the Barcelona subway system. <i>Indoor Air</i> , 2017, 27, 564-575.	2.0	45
43	Phenomenology of high-ozone episodes in NE Spain. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 2817-2838.	1.9	45
44	Aerosol sources in subway environments. <i>Environmental Research</i> , 2018, 167, 314-328.	3.7	45
45	Effect of ceramic industrial particulate emission control on key components of ambient PM <sub>10</sub> . <i>Journal of Environmental Management</i> , 2009, 90, 2558-2567.	3.8	44
46	Impact of fugitive emissions in ambient PM levels and composition: A case study in Southeast Spain. <i>Science of the Total Environment</i> , 2010, 408, 4999-5009.	3.9	44
47	PM <sub>10</sub> speciation and determination of air quality target levels. A case study in a highly industrialized area of Spain. <i>Science of the Total Environment</i> , 2007, 372, 382-396.	3.9	43
48	European aerosol phenomenology $\alpha^{\text{v}}$ 8: Harmonised source apportionment of organic aerosol using 22 Year-long ACSM/AMS datasets. <i>Environment International</i> , 2022, 166, 107325.	4.8	41
49	Three years of aerosol mass, black carbon and particle number concentrations at Montsec (southern) Tj ETQq1 1 0.784314 $\mu\text{g}/\text{m}^3$ /Ove	1.9	40
50	Secondary organic aerosol origin in an urban environment: influence of biogenic and fuel combustion precursors. <i>Faraday Discussions</i> , 2016, 189, 337-359.	1.6	40
51	Impact of the implementation of PM abatement technology on the ambient air levels of metals in a highly industrialised area. <i>Atmospheric Environment</i> , 2007, 41, 1026-1040.	1.9	38
52	New particle formation at ground level and in the vertical column over the Barcelona area. <i>Atmospheric Research</i> , 2015, 164-165, 118-130.	1.8	37
53	Source apportionment of highly time-resolved elements during a firework episode from a rural freeway site in Switzerland. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 1657-1674.	1.9	37
54	Quantitative sampling and analysis of trace elements in atmospheric aerosols: impactor characterization and Synchrotron-XRF mass calibration. <i>Atmospheric Measurement Techniques</i> , 2010, 3, 1473-1485.	1.2	36

#	ARTICLE	IF	CITATIONS
55	Joint analysis of continental and regional background environments in the western Mediterranean: PM <sub>1</sub> and PM <sub>10</sub> concentrations and composition. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 1129-1145.	1.9	36
56	Effects of two different biogenic emission models on modelled ozone and aerosol concentrations in Europe. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 3747-3768.	1.9	36
57	Sources of organic aerosols in Europe: a modeling study using CAMx with modified volatility basis set scheme. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 15247-15270.	1.9	35
58	Receptor models application to multi-year ambient PM <sub>10</sub> measurements in an industrialized ceramic area: Comparison of source apportionment results. <i>Atmospheric Environment</i> , 2008, 42, 9007-9017.	1.9	34
59	Mass concentration, composition and sources of fine and coarse particulate matter in Tijuana, Mexico, during Cal-Mex campaign. <i>Atmospheric Environment</i> , 2014, 48, 320-329.	1.9	32
60	Factors controlling particle number concentration and size at metro stations. <i>Atmospheric Environment</i> , 2017, 156, 169-181.	1.9	29
61	PM sources in a highly industrialised area in the process of implementing PM abatement technology. Quantification and evolution. <i>Journal of Environmental Monitoring</i> , 2007, 9, 1071.	2.1	28
62	Presenting SAPUSS: Solving Aerosol Problem by Using Synergistic Strategies in Barcelona, Spain. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 8991-9019.	1.9	27
63	Molecular insights into new particle formation in Barcelona, Spain. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 10029-10045.	1.9	27
64	Quantifying traffic, biomass burning and secondary source contributions to atmospheric particle number concentrations at urban and suburban sites. <i>Science of the Total Environment</i> , 2021, 768, 145282.	3.9	26
65	Increase in secondary organic aerosol in an urban environment. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 8323-8339.	1.9	25
66	A European aerosol phenomenology - 7: High-time resolution chemical characteristics of submicron particulate matter across Europe. <i>Atmospheric Environment: X</i> , 2021, 10, 100108.	0.8	23
67	Spatial and temporal variations in inhalable CuZnPb aerosols within the Mexico City pollution plume. <i>Journal of Environmental Monitoring</i> , 2008, 10, 370.	2.1	22
68	Health risk assessment from exposure to particles during packing in working environments. <i>Science of the Total Environment</i> , 2019, 671, 474-487.	3.9	22
69	Evaluation of the Semi-Continuous OCEC analyzer performance with the EUSAAR2 protocol. <i>Science of the Total Environment</i> , 2020, 747, 141266.	3.9	22
70	Intercomparison and characterization of 23 Aethalometers under laboratory and ambient air conditions: procedures and unit-to-unit variabilities. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 3195-3216.	1.2	22
71	Air quality comparison between two European ceramic tile clusters. <i>Atmospheric Environment</i> , 2013, 47, 311-319.	1.9	21
72	Development of a versatile source apportionment analysis based on positive matrix factorization: a case study of the seasonal variation of organic aerosol sources in Estonia. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 7279-7295.	1.9	19

#	ARTICLE	IF	CITATIONS
73	Organophosphate esters in airborne particles from subway stations. <i>Science of the Total Environment</i> , 2021, 769, 145105.	3.9	19
74	Vertical and horizontal fall-off of black carbon and NO <sub>2</sub> within urban blocks. <i>Science of the Total Environment</i> , 2019, 686, 236-245.	3.9	18
75	Compositional changes of PM <sub>2.5</sub> in NE Spain during 2009–2018: A trend analysis of the chemical composition and source apportionment. <i>Science of the Total Environment</i> , 2021, 795, 148728.	3.9	18
76	How can ventilation be improved on public transportation buses? Insights from CO <sub>2</sub> measurements. <i>Environmental Research</i> , 2022, 205, 112451.	3.7	17
77	Inter- and Intra-Community Variability in Continuous Coarse Particulate Matter (PM <sub>10-2.5</sub> ) Concentrations in the Los Angeles Area. <i>Aerosol Science and Technology</i> , 2010, 44, 526-540.	1.5	16
78	Within-city contrasts in PM composition and sources and their relationship with nitrogen oxides. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2718.	2.1	15
79	Source apportionment of urban PM <sub>1</sub> in Barcelona during SAPUSS using organic and inorganic components. <i>Environmental Science and Pollution Research</i> , 2019, 26, 32114-32127.	2.7	15
80	Formation and alteration of airborne particles in the subway environment. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 59-64.	1.7	14
81	Vertical and horizontal variability of PM <sub>10</sub> ; source contributions in Barcelona during SAPUSS. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 6785-6804.	1.9	10
82	Absorption enhancement of black carbon particles in a Mediterranean city and countryside: effect of particulate matter chemistry, ageing and trend analysis. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 8439-8456.	1.9	10
83	Road traffic and sandy playground influence on ambient pollutants in schools. <i>Atmospheric Environment</i> , 2015, 111, 94-102.	1.9	9
84	PM <sub>10</sub> concentration in urban atmosphere around the eastern Tien Shan, Central Asia during 2007–2013. <i>Environmental Science and Pollution Research</i> , 2015, 22, 6864-6876.	2.7	7
85	Air Quality in Subway Systems. , 2018, , 289-321.		7
86	Origin of PM <sub>10</sub> Pollution Episodes in an Industrialized Mega-City in Central China. <i>Aerosol and Air Quality Research</i> , 2014, 14, 338-346.	0.9	7
87	Particulate Matter: Environmental Monitoring and Mitigation. , 2013, , .		1
88	Urban case studies: general discussion. <i>Faraday Discussions</i> , 2016, 189, 473-514.	1.6	1
89	Characterisation of Airborne Particulate Matter in Different European Subway Systems. , 2017, , .		1