

Ke-Fei Dou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5011903/publications.pdf>

Version: 2024-02-01

53
papers

479
citations

1040056

9
h-index

794594

19
g-index

54
all docs

54
docs citations

54
times ranked

552
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Global Chronic Total Occlusion Crossing Algorithm. Journal of the American College of Cardiology, 2021, 78, 840-853. | 2.8 | 111 |
| 2 | Myocardial ¹⁸ F-FDG Uptake After Exercise-Induced Myocardial Ischemia in Patients with Coronary Artery Disease. Journal of Nuclear Medicine, 2008, 49, 1986-1991. | 5.0 | 59 |
| 3 | Costs and Benefits Associated With Transradial Versus Transfemoral Percutaneous Coronary Intervention in China. Journal of the American Heart Association, 2016, 5, . | 3.7 | 30 |
| 4 | Relationship of myocardial hibernation, scar, and angiographic collateral flow in ischemic cardiomyopathy with coronary chronic total occlusion. Journal of Nuclear Cardiology, 2019, 26, 1720-1730. | 2.1 | 25 |
| 5 | Validation of contemporary risk scores in predicting coronary thrombotic events and major bleeding in patients with acute coronary syndrome after drug-eluting stent implantations. Catheterization and Cardiovascular Interventions, 2018, 91, 573-581. | 1.7 | 21 |
| 6 | Prognostic Value of Quantitative Flow Ratio Based Functional SYNTAX Score in Patients With Left Main or Multivessel Coronary Artery Disease. Circulation: Cardiovascular Interventions, 2020, 13, e009155. | 3.9 | 19 |
| 7 | Clinical and Angiographic Predictors of Major Side Branch Occlusion after Main Vessel Stenting in Coronary Bifurcation Lesions. Chinese Medical Journal, 2015, 128, 1471-1478. | 2.3 | 12 |
| 8 | Validation of bifurcation DEFINITION criteria and comparison of stenting strategies in true left main bifurcation lesions. Scientific Reports, 2020, 10, 10461. | 3.3 | 12 |
| 9 | New Insights Into Long- Versus Short-Term Dual Antiplatelet Therapy Duration in Patients After Stenting for Left Main Coronary Artery Disease: Findings From a Prospective Observational Study. Circulation: Cardiovascular Interventions, 2022, 15, 101161CIRCINTERVENTIONS121011536. | 3.9 | 12 |
| 10 | The CAMI-score: A Novel Tool derived From CAMI Registry to Predict In-hospital Death among Acute Myocardial Infarction Patients. Scientific Reports, 2018, 8, 9082. | 3.3 | 11 |
| 11 | Association between smoking and in-hospital mortality in patients with acute myocardial infarction: results from a prospective, multicentre, observational study in China. BMJ Open, 2019, 9, e030252. | 1.9 | 9 |
| 12 | A novel phenotype with splicing mutation identified in a Chinese family with desminopathy. Chinese Medical Journal, 2019, 132, 127-134. | 2.3 | 9 |
| 13 | Assessing the association of appropriateness of coronary revascularization and 1-year clinical outcomes for patients with stable coronary artery disease in China. Chinese Medical Journal, 2020, 133, 1-8. | 2.3 | 9 |
| 14 | Benefit-Risk Profile of DAPT Continuation Beyond 1 Year after PCI in Patients with High Thrombotic Risk Features as Endorsed by 2018 ESC/EACTS Myocardial Revascularization Guideline. Cardiovascular Drugs and Therapy, 2020, 34, 663-675. | 2.6 | 9 |
| 15 | Integrated coronary disease burden and patterns to discriminate vessels benefiting from percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2022, 99, . | 1.7 | 9 |
| 16 | Dual-time-point myocardial ¹⁸ F-FDG imaging in the detection of coronary artery disease. BMC Cardiovascular Disorders, 2017, 17, 120. | 1.7 | 8 |
| 17 | Angiographic characteristics and in-hospital mortality among patients with ST-segment elevation myocardial infarction presenting without typical chest pain. Chinese Medical Journal, 2019, 132, 2286-2291. | 2.3 | 7 |
| 18 | Percutaneous Coronary Intervention Complexity and Risk of Adverse Events in relation to High Bleeding Risk among Patients Receiving Drug-Eluting Stents: Insights from a Large Single-Center Cohort Study. Journal of Interventional Cardiology, 2020, 2020, 1-10. | 1.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Personalized Early-Warning Signals during Progression of Human Coronary Atherosclerosis by Landscape Dynamic Network Biomarker. <i>Genes</i> , 2020, 11, 676. | 2.4 | 7 |
| 20 | How Do Lipoprotein(a) Concentrations Affect Clinical Outcomes for Patients With Stable Coronary Artery Disease Who Underwent Different Dual Antiplatelet Therapy After Percutaneous Coronary Intervention?. <i>Journal of the American Heart Association</i> , 2022, 11, e023578. | 3.7 | 6 |
| 21 | Prognostic Implications of Pre-stent Pullback Pressure Gradient and Post-stent Quantitative Flow Ratio in Patients Undergoing Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2022, 11, . | 3.7 | 6 |
| 22 | Risk/Benefit Tradeoff of Prolonging Dual Antiplatelet Therapy More Than 12 Months in TWILIGHT-Like High-Risk Patients After Complex Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2020, 133, 61-70. | 1.6 | 5 |
| 23 | Prognostic significance of occlusion length in recanalized chronic total occlusion lesion: a retrospective cohort study with 5-year follow-up. <i>BMJ Open</i> , 2020, 10, e038302. | 1.9 | 5 |
| 24 | Contribution of ESC DAPT guideline-endorsed high thrombotic risk features to long-term clinical outcomes among patients with and without high bleeding risk after PCI. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 313. | 1.7 | 5 |
| 25 | Association of circulating proprotein convertase subtilisin/kexin type 9 concentration, prothrombin time and cardiovascular outcomes: a prospective cohort study. <i>Thrombosis Journal</i> , 2021, 19, 90. | 2.1 | 5 |
| 26 | Clinical and angiographic characteristics of premenopausal women with coronary artery disease. <i>Chinese Medical Journal</i> , 2008, 121, 2392-6. | 2.3 | 5 |
| 27 | Benefit and Risk of Prolonged Dual Antiplatelet Therapy After Percutaneous Coronary Intervention With Drug-Eluting Stents in Patients With Elevated Lipoprotein(a) Concentrations. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 807925. | 2.4 | 5 |
| 28 | Benefit-risk profile of extended dual antiplatelet therapy beyond 1 year in patients with high risk of ischemic or bleeding events after PCI. <i>Platelets</i> , 2021, 32, 533-541. | 2.3 | 4 |
| 29 | Prognostic and Practical Validation of ESC/EACTS High Ischemic Risk Definition on Long-Term Thrombotic and Bleeding Events in Contemporary PCI Patients. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 502-526. | 2.0 | 4 |
| 30 | Clinical significance of diabetes on symptom and patient delay among patients with acute myocardial infarction-an analysis from China Acute Myocardial Infarction (CAMI) registry. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 395-400. | 0.2 | 4 |
| 31 | Clinical characteristics of early and late drug-eluting stent in-stent restenosis and mid-term prognosis after repeated percutaneous coronary intervention. <i>Chinese Medical Journal</i> , 2020, 133, 2674-2681. | 2.3 | 3 |
| 32 | Predictors for adverse outcomes of patients with recanalized chronic total occlusion lesion. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13368. | 3.4 | 3 |
| 33 | Early radial artery occlusion following the use of a transradial sheath for complex coronary interventions in Chinese patients. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 1063-1071. | 1.7 | 3 |
| 34 | Association of symptom status, myocardial viability, and clinical/anatomic risk on long-term outcomes after chronic total occlusion percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 996-1008. | 1.7 | 3 |
| 35 | Establishing the optimal duration of DAPT following PCI in high-risk TWILIGHT-like patients with acute coronary syndrome. <i>Catheterization and Cardiovascular Interventions</i> , 2021, , . | 1.7 | 3 |
| 36 | Optimal Strategy for Antiplatelet Therapy After Coronary Drug-Eluting Stent Implantation in High-Risk TWILIGHT-like Patients With Diabetes Mellitus. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 586491. | 2.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Invasive versus conservative strategy in consecutive patients aged 80 years or older with non-ST-segment elevation myocardial infarction: a retrospective study in China. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 741-748. | 0.2 | 3 |
| 38 | Intra-aortic balloon pump in cardiogenic shock: A propensity score matching analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, 1456-1464. | 1.7 | 3 |
| 39 | Impact of Lipoprotein(a) concentrations on long-term cardiovascular outcomes in patients undergoing percutaneous coronary intervention: A large cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1670-1680. | 2.6 | 3 |
| 40 | A retrospective study of an invasive versus conservative strategy in patients aged ≥ 80 years with acute ST-segment elevation myocardial infarction. <i>Journal of International Medical Research</i> , 2019, 47, 4431-4441. | 1.0 | 2 |
| 41 | Fuster-BEWAT score versus cardiovascular health score to predict subclinical target organ damage: Insights from a large-scale Asian population. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2292-2295. | 1.8 | 2 |
| 42 | Benefits and Risks of Prolonged Duration Dual Antiplatelet Therapy (Clopidogrel and Aspirin) After Percutaneous Coronary Intervention in High-Risk Patients With Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2021, 142, 14-24. | 1.6 | 2 |
| 43 | Gender differences in treatment strategies among patients ≥ 80 years old with non-ST-segment elevation myocardial infarction. <i>Journal of Thoracic Disease</i> , 2019, 11, 5258-5265. | 1.4 | 1 |
| 44 | Mis-estimation of coronary lesions and rectification by SYNTAX score feedback for coronary revascularization appropriateness. <i>Chinese Medical Journal</i> , 2020, 133, 1276-1284. | 2.3 | 1 |
| 45 | Comparison of outcomes for percutaneous coronary intervention in men and women with unprotected left main disease. <i>Journal of Geriatric Cardiology</i> , 2021, 18, 168-174. | 0.2 | 1 |
| 46 | Effect of type 2 diabetes on coronary artery ectasia: smaller lesion diameter and shorter lesion length but similar adverse cardiovascular events. <i>Cardiovascular Diabetology</i> , 2022, 21, 9. | 6.8 | 1 |
| 47 | Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide and High-Sensitivity C-Reactive Protein in Patients With Previous Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 797297. | 2.4 | 1 |
| 48 | Directly Measured vs. Calculated Low-Density Lipoprotein Cholesterol Does Not Identify Additional Individuals With Coronary Artery Disease and Diabetes at Higher Risk of Adverse Events: Insight From a Large Percutaneous Coronary Intervention Cohort in Asia. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, . | 2.4 | 1 |
| 49 | Letter to the Editor: How Should We Treat High-risk Patients in the Chronic Phase Following PCI: Clopidogrel or Prolonged DAPT?. <i>Journal of Korean Medical Science</i> , 2021, 36, e167. | 2.5 | 0 |
| 50 | Long-term clinical outcomes in transradial versus transfemoral access for left main percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 1009-1015. | 1.7 | 0 |
| 51 | Cross-sectional study of retroperitoneal hematoma after invasive intervention in a Chinese population: Prevalence, characteristics, management and outcomes. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 2975-2984. | 1.8 | 0 |
| 52 | Thrombotic vs. Bleeding Events of Interruption of Dual Antiplatelet Therapy within 12-Months among Patients with Stent-Driven High Ischemic Risk Definition following PCI. <i>Journal of Interventional Cardiology</i> , 2022, 2022, 1-15. | 1.2 | 0 |
| 53 | Current Guideline Risk Stratification and Cardiovascular Outcomes in Chinese Patients Suffered From Atherosclerotic Cardiovascular Disease. <i>Frontiers in Endocrinology</i> , 2022, 13, 860698. | 3.5 | 0 |