

# Lars-Petter Jelsness-J rgensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5012330/publications.pdf>

Version: 2024-02-01

59  
papers

1,413  
citations

279701

23  
h-index

345118

36  
g-index

61  
all docs

61  
docs citations

61  
times ranked

1943  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cross-cultural adaptation and validation of the Norwegian version of the Leicester Cough Questionnaire in chronic obstructive pulmonary disease. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 2175-2184.	0.6	1
2	The multidimensional fatigue inventory (MFI-20): psychometrical testing in a Norwegian sample of inflammatory bowel disease (IBD) patients. <i>Scandinavian Journal of Gastroenterology</i> , 2022, , 1-7.	0.6	2
3	Integrating simulation training during clinical practice in nursing homes: an experimental study of nursing studentsâ€™ knowledge acquisition, self-efficacy and learning needs. <i>BMC Nursing</i> , 2022, 21, 47.	0.9	4
4	Antitumour necrosis factor alpha treatment in Crohnâ€™s disease: long-term efficacy, side effects and need for surgery. <i>Scandinavian Journal of Gastroenterology</i> , 2022, , 1-9.	0.6	1
5	Psychometric properties of the Norwegian version of the clinical learning environment comparison survey. <i>Nursing Open</i> , 2021, 8, 1254-1261.	1.1	4
6	Pain Severity and Vitamin D Deficiency in IBD Patients. <i>Nutrients</i> , 2020, 12, 26.	1.7	8
7	Hospital physiciansâ€™ experiences with procalcitonin â€” implications for antimicrobial stewardship; a qualitative study. <i>BMC Infectious Diseases</i> , 2020, 20, 515.	1.3	10
8	Association between vitamin D and fatigue in patients with rheumatoid arthritis: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e034935.	0.8	3
9	Fatigue after initiating rivaroxaban for venous thromboembolism. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 582-585.	1.0	2
10	Self-esteem in patients with inflammatory bowel disease. <i>Quality of Life Research</i> , 2020, 29, 1839-1846.	1.5	14
11	Supplementing Clinical Practice in Nursing Homes With Simulation Training: A Qualitative Study of Nursing Studentsâ€™ Experiences. <i>SAGE Open Nursing</i> , 2020, 6, 237796082098178.	0.5	7
12	Ankylosing Spondylitis and Axial Spondyloarthritis in Patients With Long-term Inflammatory Bowel Disease: Results From 20 Years of Follow-up in the IBSEN Study. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 96-104.	0.6	52
13	Rivaroxaban versus warfarin for the prevention of post-thrombotic syndrome. <i>Thrombosis Research</i> , 2018, 163, 6-11.	0.8	33
14	Handovers in primary healthcare in Norway: A qualitative study of general practitionersâ€™ collaborative experiences. <i>Health and Social Care in the Community</i> , 2018, 26, e173-e178.	0.7	6
15	Irritable Bowel-like Symptoms in Ulcerative Colitis are as Common in Patients in Deep Remission as in Inflammation: Results From a Population-based Study [the IBSEN Study]. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 389-393.	0.6	50
16	Late consequences of venous thromboembolism: Measuring quality of life after deep vein thrombosis and pulmonary embolism. <i>Thrombosis Research</i> , 2018, 164, 170-176.	0.8	32
17	Psychometric testing of the Norwegian Diabetes Health Profile (DHP-18) in patients with type 1 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2018, 6, e000541.	1.2	3
18	Fatigue as an Extra-Intestinal Manifestation of Celiac Disease: A Systematic Review. <i>Nutrients</i> , 2018, 10, 1652.	1.7	8

#	ARTICLE	IF	CITATIONS
19	The impact of post-pulmonary embolism syndrome and its possible determinants. <i>Thrombosis Research</i> , 2018, 171, 84-91.	0.8	40
20	Fatigue in type 1 diabetes, prevalence, predictors and comparison with the background population. <i>Diabetes Research and Clinical Practice</i> , 2018, 143, 71-78.	1.1	4
21	Fatigue is not associated with vitamin D deficiency in inflammatory bowel disease patients. <i>World Journal of Gastroenterology</i> , 2018, 24, 3293-3301.	1.4	27
22	Patient experiences and predictors in an acute geriatric ward: A cross-sectional study. <i>Journal of Clinical Nursing</i> , 2017, 26, 4567-4573.	1.4	6
23	Pain may be an important factor to consider in inflammatory bowel disease patients troubled by fatigue. <i>United European Gastroenterology Journal</i> , 2017, 5, 687-693.	1.6	13
24	Fatigue in type 1 diabetes: A systematic review of Observational studies. <i>Diabetes Research and Clinical Practice</i> , 2017, 123, 63-74.	1.1	23
25	Fatigue in a population-based cohort of patients with inflammatory bowel disease 20 years after diagnosis: The IBSEN study. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 351-358.	0.6	52
26	Vitamin D deficiency in inflammatory bowel disease: prevalence and predictors in a Norwegian outpatient population. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 100-106.	0.6	79
27	Evaluating patient experiences in decentralised acute care using the Picker Patient Experience Questionnaire; methodological and clinical findings. <i>BMC Health Services Research</i> , 2017, 17, 685.	0.9	20
28	“œtÅ’s a whole human being” A qualitative study of care experiences among patients treated in de-centralised healthcare services. <i>European Journal for Person Centered Healthcare</i> , 2017, 5, 82.	0.3	3
29	Validity, Reliability, and Responsiveness of the Brief Pain Inventory in Inflammatory Bowel Disease. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2016, 2016, 1-10.	0.8	26
30	The Use of Complementary and Alternative Medicine among Patients with Inflammatory Bowel Disease Is Associated with Reduced Health-Related Quality of Life. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-9.	0.7	9
31	Health-related Quality of Life in Patients with Inflammatory Bowel Disease 20 Years After Diagnosis. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1679-1687.	0.9	35
32	P-024“fYl“f Fatigue Is Associated with Increased Pain Intensity and Interference in IBD. <i>Inflammatory Bowel Diseases</i> , 2016, 22, S16-S17.	0.9	0
33	Health-related quality of life after pulmonary embolism: a cross-sectional study. <i>BMJ Open</i> , 2016, 6, e013086.	0.8	61
34	Health-related quality of life after deep vein thrombosis. <i>SpringerPlus</i> , 2016, 5, 1278.	1.2	36
35	General practitioners’s™ perspectives on referring patients to decentralized acute health care. <i>Family Practice</i> , 2016, 33, 709-714.	0.8	14
36	A qualitative study of patient experiences of decentralized acute healthcare services. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 317-324.	0.6	17

#	ARTICLE	IF	CITATIONS
37	Identification of Research Priorities for Inflammatory Bowel Disease Nursing in Europe: a Nurses-European Crohn's and Colitis Organisation Delphi Survey. <i>Journal of Crohn's and Colitis</i> , 2016, 11, jjw164.	0.6	25
38	Patients' perceptions of quality of care and follow-up in inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 434-441.	0.6	18
39	Patient-performed extraction of faecal calprotectin. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1357-63.	1.4	6
40	Quality of life after pulmonary embolism: first cross-cultural evaluation of the pulmonary embolism quality-of-life (PEmb-QoL) questionnaire in a Norwegian cohort. <i>Quality of Life Research</i> , 2015, 24, 417-425.	1.5	21
41	Validation of a new extraction device for measuring faecal calprotectin in inflammatory bowel disease, and comparison to established extraction methods. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 355-361.	0.6	10
42	Does a 3-week critical research appraisal course affect how students perceive their appraisal skills and the relevance of research for clinical practice? A repeated cross-sectional survey. <i>Nurse Education Today</i> , 2015, 35, e1-e5.	1.4	91
43	Sense of Coherence in Patients with Inflammatory Bowel Disease. <i>Gastroenterology Research and Practice</i> , 2014, 2014, 1-9.	0.7	17
44	Letter: validated fatigue questionnaires in inflammatory bowel diseases. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 341-342.	1.9	1
45	Should I report? A qualitative study of barriers to incident reporting among nurses working in nursing homes. <i>Geriatric Nursing</i> , 2014, 35, 441-447.	0.9	43
46	Coexisting Irritable Bowel-Like Symptoms in Inflammatory Bowel Disease in Remission Is Associated With Impaired Social Functioning and Increased Bodily Pain. <i>Gastroenterology Nursing</i> , 2014, 37, 280-287.	0.2	7
47	Fatigue interference with daily living among patients with inflammatory bowel disease. <i>Quality of Life Research</i> , 2014, 23, 707-717.	1.5	25
48	Magnetic endoscopic imaging during colonoscopy is associated with less pain and decreased need of analgesia and sedation—Results from a randomized controlled trial. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 890-895.	0.6	7
49	Calprotectin Is a Useful Tool in Distinguishing Coexisting Irritable Bowel-Like Symptoms from That of Occult Inflammation among Inflammatory Bowel Disease Patients in Remission. <i>Gastroenterology Research and Practice</i> , 2013, 2013, 1-4.	0.7	40
50	Fatigue and disease-related worries among inflammatory bowel disease patients in remission; is it a reflection of coexisting IBS-like symptoms? A short report. <i>Journal of Psychosomatic Research</i> , 2012, 73, 469-472.	1.2	33
51	Quality of life in patients with inflammatory bowel disease: translation, validity, reliability and sensitivity to change of the Norwegian version of the Short Health Scale (SHS). <i>Quality of Life Research</i> , 2012, 21, 1671-1676.	1.5	16
52	Is patient reported outcome (PRO) affected by different follow-up regimens in inflammatory bowel disease (IBD)? A one year prospective, longitudinal comparison of nurse-led versus conventional follow-up. <i>Journal of Crohn's and Colitis</i> , 2012, 6, 887-894.	0.6	26
53	The Fatigue Questionnaire has a good test-retest profile in IBD. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 621-622.	1.9	10
54	Commentary on ST Houweling, N Kleefstra, KJ van Hateren, KH Groenier, B Meyboom-de Jong & HJG Biló (2011) Can diabetes management be safely transferred to practice nurses in a primary care setting? A randomised controlled trial. <i>Journal of Clinical Nursing</i> 20, 1264-1272. <i>Journal of Clinical Nursing</i> , 2012, 21, 595-596.	1.4	0

#	ARTICLE	IF	CITATIONS
55	Chronic fatigue is associated with increased disease-related worries and concerns in inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2012, 18, 445.	1.4	49
56	Measuring health-related quality of life in non-complicated diabetes patients may be an effective parameter to assess patients at risk of a more serious disease course: a cross-sectional study of two diabetes outpatient groups. <i>Journal of Clinical Nursing</i> , 2011, 20, 1255-1263.	1.4	9
57	Chronic fatigue is associated with impaired health-related quality of life in inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 106-114.	1.9	86
58	Chronic fatigue is more prevalent in patients with inflammatory bowel disease than in healthy controls. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1564-1572.	0.9	124
59	Worries and Concerns among Inflammatory Bowel Disease Patients Followed Prospectively over One Year. <i>Gastroenterology Research and Practice</i> , 2011, 2011, 1-8.	0.7	43