Jair C Soares

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5012998/publications.pdf

Version: 2024-02-01

417 21,014 78 120
papers citations h-index g-index

435 435 435 19050 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Intelligence, educational attainment, and brain structure in those at familial highâ€risk for schizophrenia or bipolar disorder. Human Brain Mapping, 2022, 43, 414-430.	1.9	14
2	<scp>ENIGMAâ€anxiety</scp> working group: Rationale for and organization of <scp>largeâ€scale</scp> neuroimaging studies of anxiety disorders. Human Brain Mapping, 2022, 43, 83-112.	1.9	31
3	What we learn about bipolar disorder from largeâ€scale neuroimaging: Findings and future directions from the <scp>ENIGMA</scp> Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 56-82.	1.9	67
4	<scp>Megaâ€analysis</scp> methods in <scp>ENIGMA</scp> : The experience of the generalized anxiety disorder working group. Human Brain Mapping, 2022, 43, 255-277.	1.9	51
5	Deep brain stimulation of the "medial forebrain bundle†a strategy to modulate the reward system and manage treatment-resistant depression. Molecular Psychiatry, 2022, 27, 574-592.	4.1	27
6	Treatment-resistant bipolar depression: concepts and challenges for novel interventions. Revista Brasileira De Psiquiatria, 2022, 44, 178-186.	0.9	7
7	Correlations between peripheral levels of inflammatory mediators and frontolimbic structures in bipolar disorder: an exploratory analysis. CNS Spectrums, 2022, 27, 639-644.	0.7	3
8	A narrative review on invasive brain stimulation for treatment-resistant depression. Revista Brasileira De Psiquiatria, 2022, 44, 317-330.	0.9	3
9	Dysregulation of mitochondrial dynamics, mitophagy and apoptosis in major depressive disorder: Does inflammation play a role?. Molecular Psychiatry, 2022, 27, 1095-1102.	4.1	52
10	White matter microstructure associated with anhedonia among individuals with bipolar disorders and high-risk for bipolar disorders. Journal of Affective Disorders, 2022, 300, 91-98.	2.0	4
11	Structural neuroimaging markers in bipolar disorder. , 2022, , 81-93.		1
12	Alterations in brain synaptic proteins and mRNAs in mood disorders: a systematic review and meta-analysis of postmortem brain studies. Molecular Psychiatry, 2022, 27, 1362-1372.	4.1	6
13	Magnetic Resonance Spectroscopy in Bipolar Disorder. , 2022, , 95-113.		2
14	The Limits between Schizophrenia and Bipolar Disorder: What Do Magnetic Resonance Findings Tell Us?. Behavioral Sciences (Basel, Switzerland), 2022, 12, 78.	1.0	3
15	Deep brain stimulation of the "medial forebrain bundle― sustained efficacy of antidepressant effect over years. Molecular Psychiatry, 2022, 27, 2546-2553.	4.1	10
16	The role of educational attainment and brain morphology in major depressive disorder: Findings from the ENIGMA major depressive disorder consortium, 2022, 131, 664-673.		2
17	Epigenetic GrimAge acceleration and cognitive impairment in bipolar disorder. European Neuropsychopharmacology, 2022, 62, 10-21.	0.3	13
18	The kynurenine pathway in major depressive disorder, bipolar disorder, and schizophrenia: a meta-analysis of 101 studies. Molecular Psychiatry, 2021, 26, 4158-4178.	4.1	135

#	Article	IF	CITATIONS
19	Altered neurochemistry in the anterior white matter of bipolar children and adolescents: a multivoxel 1H MRS study. Molecular Psychiatry, 2021, 26, 4117-4126.	4.1	6
20	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. Molecular Psychiatry, 2021, 26, 5124-5139.	4.1	136
21	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders. Molecular Psychiatry, 2021, 26, 4839-4852.	4.1	76
22	New agents and perspectives in the pharmacological treatment of major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 106, 110157.	2.5	13
23	A Brain Capital Grand Strategy: toward economic reimagination. Molecular Psychiatry, 2021, 26, 3-22.	4.1	41
24	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. JAMA Psychiatry, 2021, 78, 47.	6.0	136
25	Brain Imaging and the Mechanisms of Antidepressant Action. , 2021, , 248-260.		0
26	Brain Imaging of Reward Dysfunction in Unipolar and Bipolar Disorders. , 2021, , 39-48.		0
27	Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. , 2021, , 236-247.		0
28	Magnetoencephalography Studies in Mood Disorders. , 2021, , 192-205.		0
29	Functional Near-Infrared Spectroscopy Studies in Mood Disorders. , 2021, , 166-174.		O
30	Neuroimaging Studies of Effects of Psychotherapy in Depression. , 2021, , 261-272.		0
31	Neuroimaging Brain Inflammation in Mood Disorders. , 2021, , 121-134.		0
32	An Overview of Machine Learning Applications in Mood Disorders. , 2021, , 206-218.		0
33	Electrophysiological Biomarkers for Mood Disorders. , 2021, , 175-191.		1
34	Psychopharmacology Algorithms for Major Depressive Disorder: Current Status. Advances in Experimental Medicine and Biology, 2021, 1305, 429-445.	0.8	0
35	Neuroanatomical Findings in Bipolar Disorder. , 2021, , 16-27.		0
36	Imaging Glutamatergic and GABAergic Abnormalities in Mood Disorders., 2021,, 105-120.		0

#	Article	IF	CITATIONS
37	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders., 2021,, 83-104.		0
38	Brain Imaging Methods in Mood Disorders. , 2021, , 1-6.		0
39	Effects of Lithium on Brain Structure in Bipolar Disorder. , 2021, , 219-235.		1
40	Decreased Plasma Levels of Angiotensin-Converting Enzyme Among Patients With Bipolar Disorder. Frontiers in Neuroscience, 2021, 15, 617888.	1.4	8
41	Can the digital revolution improve care for mood disorders patients?. Journal of Affective Disorders, 2021, 282, 1193-1194.	2.0	1
42	Revisiting monoamine oxidase inhibitors for the treatment of depressive disorders: A systematic review and network meta-analysis. Journal of Affective Disorders, 2021, 282, 1153-1160.	2.0	33
43	Pharmacogenomics of Lithium Response in Bipolar Disorder. Pharmaceuticals, 2021, 14, 287.	1.7	7
44	ENIGMAâ€Sleep: Challenges, opportunities, and the road map. Journal of Sleep Research, 2021, 30, e13347.	1.7	19
45	Journal Metrics in Psychiatry: What do the rankings tell us?. Journal of Affective Disorders, 2021, 287, 354-358.	2.0	7
46	Investigation of endophenotype potential of decreased fractional anisotropy in pediatric bipolar disorder patients and unrelated offspring of bipolar disorder patients. CNS Spectrums, 2021, , 1-7.	0.7	0
47	Cognitive correlates of impulsive aggression in youth with pediatric bipolar disorder and bipolar offspring. Journal of Affective Disorders, 2021, 287, 387-396.	2.0	3
48	Psychoeducation for caregivers of patients with bipolar disorder–Lessons learned from a feasibility study. Journal of Affective Disorders, 2021, 287, 367-371.	2.0	1
49	Evidence of altered metabolism of cellular membranes in bipolar disorder comorbid with post-traumatic stress disorder. Journal of Affective Disorders, 2021, 289, 81-87.	2.0	3
50	The Greater Houston Area Bipolar Registry—Clinical and Neurobiological Trajectories of Children and Adolescents With Bipolar Disorders and High-Risk Unaffected Offspring. Frontiers in Psychiatry, 2021, 12, 671840.	1.3	0
51	Cortical Correlates of Impulsive Aggressive Behavior in Pediatric Bipolar Disorder. Frontiers in Psychiatry, 2021, 12, 674707.	1.3	7
52	Cortical and subcortical brain structure in generalized anxiety disorder: findings from 28 research sites in the ENIGMA-Anxiety Working Group. Translational Psychiatry, 2021, 11, 502.	2.4	24
53	Implications of the COVID-19 pandemic for people with bipolar disorders: A scoping review. Journal of Affective Disorders, 2021, 295, 740-751.	2.0	33
54	Neuroimaging Biomarkers in Pediatric Mood Disorders. , 2021, , 28-38.		0

#	Article	IF	Citations
55	Neuroanatomical Findings in Unipolar Depression and the Role of the Hippocampus. , 2021, , 7-15.		О
56	Convergent evidence for the antiviral effects of several FDA-approved phenothiazine antipsychotics against SARS-CoV-2 and other coronaviruses. Revista Brasileira De Psiquiatria, 2021, 43, 462-464.	0.9	5
57	Functional Connectome in Bipolar Disorder. , 2021, , 59-82.		0
58	Resting-State Functional Connectivity in Unipolar Depression. , 2021, , 49-58.		0
59	Imaging Genetic and Epigenetic Markers in Mood Disorders. , 2021, , 135-150.		0
60	fMRI Neurofeedback as Treatment for Depression. , 2021, , 151-165.		0
61	COVID-19 Vaccine Hesitancy in the Inpatient Psychiatric Setting. Psychiatric Services, 2021, 72, 1360-1361.	1.1	2
62	Analysis of COVID-19 Infection and Mortality Among Patients With Psychiatric Disorders, 2020. JAMA Network Open, 2021, 4, e2134969.	2.8	27
63	Concomitant deep brain stimulation and vagus nerve stimulation for treatment-resistant depression: a case report. Revista Brasileira De Psiquiatria, 2021, 43, 679-680.	0.9	1
64	Using structural MRI to identify bipolar disorders $\hat{a} \in 13$ site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. Molecular Psychiatry, 2020, 25, 2130-2143.	4.1	127
65	Treatment response prediction and individualized identification of first-episode drug-naÃ-ve schizophrenia using brain functional connectivity. Molecular Psychiatry, 2020, 25, 906-913.	4.1	91
66	Glucose disturbances, cognitive deficits and white matter abnormalities in first-episode drug-naive schizophrenia. Molecular Psychiatry, 2020, 25, 3220-3230.	4.1	34
67	Accelerated hippocampal biological aging in bipolar disorder. Bipolar Disorders, 2020, 22, 498-507.	1.1	49
68	Neuroanatomic and Functional Neuroimaging Findings. Current Topics in Behavioral Neurosciences, 2020, 48, 173-196.	0.8	2
69	Effect of immune activation on the kynurenine pathway and depression symptoms – A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2020, 118, 514-523.	2.9	82
70	Alterations in plasma kynurenine pathway metabolites in children and adolescents with bipolar disorder and unaffected offspring of bipolar parents: A preliminary study. Bipolar Disorders, 2020, 23, 689-696.	1.1	5
71	Brain structural correlates of insomnia severity in 1053 individuals with major depressive disorder: results from the ENIGMA MDD Working Group. Translational Psychiatry, 2020, 10, 425.	2.4	31
72	Universal SARS-CoV-2 testing versus symptom based screening and testing in inpatient psychiatric setting. Psychiatry Research, 2020, 293, 113444.	1.7	1

#	Article	IF	CITATIONS
73	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. Translational Psychiatry, 2020, 10, 172.	2.4	121
74	Eotaxin-1/CCL11 correlates with left superior temporal gyrus in bipolar disorder: A preliminary report suggesting accelerated brain aging. Journal of Affective Disorders, 2020, 273, 592-596.	2.0	8
75	Prevention of Bipolar Disorder: Are We Almost There?. Current Behavioral Neuroscience Reports, 2020, 7, 62-67.	0.6	3
76	CACNB2 rs11013860 polymorphism correlates of prefrontal cortex thickness in bipolar patients with first-episode mania. Journal of Affective Disorders, 2020, 268, 82-87.	2.0	9
77	Stress, inflammation and hippocampal subfields in depression: A 7 Tesla MRI Study. Translational Psychiatry, 2020, 10, 78.	2.4	21
78	The prevalence, risk factors and clinical correlates of diabetes mellitus in Chinese patients with schizophrenia. Schizophrenia Research, 2020, 218, 262-266.	1.1	8
79	Neurodevelopmental pathways in bipolar disorder. Neuroscience and Biobehavioral Reviews, 2020, 112, 213-226.	2.9	59
80	Are existing selfâ€ratings of acute manic symptoms in adults reliable and valid?—A systematic review. Bipolar Disorders, 2020, 22, 558-568.	1,1	13
81	Neural Bases of Cognitive Impairments in Post-Traumatic Stress Disorders: A Mini-Review of Functional Magnetic Resonance Imaging Findings. Frontiers in Psychiatry, 2020, 11, 176.	1.3	17
82	Higher Prevalence of Metabolic Syndrome in Child-adolescent Patients with Bipolar Disorder. Clinical Psychopharmacology and Neuroscience, 2020, 18, 279-288.	0.9	7
83	Antidepressants, genetic risk, and the prevention of bipolar disorder. Revista Brasileira De Psiquiatria, 2020, 42, 461-462.	0.9	2
84	Amygdala connectivity mediates the association between anxiety and depression in patients with major depressive disorder. Brain Imaging and Behavior, 2019, 13, 1146-1159.	1.1	41
85	Neurophysiological Effect of Ketamine on Prefrontal Cortex in Treatment-Resistant Depression: A Combined Transcranial Magnetic Stimulation–Electroencephalography Study. Chronic Stress, 2019, 3, 247054701986141.	1.7	4
86	Coadministration of lithium and celecoxib reverses manic-like behavior and decreases oxidative stress in a dopaminergic model of mania induced in rats. Translational Psychiatry, 2019, 9, 297.	2.4	11
87	Smaller left anterior cingulate cortex in non-bipolar relatives of patients with bipolar disorder. Revista Brasileira De Psiquiatria, 2019, 41, 254-256.	0.9	3
88	Correlates of childhood trauma in children and adolescents with bipolar disorder spectrum: A preliminary study. Journal of Affective Disorders, 2019, 247, 114-119.	2.0	9
89	Effects of smoking on cognition and BDNF levels in a male Chinese population: relationship with BDNF Val66Met polymorphism. Scientific Reports, 2019, 9, 217.	1.6	20
90	Multi-Site Meta-Analysis of Morphometry. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2019, 16, 1508-1514.	1.9	7

#	Article	IF	Citations
91	Preliminary investigation of peripheral extracellular vesicles' microRNAs in bipolar disorder. Journal of Affective Disorders, 2019, 255, 10-14.	2.0	37
92	Coadministration of lithium and celecoxib attenuates the behavioral alterations and inflammatory processes induced by amphetamine in an animal model of mania. Pharmacology Biochemistry and Behavior, 2019, 183, 56-63.	1.3	21
93	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2019, 86, 545-556.	0.7	67
94	Structural and functional neuroimaging studies in generalized anxiety disorder: a systematic review. Revista Brasileira De Psiquiatria, 2019, 41, 336-362.	0.9	51
95	MRI acoustic noise-modulated computer animations for patient distraction and entertainment with application in pediatric psychiatric patients. Magnetic Resonance Imaging, 2019, 61, 16-19.	1.0	5
96	Early and late cortical reactivity to passively viewed emotional faces in pediatric bipolar disorder. Journal of Affective Disorders, 2019, 253, 240-247.	2.0	14
97	Correlation between the epigenetic modification of histone H3K9 acetylation of NR2B gene promoter in rat hippocampus and ethanol withdrawal syndrome. Molecular Biology Reports, 2019, 46, 2867-2875.	1.0	9
98	Understanding the role of m-health to improve well-being in spouses of patients with bipolar disorder. Journal of Affective Disorders, 2019, 250, 391-396.	2.0	9
99	Geographical access to electroconvulsive therapy services in Texas. Journal of Affective Disorders, 2019, 245, 1135-1138.	2.0	3
100	The use of component-wise gradient boosting to assess the possible role of cognitive measures as markers of vulnerability to pediatric bipolar disorder. Cognitive Neuropsychiatry, 2019, 24, 93-107.	0.7	4
101	TSPO upregulation in bipolar disorder and concomitant downregulation of mitophagic proteins and NLRP3 inflammasome activation. Neuropsychopharmacology, 2019, 44, 1291-1299.	2.8	58
102	Treatment Resistance in Bipolar Disorders. , 2019, , 139-150.		4
103	Sex difference in the association of body mass index and BDNF levels in Chinese patients with chronic schizophrenia. Psychopharmacology, 2019, 236, 753-762.	1.5	27
104	Medial Forebrain Bundle Deep Brain Stimulation Reverses Anhedonic-Like Behavior in a Chronic Model of Depression: Importance of BDNF and Inflammatory Cytokines. Molecular Neurobiology, 2019, 56, 4364-4380.	1.9	33
105	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. British Journal of Psychiatry, 2019, 214, 27-35.	1.7	54
106	Distinctive Neuroanatomical Substrates for Depression in Bipolar Disorder versus Major Depressive Disorder. Cerebral Cortex, 2019, 29, 202-214.	1.6	39
107	The TNF-alpha gene \hat{a}^{1031} gt; C polymorphism is associated with onset age but not with risk of schizophrenia in a Chinese population Neuropsychology, 2019, 33, 482-489.	1.0	5
108	Predicting individual responses to the electroconvulsive therapy with hippocampal subfield volumes in major depression disorder. Scientific Reports, 2018, 8, 5434.	1.6	96

#	Article	IF	Citations
109	Tumor necrosis factorâ€elpha <i>â^'</i> 1031T/C polymorphism is associated with cognitive deficits in chronic schizophrenia patients versus healthy controls. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2018, 177, 379-387.	1.1	14
110	Hippocampal Subfield Volumes in Patients With First-Episode Psychosis. Schizophrenia Bulletin, 2018, 44, 552-559.	2.3	57
111	Cognitive impairments and low BDNF serum levels in first-episode drug-naive patients with schizophrenia. Psychiatry Research, 2018, 263, 1-6.	1.7	55
112	Novel Therapeutics in Bipolar Disorder. Current Treatment Options in Psychiatry, 2018, 5, 162-181.	0.7	1
113	Cortical thickness patterns as state biomarker of anorexia nervosa. International Journal of Eating Disorders, 2018, 51, 241-249.	2.1	48
114	Neurobiology and Evidence-Based Review on Novel Therapeutic Strategy for Treatment-Resistant Depression (TRD)., 2018,, 269-275.		1
115	Interaction between job stress and the BDNF Val66Met polymorphism affects depressive symptoms in Chinese healthcare workers. Journal of Affective Disorders, 2018, 236, 157-163.	2.0	20
116	Interleukin-3, symptoms and cognitive deficits in first-episode drug-naÃ-ve and chronic medicated schizophrenia. Psychiatry Research, 2018, 263, 147-153.	1.7	11
117	Intravenous infusion of xenon-containing liposomes generates rapid antidepressant-like effects. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 86, 140-149.	2.5	15
118	Hippocampal subfield volumes in children and adolescents with mood disorders. Journal of Psychiatric Research, 2018, 101, 57-62.	1.5	49
119	Elevated Plasma S100B, Psychotic Symptoms, and Cognition in Schizophrenia. Psychiatric Quarterly, 2018, 89, 53-60.	1.1	20
120	Prevalence, demographic and clinical features of comorbid depressive symptoms in drug na \tilde{A} -ve patients with schizophrenia presenting with first episode psychosis. Schizophrenia Research, 2018, 193, 182-187.	1.1	42
121	Prevalence, risk factors and clinical characteristics of osteoporosis in Chinese inpatients with schizophrenia. Schizophrenia Research, 2018, 195, 488-494.	1.1	17
122	Increased reward-oriented impulsivity in older bipolar patients: A preliminary study. Journal of Affective Disorders, 2018, 225, 585-592.	2.0	5
123	Prevalence and clinical-demographic correlates of hyperhomocysteinemia in inpatients with bipolar disorder in a Han Chinese population. Psychiatry Research, 2018, 259, 364-369.	1.7	12
124	MR Spectroscopy Findings of the Basal Ganglia in Bipolar Disorders: a Systematic Review. Current Psychiatry Reviews, 2018, 14, 99-104.	0.9	3
125	Sex difference in association of symptoms and white matter deficits in first-episode and drug-naive schizophrenia. Translational Psychiatry, 2018, 8, 281.	2.4	31
126	Obesity, altered oxidative stress, and clinical correlates in chronic schizophrenia patients. Translational Psychiatry, 2018, 8, 258.	2.4	52

#	Article	IF	CITATIONS
127	Cognition, serum BDNF levels, and BDNF Val66Met polymorphism in type 2 diabetes patients and healthy controls. Oncotarget, 2018, 9, 3653-3662.	0.8	21
128	Poor oral health in patients with schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2018, 201, 3-9.	1.1	44
129	Serotonin transporter gene (5-HTT) rs6354 polymorphism, job-related stress, and their interaction in burnout in healthcare workers in a Chinese hospital. Psychopharmacology, 2018, 235, 3125-3135.	1.5	9
130	Staging models and neuroprogression in bipolar disorder. , 2018, , 27-32.		0
131	Neurocognitive findings in youth at high risk for bipolar disorder: Potential endophenotypes?. , 2018, , 139-156.		1
132	Summary and integration of current findings: A model for bipolar disorder development. , 2018, , 265-268.		0
133	A qualitative study investigating bipolar patients' expectations of a lifestyle intervention: A self-management program. Archives of Psychiatric Nursing, 2018, 32, 555-560.	0.7	2
134	Skin picking disorder: prevalence, correlates, and associations with quality of life in a large sample. CNS Spectrums, 2018, 23, 311-320.	0.7	41
135	A longitudinal study on deep brain stimulation of the medial forebrain bundle for treatment-resistant depression. Translational Psychiatry, 2018, 8, 111.	2.4	83
136	Effects of valproate on brain volumes in pediatric bipolar disorder: A preliminary study. Psychiatry Research - Neuroimaging, 2018, 278, 65-68.	0.9	8
137	Changes in amygdala, cerebellum, and nucleus accumbens volumes in bipolar patients treated with lamotrigine. Psychiatry Research - Neuroimaging, 2018, 278, 13-20.	0.9	9
138	Suicide attempt, clinical correlates, and BDNF Val66Met polymorphism in chronic patients with schizophrenia Neuropsychology, 2018, 32, 199-205.	1.0	14
139	Prevalence and Clinical Correlates of and Cognitive Function at the Time of Suicide Attempts in First-Episode and Drug-Naive Patients With Schizophrenia. Journal of Clinical Psychiatry, 2018, 79, .	1.1	24
140	A Double-Blind, Randomized, Placebo-Controlled Study of Aspirin and & lt;em>N-Acetylcysteine as Adjunctive Treatments for Bipolar Depression. Journal of Clinical Psychiatry, 2018, 80, .	1.1	31
141	Identification and individualized prediction of clinical phenotypes in bipolar disorders using neurocognitive data, neuroimaging scans and machine learning. NeuroImage, 2017, 145, 254-264.	2.1	98
142	Measuring affective temperaments: a systematic review of validation studies of the Temperament Evaluation in Memphis Pisa and San Diego (TEMPS) instruments. Journal of Affective Disorders, 2017, 212, 25-37.	2.0	26
143	History of Bipolar Disorder and the Risk of Dementia: A Systematic Review and Meta-Analysis. American Journal of Geriatric Psychiatry, 2017, 25, 357-362.	0.6	115
144	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. Journal of Affective Disorders, 2017, 212, 10-16.	2.0	11

#	Article	IF	Citations
145	Elevated Choline-Containing Compound Levels in Rapid Cycling Bipolar Disorder. Neuropsychopharmacology, 2017, 42, 2252-2258.	2.8	16
146	Glutamatergic and neural dysfunction in postpartum depression using magnetic resonance spectroscopy. Psychiatry Research - Neuroimaging, 2017, 265, 18-25.	0.9	57
147	Association between forkhead-box P2 gene polymorphism and clinical symptoms in chronic schizophrenia in a Chinese population. Journal of Neural Transmission, 2017, 124, 891-897.	1.4	14
148	Association of low serum BDNF with depression in patients with Parkinson's disease. Parkinsonism and Related Disorders, 2017, 41, 73-78.	1,1	43
149	Are self-rated and behavioural measures of impulsivity in bipolar disorder mainly related to comorbid substance use problems?. Cognitive Neuropsychiatry, 2017, 22, 298-314.	0.7	12
150	Increased dopamine receptor expression and anti-depressant response following deep brain stimulation of the medial forebrain bundle. Journal of Affective Disorders, 2017, 217, 80-88.	2.0	34
151	Lifespan Gyrification Trajectories of Human Brain in Healthy Individuals and Patients with Major Psychiatric Disorders. Scientific Reports, 2017, 7, 511.	1.6	98
152	The prevalence, risk factors and clinical correlates of obesity in Chinese patients with schizophrenia. Psychiatry Research, 2017, 251, 131-136.	1.7	40
153	The putative role of neuronal network synchronization as a potential biomarker for bipolar disorder: A review of EEG studies. Journal of Affective Disorders, 2017, 212, 167-170.	2.0	11
154	The Link between Refractoriness and Neuroprogression in Treatment-Resistant Bipolar Disorder. Modern Problems of Pharmacopsychiatry, 2017, 31, 10-26.	2.5	22
155	Association of serum BDNF levels with psychotic symptom in chronic patients with treatment-resistant depression in a Chinese Han population. Psychiatry Research, 2017, 257, 279-283.	1.7	12
156	Accelerated epigenetic aging and mitochondrial DNA copy number in bipolar disorder. Translational Psychiatry, 2017, 7, 1283.	2.4	119
157	Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. Brain Imaging and Behavior, 2017, 11, 1497-1514.	1.1	144
158	Is there any association between Toxoplasma gondii infection and bipolar disorder? A systematic review and meta-analysis. Journal of Affective Disorders, 2017, 209, 59-65.	2.0	59
159	Association between DBH 19 bp insertion/deletion polymorphism and cognition in schizophrenia with and without tardive dyskinesia. Schizophrenia Research, 2017, 182, 104-109.	1.1	13
160	Plasma soluble L-selectin in medicated patients with schizophrenia and healthy controls. PLoS ONE, 2017, 12, e0174073.	1.1	10
161	Major depressive disorder and suicide risk among adult outpatients at several general hospitals in a Chinese Han population. PLoS ONE, 2017, 12, e0186143.	1.1	59
162	Prediction of vulnerability to bipolar disorder using multivariate neurocognitive patterns: a pilot study. International Journal of Bipolar Disorders, 2017, 5, 32.	0.8	10

#	Article	IF	CITATIONS
163	Clinical Outcomes in Children and Adolescents With Bipolar Disorder and Substance Use Disorder Comorbidity. Journal of Clinical Psychiatry, 2017, 78, e230-e233.	1.1	4
164	Clinical Outcomes Associated With Comorbid Posttraumatic Stress Disorder Among Patients With Bipolar Disorder. Journal of Clinical Psychiatry, 2016, 77, e555-e560.	1.1	13
165	Evidence of altered membrane phospholipid metabolism in the anterior cingulate cortex and striatum of patients with bipolar disorder I: A multi-voxel 1H MRS study. Journal of Psychiatric Research, 2016, 81, 48-55.	1.5	23
166	Association of the manganese superoxide dismutase gene Ala–9Val polymorphism with age of smoking initiation in male schizophrenia smokers. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 243-249.	1,1	7
167	Inhibitory control in obesity and binge eating disorder: A systematic review and meta-analysis of neurocognitive and neuroimaging studies. Neuroscience and Biobehavioral Reviews, 2016, 68, 714-726.	2.9	271
168	Effect of alcohol and illicit substance use on verbal memory among individuals with bipolar disorder. Psychiatry Research, 2016, 243, 225-231.	1.7	20
169	The potential association between obesity and bipolar disorder: A meta-analysis. Journal of Affective Disorders, 2016, 202, 120-123.	2.0	55
170	Neurocognitive functioning in individuals with bipolar disorder and their healthy siblings: A preliminary study. Journal of Affective Disorders, 2016, 201, 51-56.	2.0	18
171	Cognitive impairments in first-episode drug-naive and chronic medicated schizophrenia: MATRICS consensus cognitive battery in a Chinese Han population. Psychiatry Research, 2016, 238, 196-202.	1.7	41
172	Factors Associated With the Likelihood of Hospitalization Following Emergency Department Visits for Behavioral Health Conditions. Academic Emergency Medicine, 2016, 23, 1257-1266.	0.8	29
173	Ginkgo biloba leaf extract and alpha-tocopherol attenuate haloperidol-induced orofacial dyskinesia in rats: Possible implication of antiapoptotic mechanisms by preventing Bcl-2 decrease and Bax elevation. Phytomedicine, 2016, 23, 1653-1660.	2.3	10
174	Brain imaging abnormalities in bipolar disorder. , 2016, , 102-110.		3
175	Association of the BDNF Val66Met polymorphism with BMI in chronic schizophrenic patients and healthy controls. International Clinical Psychopharmacology, 2016, 31, 353-357.	0.9	7
176	The role of white matter in personality traits and affective processing in bipolar disorder. Journal of Psychiatric Research, 2016, 80, 64-72.	1.5	9
177	The role of DNA methylation in the pathophysiology and treatment of bipolar disorder. Neuroscience and Biobehavioral Reviews, 2016, 68, 474-488.	2.9	55
178	Low BDNF is associated with cognitive impairments in patients with Parkinson's disease. Parkinsonism and Related Disorders, 2016, 29, 66-71.	1.1	95
179	Ginkgo biloba and vitamin E ameliorate haloperidol-induced vacuous chewingmovement and brain-derived neurotrophic factor expression in a rat tardive dyskinesia model. Pharmacology Biochemistry and Behavior, 2016, 148, 53-58.	1.3	13
180	Altered serum levels of interleukin-3 in first-episode drug-naive and chronic medicated schizophrenia. Schizophrenia Research, 2016, 176, 196-200.	1.1	7

#	Article	lF	Citations
181	The relationship between cortical thickness and body mass index differs between women with anorexia nervosa and healthy controls. Psychiatry Research - Neuroimaging, 2016, 248, 105-109.	0.9	27
182	Altered interleukin-18 levels are associated with cognitive impairment in chronic schizophrenia. Journal of Psychiatric Research, 2016, 76, 9-15.	1.5	25
183	Lifestyle interventions targeting dietary habits and exercise in bipolar disorder: A systematic review. Journal of Psychiatric Research, 2016, 74, 1-7.	1.5	87
184	BDNF polymorphisms are associated with schizophrenia onset and positive symptoms. Schizophrenia Research, 2016, 170, 41-47.	1.1	32
185	Interaction between BDNF rs6265 Met allele and low family cohesion is associated with smaller left hippocampal volume in pediatric bipolar disorder. Journal of Affective Disorders, 2016, 189, 94-97.	2.0	45
186	Reduced hippocampus volume and memory performance in bipolar disorder patients carrying the BDNF val66met met allele. Journal of Affective Disorders, 2016, 198, 198-205.	2.0	80
187	Contribution of IL-10 and its -592 A/C polymorphism to cognitive functions in first-episode drug-naive schizophrenia. Brain, Behavior, and Immunity, 2016, 57, 116-124.	2.0	36
188	Serum IL-18 level, clinical symptoms and IL-18-607A/C polymorphism among chronic patients with schizophrenia in a Chinese Han population. Psychoneuroendocrinology, 2016, 68, 140-147.	1.3	12
189	Reduced Inhibitory Control Mediates the Relationship Between Cortical Thickness in the Right Superior Frontal Gyrus and Body Mass Index. Neuropsychopharmacology, 2016, 41, 2275-2282.	2.8	19
190	Individualized Prediction and Clinical Staging of Bipolar Disorders Using Neuroanatomical Biomarkers. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2016, 1, 186-194.	1.1	58
191	Role of trophic factors GDNF, IGF-1 and VEGF in major depressive disorder: A comprehensive review of human studies. Journal of Affective Disorders, 2016, 197, 9-20.	2.0	113
192	Hippocampal volume and verbal memory performance in late-stage bipolar disorder. Journal of Psychiatric Research, 2016, 73, 102-107.	1.5	95
193	Confirmation of MRI anatomical measurements as endophenotypic markers for bipolar disorder in a new sample from the NIMH Genetics of Bipolar Disorder in Latino Populations study. Psychiatry Research - Neuroimaging, 2016, 247, 34-41.	0.9	6
194	Individualized identification of euthymic bipolar disorder using the Cambridge Neuropsychological Test Automated Battery (CANTAB) and machine learning. Journal of Affective Disorders, 2016, 192, 219-225.	2.0	39
195	Identifying a clinical signature of suicidality among patients with mood disorders: A pilot study using a machine learning approach. Journal of Affective Disorders, 2016, 193, 109-116.	2.0	152
196	Modeling mania in preclinical settings: A comprehensive review. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 66, 22-34.	2.5	39
197	Effects of cigarette smoking and alcohol use on neurocognition and BDNF levels in a Chinese population. Psychopharmacology, 2016, 233, 435-445.	1.5	29
198	Predictors of psychiatric readmission among patients with bipolar disorder at an academic safety-net hospital. Australian and New Zealand Journal of Psychiatry, 2016, 50, 584-593.	1.3	42

#	Article	IF	CITATIONS
199	Refractory bipolar disorder and neuroprogression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 70, 103-110.	2.5	35
200	Interaction of BDNF with cytokines in chronic schizophrenia. Brain, Behavior, and Immunity, 2016, 51, 169-175.	2.0	62
201	Beneficial effects of EGb761 and vitamin E on haloperidol-induced vacuous chewing movements in rats: Possible involvement of S100B mechanisms. Behavioural Brain Research, 2016, 297, 124-130.	1.2	5
202	Extensive White Matter Abnormalities and Clinical Symptoms in Drug-Naive Patients With First-Episode Schizophrenia. Journal of Clinical Psychiatry, 2016, 77, 205-211.	1.1	28
203	Association Between DβH 5′-Insertion/Deletion Polymorphism and Cognition in Patients With Chronic Schizophrenia. Journal of Clinical Psychiatry, 2016, 77, 379-385.	1.1	16
204	BDNF Polymorphisms Are Associated With Cognitive Performance in Schizophrenia Patients Versus Healthy Controls. Journal of Clinical Psychiatry, 2016, 77, e1011-e1018.	1.1	22
205	Peripheral brain-derived neurotrophic factor (BDNF) as a biomarker in bipolar disorder: a meta-analysis of 52 studies. BMC Medicine, 2015, 13, 289.	2.3	233
206	Factors differentially associated with early readmission at a university teaching psychiatric hospital. Journal of Evaluation in Clinical Practice, 2015, 21, 572-578.	0.9	21
207	The Management of Cognitive Impairment in Bipolar Disorder. American Journal of Therapeutics, 2015, 22, 477-486.	0.5	40
208	Addiction pharmacogenetics. Psychiatric Genetics, 2015, 25, 181-193.	0.6	78
209	Bipolar disorder prevalence: a systematic review and meta-analysis of the literature. Revista Brasileira De Psiquiatria, 2015, 37, 155-161.	0.9	163
210	Development and velidation of a busine materials index value language discolar accordance and a con-		
	Development and validation of a brain maturation index using longitudinal neuroanatomical scans. NeuroImage, 2015, 117, 311-318.	2.1	34
211		2.1	34 52
211	Neurolmage, 2015, 117, 311-318. Adjunctive aripiprazole in the treatment of risperidone-induced hyperprolactinemia: A randomized,		
	Neurolmage, 2015, 117, 311-318. Adjunctive aripiprazole in the treatment of risperidone-induced hyperprolactinemia: A randomized, double-blind, placebo-controlled, dose–response study. Psychoneuroendocrinology, 2015, 58, 130-140. Increased interleukin-2 serum levels were associated with psychopathological symptoms and	1.3	52
212	Neurolmage, 2015, 117, 311-318. Adjunctive aripiprazole in the treatment of risperidone-induced hyperprolactinemia: A randomized, double-blind, placebo-controlled, dose–response study. Psychoneuroendocrinology, 2015, 58, 130-140. Increased interleukin-2 serum levels were associated with psychopathological symptoms and cognitive deficits in treatment-resistant schizophrenia. Schizophrenia Research, 2015, 169, 16-21. The medial forebrain bundle as a deep brain stimulation target for treatment resistant depression: A review of published data. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 58,	1.3	52 22
212 213	Neurolmage, 2015, 117, 311-318. Adjunctive aripiprazole in the treatment of risperidone-induced hyperprolactinemia: A randomized, double-blind, placebo-controlled, dose–response study. Psychoneuroendocrinology, 2015, 58, 130-140. Increased interleukin-2 serum levels were associated with psychopathological symptoms and cognitive deficits in treatment-resistant schizophrenia. Schizophrenia Research, 2015, 169, 16-21. The medial forebrain bundle as a deep brain stimulation target for treatment resistant depression: A review of published data. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 58, 59-70. Premorbid obesity and metabolic disturbances as promising clinical targets for the prevention and	1.3 1.1 2.5	52 22 39

#	Article	IF	Citations
217	Possible association between DBH 19Âbp insertion/deletion polymorphism and clinical symptoms in schizophrenia with tardive dyskinesia. Journal of Neural Transmission, 2015, 122, 907-914.	1.4	7
218	The role of negative mood induction on working memory capacity in individuals putatively at risk for bipolar disorder: A pilot study. Journal of Affective Disorders, 2015, 185, 60-66.	2.0	2
219	Association of angiotensinâ€converting enzyme gene polymorphism with schizophrenia and depressive symptom severity in a Chinese population. Human Psychopharmacology, 2015, 30, 100-107.	0.7	14
220	Mn-superoxide dismutase activity is associated with orofacial involuntary movements in schizophrenia patients with tardive dyskinesia. Human Psychopharmacology, 2015, 30, 57-63.	0.7	7
221	Monocyte and Lymphocyte Activation in Bipolar Disorder: A New Piece in the Puzzle of Immune Dysfunction in Mood Disorders. International Journal of Neuropsychopharmacology, 2015, 18, pyu021-pyu021.	1.0	63
222	Does a history of substance abuse and illness chronicity predict increased impulsivity in bipolar disorder?. Journal of Affective Disorders, 2015, 179, 142-147.	2.0	12
223	A functional polymorphism in the interleukin-1beta and severity of nicotine dependence in male schizophrenia: A case-control study. Journal of Psychiatric Research, 2015, 64, 51-58.	1.5	6
224	Prediction of pediatric unipolar depression using multiple neuromorphometric measurements: A pattern classification approach. Journal of Psychiatric Research, 2015, 62, 84-91.	1.5	26
225	Reduced white matter integrity and verbal fluency impairment in young adults with bipolar disorder: A diffusion tensor imaging study. Journal of Psychiatric Research, 2015, 62, 115-122.	1.5	47
226	Affective Processing in Pediatric Bipolar Disorder and Offspring of Bipolar Parents. Journal of Child and Adolescent Psychopharmacology, 2015, 25, 684-690.	0.7	15
227	The role of opioidergic genes in the treatment outcome of drug addiction pharmacotherapy: A systematic review. American Journal on Addictions, 2015, 24, 15-23.	1.3	41
228	Neuroprogression and Cognitive Functioning in Bipolar Disorder: A Systematic Review. Current Psychiatry Reports, 2015, 17, 75.	2.1	115
229	Predictive classification of pediatric bipolar disorder using atlas-based diffusion weighted imaging and support vector machines. Psychiatry Research - Neuroimaging, 2015, 234, 265-271.	0.9	25
230	Serotonergic gene variation in substance use pharmacotherapy: a systematic review. Pharmacogenomics, 2015, 16, 1305-1312.	0.6	15
231	TCF4 gene polymorphism is associated with cognition in patients with schizophrenia and healthy controls. Journal of Psychiatric Research, 2015, 69, 95-101.	1.5	25
232	Glucose disturbances in first-episode drug-na \tilde{A} -ve schizophrenia: Relationship to psychopathology. Psychoneuroendocrinology, 2015, 62, 376-380.	1.3	54
233	Racial disparities during admission to an academic psychiatric hospital in a large urban area. Comprehensive Psychiatry, 2015, 63, 113-122.	1.5	21
234	Evaluation of cognitive function in bipolar disorder using the Brief Assessment of Cognition in Affective Disorders (BAC-A). Journal of Psychiatric Research, 2015, 60, 81-86.	1.5	28

#	Article	IF	Citations
235	The interplay between BDNF and oxidative stress in chronic schizophrenia. Psychoneuroendocrinology, 2015, 51, 201-208.	1.3	7 5
236	Smoking and BDNF Val66Met polymorphism in male schizophrenia: A case-control study. Journal of Psychiatric Research, 2015, 60, 49-55.	1.5	21
237	Cortical Volume Alterations in Conduct Disordered Adolescents with and without Bipolar Disorder. Journal of Clinical Medicine, 2014, 3, 416-431.	1.0	10
238	Candidate gene associations with mood disorder, cognitive vulnerability, and frontoâ€limbic volumes. Brain and Behavior, 2014, 4, 418-430.	1.0	25
239	Prediction of pediatric bipolar disorder using neuroanatomical signatures of the amygdala. Bipolar Disorders, 2014, 16, 713-721.	1.1	25
240	Prevalence of tardive dyskinesia in chronic male inpatients with schizophrenia on long-term clozapine versus typical antipsychotics. International Clinical Psychopharmacology, 2014, 29, 318-321.	0.9	12
241	Decreased interleukin-10 serum levels in first-episode drug-naÃ-ve schizophrenia: Relationship to psychopathology. Schizophrenia Research, 2014, 156, 9-14.	1.1	65
242	Impulsivity in children and adolescents with mood disorders and unaffected offspring of bipolar parents. Comprehensive Psychiatry, 2014, 55, 1337-1341.	1.5	21
243	A preliminary report of increased plasma levels of IL-33 in bipolar disorder: Further evidence of pro-inflammatory status. Journal of Affective Disorders, 2014, 157, 41-44.	2.0	45
244	Inflammatory mediators of cognitive impairment in bipolar disorder. Journal of Psychiatric Research, 2014, 56, 18-27.	1.5	96
245	The Immunology of Bipolar Disorder. NeuroImmunoModulation, 2014, 21, 117-122.	0.9	117
246	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. Brain Imaging and Behavior, 2014, 8, 153-182.	1.1	696
247	First manic episode associated with use of human chorionic gonadotropin for obesity: a case report. Bipolar Disorders, 2014, 16, 204-207.	1.1	4
248	Association of altered CuZn superoxide dismutase and cognitive impairment in schizophrenia patients with tardive dyskinesia. Journal of Psychiatric Research, 2014, 58, 167-174.	1.5	16
249	Smoking, MATRICS consensus cognitive battery and P50 sensory gating in a Han Chinese population. Drug and Alcohol Dependence, 2014, 143, 51-57.	1.6	21
250	Amygdala enlargement in unaffected offspring of bipolar parents. Journal of Psychiatric Research, 2014, 59, 200-205.	1.5	24
251	Visualization and unsupervised predictive clustering of high-dimensional multimodal neuroimaging data. Journal of Neuroscience Methods, 2014, 236, 19-25.	1.3	53
252	Gender difference in association of cognition with BDNF in chronic schizophrenia. Psychoneuroendocrinology, 2014, 48, 136-146.	1.3	49

#	Article	IF	CITATIONS
253	Reduced serum TNF alpha level in chronic schizophrenia patients with or without tardive dyskinesia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 259-264.	2.5	25
254	Shared clinical associations between obesity and impulsivity in rapid cycling bipolar disorder: A systematic review. Journal of Affective Disorders, 2014, 168, 306-313.	2.0	19
255	Common biological mechanisms between bipolar disorder and type 2 diabetes: Focus on inflammation. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 289-298.	2.5	28
256	A Review of Feature Reduction Techniques in Neuroimaging. Neuroinformatics, 2014, 12, 229-244.	1.5	418
257	Lifetime mood spectrum symptoms among bipolar patients and healthy controls: A cross sectional study with the Mood Spectrum Self-Report questionnaire. Journal of Affective Disorders, 2014, 166, 165-167.	2.0	6
258	Psychopathological features during childhood and adolescence among adult bipolar patients: A retrospective study. Comprehensive Psychiatry, 2014, 55, 422-425.	1.5	1
259	Negative expressed emotion best discriminates families with bipolar disorder children. Journal of Affective Disorders, 2013, 148, 418-423.	2.0	19
260	Prediction of individual subject's age across the human lifespan using diffusion tensor imaging: A machine learning approach. Neurolmage, 2013, 75, 58-67.	2.1	111
261	Temperament and character traits in children and adolescents with major depressive disorder: A case–control study. Comprehensive Psychiatry, 2013, 54, 346-353.	1.5	17
262	A longitudinal study of fronto-limbic brain structures in patients with bipolar I disorder during lithium treatment. Journal of Affective Disorders, 2013, 150, 629-633.	2.0	56
263	Is impulsivity a common trait in bipolar and unipolar disorders?. Bipolar Disorders, 2013, 15, 223-227.	1.1	39
264	Dysfunctional family environment in affected versus unaffected offspring of parents with bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1051-1057.	1.3	34
265	Trait Impulsivity Is Increased in Bipolar Disorder Patients with Comorbid Alcohol Use Disorders. Psychopathology, 2013, 46, 145-152.	1.1	26
266	Overdiagnosis of Bipolar Disorder: A Critical Analysis of the Literature. Scientific World Journal, The, 2013, 2013, 1-5.	0.8	28
267	A Preliminary Investigation of Corpus Callosum and Anterior Commissure Aberrations in Aggressive Youth with Bipolar Disorders. Journal of Child and Adolescent Psychopharmacology, 2012, 22, 112-119.	0.7	65
268	Neurobiology of self-awareness in schizophrenia: An fMRI study. Schizophrenia Research, 2012, 138, 113-119.	1.1	42
269	Does anxiety increase impulsivity in patients with bipolar disorder or major depressive disorder?. Journal of Psychiatric Research, 2012, 46, 616-621.	1.5	32
270	Abnormal resting state corticolimbic blood flow in depressed unmedicated patients with major depression: A ¹⁵ Oâ€H _{O PET study. Human Brain Mapping, 2012, 33, 272-279.}	1.9	58

#	Article	IF	CITATIONS
271	Falta de integridad de la sustancia blanca en la depresi \tilde{A}^3 n bipolar como posible marcador estructural de la enfermedad. Psiquiatria Biologica, 2011, 18, 79-88.	0.0	O
272	Lower N-Acetyl-Aspartate Levels in Prefrontal Cortices in Pediatric Bipolar Disorder: A 1H Magnetic Resonance Spectroscopy Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2011, 50, 85-94.	0.3	61
273	Disruption of White Matter Integrity in Bipolar Depression as a Possible Structural Marker of Illness. Biological Psychiatry, 2011, 69, 309-317.	0.7	207
274	Structural Magnetic Resonance Imaging in Bipolar Disorder: An International Collaborative Mega-Analysis of Individual Adult Patient Data. Biological Psychiatry, 2011, 69, 326-335.	0.7	271
275	Association between prior alcohol use disorders and decreased prefrontal gray matter volumes in bipolar I disorder patients. Neuroscience Letters, 2011, 503, 136-140.	1.0	20
276	The effects of antidepressants on human brain as detected by imaging studies. Focus on major depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1544-1552.	2.5	48
277	Lifetime psychopathology among the offspring of Bipolar I parents. Clinics, 2011, 66, 725-730.	0.6	22
278	Structural Magnetic Resonance Imaging in Bipolar Disorder: An International Collaborative Mega-Analysis of Individual Adult Patient Data. Focus (American Psychiatric Publishing), 2011, 9, 477-487.	0.4	0
279	New Drugs for Bipolar Disorder. Current Psychiatry Reports, 2011, 13, 513-521.	2.1	4
280	Bipolar disorder comorbid with alcoholism: A 1H magnetic resonance spectroscopy study. Journal of Psychiatric Research, 2010, 44, 278-285.	1.5	33
281	Marshalam, of the subgenuel prefrontal cortex in podictric binder disorder learned of Daughistric		
	Morphology of the subgenual prefrontal cortex in pediatric bipolar disorder. Journal of Psychiatric Research, 2010, 44, 1106-1110.	1.5	45
282	Research, 2010, 44, 1106-1110. Structural equation modeling and principal component analysis of gray matter volumes in major depressive and bipolar disorders: Differences in latent volumetric structure. Psychiatry Research - Neuroimaging, 2010, 184, 177-185.	0.9	34
	Research, 2010, 44, 1106-1110. Structural equation modeling and principal component analysis of gray matter volumes in major depressive and bipolar disorders: Differences in latent volumetric structure. Psychiatry Research -		
282	Research, 2010, 44, 1106-1110. Structural equation modeling and principal component analysis of gray matter volumes in major depressive and bipolar disorders: Differences in latent volumetric structure. Psychiatry Research - Neuroimaging, 2010, 184, 177-185. Reduced medial prefrontal N-Acetyl-Aspartate levels in pediatric major depressive disorder: A	0.9	34
282	Research, 2010, 44, 1106-1110. Structural equation modeling and principal component analysis of gray matter volumes in major depressive and bipolar disorders: Differences in latent volumetric structure. Psychiatry Research - Neuroimaging, 2010, 184, 177-185. Reduced medial prefrontal N-Acetyl-Aspartate levels in pediatric major depressive disorder: A multi-voxel in vivo1H spectroscopy study. Psychiatry Research - Neuroimaging, 2010, 184, 71-76.	0.9	34
282 283 284	Research, 2010, 44, 1106-1110. Structural equation modeling and principal component analysis of gray matter volumes in major depressive and bipolar disorders: Differences in latent volumetric structure. Psychiatry Research - Neuroimaging, 2010, 184, 177-185. Reduced medial prefrontal N-Acetyl-Aspartate levels in pediatric major depressive disorder: A multi-voxel in vivo1H spectroscopy study. Psychiatry Research - Neuroimaging, 2010, 184, 71-76. Family Environment and Pediatric Major Depressive Disorder. Psychopathology, 2010, 43, 312-318.	0.9	34 32 23
282 283 284 285	Research, 2010, 44, 1106-1110. Structural equation modeling and principal component analysis of gray matter volumes in major depressive and bipolar disorders: Differences in latent volumetric structure. Psychiatry Research - Neuroimaging, 2010, 184, 177-185. Reduced medial prefrontal N-Acetyl-Aspartate levels in pediatric major depressive disorder: A multi-voxel in vivo1H spectroscopy study. Psychiatry Research - Neuroimaging, 2010, 184, 71-76. Family Environment and Pediatric Major Depressive Disorder. Psychopathology, 2010, 43, 312-318. Emerging drugs for bipolar disorder. Expert Opinion on Emerging Drugs, 2010, 15, 453-466. Anterior genu corpus callosum and impulsivity in suicidal patients with bipolar disorder.	0.9 0.9 1.1	34 32 23

#	Article	IF	Citations
289	Corpus callosum abnormalities in pediatric bipolar disorder. Expert Review of Neurotherapeutics, 2009, 9, 949-955.	1.4	8
290	An MRI-based approach for the measurement of the dorsolateral prefrontal cortex in humans. Psychiatry Research - Neuroimaging, 2009, 173, 150-154.	0.9	17
291	Amygdala hyperactivation in untreated depressed individuals. Psychiatry Research - Neuroimaging, 2009, 173, 158-161.	0.9	112
292	Normal metabolite levels in the left dorsolateral prefrontal cortex of unmedicated major depressive disorder patients: A single voxel 1H spectroscopy study. Psychiatry Research - Neuroimaging, 2009, 174, 177-183.	0.9	62
293	A voxelâ€based morphometry study of frontal gray matter correlates of impulsivity. Human Brain Mapping, 2009, 30, 1188-1195.	1.9	217
294	Temperament and character traits in major depressive disorder: influence of mood state and recurrence of episodes. Depression and Anxiety, 2009, 26, 382-388.	2.0	78
295	Conceptualizing impulsivity and risk taking in bipolar disorder: importance of history of alcohol abuse. Bipolar Disorders, 2009, 11, 33-40.	1.1	125
296	Orbitofrontal cortex gray matter volumes in bipolar disorder patients: a regionâ€ofâ€interest MRI study. Bipolar Disorders, 2009, 11, 145-153.	1.1	50
297	Impulsivity, risk taking, alcohol abuse, and bipolar disorder: response to Thomas Richardson. Bipolar Disorders, 2009, 11, 556-557.	1.1	0
298	Anterior cingulate volumes associated with trait impulsivity in individuals with bipolar disorder. Bipolar Disorders, 2009, 11, 628-636.	1.1	49
299	Neuronal Correlates of Brain-derived Neurotrophic Factor Val66Met Polymorphism and Morphometric Abnormalities in Bipolar Disorder. Neuropsychopharmacology, 2009, 34, 1904-1913.	2.8	109
300	White matter connectivity in bipolar disorder. International Review of Psychiatry, 2009, 21, 380-386.	1.4	53
301	DTI studies of corpus callosum in bipolar disorder. Biochemical Society Transactions, 2009, 37, 1096-1098.	1.6	67
302	Myelination in Bipolar Patients and the Effects of Mood Stabilizers on Brain Anatomy. Current Pharmaceutical Design, 2009, 15, 2632-2636.	0.9	44
303	Antidepressant-coincident mania in children and adolescents treated with selective serotonin reuptake inhibitors. Future Neurology, 2009, 4, 87-102.	0.9	58
304	Altered Hippocampal Morphology in Unmedicated Patients with Major Depressive Illness. ASN Neuro, 2009, 1, AN20090026.	1.5	52
305	Limbic changes identified by imaging in bipolar patients. Current Psychiatry Reports, 2008, 10, 505-509.	2.1	31
306	Celecoxib as an adjunct in the treatment of depressive or mixed episodes of bipolar disorder: a doubleâ€blind, randomized, placeboâ€controlled study. Human Psychopharmacology, 2008, 23, 87-94.	0.7	255

#	Article	IF	Citations
307	Corrected values of brain metabolites for the article: â€~Abnormal cellular energy and phospholipid metabolism in the left dorsolateral prefrontal cortex of medicationâ€free individuals with bipolar disorder: an <i>in vivo</i> ¹ H MRS study'. Bipolar Disorders, 2008, 10, 849-849.	1.1	5
308	Family environment patterns in families with bipolar children. Journal of Affective Disorders, 2008, 107, 299-305.	2.0	62
309	Abnormal corpus callosum myelination in pediatric bipolar patients. Journal of Affective Disorders, 2008, 108, 297-301.	2.0	56
310	Temperament and character traits in patients with bipolar disorder and associations with comorbid alcoholism or anxiety disorders. Journal of Psychiatric Research, 2008, 42, 569-577.	1.5	71
311	Reply: Lithium and Increased Cortical Gray Matter—More Tissue or More Water?. Biological Psychiatry, 2008, 63, e19.	0.7	2
312	Three-Dimensional Mapping of Hippocampal Anatomy in Adolescents With Bipolar Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 515-525.	0.3	55
313	MRI study of the cerebellum in young bipolar patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 613-619.	2.5	61
314	Prevalence of depressive and anxiety disorders in systemic lupus erythematosus and their association with anti-ribosomal P antibodies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 695-700.	2.5	111
315	Neurodevelopmental basis of bipolar disorder: A critical appraisal. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1617-1627.	2.5	110
316	Illness duration and total brain gray matter in bipolar disorder: Evidence for neurodegeneration?. European Neuropsychopharmacology, 2008, 18, 717-722.	0.3	62
317	A Quantitative and Qualitative Review of Neurocognitive Performance in Pediatric Bipolar Disorder. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 595-605.	0.7	112
318	Neurobiology of Pediatric Mood Disorders: Are We There Yet?. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 549-549.	0.7	0
319	Striatal Volume Abnormalities in Treatment-NaÃ-ve Patients Diagnosed with Pediatric Major Depressive Disorder. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 121-131.	0.7	87
320	Metabolomics: A Global Biochemical Approach to the Discovery of Biomarkers for Psychiatric Disorders., 2008,, 129-162.		3
321	Three-Dimensional Mapping of Hippocampal Anatomy in Unmedicated and Lithium-Treated Patients with Bipolar Disorder. Neuropsychopharmacology, 2008, 33, 1229-1238.	2.8	148
322	Orbitofrontal Cortex Volumes in Medication Na \tilde{A} -ve Children with Major Depressive Disorder: A Magnetic Resonance Imaging Study. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 551-556.	0.7	14
323	A Double-Blind, Randomized, Placebo-Controlled 4-Week Study on the Efficacy and Safety of the Purinergic Agents Allopurinol and Dipyridamole Adjunctive to Lithium in Acute Bipolar Mania. Journal of Clinical Psychiatry, 2008, 69, 1237-1245.	1.1	111
324	Low Levels of (i>N (i) - Acetyl Aspartate in the Left Dorsolateral Prefrontal Cortex of Pediatric Bipolar Patients. Journal of Child and Adolescent Psychopharmacology, 2007, 17, 461-473.	0.7	69

#	Article	IF	CITATIONS
325	The role of hippocampus in the pathophysiology of bipolar disorder. Behavioural Pharmacology, 2007, 18, 419-430.	0.8	149
326	Brain-derived neurotrophic factor val66met polymorphism affects prefrontal energy metabolism in bipolar disorder. NeuroReport, 2007, 18, 1567-1570.	0.6	24
327	MRI study of corpus callosum in patients with borderline personality disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1519-1525.	2.5	14
328	Major depressive disorder and disease activity in systemic lupus erythematosus. Comprehensive Psychiatry, 2007, 48, 14-19.	1.5	121
329	Anatomical measurements of the orbitofrontal cortex in child and adolescent patients with bipolar disorder. Neuroscience Letters, 2007, 413, 183-186.	1.0	65
330	Medial temporal lobe abnormalities in pediatric unipolar depression. Neuroscience Letters, 2007, 427, 142-147.	1.0	96
331	Prefrontal gray matter increases in healthy individuals after lithium treatment: A voxel-based morphometry study. Neuroscience Letters, 2007, 429, 7-11.	1.0	114
332	Greater Cortical Gray Matter Density in Lithium-Treated Patients with Bipolar Disorder. Biological Psychiatry, 2007, 62, 7-16.	0.7	271
333	The Neurocognitive Signature of Psychotic Bipolar Disorder. Biological Psychiatry, 2007, 62, 910-916.	0.7	210
334	Context processing performance in bipolar disorder patients. Bipolar Disorders, 2007, 9, 230-237.	1.1	38
335	Evidence for disruption in prefrontal cortical functions in juvenile bipolar disorder. Bipolar Disorders, 2007, 9, 145-159.	1.1	45
336	Abnormal cellular energy and phospholipid metabolism in the left dorsolateral prefrontal cortex of medication-free individuals with bipolar disorder: an in vivo1H MRS study. Bipolar Disorders, 2007, 9, 119-127.	1.1	107
337	Brain Imaging Studies in Bipolar Disorder. Medical Psychiatry, 2007, , 161-187.	0.2	0
338	Smaller Cingulate Volumes in Unipolar Depressed Patients. Biological Psychiatry, 2006, 59, 702-706.	0.7	142
339	Patterns of memory impairment in bipolar disorder and unipolar major depression. Psychiatry Research, 2006, 142, 139-150.	1.7	140
340	Bipolar depression: the importance of being on remission. Revista Brasileira De Psiquiatria, 2006, 28, 93-96.	0.9	27
341	Dissociable mechanisms for memory impairment in bipolar disorder and schizophrenia. Psychological Medicine, 2006, 36, 1085-1095.	2.7	30
342	Cortical sulci and bipolar disorder. NeuroReport, 2006, 17, 1739-1742.	0.6	15

#	Article	IF	Citations
343	Differential working memory impairment in bipolar disorder and schizophrenia: effects of lifetime history of psychosis. Bipolar Disorders, 2006, 8, 117-123.	1.1	154
344	Association of psychosis with suicidality in pediatric bipolar I, II and bipolar NOS patients. Journal of Affective Disorders, 2006, 91, 33-37.	2.0	42
345	Reduced educational attainment in bipolar disorder. Journal of Affective Disorders, 2006, 92, 309-312.	2.0	59
346	Sources of declarative memory impairment in bipolar disorder: Mnemonic processes and clinical features. Journal of Psychiatric Research, 2006, 40, 47-58.	1.5	70
347	MRI study of corpus callosum in children and adolescents with bipolar disorder. Psychiatry Research - Neuroimaging, 2006, 146, 83-85.	0.9	44
348	MRI study of thalamus volumes in juvenile patients with bipolar disorder. Depression and Anxiety, 2006, 23, 347-352.	2.0	17
349	An Open Trial of Adjunctive Escitalopram in Bipolar Depression. Journal of Clinical Psychiatry, 2006, 67, 81-86.	1.1	16
350	Structural brain changes in bipolar disorder using deformation field morphometry. NeuroReport, 2005, 16, 541-544.	0.6	47
351	Developmental abnormalities in striatum in young bipolar patients: a preliminary study. Bipolar Disorders, 2005, 7, 153-158.	1.1	50
352	Declarative memory impairment in pediatric bipolar disorder. Bipolar Disorders, 2005, 7, 546-554.	1.1	57
353	Anatomical MRI abnormalities in bipolar disorder: do they exist and do they progress?. Australian and New Zealand Journal of Psychiatry, 2005, 39, 222-226.	1.3	48
354	1H magnetic resonance spectroscopy investigation of the dorsolateral prefrontal cortex in bipolar disorder patients. Journal of Affective Disorders, 2005, 86, 61-67.	2.0	105
355	Subgenual prefrontal cortex of child and adolescent bipolar patients: a morphometric magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2005, 138, 43-49.	0.9	57
356	1H Magnetic resonance spectroscopy study of dorsolateral prefrontal cortex in unipolar mood disorder patients. Psychiatry Research - Neuroimaging, 2005, 138, 131-139.	0.9	37
357	Anatomical MRI study of corpus callosum in unipolar depression. Journal of Psychiatric Research, 2005, 39, 347-354.	1.5	85
358	A proton magnetic resonance spectroscopy investigation of the dorsolateral prefrontal cortex in acute mania. Human Psychopharmacology, 2005, 20, 133-139.	0.7	24
359	Cingulate Cortex Anatomical Abnormalities in Children and Adolescents With Bipolar Disorder. American Journal of Psychiatry, 2005, 162, 1637-1643.	4.0	128
360	Reduced NAA Levels in the Dorsolateral Prefrontal Cortex of Young Bipolar Patients. American Journal of Psychiatry, 2005, 162, 2109-2115.	4.0	95

#	Article	IF	CITATIONS
361	Anatomical MRI Abnormalities in Bipolar Disorder: Do They Exist and Do They Progress?. Australian and New Zealand Journal of Psychiatry, 2005, 39, 222-226.	1.3	38
362	Magnetic Resonance Findings in Bipolar Disorder. Psychiatric Clinics of North America, 2005, 28, 443-467.	0.7	79
363	Attention deficits in bipolar disorder: a comparison based on the Continuous Performance Test. Neuroscience Letters, 2005, 379, 122-126.	1.0	39
364	Relationship between regional cerebral blood flow and separate symptom clusters of major depression: A single photon emission computed tomography study using statistical parametric mapping. Neuroscience Letters, 2005, 384, 265-270.	1.0	89
365	Proton spectroscopy study of the left dorsolateral prefrontal cortex in pediatric depressed patients. Neuroscience Letters, 2005, 384, 321-326.	1.0	65
366	Fronto-Limbic Brain Abnormalities in Juvenile Onset Bipolar Disorder. Biological Psychiatry, 2005, 58, 525-531.	0.7	69
367	Neuroimaging Studies in Bipolar Children and Adolescents. International Review of Neurobiology, 2004, 62, 121-146.	0.9	4
368	1H MRS Study of Dorsolateral Prefrontal Cortex in Healthy Individuals before and after Lithium Administration. Neuropsychopharmacology, 2004, 29, 1918-1924.	2.8	69
369	Anatomical MRI study of borderline personality disorder patients. Psychiatry Research - Neuroimaging, 2004, 131, 125-133.	0.9	151
370	Anatomical MRI study of hippocampus and amygdala in patients with current and remitted major depression. Psychiatry Research - Neuroimaging, 2004, 132, 141-147.	0.9	173
371	Normal pituitary volumes in children and adolescents with bipolar disorder: A magnetic resonance imaging study. Depression and Anxiety, 2004, 20, 182-186.	2.0	36
372	Anatomic evaluation of the orbitofrontal cortex in major depressive disorder. Biological Psychiatry, 2004, 55, 353-358.	0.7	216
373	Cross-sectional study of abnormal amygdala development in adolescents and young adults with bipolar disorder. Biological Psychiatry, 2004, 56, 399-405.	0.7	150
374	Reduced left anterior cingulate volumes in untreated bipolar patients. Biological Psychiatry, 2004, 56, 467-475.	0.7	177
375	Perspectives for the development of animal models of bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2004, 28, 209-224.	2.5	140
376	Abnormal left superior temporal gyrus volumes in children and adolescents with bipolar disorder: a magnetic resonance imaging study. Neuroscience Letters, 2004, 363, 65-68.	1.0	98
377	Increased cerebrospinal fluid levels of S100B protein in rat model of mania induced by ouabain. Life Sciences, 2004, 76, 805-811.	2.0	30
378	Atypical antipsychotics and mood stabilization in bipolar disorder. Psychopharmacology, 2003, 166, 315-332.	1.5	43

#	Article	IF	CITATIONS
379	Elevated thalamic and prefrontal regional cerebral blood flow in obsessive–compulsive disorder: a SPECT study. Psychiatry Research - Neuroimaging, 2003, 123, 125-134.	0.9	89
380	Anatomical MRI study of basal ganglia in major depressive disorder. Psychiatry Research - Neuroimaging, 2003, 124, 129-140.	0.9	96
381	White matter hyperintensities in bipolar and unipolar patients with relatively mild-to-moderate illness severity. Journal of Affective Disorders, 2003, 77, 237-245.	2.0	51
382	MRI investigation of temporal lobe structures in bipolar patients. Journal of Psychiatric Research, 2003, 37, 287-295.	1.5	210
383	Progress Updates. Bipolar Disorders, 2003, 5, 309-309.	1.1	0
384	Mood disorders – review of structural MRI studies. Acta Neuropsychiatrica, 2003, 15, 368-380.	1.0	10
385	Contributions from brain imaging to the elucidation of pathophysiology of bipolar disorder. International Journal of Neuropsychopharmacology, 2003, 6, 171-180.	1.0	64
386	Magnetic resonance imaging study of corpus callosum abnormalities in patients with bipolar disorder. Biological Psychiatry, 2003, 54, 1294-1297.	0.7	102
387	Brain anatomy and development in autism: review of structural MRI studies. Brain Research Bulletin, 2003, 61, 557-569.	1.4	356
388	Slower Treatment Response in Bipolar Depression Predicted by Lower Pretreatment Thyroid Function. American Journal of Psychiatry, 2002, 159, 116-121.	4.0	115
389	Increased gray matter volume in lithium-treated bipolar disorder patients. Neuroscience Letters, 2002, 329, 243-245.	1.0	250
390	O papel dos antipsicóticos atÃpicos no tratamento do transtorno bipolar: revisão da literatura. Revista Brasileira De Psiquiatria, 2002, 24, 34-43.	0.9	2
391	1H MRS Brain Measures and Acute Lorazepam Administration in Healthy Human Subjects. Neuropsychopharmacology, 2002, 26, 546-551.	2.8	28
392	Anatomical MRI Study of Subgenual Prefrontal Cortex in Bipolar and Unipolar Subjects. Neuropsychopharmacology, 2002, 27, 792-799.	2.8	146
393	Structural MRI and MRS abnormalities in bipolar disorder. Bipolar Disorders, 2002, 4, 87-87.	1.1	0
394	Perspectives on the pharmacological treatment of bipolar disorder. Revista Brasileira De Psiquiatria, 2002, 24, 109-110.	0.9	0
395	Decreased pituitary volume in patients with bipolar disorder. Biological Psychiatry, 2001, 50, 271-280.	0.7	125
396	Increased platelet membrane phosphatidylinositol-4,5-bisphosphate in drug-free depressed bipolar patients. Neuroscience Letters, 2001, 299, 150-152.	1.0	31

#	Article	IF	CITATIONS
397	Anatomical MRI study of basal ganglia in bipolar disorder patients. Psychiatry Research - Neuroimaging, 2001, 106, 65-80.	0.9	104
398	Perspectives on the use of anticonvulsants in the treatment of bipolar disorder. International Journal of Neuropsychopharmacology, 2001, 4, 421-46.	1.0	32
399	Reply to Drs. Gracious and Wisner - Valproate, hyperandrogenism, and polycystic ovaries. Bipolar Disorders, 2001, 3, 51-51.	1.1	2
400	MRI study of posterior fossa structures and brain ventricles in bipolar patients. Journal of Psychiatric Research, 2001, 35, 313-322.	1.5	108
401	MRI study of thalamic volumes in bipolar and unipolar patients and healthy individuals. Psychiatry Research - Neuroimaging, 2001, 108, 161-168.	0.9	75
402	Differential Effects of Age on Brain Gray Matter in Bipolar Patients and Healthy Individuals. Neuropsychobiology, 2001, 43, 242-247.	0.9	90
403	Ressonância magnética estrutural nos transtornos afetivos. Revista Brasileira De Psiquiatria, 2001, 23, 11-14.	0.9	5
404	Valproate treatment and the risk of hyperandrogenism and polycystic ovaries. Bipolar Disorders, 2000, 2, 37-41.	1.1	12
405	Concurrent measures of protein kinase C and phosphoinositides in lithium-treated bipolar patients and healthy individuals: a preliminary study. Psychiatry Research, 2000, 95, 109-118.	1.7	48
406	Adjunctive antipsychotic use in bipolar patients: an open 6-month prospective study following an acute episode. Journal of Affective Disorders, 1999, 56, 1-8.	2.0	18
407	Platelet membrane phospholipids in euthymic bipolar disorder patients: are they affected by lithium treatment?. Biological Psychiatry, 1999, 45, 453-457.	0.7	37
408	Neurochemical brain imaging investigations of schizophrenia. Biological Psychiatry, 1999, 46, 600-615.	0.7	90
409	The Lithium Ion: A Foundation for Psychopharmacological Specificity. Neuropsychopharmacology, 1998, 19, 167-182.	2.8	45
410	The anatomy of mood disordersâ€"review of structural neuroimaging studies. Biological Psychiatry, 1997, 41, 86-106.	0.7	732
411	The functional neuroanatomy of mood disorders. Journal of Psychiatric Research, 1997, 31, 393-432.	1.5	339
412	Prospects for the Development of New Treatments with a Rapid Onset of Action in Affective Disorders. Drugs, 1996, 52, 477-482.	4.9	8
413	Nuclear magnetic resonance spectroscopy: New insights into the pathophysiology of mood disorders. Depression, 1996, 4, 14-30.	0.7	59
414	The neuroendocrinology of stress in the pathophysiology of bipolar disorders. , 0, , 90-101.		O

#	Article	IF	CITATIONS
415	Genetic factors in the etiology of bipolar disorder. , 0, , 144-168.		O
416	Neurocognitive findings in bipolar disorder: an update. , 0, , 169-190.		0
417	Biological factors in bipolar disorder in childhood and adolescence. , 0, , 219-233.		O