

# Beata Cykowska-Marzencka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5013913/publications.pdf>

Version: 2024-02-01

24  
papers

582  
citations

567281

15  
h-index

642732

23  
g-index

24  
all docs

24  
docs citations

24  
times ranked

426  
citing authors

#	ARTICLE	IF	CITATIONS
1	New national and regional bryophyte records, 33. Journal of Bryology, 2012, 34, 281-291.	1.2	79
2	New national and regional bryophyte records, 34. Journal of Bryology, 2013, 35, 62-70.	1.2	47
3	New national and regional bryophyte records, 32. Journal of Bryology, 2012, 34, 231-246.	1.2	46
4	New national and regional bryophyte records, 30. Journal of Bryology, 2012, 34, 45-51.	1.2	42
5	New national and regional bryophyte records, 23. Journal of Bryology, 2010, 32, 140-147.	1.2	40
6	New national and regional bryophyte records, 21. Journal of Bryology, 2009, 31, 132-139.	1.2	38
7	Benchmarking plant diversity of Palaeartic grasslands and other open habitats. Journal of Vegetation Science, 2021, 32, e13050.	2.2	34
8	New national and regional bryophyte records, 48. Journal of Bryology, 2016, 38, 235-259.	1.2	32
9	New national and regional bryophyte records, 38. Journal of Bryology, 2014, 36, 61-72.	1.2	30
10	New national and regional bryophyte records, 25. Journal of Bryology, 2010, 32, 311-322.	1.2	29
11	New national and regional bryophyte records, 49. Journal of Bryology, 2016, 38, 327-347.	1.2	26
12	New national and regional bryophyte records, 19. Journal of Bryology, 2008, 30, 231-237.	1.2	22
13	New national and regional bryophyte records, 45. Journal of Bryology, 2015, 37, 308-329.	1.2	22
14	Saccogynidium Grolle (Hepaticae: Geocalycaceae) – a new generic record for Indian Bryoflora. Journal of Bryology, 2009, 31, 50-54.	1.2	19
15	Bryophytes of Āle Amsterdam in the South Indian Ocean: 1. Liverworts. Cryptogamie, Bryologie, 2014, 35, 335-371.	0.2	15
16	Two new species of liverworts from the subantarctic Prince Edward Islands. Nova Hedwigia, 2009, 89, 121-129.	0.4	13
17	Badger Meles meles setts and bryophyte diversity: A newly found role for the game animal in European temperate forests. Forest Ecology and Management, 2016, 372, 199-205.	3.2	11
18	Cladonia crispata var. cetrariiformis (Cladoniaceae, lichenized Ascomycota) in the Tatra Mts. Biologia (Poland), 2007, 62, 144-147.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Annual variability of heavy metal content in Svalbard reindeer faeces as a result of dietary preferences. Environmental Science and Pollution Research, 2018, 25, 36693-36701.	5.3	8
20	<i>Phaeomegaceros fimbriatus</i> (Gottsche) Duff, J.C.Villarreal, Cargill et Renzaglia New to Bolivia. Cryptogamie, Bryologie, 2014, 35, 99-103.	0.2	6
21	Incomplete degradation of lichen usnic acid and atranorin in Svalbard reindeer ( <i>Rangifer tarandus</i> ) Tj ETQq1 1 0.784314 rgBT/Overload	1.6	6
22	Seven Liverwort Species New or Confirmed from Subantarctic Prince Edward Island. Herzogia, 2014, 27, 397-407.	0.4	5
23	<i>Tetraplodon angustatus</i> (Bryopsida, Splachnaceae) in the Polish Tatra Mts. Polish Botanical Journal, 2013, 58, 613-616.	0.5	2
24	New distributional data on bryophytes of Poland and Slovakia, 12. Steciana, 2018, 21, 156-166.	0.1	0