Ling-Yun Dai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5016176/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Predicting miRNA-disease associations via layer attention graph convolutional network model. BMC Medical Informatics and Decision Making, 2022, 22, 69.	3.0	3
2	Sparse robust graph-regularized non-negative matrix factorization based on correntropy. Journal of Bioinformatics and Computational Biology, 2021, 19, 2050047.	0.8	3
3	Joint Lp-Norm and L2,1-Norm Constrained Graph Laplacian PCA for Robust Tumor Sample Clustering and Gene Network Module Discovery. Frontiers in Genetics, 2021, 12, 621317.	2.3	3
4	Logistic Weighted Profile-Based Bi-Random Walk for Exploring MiRNA-Disease Associations. Journal of Computer Science and Technology, 2021, 36, 276-287.	1.5	5
5	IPCARF: improving lncRNA-disease association prediction using incremental principal component analysis feature selection and a random forest classifier. BMC Bioinformatics, 2021, 22, 175.	2.6	34
6	Multi-view manifold regularized compact low-rank representation for cancer samples clustering on multi-omics data. BMC Bioinformatics, 2021, 22, 334.	2.6	2
7	Joint Nonnegative Matrix Factorization Based on Sparse and Graph Laplacian Regularization for Clustering and Co-Differential Expression Genes Analysis. Complexity, 2020, 2020, 1-10.	1.6	3
8	Hypergraph Regularized Discriminative Nonnegative Matrix Factorization on Sample Classification and Co-Differentially Expressed Gene Selection. Complexity, 2019, 2019, 1-12.	1.6	4
9	A Low-Rank Representation Method Regularized by Dual-Hypergraph Laplacian for Selecting Differentially Expressed Genes. Human Heredity, 2019, 84, 21-33.	0.8	2
10	L2,1-GRMF: an improved graph regularized matrix factorization method to predict drug-target interactions. BMC Bioinformatics, 2019, 20, 287.	2.6	17
11	Multi-cancer samples clustering via graph regularized low-rank representation method under sparse and symmetric constraints. BMC Bioinformatics, 2019, 20, 718.	2.6	7
12	PCA via joint graph Laplacian and sparse constraint: Identification of differentially expressed genes and sample clustering on gene expression data. BMC Bioinformatics, 2019, 20, 716.	2.6	7
13	Integrative graph regularized matrix factorization for drug-pathway associations analysis. Computational Biology and Chemistry, 2019, 78, 474-480.	2.3	4
14	Laplacian regularized low-rank representation for cancer samples clustering. Computational Biology and Chemistry, 2019, 78, 504-509.	2.3	9
15	The computational prediction of drug-disease interactions using the dual-network L2,1-CMF method. BMC Bioinformatics, 2019, 20, 5.	2.6	30
16	ACCBN: ant-Colony-clustering-based bipartite network method for predicting long non-coding RNA–protein interactions. BMC Bioinformatics, 2019, 20, 16.	2.6	26
17	Network analysis based on low-rank method for mining information on integrated data of multi-cancers. Computational Biology and Chemistry, 2019, 78, 468-473.	2.3	5
18	Sparse Orthogonal Nonnegative Matrix Factorization for Identifying Differentially Expressed Genes and Clustering Tumor Samples. , 2018, , .		0

Ling-Yun Dai

#	Article	IF	CITATIONS
19	Co-differential Gene Selection and Clustering Based on Graph Regularized Multi-View NMF in Cancer Genomic Data. Genes, 2018, 9, 586.	2.4	25
20	Robust graph regularized sparse orthogonal nonnegative matrix factorization for identifying differentially expressed genes. , 2017, , .		0
21	Low-rank representation regularized by L <inf>2,1</inf> -norm for identifying differentially expressed genes. , 2017, , .		0
22	Robust Nonnegative Matrix Factorization via Joint Graph Laplacian and Discriminative Information for Identifying Differentially Expressed Genes. Complexity, 2017, 2017, 1-11.	1.6	16
23	Robust graph regularized discriminative nonnegative matrix factorization for characteristic gene selection. , 2016, , .		0