

Cornu00e9 Pieterse

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5016241/cornu00e9-pieterse-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189
papers

35,110
citations

87
h-index

187
g-index

202
ext. papers

42,423
ext. citations

6.7
avg, IF

7.58
L-index

#	Paper	IF	Citations
189	Soil-Borne Legacies of Disease in Arabidopsis thaliana. <i>Methods in Molecular Biology</i> , 2021 , 2232, 209-218.	1.4	0
188	Collection of Sterile Root Exudates from Foliar Pathogen-Inoculated Plants. <i>Methods in Molecular Biology</i> , 2021 , 2232, 305-317	1.4	0
187	A family of pathogen-induced cysteine-rich transmembrane proteins is involved in plant disease resistance. <i>Planta</i> , 2021 , 253, 102	4.7	0
186	Evolutionary "hide and seek" between bacterial flagellin and the plant immune system. <i>Cell Host and Microbe</i> , 2021 , 29, 548-550	23.4	3
185	A coumarin exudation pathway mitigates arbuscular mycorrhizal incompatibility in Arabidopsis thaliana. <i>Plant Molecular Biology</i> , 2021 , 106, 319-334	4.6	4
184	Nitric oxide signalling in the root is required for MYB72-dependent systemic resistance induced by Trichoderma volatiles in Arabidopsis. <i>Journal of Experimental Botany</i> , 2021 ,	7	4
183	Rapid evolution of bacterial mutualism in the plant rhizosphere. <i>Nature Communications</i> , 2021 , 12, 3829	17.4	12
182	Experimental-Evolution-Driven Identification of Rhizosphere Competence Genes in Pseudomonas protegens. <i>MBio</i> , 2021 , 12, e0092721	7.8	4
181	The Induced Resistance Lexicon: DoB and DonRs. <i>Trends in Plant Science</i> , 2021 , 26, 685-691	13.1	29
180	Coumarin Communication Along the Microbiome-Root-Shoot Axis. <i>Trends in Plant Science</i> , 2021 , 26, 169-183	13.3	32
179	Mechanisms underlying iron deficiency-induced resistance against pathogens with different lifestyles. <i>Journal of Experimental Botany</i> , 2021 , 72, 2231-2241	7	6
178	Pseudomonas simiae WCS417: star track of a model beneficial rhizobacterium. <i>Plant and Soil</i> , 2021 , 461, 245-263	4.2	18
177	Aphid feeding induces the relaxation of epigenetic control and the associated regulation of the defense response in Arabidopsis. <i>New Phytologist</i> , 2021 , 230, 1185-1200	9.8	6
176	Transcriptome Signatures in WCS417 Shed Light on Role of Root-Secreted Coumarins in -Mutualist Communication. <i>Microorganisms</i> , 2021 , 9,	4.9	3
175	Carbonic anhydrases CA1 and CA4 function in atmospheric CO ₂ -modulated disease resistance. <i>Planta</i> , 2020 , 251, 75	4.7	9
174	Bioassays to Evaluate the Resistance of Whole Plants to the Herbivorous Insect Thrips. <i>Methods in Molecular Biology</i> , 2020 , 2085, 93-108	1.4	1
173	The Soil-Borne Identity and Microbiome-Assisted Agriculture: Looking Back to the Future. <i>Molecular Plant</i> , 2020 , 13, 1394-1401	14.4	21

172	Towards Healthy Planet Diets A Transdisciplinary Approach to Food Sustainability Challenges. <i>Challenges</i> , 2020 , 11, 21	3.4	2
171	The Age of Coumarins in Plant-Microbe Interactions. <i>Plant and Cell Physiology</i> , 2019 , 60, 1405-1419	4.9	126
170	Molecular dialogue between arbuscular mycorrhizal fungi and the nonhost plant <i>Arabidopsis thaliana</i> switches from initial detection to antagonism. <i>New Phytologist</i> , 2019 , 223, 867-881	9.8	23
169	Effect of atmospheric CO ₂ on plant defense against leaf and root pathogens of <i>Arabidopsis</i> . <i>European Journal of Plant Pathology</i> , 2019 , 154, 31-42	2.1	14
168	Rhizobacteria-Mediated Activation of the Fe Deficiency Response in <i>Arabidopsis</i> Roots: Impact on Fe Status and Signaling. <i>Frontiers in Plant Science</i> , 2019 , 10, 909	6.2	13
167	Type III Secretion System of Beneficial Rhizobacteria WCS417 and WCS374. <i>Frontiers in Microbiology</i> , 2019 , 10, 1631	5.7	20
166	Johanna Westerdijk (1881-1961) The impact of the grand lady of phytopathology in the Netherlands from 1917 to 2017. <i>European Journal of Plant Pathology</i> , 2019 , 154, 11-16	2.1	1
165	Beneficial microbes going underground of root immunity. <i>Plant, Cell and Environment</i> , 2019 , 42, 2860-2880	7.0	69
164	Rhizosphere-Associated <i>Pseudomonas</i> Suppress Local Root Immune Responses by Gluconic Acid-Mediated Lowering of Environmental pH. <i>Current Biology</i> , 2019 , 29, 3913-3920.e4	6.3	58
163	Mining the natural genetic variation in <i>Arabidopsis thaliana</i> for adaptation to sequential abiotic and biotic stresses. <i>Planta</i> , 2019 , 249, 1087-1105	4.7	15
162	The Soil-Borne Legacy. <i>Cell</i> , 2018 , 172, 1178-1180	56.2	170
161	MYB72-dependent coumarin exudation shapes root microbiome assembly to promote plant health. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5213-E5222	11.5	304
160	Tracking plant preference for higher-quality mycorrhizal symbionts under varying CO ₂ conditions over multiple generations. <i>Ecology and Evolution</i> , 2018 , 8, 78-87	2.8	14
159	Thrips advisor: exploiting thrips-induced defences to combat pests on crops. <i>Journal of Experimental Botany</i> , 2018 , 69, 1837-1848	7	34
158	Disease-induced assemblage of a plant-beneficial bacterial consortium. <i>ISME Journal</i> , 2018 , 12, 1496-1507	7.9	321
157	Root transcriptional dynamics induced by beneficial rhizobacteria and microbial immune elicitors reveal signatures of adaptation to mutualists. <i>Plant Journal</i> , 2018 , 93, 166-180	6.9	102
156	Induced Resistance Orchestrating Defence Mechanisms through Crosstalk and Priming 2018 , 334-370		4
155	Microbial small molecules - weapons of plant subversion. <i>Natural Product Reports</i> , 2018 , 35, 410-433	15.1	71

154	Non-Mycorrhizal Plants: The Exceptions that Prove the Rule. <i>Trends in Plant Science</i> , 2018 , 23, 577-587	13.1	81
153	A Comparative Review on Microbiota Manipulation: Lessons From Fish, Plants, Livestock, and Human Research. <i>Frontiers in Nutrition</i> , 2018 , 5, 80	6.2	51
152	Emerging microbial biocontrol strategies for plant pathogens. <i>Plant Science</i> , 2018 , 267, 102-111	5.3	258
151	Ethylene: Multi-Tasker in Plant-Attacker Interactions 2018 , 343-377		2
150	Combining QTL mapping with transcriptome and metabolome profiling reveals a possible role for ABA signaling in resistance against the cabbage whitefly in cabbage. <i>PLoS ONE</i> , 2018 , 13, e0206103	3.7	7
149	Receptors and Signaling Pathways for Recognition of Bacteria in Livestock and Crops: Prospects for Beneficial Microbes in Healthy Growth Strategies. <i>Frontiers in Immunology</i> , 2018 , 9, 2223	8.4	19
148	How Can We Define "Optimal Microbiota?": A Comparative Review of Structure and Functions of Microbiota of Animals, Fish, and Plants in Agriculture. <i>Frontiers in Nutrition</i> , 2018 , 5, 90	6.2	27
147	Abundantly Present miRNAs in Milk-Derived Extracellular Vesicles Are Conserved Between Mammals. <i>Frontiers in Nutrition</i> , 2018 , 5, 81	6.2	63
146	Genome-wide association study reveals novel players in defense hormone crosstalk in Arabidopsis. <i>Plant, Cell and Environment</i> , 2018 , 41, 2342-2356	8.4	38
145	Iron and Immunity. <i>Annual Review of Phytopathology</i> , 2017 , 55, 355-375	10.8	108
144	Assessing the Role of ETHYLENE RESPONSE FACTOR Transcriptional Repressors in Salicylic Acid-Mediated Suppression of Jasmonic Acid-Responsive Genes. <i>Plant and Cell Physiology</i> , 2017 , 58, 266-278	4.9	41
143	Architecture and Dynamics of the Jasmonic Acid Gene Regulatory Network. <i>Plant Cell</i> , 2017 , 29, 2086-2105	10.6	125
142	Airborne signals from Trichoderma fungi stimulate iron uptake responses in roots resulting in priming of jasmonic acid-dependent defences in shoots of Arabidopsis thaliana and Solanum lycopersicum. <i>Plant, Cell and Environment</i> , 2017 , 40, 2691-2705	8.4	86
141	Shifting from priming of salicylic acid- to jasmonic acid-regulated defences by Trichoderma protects tomato against the root knot nematode Meloidogyne incognita. <i>New Phytologist</i> , 2017 , 213, 1363-1377	9.8	163
140	Genetic architecture of plant stress resistance: multi-trait genome-wide association mapping. <i>New Phytologist</i> , 2017 , 213, 1346-1362	9.8	99
139	Atmospheric CO Alters Resistance of Arabidopsis to by Affecting Abscisic Acid Accumulation and Stomatal Responsiveness to Coronatine. <i>Frontiers in Plant Science</i> , 2017 , 8, 700	6.2	13
138	Inner Plant Values: Diversity, Colonization and Benefits from Endophytic Bacteria. <i>Frontiers in Microbiology</i> , 2017 , 8, 2552	5.7	283
137	The Soil-Borne Supremacy. <i>Trends in Plant Science</i> , 2016 , 21, 171-173	13.1	112

136	Natural genetic variation in Arabidopsis for responsiveness to plant growth-promoting rhizobacteria. <i>Plant Molecular Biology</i> , 2016 , 90, 623-34	4.6	93
135	Transcriptome dynamics of Arabidopsis during sequential biotic and abiotic stresses. <i>Plant Journal</i> , 2016 , 86, 249-67	6.9	112
134	Attenuation of pattern recognition receptor signaling is mediated by a MAP kinase kinase kinase. <i>EMBO Reports</i> , 2016 , 17, 441-54	6.5	39
133	Effect of prior drought and pathogen stress on Arabidopsis transcriptome changes to caterpillar herbivory. <i>New Phytologist</i> , 2016 , 210, 1344-56	9.8	38
132	Recognizing Plant Defense Priming. <i>Trends in Plant Science</i> , 2016 , 21, 818-822	13.1	352
131	How salicylic acid takes transcriptional control over jasmonic acid signaling. <i>Frontiers in Plant Science</i> , 2015 , 6, 170	6.2	272
130	Ethylene: Traffic Controller on Hormonal Crossroads to Defense. <i>Plant Physiology</i> , 2015 , 169, 2371-9	6.6	93
129	Unearthing the genomes of plant-beneficial <i>Pseudomonas</i> model strains WCS358, WCS374 and WCS417. <i>BMC Genomics</i> , 2015 , 16, 539	4.5	107
128	Impact of hormonal crosstalk on plant resistance and fitness under multi-attacker conditions. <i>Frontiers in Plant Science</i> , 2015 , 6, 639	6.2	111
127	Rhizobacterial volatiles and photosynthesis-related signals coordinate MYB72 expression in Arabidopsis roots during onset of induced systemic resistance and iron-deficiency responses. <i>Plant Journal</i> , 2015 , 84, 309-22	6.9	110
126	Induced Disease Resistance 2015 , 123-133		4
125	Long-term induction of defense gene expression in potato by <i>Pseudomonas</i> sp. LBUM223 and <i>Streptomyces scabies</i> . <i>Phytopathology</i> , 2014 , 104, 926-32	3.8	26
124	Plant perception of β -aminobutyric acid is mediated by an aspartyl-tRNA synthetase. <i>Nature Chemical Biology</i> , 2014 , 10, 450-6	11.7	96
123	Different shades of JAZ during plant growth and defense. <i>New Phytologist</i> , 2014 , 204, 261-4	9.8	31
122	Induced systemic resistance by beneficial microbes. <i>Annual Review of Phytopathology</i> , 2014 , 52, 347-75	10.8	1380
121	<i>Pseudomonas syringae</i> evades host immunity by degrading flagellin monomers with alkaline protease AprA. <i>Molecular Plant-Microbe Interactions</i> , 2014 , 27, 603-10	3.6	52
120	The non-JAZ TIFY protein TIFY8 from Arabidopsis thaliana is a transcriptional repressor. <i>PLoS ONE</i> , 2014 , 9, e84891	3.7	38
119	Signalling Networks Involved in Induced Resistance 2014 , 58-80		6

118	β-Glucosidase BGLU42 is a MYB72-dependent key regulator of rhizobacteria-induced systemic resistance and modulates iron deficiency responses in Arabidopsis roots. <i>New Phytologist</i> , 2014 , 204, 368-79	9.8	122
117	Functional analysis of <i>Hyaloperonospora arabidopsidis</i> RXLR effectors. <i>PLoS ONE</i> , 2014 , 9, e110624	3.7	12
116	Beneficial microbes in a changing environment: are they always helping plants to deal with insects?. <i>Functional Ecology</i> , 2013 , 27, 574-586	5.6	137
115	Microbial recognition and evasion of host immunity. <i>Journal of Experimental Botany</i> , 2013 , 64, 1237-48	7	102
114	Costs and benefits of hormone-regulated plant defences. <i>Plant Pathology</i> , 2013 , 62, 43-55	2.8	120
113	RNA-Seq: revelation of the messengers. <i>Trends in Plant Science</i> , 2013 , 18, 175-9	13.1	108
112	Cytokinins as key regulators in plant-microbe-insect interactions: connecting plant growth and defence. <i>Functional Ecology</i> , 2013 , 27, 599-609	5.6	135
111	Arbuscular mycorrhizal fungi reduce growth and infect roots of the non-host plant <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2013 , 36, 1926-37	8.4	69
110	Induced systemic resistance in cucumber and <i>Arabidopsis thaliana</i> by the combination of <i>Trichoderma harzianum</i> Tr6 and <i>Pseudomonas</i> sp. Ps14. <i>Biological Control</i> , 2013 , 65, 14-23	3.8	105
109	Ecological and phytohormonal aspects of plant volatile emission in response to single and dual infestations with herbivores and phytopathogens. <i>Functional Ecology</i> , 2013 , 27, 587-598	5.6	86
108	Bioassays for assessing jasmonate-dependent defenses triggered by pathogens, herbivorous insects, or beneficial rhizobacteria. <i>Methods in Molecular Biology</i> , 2013 , 1011, 35-49	1.4	37
107	Perception of low red:far-red ratio compromises both salicylic acid- and jasmonic acid-dependent pathogen defences in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2013 , 75, 90-103	6.9	137
106	The rhizosphere revisited: root microbiomics. <i>Frontiers in Plant Science</i> , 2013 , 4, 165	6.2	240
105	Induced plant responses to microbes and insects. <i>Frontiers in Plant Science</i> , 2013 , 4, 475	6.2	34
104	Onset of herbivore-induced resistance in systemic tissue primed for jasmonate-dependent defenses is activated by abscisic acid. <i>Frontiers in Plant Science</i> , 2013 , 4, 539	6.2	113
103	Two-way plant mediated interactions between root-associated microbes and insects: from ecology to mechanisms. <i>Frontiers in Plant Science</i> , 2013 , 4, 414	6.2	87
102	Salicylic acid suppresses jasmonic acid signaling downstream of SCFCO11-JAZ by targeting GCC promoter motifs via transcription factor ORA59. <i>Plant Cell</i> , 2013 , 25, 744-61	11.6	280
101	Unraveling root developmental programs initiated by beneficial <i>Pseudomonas</i> spp. bacteria. <i>Plant Physiology</i> , 2013 , 162, 304-18	6.6	198

100	Induced systemic resistance and the rhizosphere microbiome. <i>Plant Pathology Journal</i> , 2013 , 29, 136-43	2.5	77
99	Wide screening of phage-displayed libraries identifies immune targets in planta. <i>PLoS ONE</i> , 2013 , 8, e54654	3.7	10
98	Modulation of ethylene- and heat-controlled hyponastic leaf movement in <i>Arabidopsis thaliana</i> by the plant defence hormones jasmonate and salicylate. <i>Planta</i> , 2012 , 235, 677-85	4.7	14
97	The rhizosphere microbiome and plant health. <i>Trends in Plant Science</i> , 2012 , 17, 478-86	13.1	2400
96	Modulation of host immunity by beneficial microbes. <i>Molecular Plant-Microbe Interactions</i> , 2012 , 25, 139-50	3.5	575
95	Ethylene: Multi-Tasker in Plant-Attacker Interactions 2012 , 343-377		11
94	Induced systemic resistance in <i>Arabidopsis thaliana</i> against <i>Pseudomonas syringae</i> pv. tomato by 2,4-diacetylphloroglucinol-producing <i>Pseudomonas fluorescens</i> . <i>Phytopathology</i> , 2012 , 102, 403-12	3.8	149
93	Hormonal modulation of plant immunity. <i>Annual Review of Cell and Developmental Biology</i> , 2012 , 28, 489-521	12.6	1644
92	Low red/far-red ratios reduce <i>Arabidopsis</i> resistance to <i>Botrytis cinerea</i> and jasmonate responses via a COI1-JAZ10-dependent, salicylic acid-independent mechanism. <i>Plant Physiology</i> , 2012 , 158, 2042-52	6.6	140
91	Rewiring of the Jasmonate Signaling Pathway in <i>Arabidopsis</i> during Insect Herbivory. <i>Frontiers in Plant Science</i> , 2011 , 2, 47	6.2	117
90	Genetic dissection of basal defence responsiveness in accessions of <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2011 , 34, 1191-206	8.4	38
89	<i>Arabidopsis thaliana</i> <i>cdd1</i> mutant uncouples the constitutive activation of salicylic acid signalling from growth defects. <i>Molecular Plant Pathology</i> , 2011 , 12, 855-65	5.7	28
88	<i>Pseudomonas</i> evades immune recognition of flagellin in both mammals and plants. <i>PLoS Pathogens</i> , 2011 , 7, e1002206	7.6	97
87	Cross activity of orthologous WRKY transcription factors in wheat and <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2011 , 62, 1975-90	7	32
86	Plant immunity: it's the hormones talking, but what do they say?. <i>Plant Physiology</i> , 2010 , 154, 536-40	6.6	226
85	Helping plants to deal with insects: the role of beneficial soil-borne microbes. <i>Trends in Plant Science</i> , 2010 , 15, 507-14	13.1	411
84	Ethylene signaling renders the jasmonate response of <i>Arabidopsis</i> insensitive to future suppression by salicylic Acid. <i>Molecular Plant-Microbe Interactions</i> , 2010 , 23, 187-97	3.6	135
83	Salicylate-mediated suppression of jasmonate-responsive gene expression in <i>Arabidopsis</i> is targeted downstream of the jasmonate biosynthesis pathway. <i>Planta</i> , 2010 , 232, 1423-32	4.7	181

82	OCP3 is an important modulator of NPR1-mediated jasmonic acid-dependent induced defenses in Arabidopsis. <i>BMC Plant Biology</i> , 2010 , 10, 199	5.3	39
81	Kinome profiling reveals an interaction between jasmonate, salicylate and light control of hyponastic petiole growth in Arabidopsis thaliana. <i>PLoS ONE</i> , 2010 , 5, e14255	3.7	18
80	Plant Defense Signaling from the Underground Primes Aboveground Defenses to Confer Enhanced Resistance in a Cost-Efficient Manner. <i>Signaling and Communication in Plants</i> , 2010 , 43-60	1	7
79	Are small GTPases signal hubs in sugar-mediated induction of fructan biosynthesis?. <i>PLoS ONE</i> , 2009 , 4, e6605	3.7	34
78	Jasmonate signaling in plant interactions with resistance-inducing beneficial microbes. <i>Phytochemistry</i> , 2009 , 70, 1581-8	4	303
77	Reassessing the role of phospholipase D in the Arabidopsis wounding response. <i>Plant, Cell and Environment</i> , 2009 , 32, 837-50	8.4	64
76	Networking by small-molecule hormones in plant immunity. <i>Nature Chemical Biology</i> , 2009 , 5, 308-16	11.7	1573
75	MYB72, a node of convergence in induced systemic resistance triggered by a fungal and a bacterial beneficial microbe. <i>Plant Biology</i> , 2009 , 11, 90-6	3.7	201
74	Priming of plant innate immunity by rhizobacteria and beta-aminobutyric acid: differences and similarities in regulation. <i>New Phytologist</i> , 2009 , 183, 419-431	9.8	164
73	Ethylene modulates the role of NONEXPRESSOR OF PATHOGENESIS-RELATED GENES1 in cross talk between salicylate and jasmonate signaling. <i>Plant Physiology</i> , 2009 , 149, 1797-809	6.6	228
72	Transcription factor MYC2 is involved in priming for enhanced defense during rhizobacteria-induced systemic resistance in Arabidopsis thaliana. <i>New Phytologist</i> , 2008 , 180, 511-523	9.8	203
71	Plant immune responses triggered by beneficial microbes. <i>Current Opinion in Plant Biology</i> , 2008 , 11, 443-8	9.9	614
70	The AP2/ERF domain transcription factor ORA59 integrates jasmonic acid and ethylene signals in plant defense. <i>Plant Physiology</i> , 2008 , 147, 1347-57	6.6	465
69	MYB72 is required in early signaling steps of rhizobacteria-induced systemic resistance in Arabidopsis. <i>Plant Physiology</i> , 2008 , 146, 1293-304	6.6	206
68	Differential effectiveness of microbially induced resistance against herbivorous insects in Arabidopsis. <i>Molecular Plant-Microbe Interactions</i> , 2008 , 21, 919-30	3.6	166
67	Histone modifications do not play a major role in salicylate-mediated suppression of jasmonate-induced PDF1.2 gene expression. <i>Communicative and Integrative Biology</i> , 2008 , 1, 143-5	1.7	20
66	Kinetics of salicylate-mediated suppression of jasmonate signaling reveal a role for redox modulation. <i>Plant Physiology</i> , 2008 , 147, 1358-68	6.6	268
65	Towards a reporter system to identify regulators of cross-talk between salicylate and jasmonate signaling pathways in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2008 , 3, 543-6	2.5	32

64	Cross talk in defense signaling. <i>Plant Physiology</i> , 2008 , 146, 839-44	6.6	727
63	Kinome profiling of Arabidopsis using arrays of kinase consensus substrates. <i>Plant Methods</i> , 2007 , 3, 3	5.8	24
62	Plants under attack: multiple interactions with insects and microbes. <i>Plant Signaling and Behavior</i> , 2007 , 2, 527-9	2.5	15
61	The role of ethylene in rhizobacteria-induced systemic resistance (ISR) 2007 , 325-331		8
60	Plant interactions with microbes and insects: from molecular mechanisms to ecology. <i>Trends in Plant Science</i> , 2007 , 12, 564-9	13.1	345
59	Induced Systemic Resistance by Fluorescent Pseudomonas spp. <i>Phytopathology</i> , 2007 , 97, 239-43	3.8	408
58	The Arabidopsis thaliana Transcription Factor AtMYB102 Functions in Defense Against the Insect Herbivore Pieris rapae. <i>Plant Signaling and Behavior</i> , 2006 , 1, 305-11	2.5	57
57	Signaling in Plant Resistance Responses: Divergence and Cross-Talk of Defense Pathways 2006 , 166-196		18
56	Costs and benefits of priming for defense in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 5602-7	11.5	609
55	The Relationship Between Basal and Induced Resistance in Arabidopsis 2006 , 197-224		13
54	Herbivore-induced resistance against microbial pathogens in Arabidopsis. <i>Plant Physiology</i> , 2006 , 142, 352-63	6.6	171
53	Priming: getting ready for battle. <i>Molecular Plant-Microbe Interactions</i> , 2006 , 19, 1062-71	3.6	1029
52	Significance of inducible defense-related proteins in infected plants. <i>Annual Review of Phytopathology</i> , 2006 , 44, 135-62	10.8	2174
51	Signal signature and transcriptome changes of Arabidopsis during pathogen and insect attack. <i>Molecular Plant-Microbe Interactions</i> , 2005 , 18, 923-37	3.6	751
50	Colonization of the Arabidopsis rhizosphere by fluorescent Pseudomonas spp. activates a root-specific, ethylene-responsive PR-5 gene in the vascular bundle. <i>Plant Molecular Biology</i> , 2005 , 57, 731-48	4.6	46
49	The transcriptome of rhizobacteria-induced systemic resistance in arabidopsis. <i>Molecular Plant-Microbe Interactions</i> , 2004 , 17, 895-908	3.6	424
48	NPR1: the spider in the web of induced resistance signaling pathways. <i>Current Opinion in Plant Biology</i> , 2004 , 7, 456-64	9.9	371
47	Jasmonates Signals in plant-microbe interactions. <i>Journal of Plant Growth Regulation</i> , 2004 , 23, 211-222	4.7	9

46	Jasmonates - Signals in Plant-Microbe Interactions. <i>Journal of Plant Growth Regulation</i> , 2004 , 23, 211-222.	4.7	154
45	Silencing of the mitogen-activated protein kinase MPK6 compromises disease resistance in Arabidopsis. <i>Plant Cell</i> , 2004 , 16, 897-907	11.6	198
44	Members of the aquaporin family in the developing pea seed coat include representatives of the PIP, TIP, and NIP subfamilies. <i>Plant Molecular Biology</i> , 2003 , 53, 633-45	4.6	69
43	NPR1 modulates cross-talk between salicylate- and jasmonate-dependent defense pathways through a novel function in the cytosol. <i>Plant Cell</i> , 2003 , 15, 760-70	11.6	871
42	Colonization of Arabidopsis roots by <i>Pseudomonas fluorescens</i> primes the plant to produce higher levels of ethylene upon pathogen infection. <i>Physiological and Molecular Plant Pathology</i> , 2003 , 62, 219-226	2.6	62
41	Understanding the involvement of rhizobacteria-mediated induction of systemic resistance in biocontrol of plant diseases. <i>Canadian Journal of Plant Pathology</i> , 2003 , 25, 5-9	1.6	129
40	Characterization of Arabidopsis enhanced disease susceptibility mutants that are affected in systemically induced resistance. <i>Plant Journal</i> , 2002 , 29, 11-21	6.9	91
39	The Arabidopsis ISR1 Locus is Required for Rhizobacteria-Mediated Induced Systemic Resistance Against Different Pathogens. <i>Plant Biology</i> , 2002 , 4, 224-227	3.7	15
38	Signalling in Rhizobacteria-Induced Systemic Resistance in Arabidopsis thaliana. <i>Plant Biology</i> , 2002 , 4, 535-544	3.7	165
37	Differential effectiveness of salicylate-dependent and jasmonate/ethylene-dependent induced resistance in Arabidopsis. <i>Molecular Plant-Microbe Interactions</i> , 2002 , 15, 27-34	3.6	302
36	Priming in plant-pathogen interactions. <i>Trends in Plant Science</i> , 2002 , 7, 210-6	13.1	732
35	Heritability Of Rhizobacteria-mediated Induced Systemic Resistance And Basal Resistance In Arabidopsis. <i>European Journal of Plant Pathology</i> , 2001 , 107, 63-68	2.1	9
34	Rhizobacteria-mediated Induced Systemic Resistance: Triggering, Signalling and Expression. <i>European Journal of Plant Pathology</i> , 2001 , 107, 51-61	2.1	159
33	The arabidopsis ISR1 locus controlling rhizobacteria-mediated induced systemic resistance is involved in ethylene signaling. <i>Plant Physiology</i> , 2001 , 125, 652-61	6.6	86
32	Rhizobacteria-mediated induced systemic resistance (ISR) in Arabidopsis requires sensitivity to jasmonate and ethylene but is not accompanied by an increase in their production. <i>Physiological and Molecular Plant Pathology</i> , 2000 , 57, 123-134	2.6	190
31	Enhancement of induced disease resistance by simultaneous activation of salicylate- and jasmonate-dependent defense pathways in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 8711-6	11.5	461
30	Rhizobacteria-mediated induced systemic resistance (ISR) in Arabidopsis is not associated with a direct effect on expression of known defense-related genes but stimulates the expression of the jasmonate-inducible gene Atvsp upon challenge. <i>Plant Molecular Biology</i> , 1999 , 41, 537-49	4.6	248
29	Systemic resistance in Arabidopsis induced by rhizobacteria requires ethylene-dependent signaling at the site of application. <i>Molecular Plant-Microbe Interactions</i> , 1999 , 12, 720-7	3.6	160

28	Salicylic acid-independent plant defence pathways. <i>Trends in Plant Science</i> , 1999 , 4, 52-58	13.1	499
27	Identification of a locus in arabidopsis controlling both the expression of rhizobacteria-mediated induced systemic resistance (ISR) and basal resistance against <i>Pseudomonas syringae</i> pv. tomato. <i>Molecular Plant-Microbe Interactions</i> , 1999 , 12, 911-8	3.6	73
26	<i>Pseudomonas Syringae</i> Pathovars and Related Pathogens. Edited by K. Rudolph, T.J. Burr, J.W. Mansfield, D. Stead, A. Vivian and J. von Kietzell.. <i>European Journal of Plant Pathology</i> , 1998 , 104, 223-223 ¹	2.1	23
25	A novel signaling pathway controlling induced systemic resistance in Arabidopsis. <i>Plant Cell</i> , 1998 , 10, 1571-80	11.6	897
24	Systemic resistance induced by rhizosphere bacteria. <i>Annual Review of Phytopathology</i> , 1998 , 36, 453-83	10.8	1667
23	A Novel Signaling Pathway Controlling Induced Systemic Resistance in Arabidopsis. <i>Plant Cell</i> , 1998 , 10, 1571	11.6	15
22	Differential induction of systemic resistance in Arabidopsis by biocontrol bacteria. <i>Molecular Plant-Microbe Interactions</i> , 1997 , 10, 716-24	3.6	318
21	Systemic Resistance in Arabidopsis Induced by Biocontrol Bacteria Is Independent of Salicylic Acid Accumulation and Pathogenesis-Related Gene Expression. <i>Plant Cell</i> , 1996 , 8, 1225	11.6	58
20	Systemic resistance in Arabidopsis induced by biocontrol bacteria is independent of salicylic acid accumulation and pathogenesis-related gene expression. <i>Plant Cell</i> , 1996 , 8, 1225-37	11.6	574
19	NiaA, the structural nitrate reductase gene of <i>Phytophthora infestans</i> : isolation, characterization and expression analysis in <i>Aspergillus nidulans</i> . <i>Current Genetics</i> , 1995 , 27, 359-66	2.9	29
18	Induced systemic resistance in radish is not associated with accumulation of pathogenesis-related proteins. <i>Physiological and Molecular Plant Pathology</i> , 1995 , 46, 309-320	2.6	120
17	Expression of the <i>Phytophthora infestans</i> ipiB and ipiO genes in planta and in vitro. <i>Molecular Genetics and Genomics</i> , 1994 , 244, 269-77		63
16	Structure and genomic organization of the ipiB and ipiO gene clusters of <i>Phytophthora infestans</i> . <i>Gene</i> , 1994 , 138, 67-77	3.8	88
15	Isolation of putative pathogenicity genes of the potato late blight fungus <i>Phytophthora infestans</i> by differential hybridization of a genomic library. <i>Physiological and Molecular Plant Pathology</i> , 1993 , 43, 69-79	2.6	28
14	Expression and antisense inhibition of transgenes in <i>Phytophthora infestans</i> is modulated by choice of promoter and position effects. <i>Gene</i> , 1993 , 133, 63-9	3.8	48
13	Increased expression of the calmodulin gene of the late blight fungus <i>Phytophthora infestans</i> during pathogenesis on potato. <i>Molecular Plant-Microbe Interactions</i> , 1993 , 6, 164-72	3.6	38
12	Molecular aspects of the potato \square <i>Phytophthora infestans</i> interaction. <i>European Journal of Plant Pathology</i> , 1992 , 98, 85-92		16
11	An in planta induced gene of <i>Phytophthora infestans</i> codes for ubiquitin. <i>Plant Molecular Biology</i> , 1991 , 17, 799-811	4.6	58

10	FUNCTION AND REGULATION OF THE EARLY NODULIN GENE ENOD2 1990 , 259-269		4
9	Induced Resistance [Orchestrating Defence Mechanisms through Crosstalk and Priming]334-370		1
8	Signalling Cascades Involved in Induced Resistance65-88		16
7	Plant-Beneficial <i>Pseudomonas</i> Spp. Suppress Local Root Immune Responses by Gluconic Acid-Mediated Lowering of Environmental pH. <i>SSRN Electronic Journal</i> ,	1	4
6	Rapid Evolution of Plant-Bacterium Mutualism in the Rhizosphere. <i>SSRN Electronic Journal</i> ,	1	2
5	Architecture and dynamics of the jasmonic acid gene regulatory network		3
4	Experimental evolution-driven identification of <i>Arabidopsis</i> rhizosphere competence genes in <i>Pseudomonas protegens</i>		2
3	Rapid evolution of bacterial mutualism in the plant rhizosphere		4
2	Transcriptional Dynamics of the Salicylic Acid Response and its Interplay with the Jasmonic Acid Pathway		4
1	Abscisic acid is essential for rewiring of jasmonic acid-dependent defenses during herbivory		7