

Marina Mazã³n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5016385/publications.pdf>

Version: 2024-02-01

26
papers

314
citations

1307594

7
h-index

888059

17
g-index

27
all docs

27
docs citations

27
times ranked

698
citing authors

#	ARTICLE	IF	CITATIONS
1	Population dynamics, native parasitoids and incidence of Tephritidae (Insecta, Diptera) in cherimoya (<i>Annona cherimola</i> mill.) secondary forests at Southern Ecuador. <i>International Journal of Pest Management</i> , 2023, 69, 14-21.	1.8	1
2	Engagement increases people willingness to sustain restored areas beyond financial incentives. <i>Restoration Ecology</i> , 2021, 29, e13352.	2.9	1
3	<i>Triece</i> ranjithi nom. nov., a replacement name for <i>Triece</i> confusus Mazáñ & Bordera, 2020 (Hymenoptera: Ichneumonidae: Metopiinae). <i>Zootaxa</i> , 2021, 5005, 85-85.	0.5	1
4	Tritrophic web structure in montane Andean forests undergoing ecological restoration. <i>Food Webs</i> , 2020, 25, e00170.	1.2	0
5	Discovery of a new species of <i>Triece</i> (Hymenoptera: Ichneumonidae: Metopiinae) questioning the traditional delimitation between <i>Triece</i> and <i>Chorinaeus</i> . <i>Zootaxa</i> , 2020, 4821, zootaxa.4821.3.10.	0.5	2
6	Relationship Between Body Mass and Forewing Length in Neotropical Ichneumonidae (Insecta: Hymenoptera: Ichneumonidae). <i>Journal of Insect Science and Technology</i> , 2020, 10, 50-54.	1.2	3
7	IDENTIFICACIÓN Y EVALUACIÓN DE LA INCIDENCIA DE INSECTOS Y HONGOS BENEFICOS ASOCIADOS A <i>Diaphorina citri</i> KUWAYAMA (HEMIPTERA: LIVIIDAE) EN PLANTAS TRASPATIO (<i>Citrus</i> spp. y <i>Murraya</i>) EN LA ZONA DE TRASPATIO DE LA CIUDAD DE QUITO, ECUADOR. <i>Revista Ecuatoriana de Biología</i> , 2020, 7, 1-10.	0.2	2
8	Revealing the hidden species diversity of tropical cryptines: a review of the Neotropical Lissaspis Townes (Hymenoptera: Ichneumonidae). <i>Insect Systematics and Evolution</i> , 2019, 50, 601-669.	0.7	0
9	Monitoring attributes for ecological restoration in Latin America and the Caribbean region. <i>Restoration Ecology</i> , 2019, 27, 992-999.	2.9	17
10	Early stage litter decomposition across biomes. <i>Science of the Total Environment</i> , 2018, 628-629, 1369-1394.	8.0	177
11	Entomofauna Associated with Agroforestry Systems of Timber Species and Cacao in the Southern Region of the Maracaibo Lake Basin (Márida, Venezuela). <i>Insects</i> , 2018, 9, 46.	2.2	4
12	Ecología trófica del bicho terrestre <i>Athene cunicularia punensis</i> (Strigiformes: Strigidae) en el archipiélago de Jambelá, provincia de El Oro, suroeste de Ecuador. <i>Revista Peruana De Biología</i> , 2018, 25, 123.	0.3	4
13	Do Refuge Plants Favour Natural Pest Control in Maize Crops?. <i>Insects</i> , 2017, 8, 71.	2.2	13
14	Description of the First Species of <i>Triece</i> (Hymenoptera: Ichneumonidae) with Tyloids in the Male Antennae and New Records of Neotropical Species. <i>Neotropical Entomology</i> , 2016, 45, 280-287.	1.2	3
15	The Neotropical species of <i>Atractodes</i> (Hymenoptera, Ichneumonidae, Cryptinae), II: the <i>A. pleuripunctatus</i> species-group. <i>Zootaxa</i> , 2016, 4161, 437.	0.5	0
16	The Neotropical species of <i>Atractodes</i> (Hymenoptera, Ichneumonidae, Cryptinae), I: the <i>A. propodeator</i> and <i>A. altoandinus</i> species-groups. <i>Zootaxa</i> , 2016, 4137, 108.	0.5	1
17	Taking shortcuts to measure species diversity: parasitoid Hymenoptera subfamilies as surrogates of species richness. <i>Biodiversity and Conservation</i> , 2016, 25, 67-76.	2.6	17
18	Metodología para el monitoreo participativo de la restauración ecológica con estudiantes de primaria en plantaciones de cacao de Márida, Venezuela. <i>Biota Colombiana</i> , 2016, 17, 16-25.	0.3	4

#	ARTICLE	IF	CITATIONS
19	Description of a new species of <i>Aclastus</i> Förster (Hymenoptera: Ichneumonidae: Tj ETQq1 1,0,784314rgBT /Over	0,5	0
20	Diversity of Ichneumonidae (Insecta: Hymenoptera) in a protected area of Central Spain: What are we protecting?. <i>Insect Conservation and Diversity</i> , 2014, 7, 432-452.	3.0	9
21	Effectiveness of different trap types for control of bark and ambrosia beetles (Scolytinae) in Criollo cacao farms of Mérida, Venezuela. <i>International Journal of Pest Management</i> , 2013, 59, 189-196.	1.8	9
22	New Records of Ichneumonidae (Hymenoptera) from the Iberian Peninsula and Palaearctic Region. <i>Entomological News</i> , 2010, 121, 122-128.	0.2	1
23	Diurnal flight activity of Ichneumonidae (Insecta: Hymenoptera) in Cabañeros National Park (Spain). <i>Journal of Natural History</i> , 2009, 43, 1291-1304.	0.5	3
24	Effectiveness of two sampling methods used for collecting Ichneumonidae (Hymenoptera) in the Cabañeros National Park (Spain). <i>European Journal of Entomology</i> , 2008, 105, 879-888.	1.2	40
25	An illustrated species key of <i>Enclisis Townes</i> including descriptions of two new species (Hymenoptera: Tj ETQq1 1,0,784314rgBT /Over	0,7	1
26	Hymenoptera functional groups' shifts in disturbance gradients at Andean forests in Southern Ecuador. <i>Journal of Hymenoptera Research</i> , 0, 80, 1-15.	0.8	1