
Gabriela Wessling Oening Dicati

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5016647/publications.pdf Version: 2024-02-01



Gabriela Wessling Oening

#	Article	IF	CITATIONS
1	Optimum parameters for each subject in bone remodeling models: A new methodology using surrogate and clinical data. European Journal of Mechanics, A/Solids, 2022, 91, 104409.	3.7	2
2	Techniques for mitigating the checkerboard formation: application in bone remodeling simulations. Medical Engineering and Physics, 2022, 99, 103739.	1.7	6
3	Comparative Analysis of the Biomechanical Behavior of Collar and Collarless Stems: Experimental Testing and Finite Element Modelling. Journal of Medical and Biological Engineering, 2021, 41, 844-855.	1.8	4
4	The influence of an extra-articular implant on bone remodelling of the knee joint. Biomechanics and Modeling in Mechanobiology, 2020, 19, 37-46.	2.8	9
5	Simulation of bone remodeling around a femoral prosthesis using a model that accounts for biological and mechanical interactions. Medical Engineering and Physics, 2020, 84, 126-135.	1.7	5
6	Analysis of the uniqueness and stability of solutions to problems regarding the bone-remodeling process. Medical Engineering and Physics, 2020, 85, 113-122.	1.7	5
7	BIOMECHANICAL RATIONALE FOR CHOICE OF CEMENT MANTLE THICKNESS AROUND A FEMORAL STEM. Journal of Mechanics in Medicine and Biology, 2018, 18, 1850064.	0.7	Ο
8	ANALYSIS OF TEMPORAL PARAMETER FOR STANFORD ISOTROPIC BONE REMODELING MODEL FOR IMPROVEMENT OF DATA PROCESSING. Anais Do Congresso Ibero-Latino-Americano De Métodos Computacionais Em Engenharia, 0, , .	0.0	1
9	CHECKERBOARD CONTROL IN 3D ANALYSIS OF BONE REMODELING. Anais Do Congresso Ibero-Latino-Americano De Métodos Computacionais Em Engenharia, 0, , .	0.0	2
10	Influence of material stiffness of total hip prosthesis in isotropic bone-remodeling process analysis. Anais Do Congresso Ibero-Latino-Americano De Métodos Computacionais Em Engenharia, 0, , .	0.0	1
11	Application of metamodeling for characterization of bone-remodeling parameters using clinical results. , 0, , .		0