Chiara Zurzolo

List of Publications by Citations

Source: https://exaly.com/author-pdf/501734/chiara-zurzolo-publications-by-citations.pdf

Version: 2024-04-19

121

ext. papers

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115 6,648 44 papers citations h-index

7,587 7.4 ext. citations avg, IF

6.16 L-index

g-index

#	Paper	IF	Citations
115	A requirement for caveolin-1 and associated kinase Fyn in integrin signaling and anchorage-dependent cell growth. <i>Cell</i> , 1998 , 94, 625-34	56.2	620
114	Prions hijack tunnelling nanotubes for intercellular spread. <i>Nature Cell Biology</i> , 2009 , 11, 328-36	23.4	448
113	Small misfolded Tau species are internalized via bulk endocytosis and anterogradely and retrogradely transported in neurons. <i>Journal of Biological Chemistry</i> , 2013 , 288, 1856-70	5.4	333
112	Lipids as targeting signals: lipid rafts and intracellular trafficking. <i>Traffic</i> , 2004 , 5, 247-54	5.7	292
111	Wiring through tunneling nanotubesfrom electrical signals to organelle transfer. <i>Journal of Cell Science</i> , 2012 , 125, 1089-98	5.3	219
110	Tunneling nanotubes spread fibrillar Esynuclein by intercellular trafficking of lysosomes. <i>EMBO Journal</i> , 2016 , 35, 2120-2138	13	199
109	Protein oligomerization modulates raft partitioning and apical sorting of GPI-anchored proteins. <i>Journal of Cell Biology</i> , 2004 , 167, 699-709	7.3	198
108	Glycosylphosphatidylinositol-anchored proteins are preferentially targeted to the basolateral surface in Fischer rat thyroid epithelial cells. <i>Journal of Cell Biology</i> , 1993 , 121, 1031-9	7.3	148
107	The highways and byways of prion protein trafficking. <i>Trends in Cell Biology</i> , 2005 , 15, 102-11	18.3	143
106	Identification of an intracellular site of prion conversion. <i>PLoS Pathogens</i> , 2009 , 5, e1000426	7.6	130
105	Caveolin transfection results in caveolae formation but not apical sorting of glycosylphosphatidylinositol (GPI)-anchored proteins in epithelial cells. <i>Journal of Cell Biology</i> , 1998 , 140, 617-26	7.3	127
104	Transfer of polyglutamine aggregates in neuronal cells occurs in tunneling nanotubes. <i>Journal of Cell Science</i> , 2013 , 126, 3678-85	5.3	125
103	Tunneling Nanotubes and Gap Junctions-Their Role in Long-Range Intercellular Communication during Development, Health, and Disease Conditions. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 333	6.1	125
102	VIP21/caveolin, glycosphingolipid clusters and the sorting of glycosylphosphatidylinositol-anchored proteins in epithelial cells <i>EMBO Journal</i> , 1994 , 13, 42-53	13	125
101	Esynuclein transfer between neurons and astrocytes indicates that astrocytes play a role in degradation rather than in spreading. <i>Acta Neuropathologica</i> , 2017 , 134, 789-808	14.3	117
100	The cell biology of prion-like spread of protein aggregates: mechanisms and implication in neurodegeneration. <i>Biochemical Journal</i> , 2013 , 452, 1-17	3.8	116
99	Multifaceted roles of tunneling nanotubes in intercellular communication. <i>Frontiers in Physiology</i> , 2012 , 3, 72	4.6	113

(2014-2016)

98	Tunneling nanotubes: A possible highway in the spreading of tau and other prion-like proteins in neurodegenerative diseases. <i>Prion</i> , 2016 , 10, 344-351	2.3	112
97	PrP(C) association with lipid rafts in the early secretory pathway stabilizes its cellular conformation. <i>Molecular Biology of the Cell</i> , 2004 , 15, 4031-42	3.5	110
96	Detergent-insoluble GPI-anchored proteins are apically sorted in fischer rat thyroid cells, but interference with cholesterol or sphingolipids differentially affects detergent insolubility and apical sorting. <i>Molecular Biology of the Cell</i> , 2000 , 11, 531-42	3.5	110
95	Myo10 is a key regulator of TNT formation in neuronal cells. <i>Journal of Cell Science</i> , 2013 , 126, 4424-35	5.3	102
94	Correlative cryo-electron microscopy reveals the structure of TNTs in neuronal cells. <i>Nature Communications</i> , 2019 , 10, 342	17.4	93
93	GPI-anchored proteins are directly targeted to the apical surface in fully polarized MDCK cells. <i>Journal of Cell Biology</i> , 2006 , 172, 1023-34	7.3	91
92	Glycosylphosphatidylinositol-anchored proteins: Membrane organization and transport. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 632-9	3.8	76
91	PrPC is sorted to the basolateral membrane of epithelial cells independently of its association with rafts. <i>Traffic</i> , 2002 , 3, 810-21	5.7	74
90	The spread of prion-like proteins by lysosomes and tunneling nanotubes: Implications for neurodegenerative diseases. <i>Journal of Cell Biology</i> , 2017 , 216, 2633-2644	7.3	71
89	Mycolactone activation of Wiskott-Aldrich syndrome proteins underpins Buruli ulcer formation. Journal of Clinical Investigation, 2013 , 123, 1501-12	15.9	69
88	Tunnelling nanotubes: a highway for prion spreading?. <i>Prion</i> , 2009 , 3, 94-8	2.3	68
87	Modulation of transcytotic and direct targeting pathways in a polarized thyroid cell line <i>EMBO Journal</i> , 1992 , 11, 2337-2344	13	67
86	Differential identity of Filopodia and Tunneling Nanotubes revealed by the opposite functions of actin regulatory complexes. <i>Scientific Reports</i> , 2016 , 6, 39632	4.9	65
85	Plasma membrane and lysosomal localization of CB1 cannabinoid receptor are dependent on lipid rafts and regulated by anandamide in human breast cancer cells. <i>FEBS Letters</i> , 2005 , 579, 6343-9	3.8	64
84	Delivery of Na+,K(+)-ATPase in polarized epithelial cells. <i>Science</i> , 1993 , 260, 550-2; author reply 554-6	33.3	63
83	Opposite polarity of virus budding and of viral envelope glycoprotein distribution in epithelial cells derived from different tissues. <i>Journal of Cell Biology</i> , 1992 , 117, 551-64	7.3	63
82	Different GPI-attachment signals affect the oligomerisation of GPI-anchored proteins and their apical sorting. <i>Journal of Cell Science</i> , 2008 , 121, 4001-7	5.3	59
81	Defined Esynuclein prion-like molecular assemblies spreading in cell culture. <i>BMC Neuroscience</i> , 2014 , 15, 69	3.2	58

80	Distinct v-SNAREs regulate direct and indirect apical delivery in polarized epithelial cells. <i>Journal of Cell Science</i> , 2007 , 120, 3309-20	5.3	57
79	Prion aggregates transfer through tunneling nanotubes in endocytic vesicles. <i>Prion</i> , 2015 , 9, 125-35	2.3	55
78	Astrocyte-to-neuron intercellular prion transfer is mediated by cell-cell contact. <i>Scientific Reports</i> , 2016 , 6, 20762	4.9	53
77	Sorting of GPI-anchored proteins from yeast to mammalscommon pathways at different sites?. <i>Journal of Cell Science</i> , 2014 , 127, 2793-801	5.3	52
76	Oligomerization is a specific requirement for apical sorting of glycosyl-phosphatidylinositol-anchored proteins but not for non-raft-associated apical proteins. <i>Traffic</i> , 2007 , 8, 251-8	5.7	51
75	alpha-Adducin mutations increase Na/K pump activity in renal cells by affecting constitutive endocytosis: implications for tubular Na reabsorption. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F478-87	4.3	48
74	Identification and Characterization of Tunneling Nanotubes for Intercellular Trafficking. <i>Current Protocols in Cell Biology</i> , 2015 , 67, 12.10.1-12.10.21	2.3	47
73	VIP21/caveolin, glycosphingolipid clusters and the sorting of glycosylphosphatidylinositol-anchored proteins in epithelial cells. <i>EMBO Journal</i> , 1994 , 13, 42-53	13	47
72	Detergent-resistant membrane domains but not the proteasome are involved in the misfolding of a PrP mutant retained in the endoplasmic reticulum. <i>Journal of Cell Science</i> , 2006 , 119, 433-42	5.3	43
71	Lipid rafts and clathrin cooperate in the internalization of PrP in epithelial FRT cells. <i>PLoS ONE</i> , 2009 , 4, e5829	3.7	42
70	Sensitivity of polarized epithelial cells to the pore-forming toxin aerolysin. <i>Infection and Immunity</i> , 2003 , 71, 739-46	3.7	42
69	The prion-like spreading of Bynuclein: From in vitro to in vivo models of Parkinson ß disease. <i>Ageing Research Reviews</i> , 2019 , 50, 89-101	12	38
68	Characterization of the role of dendritic cells in prion transfer to primary neurons. <i>Biochemical Journal</i> , 2010 , 431, 189-98	3.8	37
67	Modulation of transcytotic and direct targeting pathways in a polarized thyroid cell line. <i>EMBO Journal</i> , 1992 , 11, 2337-44	13	37
66	Polarity signals in epithelial cells. <i>Journal of Cell Science</i> , 1993 , 17, 9-12	5.3	36
65	Golgi sorting regulates organization and activity of GPI proteins at apical membranes. <i>Nature Chemical Biology</i> , 2014 , 10, 350-357	11.7	33
64	Development of antibody fragments for immunotherapy of prion diseases. <i>Biochemical Journal</i> , 2009 , 418, 507-15	3.8	33
63	Tunneling Nanotubes: The Fuel of Tumor Progression?. <i>Trends in Cancer</i> , 2020 , 6, 874-888	12.5	32

(2020-2016)

62	Drosophila cells use nanotube-like structures to transfer dsRNA and RNAi machinery between cells. <i>Scientific Reports</i> , 2016 , 6, 27085	4.9	31
61	4-hydroxytamoxifen leads to PrPSc clearance by conveying both PrPC and PrPSc to lysosomes independently of autophagy. <i>Journal of Cell Science</i> , 2013 , 126, 1345-54	5.3	31
60	Selective roles for cholesterol and actin in compartmentalization of different proteins in the Golgi and plasma membrane of polarized cells. <i>Journal of Biological Chemistry</i> , 2008 , 283, 29545-53	5.4	31
59	Characterization of the properties and trafficking of an anchorless form of the prion protein. <i>Journal of Biological Chemistry</i> , 2007 , 282, 22747-56	5.4	30
58	Cell Biology of Prion Protein. <i>Progress in Molecular Biology and Translational Science</i> , 2017 , 150, 57-82	4	27
57	Trafficking and Membrane Organization of GPI-Anchored Proteins in Health and Diseases. <i>Current Topics in Membranes</i> , 2015 , 75, 269-303	2.2	27
56	The Wnt/Ca pathway is involved in interneuronal communication mediated by tunneling nanotubes. <i>EMBO Journal</i> , 2019 , 38, e101230	13	27
55	The Ways of Actin: Why Tunneling Nanotubes Are Unique Cell Protrusions. <i>Trends in Cell Biology</i> , 2021 , 31, 130-142	18.3	25
54	Prions: protein only or something more? Overview of potential prion cofactors. <i>Journal of Molecular Neuroscience</i> , 2006 , 29, 195-214	3.3	24
53	Fine intercellular connections in development: TNTs, cytonemes, or intercellular bridges?. <i>Cell Stress</i> , 2020 , 4, 30-43	5.5	24
52	Rab11a-Rab8a cascade regulates the formation of tunneling nanotubes through vesicle recycling. Journal of Cell Science, 2018 , 131,	5.3	22
51	N-Glycosylation instead of cholesterol mediates oligomerization and apical sorting of GPI-APs in FRT cells. <i>Molecular Biology of the Cell</i> , 2011 , 22, 4621-34	3.5	21
50	N- and O-glycans are not directly involved in the oligomerization and apical sorting of GPI proteins. <i>Traffic</i> , 2008 , 9, 2141-50	5.7	21
49	Patient-derived glioblastoma stem cells transfer mitochondria through tunneling nanotubes in tumor organoids. <i>Biochemical Journal</i> , 2021 , 478, 21-39	3.8	20
48	Effect of tolytoxin on tunneling nanotube formation and function. Scientific Reports, 2019, 9, 5741	4.9	19
47	A y(+)LAT-1 mutant protein interferes with y(+)LAT-2 activity: implications for the molecular pathogenesis of lysinuric protein intolerance. <i>European Journal of Human Genetics</i> , 2005 , 13, 628-34	5.3	19
46	Analysis of detergent-resistant membranes associated with apical and basolateral GPI-anchored proteins in polarized epithelial cells. <i>FEBS Letters</i> , 2006 , 580, 5705-12	3.8	17
45	Fate and propagation of endogenously formed Tau aggregates in neuronal cells. <i>EMBO Molecular Medicine</i> , 2020 , 12, e12025	12	16

44	Cluvenone induces apoptosis via a direct target in mitochondria: a possible mechanism to circumvent chemo-resistance?. <i>Investigational New Drugs</i> , 2012 , 30, 1841-8	4.3	15
43	Doppel and PrPC co-immunoprecipitate in detergent-resistant membrane domains of epithelial FRT cells. <i>Biochemical Journal</i> , 2009 , 425, 341-51	3.8	15
42	Detergent insoluble microdomains are not involved in transcytosis of polymeric Ig receptor in FRT and MDCK cells. <i>Traffic</i> , 2000 , 1, 794-802	5.7	15
4 ¹	Detergent-resistant membrane microdomains and apical sorting of GPI-anchored proteins in polarized epithelial cells. <i>International Journal of Medical Microbiology</i> , 2002 , 291, 439-45	3.7	15
40	Peering into tunneling nanotubes-The path forward. <i>EMBO Journal</i> , 2021 , 40, e105789	13	15
39	Tunneling nanotubes: Reshaping connectivity. Current Opinion in Cell Biology, 2021, 71, 139-147	9	15
38	Actin Assembly around the Shigella-Containing Vacuole Promotes Successful Infection. <i>Cell Reports</i> , 2020 , 31, 107638	10.6	14
37	Organization of GPI-anchored proteins at the cell surface and its physiopathological relevance. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2018 , 53, 403-419	8.7	14
36	Exploring the role of lipids in intercellular conduits: breakthroughs in the pipeline. <i>Frontiers in Plant Science</i> , 2013 , 4, 504	6.2	14
35	Polarized secretion of plasminogen activators by epithelial cell monolayers. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1992 , 1175, 1-6	4.9	14
34	Trafficking and degradation pathways in pathogenic conversion of prions and prion-like proteins in neurodegenerative diseases. <i>Virus Research</i> , 2015 , 207, 146-54	6.4	13
33	The 37/67 kDa laminin receptor (LR) inhibitor, NSC47924, affects 37/67 kDa LR cell surface localization and interaction with the cellular prion protein. <i>Scientific Reports</i> , 2016 , 6, 24457	4.9	13
32	The polarized epithelial phenotype is dominant in hybrids between polarized and unpolarized rat thyroid cell lines. <i>Journal of Cell Science</i> , 1991 , 98, 65-73	5.3	13
31	Rab35 and its effectors promote formation of tunneling nanotubes in neuronal cells. <i>Scientific Reports</i> , 2020 , 10, 16803	4.9	13
30	Determining the role of mononuclear phagocytes in prion neuroinvasion from the skin. <i>Journal of Leukocyte Biology</i> , 2012 , 91, 817-28	6.5	12
29	Gene expression profile of quinacrine-cured prion-infected mouse neuronal cells. <i>Journal of Neurochemistry</i> , 2008 , 105, 239-50	6	12
28	Coexpression of wild-type and mutant prion proteins alters their cellular localization and partitioning into detergent-resistant membranes. <i>Traffic</i> , 2008 , 9, 1101-15	5.7	12
27	Functional interaction between p75NTR and TrkA: the endocytic trafficking of p75NTR is driven by TrkA and regulates TrkA-mediated signalling. <i>Biochemical Journal</i> , 2005 , 385, 233-41	3.8	12

26	Mechanisms of apical protein sorting in polarized thyroid epithelial cells. <i>Biochimie</i> , 1999 , 81, 347-53	4.6	12
25	Transfer of disrupted-in-schizophrenia 1 aggregates between neuronal-like cells occurs in tunnelling nanotubes and is promoted by dopamine. <i>Open Biology</i> , 2017 , 7,	7	11
24	Regulation of sub-compartmental targeting and folding properties of the Prion-like protein Shadoo. <i>Scientific Reports</i> , 2017 , 7, 3731	4.9	11
23	Human NPCs can degrade Byn fibrils and transfer them preferentially in a cell contact-dependent manner possibly through TNT-like structures. <i>Neurobiology of Disease</i> , 2019 , 132, 104609	7.5	11
22	ESynuclein fibrils subvert lysosome structure and function for the propagation of protein misfolding between cells through tunneling nanotubes. <i>PLoS Biology</i> , 2021 , 19, e3001287	9.7	11
21	The Priority position paper: Protecting Europeß food chain from prions. <i>Prion</i> , 2016 , 10, 165-81	2.3	10
20	Clustering in the Golgi apparatus governs sorting and function of GPI-APs in polarized epithelial cells. <i>FEBS Letters</i> , 2019 , 593, 2351-2365	3.8	9
19	The fate of PrP GPI-anchor signal peptide is modulated by P238S pathogenic mutation. <i>Traffic</i> , 2014 , 15, 78-93	5.7	9
18	The Shp-1 and Shp-2, tyrosine phosphatases, are recruited on cell membrane in two distinct molecular complexes including Ret oncogenes. <i>Cellular Signalling</i> , 2004 , 16, 847-56	4.9	8
17	The neuroendocrine protein VGF is sorted into dense-core granules and is secreted apically by polarized rat thyroid epithelial cells. <i>Experimental Cell Research</i> , 2004 , 295, 269-80	4.2	8
16	Functional properties of normal and inverted rat thyroid follicles in suspension culture. <i>Journal of Cellular Physiology</i> , 1986 , 126, 93-8	7	8
15	Cell Surface Biotinylation Techniques 1994 , 185-192		7
14	Differential recognition of a tyrosine-dependent signal in the basolateral and endocytic pathways of thyroid epithelial cells. <i>Endocrinology</i> , 2002 , 143, 1291-301	4.8	6
13	Ischaemia impacts TNT-mediated communication between cardiac cells 2020 , 1, 100001		6
12	Not on the menu: autophagy-independent clearance of prions. <i>Prion</i> , 2013 , 7, 286-90	2.3	4
11	PrPC Undergoes Basal to Apical Transcytosis in Polarized Epithelial MDCK Cells. <i>PLoS ONE</i> , 2016 , 11, e0157991	3.7	4
10	GPI-anchored proteins are confined in subdiffraction clusters at the apical surface of polarized epithelial cells. <i>Biochemical Journal</i> , 2017 , 474, 4075-4090	3.8	3
9	Cytosolically expressed PrP GPI-signal peptide interacts with mitochondria. <i>Communicative and Integrative Biology</i> , 2015 , 8, e1036206	1.7	2

8	Seeing eye to eye: photoreceptors employ nanotube-like connections for material transfer. <i>EMBO Journal</i> , 2021 , 40, e109727	13	2
7	Glycosphingolipid clusters and the sorting of GPI-anchored proteins in epithelial cells. <i>Brazilian Journal of Medical and Biological Research</i> , 1994 , 27, 317-22	2.8	2
6	Mapping of TNTs using Correlative Cryo-Electron Microscopy Reveals a Novel Structure		2
5	Chapter 14 Mechanisms of Polarized Sorting of GPI-anchored Proteins in Epithelial Cells. <i>The Enzymes</i> , 2009 , 289-319	2.3	1
4	The best of both worlds-bringing together cell biology and infection at the Institut Pasteur. <i>Genes and Immunity</i> , 2019 , 20, 426-435	4.4	
3	The best of both worlds- bringing together cell biology and infection at the Institut Pasteur. Microbes and Infection, 2019 , 21, 254-262	9.3	
2	Cell Surface Biotinylation and Other Techniques for Determination of Surface Polarity of Epithelial Monolayers 2006 , 241-249		
1	Lipid Rafts in Trafficking and Processing of Prion Protein and Amyloid Precursor Protein 2006 , 205-231		