

# Qiang Yu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5019440/qiang-yu-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77  
papers

2,518  
citations

29  
h-index

49  
g-index

86  
ext. papers

3,382  
ext. citations

5.5  
avg, IF

4.74  
L-index

#	Paper	IF	Citations
77	Direct and indirect effects of precipitation change and nutrients addition on desert steppe productivity in Inner Mongolia, northern China. <i>Plant and Soil</i> , <b>2022</b> , 471, 527	4.2	1
76	Differential responses of grassland community nonstructural carbohydrate to experimental drought along a natural aridity gradient.. <i>Science of the Total Environment</i> , <b>2022</b> , 153589	10.2	1
75	Legacy effects of a multi-year extreme drought on belowground bud banks in rhizomatous vs bunchgrass-dominated grasslands.. <i>Oecologia</i> , <b>2022</b> , 198, 763	2.9	0
74	Contrasting effects of plant inter- and intraspecific variation on community trait responses to nitrogen addition and drought in typical and meadow steppes.. <i>BMC Plant Biology</i> , <b>2022</b> , 22, 90	5.3	0
73	Global patterns and drivers of soil nematodes in response to nitrogen enrichment. <i>Catena</i> , <b>2022</b> , 213, 106235	5.8	0
72	Contrasting community responses of root and soil dwelling fungi to extreme drought in a temperate grassland. <i>Soil Biology and Biochemistry</i> , <b>2022</b> , 169, 108670	7.5	0
71	Responses of ecosystem respiration, methane uptake and nitrous oxide emission to drought in a temperate desert steppe. <i>Plant and Soil</i> , <b>2021</b> , 469, 409	4.2	0
70	Herbivores alleviate the negative effects of extreme drought on plant community by enhancing dominant species. <i>Journal of Plant Ecology</i> , <b>2021</b> , 14, 1030-1036	1.7	
69	Drought of early time in growing season decreases community aboveground biomass, but increases belowground biomass in a desert steppe. <i>Bmc Ecology and Evolution</i> , <b>2021</b> , 21, 106	21	2
68	Functional diversity response to geographic and experimental precipitation gradients varies with plant community type. <i>Functional Ecology</i> , <b>2021</b> , 35, 2119-2132	5.6	1
67	Is a drought a drought in grasslands? Productivity responses to different types of drought. <i>Oecologia</i> , <b>2021</b> , 197, 1017-1026	2.9	8
66	Species asynchrony stabilises productivity under extreme drought across Northern China grasslands. <i>Journal of Ecology</i> , <b>2021</b> , 109, 1665-1675	6	13
65	Temperature patterns of soil carbon: nitrogen: phosphorus stoichiometry along the 400 mm isohyet in China. <i>Catena</i> , <b>2021</b> , 203, 105338	5.8	1
64	Plant traits and soil fertility mediate productivity losses under extreme drought in C grasslands. <i>Ecology</i> , <b>2021</b> , 102, e03465	4.6	7
63	Impacts of climate change on suitability zonation for potato cultivation in Jilin Province, Northeast China. <i>Scientific Reports</i> , <b>2021</b> , 11, 13103	4.9	2
62	Community response of arbuscular mycorrhizal fungi to extreme drought in a cold-temperate grassland. <i>New Phytologist</i> , <b>2021</b> ,	9.8	2
61	Resistance and resilience of a semi-arid grassland to multi-year extreme drought. <i>Ecological Indicators</i> , <b>2021</b> , 131, 108139	5.8	3

60	Soil organic carbon turnover recovers faster than plant diversity in the grassland when high nitrogen addition is ceased: Derived from soil 14C evidences. <i>Global Ecology and Conservation</i> , <b>2020</b> , 24, e01229	2.8	
59	Plant Trait Networks: Improved Resolution of the Dimensionality of Adaptation. <i>Trends in Ecology and Evolution</i> , <b>2020</b> , 35, 908-918	10.9	37
58	Mass ratio effects underlie ecosystem responses to environmental change. <i>Journal of Ecology</i> , <b>2020</b> , 108, 855-864	6	14
57	Resistance of steppe communities to extreme drought in northeast China. <i>Plant and Soil</i> , <b>2020</b> , 1	4.2	4
56	Temporal variability in production is not consistently affected by global change drivers across herbaceous-dominated ecosystems. <i>Oecologia</i> , <b>2020</b> , 194, 735-744	2.9	5
55	Grazing Affects the Ecological Stoichiometry of the PlantSoilMicrobe System on the Hulunber Steppe, China. <i>Sustainability</i> , <b>2019</b> , 11, 5226	3.6	6
54	Distinct Drivers of Core and Accessory Components of Soil Microbial Community Functional Diversity under Environmental Changes. <i>MSystems</i> , <b>2019</b> , 4,	7.6	8
53	Sediment addition and legume cultivation result in sustainable, long-term increases in ecosystem functions of sandy grasslands. <i>Land Degradation and Development</i> , <b>2019</b> , 30, 1667-1676	4.4	4
52	Decoupling of plant and soil metal nutrients as affected by nitrogen addition in a meadow steppe. <i>Plant and Soil</i> , <b>2019</b> , 443, 337-351	4.2	6
51	Global change effects on plant communities are magnified by time and the number of global change factors imposed. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 17867-17873	11.5	69
50	Long term experimental drought alters community plant trait variation, not trait means, across three semiarid grasslands. <i>Plant and Soil</i> , <b>2019</b> , 442, 343-353	4.2	13
49	Response of plant functional traits of <i>Leymus chinensis</i> to extreme drought in Inner Mongolia grasslands. <i>Plant Ecology</i> , <b>2019</b> , 220, 141-149	1.7	20
48	Ecosystem Traits Linking Functional Traits to Macroecology. <i>Trends in Ecology and Evolution</i> , <b>2019</b> , 34, 200-210	10.9	64
47	Allocation strategies for nitrogen and phosphorus in forest plants. <i>Oikos</i> , <b>2018</b> , 127, 1506-1514	4	27
46	Variation in leaf anatomical traits from tropical to cold-temperate forests and linkage to ecosystem functions. <i>Functional Ecology</i> , <b>2018</b> , 32, 10-19	5.6	44
45	Facilitation by leguminous shrubs increases along a precipitation gradient. <i>Functional Ecology</i> , <b>2018</b> , 32, 203-213	5.6	12
44	C:N:P stoichiometry in China's forests: From organs to ecosystems. <i>Functional Ecology</i> , <b>2018</b> , 32, 50-60	5.6	98
43	Effects of extreme drought on plant nutrient uptake and resorption in rhizomatous vs bunchgrass-dominated grasslands. <i>Oecologia</i> , <b>2018</b> , 188, 633-643	2.9	25

42	Change in dominance determines herbivore effects on plant biodiversity. <i>Nature Ecology and Evolution</i> , <b>2018</b> , 2, 1925-1932	12.3	77
41	Differential responses of canopy nutrients to experimental drought along a natural aridity gradient. <i>Ecology</i> , <b>2018</b> , 99, 2230-2239	4.6	32
40	Contrasting effects of plant inter- and intraspecific variation on community trait responses to restoration of a sandy grassland ecosystem. <i>Ecology and Evolution</i> , <b>2017</b> , 7, 1125-1134	2.8	13
39	Effects of grazing on the acquisition of nitrogen by plants and microorganisms in an alpine grassland on the Tibetan plateau. <i>Plant and Soil</i> , <b>2017</b> , 416, 297-308	4.2	13
38	Asynchrony among local communities stabilises ecosystem function of metacommunities. <i>Ecology Letters</i> , <b>2017</b> , 20, 1534-1545	10	72
37	Determination of leaf carbon isotope discrimination in C4 plants under variable N and water supply. <i>Scientific Reports</i> , <b>2017</b> , 7, 351	4.9	3
36	Nutrient resorption helps drive intra-specific coupling of foliar nitrogen and phosphorus under nutrient-enriched conditions. <i>Plant and Soil</i> , <b>2016</b> , 398, 111-120	4.2	33
35	A novel soil manganese mechanism drives plant species loss with increased nitrogen deposition in a temperate steppe. <i>Ecology</i> , <b>2016</b> , 97, 65-74	4.6	103
34	Nitrogen deposition promotes phosphorus uptake of plants in a semi-arid temperate grassland. <i>Plant and Soil</i> , <b>2016</b> , 408, 475-484	4.2	25
33	Elevated ozone effects on soil nitrogen cycling differ among wheat cultivars. <i>Applied Soil Ecology</i> , <b>2016</b> , 108, 187-194	5	17
32	Soil microbial respiration rate and temperature sensitivity along a north-south forest transect in eastern China: Patterns and influencing factors. <i>Journal of Geophysical Research G: Biogeosciences</i> , <b>2016</b> , 121, 399-410	3.7	34
31	Underappreciated problems of low replication in ecological field studies. <i>Ecology</i> , <b>2016</b> , 97, 2554-2561	4.6	56
30	Responses of soil hydrolytic enzymes, ammonia-oxidizing bacteria and archaea to nitrogen applications in a temperate grassland in Inner Mongolia. <i>Scientific Reports</i> , <b>2016</b> , 6, 32791	4.9	10
29	Divergent Effects of Nitrogen Addition on Soil Respiration in a Semiarid Grassland. <i>Scientific Reports</i> , <b>2016</b> , 6, 33541	4.9	27
28	Responses of soil enzyme activity and microbial community compositions to nitrogen addition in bulk and microaggregate soil in the temperate steppe of Inner Mongolia. <i>Eurasian Soil Science</i> , <b>2016</b> , 49, 1149-1160	1.5	14
27	Impacts of leguminous shrub encroachment on neighboring grasses include transfer of fixed nitrogen. <i>Oecologia</i> , <b>2016</b> , 180, 1213-22	2.9	12
26	Methane emissions from the trunks of living trees on upland soils. <i>New Phytologist</i> , <b>2016</b> , 211, 429-39	9.8	57
25	Imbalanced atmospheric nitrogen and phosphorus depositions in China: Implications for nutrient limitation. <i>Journal of Geophysical Research G: Biogeosciences</i> , <b>2016</b> , 121, 1605-1616	3.7	63

24	Stoichiometric homeostasis predicts plant species dominance, temporal stability, and responses to global change. <i>Ecology</i> , <b>2015</b> , 96, 2328-35	4.6	65
23	Long term prevention of disturbance induces the collapse of a dominant species without altering ecosystem function. <i>Scientific Reports</i> , <b>2015</b> , 5, 14320	4.9	8
22	Environmental changes drive the temporal stability of semi-arid natural grasslands through altering species asynchrony. <i>Journal of Ecology</i> , <b>2015</b> , 103, 1308-1316	6	87
21	Rapid plant species loss at high rates and at low frequency of N addition in temperate steppe. <i>Global Change Biology</i> , <b>2014</b> , 20, 3520-9	11.4	88
20	Germination shifts of C3 and C4 species under simulated global warming scenario. <i>PLoS ONE</i> , <b>2014</b> , 9, e105139	3.7	8
19	Grasshoppers regulate N:p stoichiometric homeostasis by changing phosphorus contents in their frass. <i>PLoS ONE</i> , <b>2014</b> , 9, e103697	3.7	25
18	Soil organic and inorganic carbon contents under various land uses across a transect of continental steppes in Inner Mongolia. <i>Catena</i> , <b>2013</b> , 109, 110-117	5.8	38
17	Nitrogen deposition weakens plant-microbe interactions in grassland ecosystems. <i>Global Change Biology</i> , <b>2013</b> , 19, 3688-97	11.4	157
16	Sampling date, leaf age and root size: implications for the study of plant C:N:p stoichiometry. <i>PLoS ONE</i> , <b>2013</b> , 8, e60360	3.7	42
15	Enhancement of carbon sequestration in soil in the temperate grasslands of northern China by addition of nitrogen and phosphorus. <i>PLoS ONE</i> , <b>2013</b> , 8, e77241	3.7	18
14	Convergent responses of nitrogen and phosphorus resorption to nitrogen inputs in a semiarid grassland. <i>Global Change Biology</i> , <b>2013</b> , 19, 2775-84	11.4	129
13	Labile organic C and N mineralization of soil aggregate size classes in semiarid grasslands as affected by grazing management. <i>Biology and Fertility of Soils</i> , <b>2012</b> , 48, 305-313	6.1	39
12	Testing the growth rate hypothesis in vascular plants with above- and below-ground biomass. <i>PLoS ONE</i> , <b>2012</b> , 7, e32162	3.7	49
11	Nitrogen addition regulates soil nematode community composition through ammonium suppression. <i>PLoS ONE</i> , <b>2012</b> , 7, e43384	3.7	55
10	Stoichiometric homeostasis of vascular plants in the Inner Mongolia grassland. <i>Oecologia</i> , <b>2011</b> , 166, 1-10	2.9	128
9	Grazing intensity impacts soil carbon and nitrogen storage of continental steppe. <i>Ecosphere</i> , <b>2011</b> , 2, art8	3.1	45
8	Linking stoichiometric homeostasis with ecosystem structure, functioning and stability. <i>Ecology Letters</i> , <b>2010</b> , 13, 1390-9	10	202
7	Structural and chemical differences between shoot- and root-derived roots of three perennial grasses in a typical steppe in Inner Mongolia China. <i>Plant and Soil</i> , <b>2010</b> , 336, 209-217	4.2	10

6	China's grazed temperate grasslands are a net source of atmospheric methane. <i>Atmospheric Environment</i> , <b>2009</b> , 43, 2148-2153	5.3	30
5	Carbon and nitrogen store and storage potential as affected by land-use in a <i>Leymus chinensis</i> grassland of northern China. <i>Soil Biology and Biochemistry</i> , <b>2008</b> , 40, 2952-2959	7.5	132
4	Chronic and intense droughts differentially influence grassland carbon-nutrient dynamics along a natural aridity gradient. <i>Plant and Soil</i> ,1	4.2	2
3	Changes in species abundances with short-term and long-term nitrogen addition are mediated by stoichiometric homeostasis. <i>Plant and Soil</i> ,1	4.2	1
2	Mowing increased plant diversity but not soil microbial biomass under N-enriched environment in a temperate grassland. <i>Plant and Soil</i> ,1	4.2	0
1	Contrasting responses of plant above and belowground biomass carbon pools to extreme drought in six grasslands spanning an aridity gradient. <i>Plant and Soil</i> ,1	4.2	1