

Alfi Khatib

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5019448/alfi-khatib-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

2,489
citations

28
h-index

45
g-index

115
ext. papers

3,073
ext. citations

4.1
avg. IF

5.11
L-index

#	Paper	IF	Citations
109	Antibacterial Effects of Flavonoids and Their Structure-Activity Relationship Study: A Comparative Interpretation.. <i>Molecules</i> , 2022 , 27,	4.8	14
108	Bee Stressors from an Immunological Perspective and Strategies to Improve Bee Health. <i>Veterinary Sciences</i> , 2022 , 9, 199	2.4	3
107	Cosmetic Applications of Bee Venom. <i>Toxins</i> , 2021 , 13,	4.9	2
106	In Vivo Toxicity Evaluation of Sugar Adulterated Honey Using Zebrafish Model. <i>Molecules</i> , 2021 , 26,	4.8	2
105	An Anticancer Activity Evaluation of (Roxb.) Bosser Leaves Extract and its Metabolite Profile. <i>Frontiers in Pharmacology</i> , 2021 , 12, 741683	5.6	0
104	Screening for natural and derived bio-active compounds in preclinical and clinical studies: One of the frontlines of fighting the coronaviruses pandemic. <i>Phytomedicine</i> , 2021 , 85, 153311	6.5	25
103	Exploring natural products-based cancer therapeutics derived from egyptian flora. <i>Journal of Ethnopharmacology</i> , 2021 , 269, 113626	5	8
102	Antioxidants profile of fruit extract analyzed using LC-MS-QTOF-based metabolomics.. <i>Food Chemistry Molecular Sciences</i> , 2021 , 2, 100012	1	2
101	The Incidence of Adult Obesity is Associated with Parental and Adolescent Histories of Obesity in North Sumatra, Indonesia: A Cross-Sectional Study. <i>Journal of Multidisciplinary Healthcare</i> , 2021 , 14, 2437-2444	2.8	2
100	GC-MS metabolomics revealed protocatechuic acid as a cytotoxic and apoptosis-inducing compound from black rice brans. <i>Food Science and Biotechnology</i> , 2020 , 29, 825-835	3	3
99	The investigation of antioxidant and antidiabetic activities of <i>Christia vespertilionis</i> leaves extracts. <i>South African Journal of Botany</i> , 2020 , 133, 227-235	2.9	6
98	Medicinal Potential of Isoflavonoids: Polyphenols That May Cure Diabetes. <i>Molecules</i> , 2020 , 25,	4.8	9
97	Determination toxic effects of <i>Hystrix Brachyura</i> Bezoar extracts using cancer cell lines and embryo zebrafish (<i>Danio rerio</i>) models and identification of active principles through GC-MS analysis. <i>Journal of Ethnopharmacology</i> , 2020 , 262, 113138	5	1
96	Antimicrobial Properties of Bee Venom. <i>Toxins</i> , 2020 , 12,	4.9	19
95	NMR and LCMS analytical platforms exhibited the nephroprotective effect of <i>Clinacanthus nutans</i> in cisplatin-induced nephrotoxicity in the in vitro condition. <i>BMC Complementary Medicine and Therapies</i> , 2020 , 20, 320	2.9	4
94	The Toxic Impact of Honey Adulteration: A Review. <i>Foods</i> , 2020 , 9,	4.9	33
93	The Inhibitory Effects of Honey Marinades on the Formation of Carcinogenic Heterocyclic Amines in Grilled Beef Satay. <i>Molecules</i> , 2020 , 25,	4.8	3

92	Alpha-Glucosidase Inhibitory Effect of Jack Leaf: A Rapid Analysis Using Infrared Fingerprinting. <i>Molecules</i> , 2020 , 25,	4.8	1
91	Characterization of -Glucosidase Inhibitors from Jack Leaves Extract Using LC-MS-Based Multivariate Data Analysis and In-Silico Molecular Docking. <i>Molecules</i> , 2020 , 25,	4.8	4
90	GC-MS analysis of metabolites from soxhlet extraction, ultrasound-assisted extraction and supercritical fluid extraction of flesh and its alpha-glucosidase inhibitory activity. <i>Natural Product Research</i> , 2020 , 34, 1341-1344	2.3	4
89	Discrimination of Clinacanthus nutans extracts and correlation with antiplasmodial activity using ATR-FTIR fingerprinting. <i>Vibrational Spectroscopy</i> , 2019 , 104, 102966	2.1	2
88	Variation in the metabolites and αglucosidase inhibitory activity of Cosmos caudatus at different growth stages. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 245	4.7	4
87	Plants mentioned in the Islamic Scriptures (Holy Qurʾān and Ahadith): Traditional uses and medicinal importance in contemporary times. <i>Journal of Ethnopharmacology</i> , 2019 , 243, 112007	5	19
86	The promise of zebrafish as a model of metabolic syndrome. <i>Experimental Animals</i> , 2019 , 68, 407-416	1.8	15
85	Optimization of Hyperglycemic Induction in Zebrafish and Evaluation of Its Blood Glucose Level and Metabolite Fingerprint Treated with Jack Leaf Extract. <i>Molecules</i> , 2019 , 24,	4.8	15
84	Influence of origins and bee species on physicochemical, antioxidant properties and botanical discrimination of stingless bee honey. <i>International Journal of Food Properties</i> , 2019 , 22, 239-264	3	37
83	Anticancer activity of grassy Hystrix brachyura bezoar and its mechanisms of action: An in vitro and in vivo based study. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 114, 108841	7.5	5
82	(Pers.): Food and Medicinal Plant with Potential In Vitro and In Vivo Anti-Cancer Activities. <i>Molecules</i> , 2019 , 24,	4.8	8
81	Fourier transform infrared spectroscopy and multivariate analysis of milk from different goat breeds. <i>International Journal of Food Properties</i> , 2019 , 22, 1673-1683	3	10
80	A Comparative Characterization of Physicochemical and Antioxidants Properties of Processed Honey from Different Origins and Classification by Chemometrics Analysis. <i>Molecules</i> , 2019 , 24,	4.8	12
79	Toxicity study on leaf hexane fraction using embryos. <i>Toxicology Reports</i> , 2019 , 6, 1148-1154	4.8	15
78	Identification of αglucosidase inhibitors from leaf extract using liquid chromatography-mass spectrometry-based metabolomics and protein-ligand interaction with molecular docking. <i>Journal of Pharmaceutical Analysis</i> , 2019 , 9, 91-99	14	8
77	Rapid investigation of αglucosidase inhibitory activity of Clinacanthus nutans leaf using infrared fingerprinting. <i>Vibrational Spectroscopy</i> , 2019 , 100, 22-29	2.1	4
76	Effects of different types of soy sauce on the formation of heterocyclic amines in roasted chicken. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018 , 35, 870-881	3.2	5
75	Phytoconstituents from Vernonia glaberrima Welw. Ex O. Hoffm. leaves and their cytotoxic activities on a panel of human cancer cell lines. <i>South African Journal of Botany</i> , 2018 , 116, 16-24	2.9	6

74	Comparison of partial least squares and random forests for evaluating relationship between phenolics and bioactivities of <i>Neptunia oleracea</i> . <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 240-252	4.3	9
73	Comparative Analysis of Chemical Composition, Antioxidant Activity and Quantitative Characterization of Some Phenolic Compounds in Selected Herbs and Spices in Different Solvent Extraction Systems. <i>Molecules</i> , 2018 , 23,	4.8	63
72	Correlation of FT-IR Fingerprint and α -Glucosidase Inhibitory Activity of Salak () Fruit Extracts Utilizing Orthogonal Partial Least Square. <i>Molecules</i> , 2018 , 23,	4.8	8
71	Inhibitory effect of mixture herbs/spices on formation of heterocyclic amines and mutagenic activity of grilled beef. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018 , 35, 1911-1927	3.2	13
70	Saffron (L.): As an Antidepressant. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2018 , 10, 173-180	1.1	18
69	Antioxidant and α -glucosidase inhibitory activities and gas chromatography-mass spectrometry profile of salak (<i>Salacca zalacca</i>) fruit peel extracts. <i>Pharmacognosy Research (discontinued)</i> , 2018 , 10, 385	0.7	2
68	Characterization of α -Glucosidase Inhibitors from Lindau Leaves by Gas Chromatography-Mass Spectrometry-Based Metabolomics and Molecular Docking Simulation. <i>Molecules</i> , 2018 , 23,	4.8	23
67	Antiradical and Xanthine Oxidase Inhibitory Activity Evaluations of L. Leaves and Tentative Identification of Bioactive Constituents through LC-QTOF-MS/MS and Molecular Docking Approach. <i>Antioxidants</i> , 2018 , 7,	7.1	3
66	Antioxidant Activities of L. Fruit and Gas Chromatography-Mass Spectrometry (GC-MS) of the Active Fractions. <i>Antioxidants</i> , 2018 , 7,	7.1	2
65	Classification of Raw Stingless Bee Honeys by Bee Species Origins Using the NMR- and LC-MS-Based Metabolomics Approach. <i>Molecules</i> , 2018 , 23,	4.8	17
64	Metabolomic analysis and biochemical changes in the urine and serum of streptozotocin-induced normal- and obese-diabetic rats. <i>Journal of Physiology and Biochemistry</i> , 2018 , 74, 403-416	5	10
63	Urinary metabolomics study on the protective role of <i>Orthosiphon stamineus</i> in Streptozotocin induced diabetes mellitus in rats via H NMR spectroscopy. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 278	4.7	16
62	Urinary metabolic profiling of cisplatin nephrotoxicity and nephroprotective effects of <i>Orthosiphon stamineus</i> leaves elucidated by H NMR spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 135, 20-30	3.5	15
61	Application of BATMAN and BAYESIL for quantitative $^1\text{H-NMR}$ based metabolomics of urine: discriminant analysis of lean, obese, and obese-diabetic rats. <i>Metabolomics</i> , 2017 , 13, 1	4.7	8
60	Effect of <i>Ipomoea aquatica</i> ethanolic extract in streptozotocin (STZ) induced diabetic rats via H NMR-based metabolomics approach. <i>Phytomedicine</i> , 2017 , 36, 201-209	6.5	11
59	Antioxidant and Antidiabetic Effects of Flavonoids: A Structure-Activity Relationship Based Study. <i>BioMed Research International</i> , 2017 , 2017, 8386065	3	116
58	Extraction of α -glucosidase inhibitory compounds from <i>Phaleria macrocarpa</i> fruit flesh using solvent, sonication, and subcritical carbon dioxide soxhlet methods. <i>Journal of Food Biochemistry</i> , 2017 , 41, e12399	3.3	4
57	L. leaf extract prevent weight gain in Sprague-Dawley rats fed a high fat diet. <i>Food and Nutrition Research</i> , 2017 , 61, 1338919	3.1	11

56	Characterization of Antioxidant Activity of Momordica Charantia Fruit by Infrared-Based Fingerprinting. <i>Analytical Letters</i> , 2017 , 50, 1977-1991	2.2	7
55	Authentication of butter from lard adulteration using high-resolution of nuclear magnetic resonance spectroscopy and high-performance liquid chromatography. <i>International Journal of Food Properties</i> , 2017 , 20, 2147-2156	3	17
54	α-Glucosidase Inhibitory and Antioxidant Activities of Different Ipomoea aquatica Cultivars and LC-MS/MS Profiling of the Active Cultivar. <i>Journal of Food Biochemistry</i> , 2017 , 41, e12303	3.3	19
53	Rapid investigation of α-glucosidase inhibitory activity of Phaleria macrocarpa extracts using FTIR-ATR based fingerprinting. <i>Journal of Food and Drug Analysis</i> , 2017 , 25, 306-315	7	26
52	Characterization of Metabolite Profile in Phyllanthus niruri and Correlation with Bioactivity Elucidated by Nuclear Magnetic Resonance Based Metabolomics. <i>Molecules</i> , 2017 , 22,	4.8	15
51	Discriminative Analysis of Different Grades of Gaharu (Aquilaria malaccensis Lamk.) via ¹ H-NMR-Based Metabolomics Using PLS-DA and Random Forests Classification Models. <i>Molecules</i> , 2017 , 22,	4.8	16
50	Metabolic and biochemical changes in streptozotocin induced obese-diabetic rats treated with Phyllanthus niruri extract. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 128, 302-312	3.5	29
49	Metabolic alteration in obese diabetes rats upon treatment with Centella asiatica extract. <i>Journal of Ethnopharmacology</i> , 2016 , 180, 60-9	5	45
48	Effect of Different Drying Treatments and Solvent Ratios on Phytochemical Constituents of Ipomoea aquatica and Correlation with α-Glucosidase Inhibitory Activity. <i>International Journal of Food Properties</i> , 2016 , 19, 2817-2831	3	7
47	Metabolite profiling of Neptunia oleracea and correlation with antioxidant and α-glucosidase inhibitory activities using ¹ H NMR-based metabolomics. <i>Phytochemistry Letters</i> , 2016 , 16, 23-33	1.9	18
46	Comparative evaluation of nutritional compositions, antioxidant capacities, and phenolic compounds of red and green sessile joyweed (Alternanthera sessilis). <i>Journal of Functional Foods</i> , 2016 , 21, 263-271	5.1	16
45	DIFFERENTIATION OF FATTY ACID COMPOSITION OF BUTTER ADULTERATED WITH LARD USING GAS CHROMATOGRAPHY MASS SPECTROMETRY COMBINED WITH PRINCIPAL COMPONENT ANALYSIS. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016 , 78,	1.2	4
44	An Investigation into the Antiobesity Effects of Morinda citrifolia L. Leaf Extract in High Fat Diet Induced Obese Rats Using a ¹ H NMR Metabolomics Approach. <i>Journal of Diabetes Research</i> , 2016 , 2016, 2391592	3.9	273
43	Screening of Various Parts of Phaleria macrocarpa Plant for α-Glucosidase Inhibitory Activity. <i>Journal of Food Biochemistry</i> , 2016 , 40, 201-210	3.3	6
42	Chemical Profiling of Different Types of Soy Sauce and the Relationship with its Sensory Attributes. <i>Journal of Food Quality</i> , 2016 , 39, 714-725	2.7	18
41	Clinacanthus nutans: A review of the medicinal uses, pharmacology and phytochemistry. <i>Asian Pacific Journal of Tropical Medicine</i> , 2016 , 9, 402-409	2.1	74
40	FTIR-ATR Spectroscopy Based Metabolite Fingerprinting as A Direct Determination of Butter Adulterated With Lard. <i>International Journal of Food Properties</i> , 2015 , 18, 372-379	3	17
39	Metabolite profiling of Ipomoea aquatica at different growth stages in correlation to the antioxidant and α-glucosidase inhibitory activities elucidated by ¹ H NMR-based metabolomics. <i>Scientia Horticulturae</i> , 2015 , 192, 400-408	4.1	18

38	Effect of storage time on metabolite profile and alpha-glucosidase inhibitory activity of <i>Cosmos caudatus</i> leaves - GCMS based metabolomics approach. <i>Journal of Food and Drug Analysis</i> , 2015 , 23, 433-441	7.4	22
37	Relationship Between Metabolites Composition and Biological Activities of <i>Phyllanthus niruri</i> Extracts Prepared by Different Drying Methods and Solvents Extraction. <i>Plant Foods for Human Nutrition</i> , 2015 , 70, 184-92	3.9	24
36	Phytochemical and biological features of <i>Phyllanthus niruri</i> and <i>Phyllanthus urinaria</i> harvested at different growth stages revealed by 1 H NMR-based metabolomics. <i>Industrial Crops and Products</i> , 2015 , 77, 602-613	5.9	30
35	Phytochemical diversity of <i>Clinacanthus nutans</i> extracts and their bioactivity correlations elucidated by NMR based metabolomics. <i>Phytochemistry Letters</i> , 2015 , 14, 123-133	1.9	46
34	Infrared-metabolomics approach in detecting changes in <i>Andrographis paniculata</i> metabolites due to different harvesting ages and times. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 2533-43	4.3	9
33	Multivariate analysis of PRISMA optimized TLC image for predicting antioxidant activity and identification of contributing compounds from <i>Pereskia bleo</i> . <i>Biomedical Chromatography</i> , 2015 , 29, 1826-33	1.7	3
32	Detection of Butter Adulteration with Lard by Employing (1)H-NMR Spectroscopy and Multivariate Data Analysis. <i>Journal of Oleo Science</i> , 2015 , 64, 697-703	1.6	10
31	Chemical characterization and antioxidant activity of three medicinal Apiaceae species. <i>Industrial Crops and Products</i> , 2014 , 55, 238-247	5.9	38
30	The influence of deep frying using various vegetable oils on acrylamide formation in sweet potato (<i>Ipomoea batatas</i> L. Lam) chips. <i>Journal of Food Science</i> , 2014 , 79, T115-21	3.4	35
29	GC-MS-based metabolite profiling of <i>Cosmos caudatus</i> leaves possessing alpha-glucosidase inhibitory activity. <i>Journal of Food Science</i> , 2014 , 79, C1130-6	3.4	43
28	Effects of Different Drying Methods and Storage Time on Free Radical Scavenging Activity and Total Phenolic Content of <i>Cosmos Caudatus</i> . <i>Antioxidants</i> , 2014 , 3, 358-70	7.1	36
27	Orthogonal Partial Least Squares Model for Rapid Prediction of Antioxidant Activity of <i>Pereskia bleo</i> by Fourier Transform Infrared Spectroscopy. <i>Analytical Letters</i> , 2014 , 47, 2061-2071	2.2	16
26	Headspace solid-phase microextraction gas chromatography-mass spectrometry determination of volatile compounds in different varieties of African star apple fruit (<i>Chrysophillum albidum</i>). <i>Food Chemistry</i> , 2013 , 141, 2089-97	8.5	38
25	Comparison of Partial Least Squares and Artificial Neural Network for the prediction of antioxidant activity in extract of <i>Pegaga</i> (<i>Centella</i>) varieties from 1H Nuclear Magnetic Resonance spectroscopy. <i>Food Research International</i> , 2013 , 54, 852-860	7	28
24	Analysis of chicken fat as adulterant in butter using fourier transform infrared spectroscopy and chemometrics. <i>Grasas Y Aceites</i> , 2013 , 64, 349-355	1.3	18
23	Application of FTIR-ATR spectroscopy coupled with multivariate analysis for rapid estimation of butter adulteration. <i>Journal of Oleo Science</i> , 2013 , 62, 555-62	1.6	13
22	<i>Cosmos caudatus</i> as a potential source of polyphenolic compounds: optimisation of oven drying conditions and characterisation of its functional properties. <i>Molecules</i> , 2013 , 18, 10452-64	4.8	24
21	Influence of growth stage and season on the antioxidant constituents of <i>Cosmos caudatus</i> . <i>Plant Foods for Human Nutrition</i> , 2012 , 67, 344-50	3.9	27

20	1H-NMR-based metabolomics approach to understanding the drying effects on the phytochemicals in <i>Cosmos caudatus</i> . <i>Food Research International</i> , 2012 , 49, 763-770	7	59
19	Discrimination of three Pegaga (<i>Centella</i>) varieties and determination of growth-lighting effects on metabolites content based on the chemometry of 1H nuclear magnetic resonance spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 410-7	5.7	33
18	A UPLC-MS/MS for simultaneous determination of aflatoxins, ochratoxin A, zearalenone, DON, fumonisins, T-2 toxin and HT-2 toxin, in cereals. <i>Food Control</i> , 2012 , 25, 647-653	6.2	116
17	Plant metabolites as potential antiobesity agents. <i>Scientific World Journal</i> , 2012 , 2012, 436039	2.2	29
16	Metabolic characterization of green pods from <i>Vanilla planifolia</i> accessions grown in La Réunion. <i>Environmental and Experimental Botany</i> , 2011 , 72, 258-265	5.9	10
15	Metabolomics for bioactivity assessment of natural products. <i>Phytotherapy Research</i> , 2011 , 25, 157-69	6.7	97
14	Discrimination of young and mature leaves of <i>Melicope ptelefolia</i> using 1H NMR and multivariate data analysis. <i>Food Chemistry</i> , 2011 , 126, 640-645	8.5	32
13	Comprehensive extraction method integrated with NMR metabolomics: a new bioactivity screening method for plants, adenosine A1 receptor binding compounds in <i>Orthosiphon stamineus</i> Benth. <i>Analytical Chemistry</i> , 2011 , 83, 6902-6	7.8	74
12	The Application of β -Cyclodextrin to Separate cis- from trans-Iso- α -Acids in an Isomerized Hop Extract. <i>Journal of the American Society of Brewing Chemists</i> , 2010 , 68, 15-20	1.9	2
11	Extraction of fish oil from the skin of Indian mackerel using supercritical fluids. <i>Journal of Food Engineering</i> , 2010 , 99, 63-69	6	53
10	Isolation of individual hop iso- α -acids stereoisomers by β -cyclodextrin. <i>Food Chemistry</i> , 2010 , 119, 354-357	8.5	15
9	Fatty acid compositions of fish oil extracted from different parts of Indian mackerel (<i>Rastrelliger kanagurta</i>) using various techniques of supercritical CO2 extraction. <i>Food Chemistry</i> , 2010 , 120, 879-885	8.5	66
8	Adenosine A1 receptor binding activity of methoxy flavonoids from <i>Orthosiphon stamineus</i> . <i>Planta Medica</i> , 2009 , 75, 132-6	3.1	52
7	APPLICATION OF TWO DIMENSIONAL THIN LAYER CHROMATOGRAPHY PATTERN COMPARISON FOR FINGERPRINTING THE ACTIVE COMPOUNDS IN THE LEAVES OF VITEX TRIFOLIA LINN POSSESSING ANTI-TRACHEOSPASMOLYTIC ACTIVITY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2009 , 32, 2906-2916	1.3	2
6	Identification of Possible Compounds Possessing Adenosine A1 Receptor Binding Activity in the Leaves of <i>Orthosiphon stamineus</i> Using TLC and Multivariate Data Analysis. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2009 , 32, 2906-2916	1.3	5
5	Metabolic changes in different developmental stages of <i>Vanilla planifolia</i> pods. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 7651-8	5.7	40
4	Storage Stability of Fish Oil from Langkawi Island, Malaysia. <i>Food Science and Technology Research</i> , 2009 , 15, 591-598	0.8	4
3	NMR assignment of iso- α -acids from isomerised extracts of <i>Humulus lupulus</i> L. cones. <i>Phytochemical Analysis</i> , 2007 , 18, 371-7	3.4	13

2	High Performance Liquid Chromatographic Method for Iso- α -Acids. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2006 , 29, 293-302	1.3	2
1	Application of two-dimensional J-resolved nuclear magnetic resonance spectroscopy to differentiation of beer. <i>Analytica Chimica Acta</i> , 2006 , 559, 264-270	6.6	43