Kayoko Hayakawa

List of Publications by Citations

Source: https://exaly.com/author-pdf/5019607/kayoko-hayakawa-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62
papers1,339
citations21
h-index35
g-index70
ext. papers1,710
ext. citations4.5
avg, IF3.86
L-index

#	Paper	IF	Citations
62	Multilocus sequence typing (MLST) for characterization of Enterobacter cloacae. <i>PLoS ONE</i> , 2013 , 8, e6	563 <i>5</i> ₇ 8	118
61	Recent exposure to antimicrobials and carbapenem-resistant Enterobacteriaceae: the role of antimicrobial stewardship. <i>Infection Control and Hospital Epidemiology</i> , 2012 , 33, 817-30	2	91
60	Risk factors for colonization due to carbapenem-resistant Enterobacteriaceae among patients exposed to long-term acute care and acute care facilities. <i>Infection Control and Hospital Epidemiology</i> , 2014 , 35, 398-405	2	66
59	Clinical Epidemiology of Hospitalized Patients With Coronavirus Disease 2019 (COVID-19) in Japan: Report of the COVID-19 Registry Japan. <i>Clinical Infectious Diseases</i> , 2021 , 73, e3677-e3689	11.6	60
58	Outcomes and genetic relatedness of carbapenem-resistant enterobacteriaceae at Detroit medical center. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 861-71	2	56
57	Fever of unknown origin: an evidence-based review. <i>American Journal of the Medical Sciences</i> , 2012 , 344, 307-16	2.2	54
56	Epidemiology and risk factors for isolation of Escherichia coli producing CTX-M-type extended-spectrum Elactamase in a large U.S. Medical Center. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 4010-8	5.9	52
55	Retrospective evaluation of colistin versus tigecycline for the treatment of Acinetobacter baumannii and/or carbapenem-resistant Enterobacteriaceae infections. <i>American Journal of Infection Control</i> , 2012 , 40, 983-7	3.8	51
54	The burden of multidrug-resistant organisms on tertiary hospitals posed by patients with recent stays in long-term acute care facilities. <i>American Journal of Infection Control</i> , 2012 , 40, 760-5	3.8	45
53	"Swimming in resistance": Co-colonization with carbapenem-resistant Enterobacteriaceae and Acinetobacter baumannii or Pseudomonas aeruginosa. <i>American Journal of Infection Control</i> , 2012 , 40, 830-5	3.8	45
52	Efficacy of ertapenem for treatment of bloodstream infections caused by extended-spectrum-lactamase-producing Enterobacteriaceae. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2173-7	5.9	45
51	Major variation in MICs of tigecycline in Gram-negative bacilli as a function of testing method. Journal of Clinical Microbiology, 2014 , 52, 1617-21	9.7	42
50	Molecular and epidemiological characterization of IMP-type metallo-Elactamase-producing Enterobacter cloacae in a Large tertiary care hospital in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 3441-50	5.9	37
49	Comparison of the clinical characteristics and outcomes associated with vancomycin-resistant Enterococcus faecalis and vancomycin-resistant E. faecium bacteremia. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2452-8	5.9	36
48	Outcomes of carbapenem-resistant Enterobacteriaceae isolation: matched analysis. <i>American Journal of Infection Control</i> , 2014 , 42, 612-20	3.8	34
47	Treatment of methicillin-resistant Staphylococcus aureus infections with a minimal inhibitory concentration of 2 g/mL to vancomycin: old (trimethoprim/sulfamethoxazole) versus new (daptomycin or linezolid) agents. <i>Annals of Pharmacotherapy</i> , 2012 , 46, 1587-97	2.9	34
46	Growing prevalence of Providencia stuartii associated with the increased usage of colistin at a tertiary health care center. <i>International Journal of Infectious Diseases</i> , 2012 , 16, e646-8	10.5	28

Hospital bath basins are frequently contaminated with multidrug-resistant human pathogens. <i>American Journal of Infection Control</i> , 2012 , 40, 562-4	3.8	25
Epidemiology of vancomycin-resistant Enterococcus faecalis: a case-case-control study. Antimicrobial Agents and Chemotherapy, 2013 , 57, 49-55	5.9	25
Group B Streptococcus infections in non-pregnant adults: the role of immunosuppression. <i>International Journal of Infectious Diseases</i> , 2012 , 16, e182-6	10.5	24
Fosfomycin activity versus carbapenem-resistant Enterobacteriaceae and vancomycin-resistant Enterococcus, Detroit, 2008-10. <i>Journal of Antibiotics</i> , 2013 , 66, 625-7	3.7	24
The carbapenem-resistant Enterobacteriaceae score: a bedside score to rule out infection with carbapenem-resistant Enterobacteriaceae among hospitalized patients. <i>American Journal of Infection Control</i> , 2013 , 41, 180-2	3.8	21
Impact of different antimicrobial therapies on clinical and fiscal outcomes of patients with bacteremia due to vancomycin-resistant enterococci. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 3968-75	5.9	20
Epidemiology of vancomycin-resistant enterococci with reduced susceptibility to daptomycin. <i>Infection Control and Hospital Epidemiology</i> , 2012 , 33, 1250-4	2	20
Extended-spectrum lactamase producers reported as susceptible to piperacillin-tazobactam, cefepime, and cefuroxime in the era of lowered breakpoints and no confirmatory tests. <i>Infection Control and Hospital Epidemiology</i> , 2012 , 33, 853-5	2	20
Growing prevalence of vancomycin-resistant Enterococcus faecalis in the region with the highest prevalence of vancomycin-resistant Staphylococcus aureus. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 922-4	2	20
Impact of rapid identification of positive blood cultures using the Verigene system on antibiotic prescriptions: A prospective study of community-onset bacteremia in a tertiary hospital in Japan. <i>PLoS ONE</i> , 2017 , 12, e0181548	3.7	18
The Complex Epidemiology of Carbapenem-Resistant Enterobacter Infections: A Multicenter Descriptive Analysis. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 1283-91	2	17
Prevalence and risk factors associated with vancomycin-resistant Staphylococcus aureus precursor organism colonization among patients with chronic lower-extremity wounds in Southeastern Michigan. <i>Infection Control and Hospital Epidemiology</i> , 2013 , 34, 954-60	2	16
A case of scrub typhus with acalculous cholecystitis, aseptic meningitis and mononeuritis multiplex. <i>Journal of Medical Microbiology</i> , 2012 , 61, 291-294	3.2	15
Eight-Year Experience of Antimicrobial Stewardship Program and the Trend of Carbapenem Use at a Tertiary Acute-Care Hospital in Japan-The Impact of Postprescription Review and Feedback. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz389	1	14
Risk factors for and epidemiology of community-onset vancomycin-resistant Enterococcus faecalis in southeast Michigan. <i>American Journal of Infection Control</i> , 2013 , 41, 1244-8	3.8	14
Epidemiology of extended-spectrum beta-lactamase (ESBL) producing Escherichia coli in Japan: Characteristics of community-associated versus healthcare-associated ESBL E. coli. <i>Journal of Infection and Chemotherapy</i> , 2017 , 23, 117-119	2.2	14
Simple bedside score to optimize the time and the decision to initiate appropriate therapy for carbapenem-resistant Enterobacteriaceae. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2015 , 14, 31	6.2	14
Evidence of intravenous immunoglobulin as a critical supportive therapy against Clostridium difficile toxin-mediated lethality in mice. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 1096-9	5.1	14
	American Journal of Infection Control, 2012, 40, 562-4 Epidemiology of vancomycin-resistant Enterococcus faecalis: a case-case-control study. Antimicrobial Agents and Chemotherapy, 2013, 57, 49-55 Group B Streptococcus infections in non-pregnant adults: the role of immunosuppression. International Journal of Infectious Diseases, 2012, 16, e182-6 Fosfomycin activity versus carbapenem-resistant Enterobacteriaceae and vancomycin-resistant Enterococcus, Detroit, 2008-10. Journal of Antibiotics, 2013, 66, 625-7 The carbapenem-resistant Enterobacteriaceae among hospitalized patients. American Journal of Infection Control, 2013, 41, 180-2 Impact of different antimicrobial therapies on clinical and fiscal outcomes of patients with bacteremia due to vancomycin-resistant enterococci. Antimicrobial Agents and Chemotherapy, 2014, 53, 3968-75 Epidemiology of vancomycin-resistant enterococci with reduced susceptibility to daptomycin. Infection Control and Hospital Epidemiology, 2012, 33, 1250-4 Extended-spectrum Elactamase producers reported as susceptible to piperacillin-tazobactam, cefepime, and cefuroxime in the era of lowered breakpoints and no confirmatory tests. Infection Control and Hospital Epidemiology, 2012, 33, 853-5 Growing prevalence of vancomycin-resistant Enterococcus faecalis in the region with the highest prevalence of vancomycin-resistant Staphylococcus aureus. Infection Control and Hospital Epidemiology, 2011, 23, 292-4 Impact of rapid identification of positive blood cultures using the Verigene system on antibiotic prescriptions. A prospective study of community-onset bacterenia in a tertiary hospital in Japan. PLoS ONE, 2017, 12, e0181548 The Complex Epidemiology of Carbapenem-Resistant Enterobacter Infections: A Multicenter Descriptive Analysis. Infection Control and Hospital Epidemiology, 2013, 34, 954-60 A case of scrub typhus with acalculous cholevystitis, aseptic meningitis and mononeuritis multiplex. Journal of Medical Microbiology, 2012, 61, 291-294 Eight-Year Experience of Antimicrobi	American Journal of Infection Control, 2012, 40, 562-4 Epidemiology of vancomycin-resistant Enterococcus faecalis: a case-case-control study. Antimicrobial Agents and Chemotherapy, 2013, 57, 49-55 Group B Streptococcus infections in non-pregnant adults: the role of immunosuppression. International Journal of Infectious Diseases, 2012, 16, e182-6 Fosfomycin activity versus carbapenem-resistant Enterobacteriaceae and vancomycin-resistant Enterococcus, Detroit, 2008-10. Journal of Antibiotics, 2013, 66, 625-7 The carbapenem-resistant Enterobacteriaceae score: a bedside score to rule out infection with carbapenem-resistant Enterobacteriaceae among hospitalized patients. American Journal of Infection Control, 2013, 41, 180-2 Impact of different antimicrobial therapies on clinical and fiscal outcomes of patients with bacteremia due to vancomycin-resistant enterococci. Antimicrobial Agents and Chemotherapy, 2014, 5,9 88, 3968-75 Epidemiology of vancomycin-resistant enterococci with reduced susceptibility to daptomycin. Infection Control and Hospital Epidemiology, 2012, 33, 1250-4 Extended-spectrum flactamase producers reported as susceptible to piperacillin-tazobactam, cefepine, and refuroxime in the era of lowered breakpoints and no confirmatory tests. Infection Control and Hospital Epidemiology, 2012, 33, 833-5 Growing prevalence of vancomycin-resistant Enterococcus faecalis in the region with the highest prevalence of vancomycin-resistant Enterococcus aureus. Infection Control and Hospital Epidemiology, 2011, 32, 922-4 Impact of rapid identification of positive blood cultures using the Verigene system on antibiotic prescriptions: A prospective study of community-onset bacteremia in a tertiary hospital in Japan. PLoS ONE, 2017, 12, e0181548 Prevalence and risk factors associated with vancomycin-resistant Staphylococcus aureus precursor organism colonization among patients with chronic lower-extremity wounds in Southeastern Michigan. Infection Control and Hospital Epidemiology, 2013, 34, 954-60 A case of s

27	Predictors and outcomes of linezolid-resistant vancomycin-resistant Enterococcus: a case-case-control study. <i>American Journal of Infection Control</i> , 2012 , 40, e261-3	3.8	13
26	Risk Factors and Outcomes for Carbapenem-Resistant Klebsiella pneumoniae Isolation, Stratified by Its Multilocus Sequence Typing: ST258 Versus Non-ST258. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofv213	1	11
25	Estimating the impact of antimicrobial resistance. The Lancet Global Health, 2018, 6, e934-e935	13.6	10
24	High rate of multidrug-resistant organism colonization among patients hospitalized overseas highlights the need for preemptive infection control. <i>American Journal of Infection Control</i> , 2016 , 44, e257-e259	3.8	9
23	Emergence of a daptomycin-non-susceptible Enterococcus faecium strain that encodes mutations in DNA repair genes after high-dose daptomycin therapy. <i>BMC Research Notes</i> , 2016 , 9, 197	2.3	9
22	Risk factors for severity on admission and the disease progression during hospitalisation in a large cohort of patients with COVID-19 in Japan. <i>BMJ Open</i> , 2021 , 11, e047007	3	8
21	Paradoxically high resistance of natural killer T (NKT) cell-deficient mice to Legionella pneumophila: another aspect of NKT cells for modulation of host responses. <i>Journal of Medical Microbiology</i> , 2008 , 57, 1340-1348	3.2	7
20	Prevalence of and risk factors for vancomycin-resistant Staphylococcus aureus precursor organisms in Southeastern Michigan. <i>Infection Control and Hospital Epidemiology</i> , 2014 , 35, 1531-4	2	5
19	Infected subdural haematoma due to Salmonella enterica serovar Typhimurium in an adult. <i>Journal of Medical Microbiology</i> , 2010 , 59, 976-979	3.2	5
18	Real-time PCR investigation of the prevalence of Fusobacterium necrophorum in patients with pharyngitis in Japan. <i>Journal of Infection and Chemotherapy</i> , 2018 , 24, 969-974	2.2	4
17	Extended-spectrum Elactamase-producing Escherichia coli isolation among older adults: epidemiology and outcomes. <i>American Journal of Infection Control</i> , 2014 , 42, 565-8	3.8	3
16	Prevalence of and Risk Factors for Vancomycin-Resistant Staphylococcus aureus Precursor Organisms in Southeastern Michigan. <i>Infection Control and Hospital Epidemiology</i> , 2014 , 35, 1531-1534	2	3
15	Cardiovascular Complications of Hospitalized Patients With Coronavirus Disease 2019 in a Japanese Registry in 2020 <i>Circulation Journal</i> , 2022 , 86,	2.9	3
14	Efficacy of remdesivir in hospitalized nonsevere COVID-19 patients in Japan: A large observational study using the COVID-19 Registry Japan <i>International Journal of Infectious Diseases</i> , 2022 ,	10.5	3
13	Images in clinical medicine. Rubella rash. New England Journal of Medicine, 2013, 369, 558	59.2	2
12	Group G streptococcal bacteremia and vertebral osteomyelitis in a homosexual man with amebic colitis. <i>Internal Medicine</i> , 2008 , 47, 317-20	1.1	2
11	Comorbidities as Risk Factors for Severe Disease in Hospitalized Elderly COVID-19 Patients by Different Age-Groups in Japan <i>Gerontology</i> , 2022 , 1-11	5.5	2
10	Efficacy of remdesivir in hospitalised COVID-19 patients in Japan: A large observational study using the COVID-19 Registry Japan		2

LIST OF PUBLICATIONS

9	Nationwide cross-sectional study of antimicrobial stewardship and antifungal stewardship programs in inpatient settings in Japan. <i>BMC Infectious Diseases</i> , 2021 , 21, 355	4	2
8	Clinical characteristics of the first three waves of hospitalised patients with COVID-19 in Japan prior to the widespread use of vaccination: a nationwide observational study <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 22, 100421	5	2
7	Epidemiology of CTX-M-type extended-spectrum flactamase-producing Escherichia coli among older adults. <i>American Journal of Infection Control</i> , 2015 , 43, 1261-3	3.8	1
6	Clinical and Molecular Epidemiology of Extended-Spectrum Beta-Lactamase-Producing Escherichia Coli Infections in Metro Detroit: Early Dominance of the ST-131 Clone. <i>Infectious Diseases and Therapy</i> , 2020 , 9, 683-690	6.2	1
5	Survival case of rhinocerebral and pulmonary mucormycosis due to Cunninghamella bertholletiae during chemotherapy for acute myeloid leukemia: a case report. <i>Infection</i> , 2021 , 49, 165-170	5.8	1
4	Evaluation of the efficacy of anticoagulation therapy in reducing mortality in a nationwide cohort of hospitalized patients with coronavirus disease in Japan. <i>International Journal of Infectious Diseases</i> , 2021 , 112, 111-116	10.5	1
3	Pulmonary histoplasmosis diagnosed in a Japanese woman after traveling to central and South America: A case report. <i>Journal of Infection and Chemotherapy</i> , 2021 , 27, 1658-1661	2.2	0
2	Effectiveness of Favipiravir on Nonsevere, Early-Stage COVID-19 in Japan: A Large Observational Study Using the COVID-19 Registry Japan <i>Infectious Diseases and Therapy</i> , 2022 , 1	6.2	O
1	Effect of evacuation of Japanese residents from Wuhan, China, on preventing transmission of novel coronavirus infection: A modelling study. <i>Journal of Infection and Chemotherapy</i> , 2021 , 27, 515-520	2.2	