

Raffaella Molteni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5020204/raffaella-molteni-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

6,611
citations

41
h-index

81
g-index

106
ext. papers

7,360
ext. citations

5.6
avg, IF

5.5
L-index

#	Paper	IF	Citations
87	Altered responsiveness of the antioxidant system in chronically stressed animals: modulation by chronic lurasidone treatment.. <i>Psychopharmacology</i> , 2022 , 1	4.7	0
86	Behavioral and molecular effects of the antipsychotic drug blonanserin in the chronic mild stress model. <i>Pharmacological Research</i> , 2021 , 163, 105330	10.2	4
85	Oxidation-reduction mechanisms in psychiatric disorders: A novel target for pharmacological intervention. <i>Pharmacology & Therapeutics</i> , 2020 , 210, 107520	13.9	25
84	Prenatal Stress Impairs Spinal Cord Oligodendrocyte Maturation via BDNF Signaling in the Experimental Autoimmune Encephalomyelitis Model of Multiple Sclerosis. <i>Cellular and Molecular Neurobiology</i> , 2020 , 1	4.6	1
83	Chronic Restraint Stress Inhibits the Response to a Second Hit in Adult Male Rats: A Role for BDNF Signaling. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
82	Common Protective Strategies in Neurodegenerative Disease: Focusing on Risk Factors to Target the Cellular Redox System. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 8363245	6.7	18
81	Autophagy in the Regulation of Tissue Differentiation and Homeostasis. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 602901	5.7	10
80	Chronic treatment with the antipsychotic drug blonanserin modulates the responsiveness to acute stress with anatomical selectivity. <i>Psychopharmacology</i> , 2020 , 237, 1783-1793	4.7	8
79	Prokineticin 2 promotes and sustains neuroinflammation in vincristine treated mice: Focus on pain and emotional like behavior. <i>Brain, Behavior, and Immunity</i> , 2019 , 82, 422-431	16.6	13
78	P.1.13 Neuroplastic changes following chronic treatment with antipsychotic blonanserin in rats: Implications for schizophrenia. <i>European Neuropsychopharmacology</i> , 2019 , 29, S642-S643	1.2	
77	Differential Neuroinflammatory Response in Male and Female Mice: A Role for BDNF. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 166	6.1	10
76	PQM130, a Novel Feruloyl-Donepezil Hybrid Compound, Effectively Ameliorates the Cognitive Impairments and Pathology in a Mouse Model of Alzheimer's Disease. <i>Frontiers in Pharmacology</i> , 2019 , 10, 658	5.6	8
75	From Healthy Aging to Frailty: In Search of the Underlying Mechanisms. <i>Current Medicinal Chemistry</i> , 2019 , 26, 3685-3701	4.3	16
74	P.404 Neuroplastic changes following chronic treatment with antipsychotic blonanserin in rats: Implications for schizophrenia. <i>European Neuropsychopharmacology</i> , 2019 , 29, S286-S287	1.2	
73	Genome-wide analysis of LPS-induced inflammatory response in the rat ventral hippocampus: Modulatory activity of the antidepressant agomelatine. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 390-401	3.8	8
72	BACHD rats expressing full-length mutant huntingtin exhibit differences in social behavior compared to wild-type littermates. <i>PLoS ONE</i> , 2018 , 13, e0192289	3.7	10
71	International Union of Basic and Clinical Pharmacology CIV: The Neurobiology of Treatment-resistant Depression: From Antidepressant Classifications to Novel Pharmacological Targets. <i>Pharmacological Reviews</i> , 2018 , 70, 475-504	22.5	31

70	Chronic Stress Exposure Reduces Parvalbumin Expression in the Rat Hippocampus through an Imbalance of Redox Mechanisms: Restorative Effect of the Antipsychotic Lurasidone. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 883-893	5.8	25
69	T221. LURASIDONE DISPLAYS ANTIDEPRESSANT AND PRO-COGNITIVE EFFECTS IN THE CHRONIC MILD STRESS MODEL: A ROLE FOR REDOX MECHANISMS AND PARVALBUMIN EXPRESSION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S202-S202	1.3	78
68	Investigating stress resilience and susceptibility: impact of lipopolysaccharide on the rat brain. <i>European Neuropsychopharmacology</i> , 2017 , 27, S38-S39	1.2	
67	Chronic mild stress-induced alterations of clock gene expression in rat prefrontal cortex: modulatory effects of prolonged lurasidone treatment. <i>Pharmacological Research</i> , 2016 , 104, 140-50	10.2	24
66	Stress-induced anhedonia is associated with the activation of the inflammatory system in the rat brain: Restorative effect of pharmacological intervention. <i>Pharmacological Research</i> , 2016 , 103, 1-12	10.2	56
65	Bioavailability of curcumin in the rat frontal lobe and hippocampus after repeated administration of MERIVA [®] . <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	1
64	Chronic Mild Stress Modulates Activity-Dependent Transcription of BDNF in Rat Hippocampal Slices. <i>Neural Plasticity</i> , 2016 , 2016, 2592319	3.3	15
63	Synaptic alterations associated with depression and schizophrenia: potential as a therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2016 , 20, 1195-207	6.4	22
62	Olive oil-enriched diet reduces brain oxidative damages and ameliorates neurotrophic factor gene expression in different life stages of rats. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 1200-7	6.3	15
61	The long-term impact of early adversities on psychiatric disorders: focus on neuronal plasticity. <i>Current Pharmaceutical Design</i> , 2015 , 21, 1388-95	3.3	8
60	Lurasidone exerts antidepressant properties in the chronic mild stress model through the regulation of synaptic and neuroplastic mechanisms in the rat prefrontal cortex. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	40
59	The serotonin-BDNF duo: developmental implications for the vulnerability to psychopathology. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 43, 35-47	9	108
58	Brain-derived neurotrophic factor: a bridge between inflammation and neuroplasticity. <i>Frontiers in Cellular Neuroscience</i> , 2014 , 8, 430	6.1	270
57	Nitric oxide synthase inhibition reverts muscarinic receptor down-regulation induced by pilocarpine- and kainic acid-evoked seizures in rat fronto-parietal cortex. <i>Epilepsy Research</i> , 2014 , 108, 11-9	3	2
56	Gene expression profiling as functional readout of rodent models for psychiatric disorders. <i>Cell and Tissue Research</i> , 2013 , 354, 51-60	4.2	4
55	Altered inflammatory responsiveness in serotonin transporter mutant rats. <i>Journal of Neuroinflammation</i> , 2013 , 10, 116	10.1	16
54	Modulation of the inflammatory response in rats chronically treated with the antidepressant agomelatine. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1645-55	1.2	66
53	Role for the kinase SGK1 in stress, depression, and glucocorticoid effects on hippocampal neurogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 8708-13	11.5	209

52	Synergistic mechanisms involved in the antidepressant effects of agomelatine. <i>European Neuropsychopharmacology</i> , 2012 , 22 Suppl 3, S482-6	1.2	36
51	The impact of environmental enrichment on sex-specific neurochemical circuitries - effects on brain-derived neurotrophic factor and the serotonergic system. <i>Neuroscience</i> , 2012 , 220, 267-76	3.9	80
50	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012 , 13, 73	2.8	38
49	Stress-induced changes of hippocampal NMDA receptors: modulation by duloxetine treatment. <i>PLoS ONE</i> , 2012 , 7, e37916	3.7	76
48	Stress e depressione: Meccanismi eziopatologici e modulazione farmacologica 2012 , 301-314		
47	Mode of action of agomelatine: synergy between melatonergic and 5-HT _{2C} receptors. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 574-87	3.8	163
46	P.1.001 Chronic mild stress modulates the transcription of BDNF isoforms with brain region specificity: influence of antidepressant treatment. <i>European Neuropsychopharmacology</i> , 2011 , 21, S2-S3 ^{1.2}	1.2	
45	Antistress properties of antidepressant drugs and their clinical implications. <i>Pharmacology & Therapeutics</i> , 2011 , 132, 39-56	13.9	32
44	Modulation of neuroplastic molecules in selected brain regions after chronic administration of the novel antidepressant agomelatine. <i>Psychopharmacology</i> , 2011 , 215, 267-75	4.7	53
43	Serum and plasma BDNF levels in major depression: a replication study and meta-analyses. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 763-73	3.8	306
42	The GIT-PIX complexes regulate the chemotactic response of rat basophilic leukaemia cells. <i>Biology of the Cell</i> , 2010 , 102, 231-44	3.5	10
41	Depression-prone mice with reduced glucocorticoid receptor expression display an altered stress-dependent regulation of brain-derived neurotrophic factor and activity-regulated cytoskeleton-associated protein. <i>Journal of Psychopharmacology</i> , 2010 , 24, 595-603	4.6	45
40	Synergistic mechanisms in the modulation of the neurotrophin BDNF in the rat prefrontal cortex following acute agomelatine administration. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 148-53	3.8	49
39	Long-Term duloxetine treatment normalizes altered brain-derived neurotrophic factor expression in serotonin transporter knockout rats through the modulation of specific neurotrophin isoforms. <i>Molecular Pharmacology</i> , 2010 , 77, 846-53	4.3	51
38	Reduced function of the serotonin transporter is associated with decreased expression of BDNF in rodents as well as in humans. <i>Neurobiology of Disease</i> , 2010 , 37, 747-55	7.5	84
37	Antipsychotic drug actions on gene modulation and signaling mechanisms. <i>Pharmacology & Therapeutics</i> , 2009 , 124, 74-85	13.9	67
36	Neuronal plasticity: a link between stress and mood disorders. <i>Psychoneuroendocrinology</i> , 2009 , 34 Suppl 1, S208-16	5	229
35	Acute stress responsiveness of the neurotrophin BDNF in the rat hippocampus is modulated by chronic treatment with the antidepressant duloxetine. <i>Neuropsychopharmacology</i> , 2009 , 34, 1523-32	8.7	95

34	Altered expression and modulation of activity-regulated cytoskeletal associated protein (Arc) in serotonin transporter knockout rats. <i>European Neuropsychopharmacology</i> , 2009 , 19, 898-904	1.2	18
33	S.20.03 Isoform expression and intracellular trafficking of BDNF following stress and antidepressant drug treatment. <i>European Neuropsychopharmacology</i> , 2009 , 19, S205	1.2	
32	Beta-arrestin 2 is required for the induction and strengthening of integrin-mediated leukocyte adhesion during CXCR2-driven extravasation. <i>Blood</i> , 2009 , 114, 1073-82	2.2	22
31	Reduced activation of intracellular signaling pathways in rat prefrontal cortex after chronic phencyclidine administration. <i>Pharmacological Research</i> , 2008 , 57, 296-302	10.2	11
30	Neurotrophic factors in neurodegenerative disorders : potential for therapy. <i>CNS Drugs</i> , 2008 , 22, 1005-107	19	28
29	Basal and stress-induced modulation of activity-regulated cytoskeletal associated protein (Arc) in the rat brain following duloxetine treatment. <i>Psychopharmacology</i> , 2008 , 201, 285-92	4.7	26
28	Chronic duloxetine treatment induces specific changes in the expression of BDNF transcripts and in the subcellular localization of the neurotrophin protein. <i>Neuropsychopharmacology</i> , 2007 , 32, 2351-9	8.7	105
27	Stress during development: Impact on neuroplasticity and relevance to psychopathology. <i>Progress in Neurobiology</i> , 2007 , 81, 197-217	10.9	169
26	Chronic treatment with fluoxetine up-regulates cellular BDNF mRNA expression in rat dopaminergic regions. <i>International Journal of Neuropsychopharmacology</i> , 2006 , 9, 307-17	5.8	91
25	Emerging role of the FGF system in psychiatric disorders. <i>Trends in Pharmacological Sciences</i> , 2005 , 26, 228-31	13.2	43
24	Chronic fluoxetine administration inhibits extracellular signal-regulated kinase 1/2 phosphorylation in rat brain. <i>Journal of Neurochemistry</i> , 2005 , 93, 1551-60	6	94
23	Voluntary exercise increases axonal regeneration from sensory neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 8473-8	11.5	125
22	Exercise reverses the harmful effects of consumption of a high-fat diet on synaptic and behavioral plasticity associated to the action of brain-derived neurotrophic factor. <i>Neuroscience</i> , 2004 , 123, 429-40	3.9	258
21	Voluntary exercise following traumatic brain injury: brain-derived neurotrophic factor upregulation and recovery of function. <i>Neuroscience</i> , 2004 , 125, 129-39	3.9	378
20	Quetiapine regulates FGF-2 and BDNF expression in the hippocampus of animals treated with MK-801. <i>NeuroReport</i> , 2004 , 15, 2109-12	1.7	58
19	Effect of antipsychotic drugs on brain-derived neurotrophic factor expression under reduced N-methyl-D-aspartate receptor activity. <i>Journal of Neuroscience Research</i> , 2003 , 72, 622-8	4.4	62
18	A saturated-fat diet aggravates the outcome of traumatic brain injury on hippocampal plasticity and cognitive function by reducing brain-derived neurotrophic factor. <i>Neuroscience</i> , 2003 , 119, 365-75	3.9	178
17	Differential effects of acute and chronic exercise on plasticity-related genes in the rat hippocampus revealed by microarray. <i>European Journal of Neuroscience</i> , 2002 , 16, 1107-16	3.5	330

16	Alterations in BDNF and synapsin I within the occipital cortex and hippocampus after mild traumatic brain injury in the developing rat: reflections of injury-induced neuroplasticity. <i>Journal of Neurotrauma</i> , 2002 , 19, 803-14	5.4	77
15	Voluntary exercise induces a BDNF-mediated mechanism that promotes neuroplasticity. <i>Journal of Neurophysiology</i> , 2002 , 88, 2187-95	3.2	519
14	A high-fat, refined sugar diet reduces hippocampal brain-derived neurotrophic factor, neuronal plasticity, and learning. <i>Neuroscience</i> , 2002 , 112, 803-14	3.9	651
13	Stimulatory role of dopamine on fibroblast growth factor-2 expression in rat striatum. <i>Journal of Neurochemistry</i> , 2001 , 76, 990-7	6	45
12	Statins prevent endothelial cell activation induced by antiphospholipid (anti-beta2-glycoprotein I) antibodies: effect on the proadhesive and proinflammatory phenotype. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2870-8		227
11	Developmental and stress-related changes of neurotrophic factor gene expression in an animal model of schizophrenia. <i>Molecular Psychiatry</i> , 2001 , 6, 285-92	15.1	68
10	Modulation of fibroblast growth factor-2 by stress and corticosteroids: from developmental events to adult brain plasticity. <i>Brain Research Reviews</i> , 2001 , 37, 249-58		83
9	Calcium-dependent modulation of FGF-2 expression in cultured cerebellar granule neurons. <i>NeuroReport</i> , 2000 , 11, 3615-9	1.7	4
8	Selective modulation of fibroblast growth factor-2 expression in the rat brain by the atypical antipsychotic clozapine. <i>Neuropharmacology</i> , 1999 , 38, 1075-82	5.5	42
7	Different patterns of induction of FGF-2, FGF-1 and BDNF mRNAs during kindling epileptogenesis in the rat. <i>European Journal of Neuroscience</i> , 1998 , 10, 955-63	3.5	29
6	Differential regulation of FGF-2 and FGFR-1 in rat cortical astrocytes by dexamethasone and isoproterenol. <i>Molecular Brain Research</i> , 1998 , 57, 38-45		20
5	Nicotine prevents experimental parkinsonism in rodents and induces striatal increase of neurotrophic factors. <i>Journal of Neurochemistry</i> , 1998 , 71, 2439-46	6	157
4	L-deprenyl potentiates cAMP-induced elevation of FGF-2 mRNA levels in rat cortical astrocytes. <i>NeuroReport</i> , 1997 , 8, 2165-8	1.7	18
3	Acute and chronic changes in K(+)-induced depolarization alter NMDA and nNOS gene expression in cultured cerebellar granule cells. <i>Molecular Brain Research</i> , 1996 , 40, 171-4		17
2	Cyclic AMP-dependent regulation of fibroblast growth factor-2 messenger RNA levels in rat cortical astrocytes: comparison with fibroblast growth factor-1 and ciliary neurotrophic factor. <i>Molecular Pharmacology</i> , 1996 , 49, 699-706	4.3	43
1	Regulation of NMDA receptor subunit mRNA expression in the rat brain during postnatal development. <i>Molecular Brain Research</i> , 1994 , 25, 209-16		68