

# Shunji Suzuki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5022035/publications.pdf>

Version: 2024-02-01

129  
papers

3,202  
citations

159573

30  
h-index

189881

50  
g-index

139  
all docs

139  
docs citations

139  
times ranked

3072  
citing authors

#	ARTICLE	IF	CITATIONS
1	First Report of Grapevine Rupestris Vein Feathering Virus in <i>Vitis vinifera</i> from Japan. <i>Plant Disease</i> , 2022, 106, 338.	1.4	4
2	Geraniol as a Potential Stimulant for Improving Anthocyanin Accumulation in Grape Berry Skin through ABA Membrane Transport. <i>Plants</i> , 2022, 11, 1694.	3.5	0
3	Electrical Stimulation Enhances Plant Defense Response in Grapevine through Salicylic Acid-Dependent Defense Pathway. <i>Plants</i> , 2021, 10, 1316.	3.5	2
4	Complete Genome Sequence of <i>Bacillus velezensis</i> KOF112, an Antifungal Endophytic Isolate from Shoot Xylem of the Indigenous Japanese Wine Grape <i>Vitis</i> sp. cv. Koshu. <i>Microbiology Resource Announcements</i> , 2021, 10, e0042221.	0.6	1
5	Isolation and Characterization of Endophyte <i>Bacillus velezensis</i> KOF112 from Grapevine Shoot Xylem as Biological Control Agent for Fungal Diseases. <i>Plants</i> , 2021, 10, 1815.	3.5	27
6	Ethylene Induced by Sound Stimulation Enhances Anthocyanin Accumulation in Grape Berry Skin through Direct Upregulation of UDP-Glucose: Flavonoid 3-O-Glucosyltransferase. <i>Cells</i> , 2021, 10, 2799.	4.1	13
7	Exogenous allantoin improves anthocyanin accumulation in grape berry skin at early stage of ripening. <i>Journal of Plant Physiology</i> , 2020, 253, 153253.	3.5	10
8	Direct antagonistic activity of chitinase produced by <i>Trichoderma</i> sp. SANA20 as biological control agent for grey mould caused by <i>Botrytis cinerea</i> . <i>Cogent Biology</i> , 2020, 6, 1747903.	1.7	22
9	Genomic Characterization of the Japanese Indigenous Wine Grape <i>Vitis</i> sp. cv. Koshu. <i>Frontiers in Plant Science</i> , 2020, 11, 532211.	3.6	5
10	Crosstalk Pathway between Trehalose Metabolism and Cytokinin Degradation for the Determination of the Number of Berries per Bunch in Grapes. <i>Cells</i> , 2020, 9, 2378.	4.1	1
11	High night temperature promotes downy mildew in grapevine via attenuating plant defence response and enhancing early <i>Plasmopara viticola</i> infection. <i>Plant Protection Science</i> , 2020, 57, 21-30.	1.4	6
12	Exogenous isoleucine and phenylalanine interact with abscisic acid-mediated anthocyanin accumulation in grape. <i>Folia Horticulturae</i> , 2019, 31, 147-157.	1.8	7
13	Antidiabetic effects of novel cell culture established from grapevine, <i>Vitis vinifera</i> cv. Koshu. <i>Cytotechnology</i> , 2018, 70, 993-999.	1.6	4
14	Physiological characterization of leaf and internode after bud break in Japanese indigenous Koshu grape by comparative RNA sequencing analysis. <i>PLoS ONE</i> , 2018, 13, e0194807.	2.5	9
15	Status and future of disease protection and grape berry quality alteration by micro-organisms in viticulture. <i>Letters in Applied Microbiology</i> , 2018, 67, 106-112.	2.2	11
16	Impact of <i>Bacillus cereus</i> NRKT on grape ripe rot disease through resveratrol synthesis in berry skin. <i>Pest Management Science</i> , 2017, 73, 174-180.	3.4	16
17	Vanillylacetone up-regulates anthocyanin accumulation and expression of anthocyanin biosynthetic genes by inducing endogenous abscisic acid in grapevine tissues. <i>Journal of Plant Physiology</i> , 2017, 219, 22-27.	3.5	16
18	Electrical stimulation: An abiotic stress generator for enhancing anthocyanin and resveratrol accumulation in grape berry. <i>Scientia Horticulturae</i> , 2017, 226, 285-292.	3.6	7

#	ARTICLE	IF	CITATIONS
19	High Constitutive Overexpression of Glycosyl Hydrolase Family 17 Delays Floral Transition by Enhancing FLC Expression in Transgenic Arabidopsis. <i>Plants</i> , 2017, 6, 31.	3.5	2
20	Comprehensive and comparative lipidome analysis of <i>Vitis vinifera</i> L. cv. Pinot Noir and Japanese indigenous <i>V. vinifera</i> L. cv. Koshu grape berries. <i>PLoS ONE</i> , 2017, 12, e0186952.	2.5	20
21	Grape apoplasmic Î <sup>2</sup> -1,3-glucanase confers fungal disease resistance in Arabidopsis. <i>Scientia Horticulturae</i> , 2016, 200, 105-110.	3.6	22
22	EXTERNAL AND INTERNAL EXPOSURE TO FUKUSHIMA RESIDENTS. <i>Radiation Protection Dosimetry</i> , 2016, 171, 7-13.	0.8	17
23	Hordenine is responsible for plant defense response through jasmonate-dependent defense pathway. <i>Physiological and Molecular Plant Pathology</i> , 2016, 96, 94-100.	2.5	11
24	Grape SISTER OF RAMOSA3 is a negative regulator of pedicel development of grape inflorescence. <i>Plant Cell, Tissue and Organ Culture</i> , 2016, 124, 217-225.	2.3	2
25	Cytochrome P450 CYP71BE5 in grapevine ( <i>Vitis vinifera</i> ) catalyzes the formation of the spicy aroma compound (â <sup>~</sup> )-rotundone. <i>Journal of Experimental Botany</i> , 2016, 67, 787-798.	4.8	76
26	Analysis of Rotundone in Japanese Syrah Grapes and Wines using Stir Bar Sorptive Extraction (SBSE) with Heart-Cutting Two-Dimensional GC-MS. <i>American Journal of Enology and Viticulture</i> , 2015, 66, 398-402.	1.7	22
27	Grape expansins, VvEXPA14 and VvEXPA18 promote cell expansion in transgenic Arabidopsis plant. <i>Plant Cell, Tissue and Organ Culture</i> , 2015, 120, 1077-1085.	2.3	20
28	Cyclic lipopeptide iturin A structure-dependently induces defense response in Arabidopsis plants by activating SA and JA signaling pathways. <i>Biochemical and Biophysical Research Communications</i> , 2015, 460, 1015-1020.	2.1	59
29	Are cyclic lipopeptides produced by <i>Bacillus amyloliquefaciens</i> S13-3 responsible for the plant defence response in strawberry against <i>Colletotrichum gloeosporioides</i> ? <i>Letters in Applied Microbiology</i> , 2015, 60, 379-386.	2.2	92
30	Impact of <i>Bacillus amyloliquefaciens</i> S13 on control of bacterial wilt and powdery mildew in tomato. <i>Pest Management Science</i> , 2015, 71, 722-727.	3.4	23
31	Characterisation of heteroplasmic status at codon 143 of the <i>Botrytis cinerea</i> cytochrome b gene in a semi-quantitative AS-PCR assay. <i>Pest Management Science</i> , 2015, 71, 467-477.	3.4	9
32	Monitoring of a Single Point Mutation in the <i>PvCesA3</i> Allele Conferring Resistance to Carboxylic Acid Amide Fungicides in <i>Plasmopara viticola</i> Populations In Yamanashi Prefecture, Japan. <i>Plant Health Progress</i> , 2015, 16, 84-87.	1.4	8
33	Leaf Removal Accelerated Accumulation of Delphinidin-based Anthocyanins in "Muscat Bailey A" [ <i>Vitis labruscana</i> (Bailey) and <i>Vitis vinifera</i> (Muscat Hamburg) ] Grape Skin. <i>Japanese Society for Horticultural Science</i> , 2014, 83, 17-22.	0.8	20
34	Prostaglandin F2Î± FP receptor inhibitor reduces demyelination and motor dysfunction in a cuprizone-induced multiple sclerosis mouse model. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2014, 91, 175-182.	2.2	27
35	Plant DNA-damage repair/toleration 100 protein repairs UV-B-induced DNA damage. <i>DNA Repair</i> , 2014, 21, 171-176.	2.8	33
36	An acyl-CoA-binding protein from grape that is induced through ER stress confers morphological changes and disease resistance in Arabidopsis. <i>Journal of Plant Physiology</i> , 2013, 170, 591-600.	3.5	21

#	ARTICLE	IF	CITATIONS
37	Development of a multiplex allele-specific primer PCR assay for simultaneous detection of QoI and CAA fungicide resistance alleles in <i>Plasmopara viticola</i> populations. <i>Pest Management Science</i> , 2013, 69, 268-273.	3.4	13
38	Environmental Stresses Induce Misfolded Protein Aggregation in Plant Cells in a Microtubule-Dependent Manner. <i>International Journal of Molecular Sciences</i> , 2013, 14, 7771-7783.	4.1	56
39	Emergence of Single Point Mutation in <i>PvCesA3</i> , Conferring Resistance to CAA Fungicides, in <i>Plasmopara viticola</i> Populations in Japan. <i>Plant Health Progress</i> , 2013, 14, .	1.4	3
40	Isolation and characterisation of <i>Bacillus amyloliquefaciens</i> S13-3 as a biological control agent for anthracnose caused by <i>Colletotrichum gloeosporioides</i> . <i>Biocontrol Science and Technology</i> , 2012, 22, 697-709.	1.3	31
41	Auxin-responsive grape Aux/IAA9 regulates transgenic Arabidopsis plant growth. <i>Molecular Biology Reports</i> , 2012, 39, 7823-7829.	2.3	22
42	Characterization of grape C-repeat-binding factor 2 and B-box-type zinc finger protein in transgenic Arabidopsis plants under stress conditions. <i>Molecular Biology Reports</i> , 2012, 39, 7933-7939.	2.3	18
43	Detection and analysis of genetic variations in GOB locus of <i>Plasmopara viticola</i> by DNA sequence analysis. <i>Journal of General Plant Pathology</i> , 2012, 78, 170-175.	1.0	2
44	Auxin-nonresponsive grape Aux/IAA19 is a positive regulator of plant growth. <i>Molecular Biology Reports</i> , 2012, 39, 911-917.	2.3	31
45	HSG1, a grape Bcl-2-associated athanogene, promotes floral transition by activating CONSTANS expression in transgenic Arabidopsis plant. <i>Molecular Biology Reports</i> , 2012, 39, 4367-4374.	2.3	16
46	Isolation and characterization of <i>Bacillus subtilis</i> KS1 for the biocontrol of grapevine fungal diseases. <i>Biocontrol Science and Technology</i> , 2011, 21, 705-720.	1.3	61
47	Pink-Colored Grape Berry Is the Result of Short Insertion in Intron of Color Regulatory Gene. <i>PLoS ONE</i> , 2011, 6, e21308.	2.5	35
48	ER stress-induced protein, VIGG, disturbs plant cation homeostasis, which is correlated with growth retardation and robustness to ER stress. <i>Biochemical and Biophysical Research Communications</i> , 2011, 405, 514-520.	2.1	4
49	Low-temperature-induced transcription factors in grapevine enhance cold tolerance in transgenic Arabidopsis plants. <i>Journal of Plant Physiology</i> , 2011, 168, 967-975.	3.5	60
50	Inhibitory effect of chitinases isolated from Semillon grapes ( <i>Vitis vinifera</i> ) on growth of grapevine pathogens. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2011, 20, 47-54.	1.7	16
51	Characterization of phenolic compounds biosynthesized in pink-colored skin of Japanese indigenous <i>Vitis vinifera</i> cv. Koshu grape. <i>Plant Biotechnology Reports</i> , 2011, 5, 79-88.	1.5	10
52	Method for rapid detection of the <i>PvCesA3</i> gene allele conferring resistance to mandipropamid, a carboxylic acid amide fungicide, in <i>Plasmopara viticola</i> populations. <i>Pest Management Science</i> , 2011, 67, 1557-1561.	3.4	21
53	Environmental stress enhances biosynthesis of flavor precursors, S-3-(hexan-1-ol)-glutathione and S-3-(hexan-1-ol)-L-cysteine, in grapevine through glutathione S-transferase activation. <i>Journal of Experimental Botany</i> , 2011, 62, 1325-1336.	4.8	104
54	Monitoring of QoI fungicide resistance in <i>Plasmopara viticola</i> populations in Japan. <i>Pest Management Science</i> , 2010, 66, 1268-1272.	3.4	34

#	ARTICLE	IF	CITATIONS
55	Characterization of thermotolerance-related genes in grapevine ( <i>Vitis vinifera</i> ). <i>Journal of Plant Physiology</i> , 2010, 167, 812-819.	3.5	29
56	Molecular characterization of Japanese indigenous grape cultivar "Koshu"™ ( <i>Vitis vinifera</i> ) leaf and berry skin during grape development. <i>Plant Biotechnology Reports</i> , 2009, 3, 225-241.	1.5	14
57	Nested PCR-RFLP is a high-speed method to detect fungicide-resistant <i>Botrytis cinerea</i> at an early growth stage of grapes. <i>Pest Management Science</i> , 2009, 65, 197-204.	3.4	21
58	Rapid method for detecting resistance to a QoI fungicide in <i>Plasmopara viticola</i> populations. <i>Pest Management Science</i> , 2009, 65, 840-843.	3.4	24
59	Cloning and characterization of VIGG, a novel virus-induced grapevine protein, correlated with fruit quality. <i>Plant Physiology and Biochemistry</i> , 2009, 47, 291-299.	5.8	11
60	In Planta Transformation Technique for Grapevines ( <i>Vitis vinifera</i> L) using Dormant Buds. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2009, 18, 161-167.	1.7	6
61	Nucleolar protein Nop25 is involved in nucleolar architecture. <i>Biochemical and Biophysical Research Communications</i> , 2007, 358, 1114-1119.	2.1	13
62	Molecular cloning and characterization of Nop25, a novel nucleolar RNA binding protein, highly conserved in vertebrate species. <i>Experimental Cell Research</i> , 2006, 312, 1031-1041.	2.6	9
63	Mapping a nucleolar targeting sequence of an RNA binding nucleolar protein, Nop25. <i>Experimental Cell Research</i> , 2006, 312, 1703-1712.	2.6	18
64	Functional expression of CCL6 by rat microglia: A possible role of CCL6 in cell-cell communication. <i>Journal of Neuroimmunology</i> , 2005, 167, 72-80.	2.3	36
65	Sorcini interacts with sarcoplasmic reticulum Ca <sup>2+</sup> -ATPase and modulates excitation-contraction coupling in the heart. <i>Basic Research in Cardiology</i> , 2005, 100, 250-262.	5.9	63
66	Morphine suppresses lymphocyte apoptosis by blocking p53-mediated death signaling. <i>Biochemical and Biophysical Research Communications</i> , 2003, 308, 802-808.	2.1	42
67	Identification of opioid-regulated genes in human lymphocytic cells by differential display: upregulation of Krüppel-like factor 7 by morphine. <i>Experimental Cell Research</i> , 2003, 291, 340-351.	2.6	17
68	Chemokine receptor CCR5: polymorphism at protein level. <i>Biochemical and Biophysical Research Communications</i> , 2002, 296, 477-483.	2.1	15
69	Methadone induces CCR5 and promotes AIDS virus infection. <i>FEBS Letters</i> , 2002, 519, 173-177.	2.8	50
70	Ca <sup>2+</sup> -Dependent Ca <sup>2+</sup> Clearance Via Mitochondrial Uptake and Plasmalemmal Extrusion in Frog Motor Nerve Terminals. <i>Journal of Neurophysiology</i> , 2002, 87, 1816-1823.	1.8	29
71	del11(p11-13) with overexpression of Wilms' tumor gene during leukemic transformation of myelodysplastic syndrome. <i>Annals of Hematology</i> , 2002, 81, 605-608.	1.8	2
72	Expression of interleukin-6 in cerebral neurons and ovarian cancer tissue in Trousseau syndrome. , 2002, 21, 232-5.		1

#	ARTICLE	IF	CITATIONS
73	IL-6 and IFN-gamma regulation of IL-10 production by human colon carcinoma cells. <i>International Journal of Oncology</i> , 2001, 18, 581-6.	3.3	9
74	Expression of interleukin-6 is suppressed by inhibition of voltage-sensitive Na <sup>+</sup> /Ca <sup>2+</sup> channels after cerebral ischemia. <i>NeuroReport</i> , 2000, 11, 2565-2569.	1.2	13
75	Immunohistochemical Detection of Leukemia Inhibitory Factor After Focal Cerebral Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 661-668.	4.3	55
76	The methylguanidine-to-creatinine ratio, serum NOx concentrations, and vascular disease in nondiabetic hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2000, 4, 231-235.	1.6	1
77	Pre- and postoperative bone metabolism of primary hyperparathyroidism. <i>Biomedicine and Pharmacotherapy</i> , 2000, 54, 90s-96s.	5.6	5
78	Temporal Profile and Cellular Localization of Interleukin-6 Protein after Focal Cerebral Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 1256-1262.	4.3	108
79	An unusual case of benign thyroid tumour consisting of epithelial and nonepithelial components. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1999, 434, 235-239.	2.8	3
80	Quantitative Evaluation of "Sunset Glow" Fundus in Vogt-Koyanagi-Harada Disease. <i>Japanese Journal of Ophthalmology</i> , 1999, 43, 327-333.	1.9	42
81	Clinical Evaluation of Serum Tissue Polypeptide Specific Antigen in Patients with Thyroid Carcinoma. <i>Thyroid</i> , 1999, 9, 921-925.	4.5	11
82	Cerebral neurons express interleukin-6 after transient forebrain ischemia in gerbils. <i>Neuroscience Letters</i> , 1999, 262, 117-120.	2.1	50
83	Cloning and characterization of human MCM7 promoter. <i>Gene</i> , 1998, 216, 85-91.	2.2	51
84	Review of Acellular and Cellular Artificial Skins. <i>Tissue Engineering</i> , 1996, 2, 267-275.	4.6	25
85	Angiographic findings in Buerger disease. <i>International Journal of Cardiology</i> , 1996, 54, S189-S195.	1.7	22
86	Fine Structure of the Parotid Gland in Tree Shrew ( <i>Tupaia glis</i> ).. <i>Experimental Animals</i> , 1995, 44, 267-273.	1.1	6
87	Further applications of bilayer artificial skin. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 1995, 48, 222-229.	1.1	65
88	Isolation and Characterization of Novel Antimicrobial Peptides, Rugosins A, B, and C, from the Skin of the Frog, <i>Rana rugosa</i> . <i>Biochemical and Biophysical Research Communications</i> , 1995, 212, 249-254.	2.1	61
89	Moyamoya disease: diagnostic accuracy of MRI. <i>Neuroradiology</i> , 1995, 37, 356-361.	2.2	2
90	MRI in spontaneous cerebrospinal fluid rhinorrhoea. <i>Neuroradiology</i> , 1995, 37, 453-455.	2.2	6

#	ARTICLE	IF	CITATIONS
91	Microencapsulation with carrageenan-locust bean gum mixture in a multiphase emulsification technique for sustained drug release. <i>Journal of Microencapsulation</i> , 1994, 11, 197-203.	2.8	31
92	A Study on Multidisciplinary Therapy for Cases of Unresectable Hepatic Metastasis from Colorectal Cancer.. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 1994, 47, 92-99.	0.0	0
93	Ultrastructural changes in glycerol-extracted skeletal muscle fibers after chemical modification of myosin heads with p-phenylenedimaleimide. <i>Journal of Electron Microscopy</i> , 1994, 43, 203-7.	0.9	0
94	Effects of anesthesia on sympathetic nerve rhythm: power spectral analysis. <i>Journal of the Autonomic Nervous System</i> , 1993, 43, 51-58.	1.9	19
95	Cross-Bridge Angle Distribution and Thin Filament Stiffness in Frog Skeletal Muscle Fibers as Studied by Quick-Freeze Deep-Etch Electron Microscopy. <i>Advances in Experimental Medicine and Biology</i> , 1993, 332, 57-70.	1.6	1
96	Freeze-fracture studies on the cross-bridge angle distribution at various states and the thin filament stiffness in single skinned frog muscle fibers. <i>Journal of Electron Microscopy</i> , 1993, 42, 107-16.	0.9	7
97	Increase of Serum Somatomedin C in Hyperthyroid Patients With Pregnancy. <i>Hormone and Metabolic Research</i> , 1992, 24, 78-81.	1.5	0
98	Endothelin-1-induced prostaglandin E2 production: modulation of contractile response to endothelin-1 in porcine coronary artery. <i>European Journal of Pharmacology</i> , 1992, 217, 97-100.	3.5	16
99	Experimental and Clinical Studies on Laser Hyperthermia for Gastric Cancer. <i>Photomedicine and Laser Surgery</i> , 1992, 10, 123-125.	0.9	0
100	Fine Structure of the Parotid Gland in the Crest-tailed Marsupial-rat (&lt;l&gt;Dasyuroides) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td	1.1	1
101	Stretch-Induced Force Development in Mytilus Smooth Muscle during Submaximal Activation. <i>The Japanese Journal of Physiology</i> , 1992, 42, 987-990.	0.9	1
102	Diversity of the cadherin family: evidence for eight new cadherins in nervous tissue.. <i>Molecular Biology of the Cell</i> , 1991, 2, 261-270.	6.5	345
103	Salvage of Distal Flap Necrosis by Topical Superoxide Dismutase. <i>Annals of Plastic Surgery</i> , 1991, 27, 253-257.	0.9	17
104	Involvement of reactive oxygen species in post-ischæmic flap necrosis and its prevention by antioxidants. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 1991, 44, 130-134.	1.1	30
105	Quantitative computed tomography: comparative study using different scanners with two calibration phantoms. <i>British Journal of Radiology</i> , 1991, 64, 1001-1006.	2.2	25
106	Effects of endothelin-1 on endothelial cells in the porcine coronary artery.. <i>Circulation Research</i> , 1991, 69, 1361-1368.	4.5	44
107	Clinical evaluation of a new bilayer "artificial skin" composed of collagen sponge and silicone layer. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 1990, 43, 47-54.	1.1	107
108	Experimental study of a newly developed bilayer artificial skin. <i>Biomaterials</i> , 1990, 11, 356-360.	11.4	102

#	ARTICLE	IF	CITATIONS
109	Trabecular mineral contents of lumbar vertebra in patients with osteoporosis. Nihon Seikeigeka Gakkai Zasshi, 1990, 64, 17-26.	0.0	1
110	Central nervous system mechanisms involved in inhibition of renal sympathetic nerve activity induced by arginine vasopressin.. Circulation Research, 1989, 65, 1390-1399.	4.5	35
111	Evidence for extracellular localization of activator calcium in dog coronary artery smooth muscle as studied by the pyroantimonate method. Cell and Tissue Research, 1989, 257, 237-246.	2.9	27
112	Significance of reactive oxygen species in distal flap necrosis and its salvage with liposomal SOD. Journal of Plastic, Reconstructive and Aesthetic Surgery, 1989, 42, 559-564.	1.1	53
113	Evaluation of the pyroantimonate method for detecting intracellular calcium localization in smooth muscle fibers by the X-ray microanalysis of cryosections. Histochemistry, 1989, 92, 95-101.	1.9	15
114	Evidence against the central nervous system being involved in altered reflex control of sympathetic nerve activity by atrial natriuretic peptide. Brain Research, 1989, 485, 109-114.	2.2	6
115	Para-alar Crescentic Subcutaneous Pedicle Flap for Repair of Skin Defects in the Philtrum. Annals of Plastic Surgery, 1989, 23, 442-446.	0.9	14
116	Biphasic forearm vascular responses to intraarterial arginine vasopressin.. Journal of Clinical Investigation, 1989, 84, 427-434.	8.2	44
117	Analysis of cytoplasmic factors in developmental cleavage of mouse embryo. Cell Differentiation, 1988, 24, 133-138.	0.4	13
118	Experimental study on "œdelay" phenomenon in relation to flap width and ischaemia. Journal of Plastic, Reconstructive and Aesthetic Surgery, 1988, 41, 389-394.	1.1	14
119	Cytoplasmic Factors in Oocyte Maturation, Fertilization, and Early Development. Annals of the New York Academy of Sciences, 1988, 541, 349-366.	3.8	4
120	Evidence Against the Central Nervous System Involved in Altered Reflex Control of Sympathetic Nerve Activity by Atrial Natriuretic Peptide. Clinical and Experimental Hypertension, 1988, 10, 263-268.	0.3	1
121	Contraction-induced potentiation of human motor unit discharge and surface EMG activity. Medicine and Science in Sports and Exercise, 1988, 20, 391-395.	0.4	16
122	Isolated Right Heart Purulent Pericarditis forming a Large Mediastinal Mass. Chest, 1988, 93, 667-668.	0.8	14
123	The Use of Subcutaneous Pedicle Flaps in the Treatment of Postburn Scar Contractures. Plastic and Reconstructive Surgery, 1987, 80, 792-798.	1.4	32
124	Cadmium, copper, and zinc levels in the rice and rice field soil of Houston, Texas. Biological Trace Element Research, 1982, 4, 21-28.	3.5	17
125	Physiological and Ultrastructural Studies on the Longitudinal Retractor Muscle of a Sea Cucumber <i>Stichopus Japonicus</i> : I. Factors Influencing the Mechanical Response. Journal of Experimental Biology, 1982, 97, 101-111.	1.7	17
126	The presence and properties of Mg <sup>2+</sup> -HCO <sub>3</sub> <sup>-</sup> -stimulated and SCN <sup>-</sup> -inhibited ATPase in mouse kidney and some relationships between ATPase and carbonic anhydrase. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1978, 59, 27-36.	0.2	2



#	ARTICLE	IF	CITATIONS
127	INHIBITORY EFFECT OF PHENOL SOLUBLE PROTEINOUS SUBSTANCE (PSPS) DERIVED FROM E COLI UPON THE 3H-THYMIDINE (TDR) INCORPORATION INTO HUMANLEUCOCYTES STIMULATED WITH SPECIFIC ANTIGENS SUCH AS PPD, STREPTOCOCCAL M- PROTEIN AND SK-SD (VARIDASE). The KITAKANTO Medical Journal, 1976, 26, 135-142.	0.0	0
128	POPULATION STUDIES ON DRUG HYPERSENSITIVITIES. Allergy: European Journal of Allergy and Clinical Immunology, 1973, 28, 50-61.	5.7	11
129	The studies in alterations of lysosomal enzymes in hepatic disorders “ with special reference to the application of the lysosome stabilizer to the treatment of liver disease. Gastroenterologia Japonica, 1968, 3, 309-309.	0.3	1