

# Frances R Pick

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5022441/publications.pdf>

Version: 2024-02-01

110  
papers

4,846  
citations

101543

36  
h-index

102487

66  
g-index

110  
all docs

110  
docs citations

110  
times ranked

4507  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing microscopy and DNA metabarcoding techniques for identifying cyanobacteria assemblages across hundreds of lakes. <i>Harmful Algae</i> , 2022, 113, 102187.	4.8	24
2	Effects of temperature and oxygen on cyanobacterial DNA preservation in sediments: A comparison study of major taxa. <i>Environmental DNA</i> , 2022, 4, 717-731.	5.8	9
3	Diagnostic Fragmentation Filtering for Cyanopeptolin Detection. <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 1087-1097.	4.3	5
4	The Effects of Ditch Management in Agroecosystems on Embryonic and Tadpole Survival, Growth, and Development of Northern Leopard Frogs ( <i>Lithobates pipiens</i> ). <i>Archives of Environmental Contamination and Toxicology</i> , 2021, 81, 107-122.	4.1	6
5	Comparing Quantitative Methods for Analyzing Sediment DNA Records of Cyanobacteria in Experimental and Reference Lakes. <i>Frontiers in Microbiology</i> , 2021, 12, 669910.	3.5	10
6	Plants, water quality and land cover as drivers of Odonata assemblages in urban ponds. <i>Science of the Total Environment</i> , 2021, 773, 145467.	8.0	12
7	Stormwater ponds as habitat for Odonata in urban areas: the importance of obligate wetland plant species. <i>Biodiversity and Conservation</i> , 2020, 29, 913-931.	2.6	34
8	Water quality effects on dragonfly and damselfly nymph communities: A comparison of urban and natural ponds. <i>Environmental Pollution</i> , 2020, 263, 114472.	7.5	20
9	Isolation and Characterization of [D-Leu1]microcystin-LY from <i>Microcystis aeruginosa</i> CCCC-464. <i>Toxins</i> , 2020, 12, 77.	3.4	12
10	Meteorological and Nutrient Conditions Influence Microcystin Congeners in Freshwaters. <i>Toxins</i> , 2019, 11, 620.	3.4	18
11	Numerical investigation on the impact of wind-induced hydraulics on dissolved oxygen characteristics in a shallow stormwater pond. <i>Water Quality Research Journal of Canada</i> , 2019, 54, 309-325.	2.7	6
12	Contrasting histories of microcystin-producing cyanobacteria in two temperate lakes as inferred from quantitative sediment DNA analyses. <i>Lake and Reservoir Management</i> , 2019, 35, 102-117.	1.3	19
13	Metabolome Variation between Strains of <i>Microcystis aeruginosa</i> by Untargeted Mass Spectrometry. <i>Toxins</i> , 2019, 11, 723.	3.4	9
14	Hypoxic conditions in stormwater retention ponds: potential for hydrogen sulfide emission. <i>Environmental Technology (United Kingdom)</i> , 2019, 40, 642-653.	2.2	7
15	Macrophytes are highly sensitive to the herbicide diquat dibromide in test systems of varying complexity. <i>Ecotoxicology and Environmental Safety</i> , 2018, 165, 325-333.	6.0	9
16	Sulfide production kinetics and model of stormwater retention ponds. <i>Water Science and Technology</i> , 2018, 77, 2377-2387.	2.5	5
17	Emerging investigators series: hydrogen sulfide production in municipal stormwater retention ponds under ice covered conditions: a study of water quality and SRB populations. <i>Environmental Science: Water Research and Technology</i> , 2017, 3, 686-698.	2.4	5
18	A comparison of molecular markers and morphology for <i>Neidium</i> taxa (Bacillariophyta) from eastern North America. <i>Journal of Phycology</i> , 2017, 53, 680-702.	2.3	8

#	ARTICLE	IF	CITATIONS
19	Freshwater bloom-forming cyanobacteria and anthropogenic change. <i>Limnology and Oceanography</i> E-Lectures, 2017, 7, 1-62.	0.6	3
20	Reconstructing a long-term record of microcystins from the analysis of lake sediments. <i>Science of the Total Environment</i> , 2017, 579, 893-901.	8.0	33
21	Blooming algae: a Canadian perspective on the rise of toxic cyanobacteria. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1149-1158.	1.4	145
22	Nutrients override atrazine effects on riparian and aquatic plant community structure in a North American agricultural catchment. <i>Freshwater Biology</i> , 2015, 60, 1292-1307.	2.4	14
23	Determining in situ periphyton community responses to nutrient and atrazine gradients via pigment analysis. <i>Science of the Total Environment</i> , 2015, 515-516, 70-82.	8.0	16
24	A PCR-RFLP method to detect hybridization between the invasive Eurasian watermilfoil ( <i>Myriophyllum spicatum</i> ) and the native northern watermilfoil ( <i>Myriophyllum</i> )	10.1	537
25	Temporal trends in cyanobacteria revealed through DNA and pigment analyses of temperate lake sediment cores. <i>Journal of Paleolimnology</i> , 2015, 54, 87-101.	1.6	45
26	Analysis of intracellular and extracellular microcystin variants in sediments and pore waters by accelerated solvent extraction and high performance liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2015, 872, 26-34.	5.4	65
27	Acceleration of cyanobacterial dominance in north temperate-subarctic lakes during the Anthropocene. <i>Ecology Letters</i> , 2015, 18, 375-384.	6.4	270
28	Comparing predictive cyanobacterial models from temperate regions. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2014, 71, 1830-1839.	1.4	29
29	Atrazine contamination at the watershed scale and environmental factors affecting sampling rates of the polar organic chemical integrative sampler (POCIS). <i>Environmental Pollution</i> , 2014, 189, 134-142.	7.5	63
30	Fate and Persistence of Particulate and Dissolved Microcystin-LA from Microcystis Blooms. <i>Human and Ecological Risk Assessment (HERA)</i> , 2014, 20, 1670-1686.	3.4	52
31	Nitrogen Forms Influence Microcystin Concentration and Composition via Changes in Cyanobacterial Community Structure. <i>PLoS ONE</i> , 2014, 9, e85573.	2.5	115
32	Thermal and chemical stratification of urban ponds: Are they completely mixed reactors? <i>Urban Ecosystems</i> , 2013, 16, 327-339.	2.4	39
33	Thermal stratification patterns in urban ponds and their relationships with vertical nutrient gradients. <i>Journal of Environmental Management</i> , 2013, 127, 317-323.	7.8	61
34	Comparing the sensitivity of geographically distinct <i>Lemna minor</i> populations to atrazine. <i>Ecotoxicology</i> , 2013, 22, 718-730.	2.4	9
35	Picophytoplankton during the ice-free season in five temperate-zone rivers. <i>Journal of Plankton Research</i> , 2013, 35, 553-565.	1.8	9
36	Nutrients and water temperature are significant predictors of cyanobacterial biomass in a 1147 lakes data set. <i>Limnology and Oceanography</i> , 2013, 58, 1736-1746.	3.1	200

#	ARTICLE	IF	CITATIONS
37	On phytoplankton growth and loss rates to microzooplankton in the epilimnion and metalimnion of Lake Ontario in mid-summer. <i>Journal of Great Lakes Research</i> , 2012, 38, 146-153.	1.9	22
38	Predicting cyanobacterial dynamics in the face of global change: the importance of scale and environmental context. <i>Global Change Biology</i> , 2012, 18, 3477-3490.	9.5	106
39	Effect of Nitrogen on Cellular Production and Release of the Neurotoxin Anatoxin-A in a Nitrogen-Fixing Cyanobacterium. <i>Frontiers in Microbiology</i> , 2012, 3, 211.	3.5	25
40	Cyanobacteria and Cyanotoxins: The Influence of Nitrogen versus Phosphorus. <i>PLoS ONE</i> , 2012, 7, e38757.	2.5	281
41	<i>Daphnia</i> Pre-Exposed to Toxic <i>Microcystis</i> Exhibit Feeding Selectivity. <i>International Review of Hydrobiology</i> , 2011, 96, 20-28.	0.9	17
42	The effect of sampling scales on the interpretation of environmental drivers of the cyanotoxin microcystin. <i>Lake and Reservoir Management</i> , 2011, 27, 183-193.	1.3	6
43	Effect of Light Intensity on the Relative Dominance of Toxigenic and Nontoxigenic Strains of <i>Microcystis aeruginosa</i> . <i>Applied and Environmental Microbiology</i> , 2011, 77, 7016-7022.	3.1	55
44	Diversity, distribution, and abundance of freshwater mussels in the Raisin River drainage basin, Eastern Ontario, Canada. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2010, 30, 1456-1460.	0.1	0
45	Detection of Microcystin-Producing Cyanobacteria in Missisquoi Bay, Quebec, Canada, Using Quantitative PCR. <i>Applied and Environmental Microbiology</i> , 2010, 76, 5105-5112.	3.1	70
46	Using vegetation indices from satellite remote sensing to assess corn and soybean response to controlled tile drainage. <i>Agricultural Water Management</i> , 2010, 98, 261-270.	5.6	51
47	Predicting diversity versus community composition of aquatic plants at the river scale. <i>Aquatic Botany</i> , 2008, 88, 338-346.	1.6	25
48	Meta-analysis of cyanobacterial effects on zooplankton population growth rate: species-specific responses. <i>Fundamental and Applied Limnology</i> , 2008, 171, 285-295.	0.7	127
49	Organochlorine Compounds in Trout from Lakes over a 1600 Meter Elevation Gradient in the Canadian Rocky Mountains. <i>Environmental Science &amp; Technology</i> , 2007, 41, 2723-2729.	10.0	33
50	Sampling and analysis of microcystins: Implications for the development of standardized methods. <i>Environmental Toxicology</i> , 2007, 22, 132-143.	4.0	23
51	Colourful coexistence of red and green picocyanobacteria in lakes and seas. <i>Ecology Letters</i> , 2007, 10, 290-298.	6.4	226
52	Mercury, polybrominated diphenyl ether, organochlorine pesticide, and polychlorinated biphenyl concentrations in fish from lakes along an elevation transect in the French Pyrénées. <i>Ecotoxicology and Environmental Safety</i> , 2006, 63, 91-99.	6.0	63
53	Potamoplankton size structure and taxonomic composition: Influence of river size and nutrient concentrations. <i>Limnology and Oceanography</i> , 2006, 51, 681-689.	3.1	56
54	Allelopathic effects of the toxic cyanobacterium <i>Microcystis aeruginosa</i> on duckweed, <i>Lemna gibba</i> L.. <i>Environmental Toxicology</i> , 2005, 20, 67-73.	4.0	37

#	ARTICLE	IF	CITATIONS
55	Pressurized liquid extraction of toxins from cyanobacterial cells. <i>Environmental Toxicology</i> , 2005, 20, 390-396.	4.0	28
56	The occurrence of the cyanobacterium <i>Cylindrospermopsis raciborskii</i> in Constance Lake: an exotic cyanoprokaryote new to Canada. <i>Phycologia</i> , 2005, 44, 17-25.	1.4	83
57	Interaction of Nutrients and Turbidity in the Control of Phytoplankton in a Large Western Canadian Lake Prior to Major Watershed Impoundments. <i>Lake and Reservoir Management</i> , 2005, 21, 261-276.	1.3	10
58	Zebra mussel ( <i>Dreissena polymorpha</i> ) veliger larvae: distribution and relationship to phytoplankton biomass and composition in the Rideau River, Ontario, Canada. <i>Archiv für Hydrobiologie</i> , 2004, 161, 113-131.	1.1	7
59	Factors affecting the bacteria-heterotrophic nanoflagellate relationship in oligo-mesotrophic lakes. <i>Journal of Plankton Research</i> , 2004, 26, 681-695.	1.8	24
60	Photosynthetic carbon allocation: Effects of planktivorous fish and nutrient enrichment. , 2002, 64, 217-238.		5
61	Picocyanobacteria abundance in relation to growth and loss rates in oligotrophic to mesotrophic lakes. <i>Aquatic Microbial Ecology</i> , 2002, 27, 37-46.	1.8	23
62	Temporal variability of water chemistry in flowing waters of the northeastern United States: does river size matter?. <i>Journal of the North American Benthological Society</i> , 2001, 20, 331-346.	3.1	13
63	The Evaluation of Metal Retention by a Constructed Wetland Using the Pulmonate Gastropod <i>Helisoma trivolvis</i> (Say). <i>Archives of Environmental Contamination and Toxicology</i> , 2001, 40, 303-310.	4.1	5
64	Test of the first-order removal model for metal retention in a young constructed wetland. <i>Ecological Engineering</i> , 2001, 17, 357-371.	3.6	42
65	Changes in dissolved and total Fe and Mn in a young constructed wetland: Implications for retention performance. <i>Ecological Engineering</i> , 2001, 17, 373-384.	3.6	31
66	Title is missing!. <i>Water, Air, and Soil Pollution</i> , 2001, 132, 275-291.	2.4	24
67	Total mercury in the water and sediments of St. Lawrence River wetlands compared with inland wetlands of Temagami - North Bay and Muskoka-Haliburton. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2000, 57, 148-154.	1.4	1
68	Periphyton biomass and community composition in rivers of different nutrient status. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1999, 56, 560-569.	1.4	118
69	Total Hg in Water, Sediment, and Four Species of Aquatic Macrophytes in the St. Lawrence River, near Cornwall, Ontario. <i>Journal of Great Lakes Research</i> , 1999, 25, 294-304.	1.9	17
70	Periphyton biomass and community composition in rivers of different nutrient status. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1999, 56, 560-569.	1.4	23
71	Effects of nutrients, planktivorous fish and water column depth on components of the microbial food web. <i>Aquatic Microbial Ecology</i> , 1999, 19, 67-80.	1.8	13
72	Effects of Fertilization on Phytoplankton in Kootenay Lake, British Columbia. <i>Lake and Reservoir Management</i> , 1997, 13, 57-66.	1.3	5

#	ARTICLE	IF	CITATIONS
73	Phytoplankton and zooplankton development in a lowland, temperate river. <i>Journal of Plankton Research</i> , 1997, 19, 237-253.	1.8	115
74	PCB Concentrations and Congener Composition in Macrophytes and Sediments in the St. Lawrence River near Cornwall, Ontario. <i>Journal of Great Lakes Research</i> , 1997, 23, 297-306.	1.9	11
75	Title is missing!. <i>Water, Air, and Soil Pollution</i> , 1997, 96, 155-173.	2.4	0
76	The Accumulation of Cadmium by the Yellow Pond Lily, <i>Nuphar variegatum</i> , in Ontario Peatlands. <i>Archives of Environmental Contamination and Toxicology</i> , 1997, 32, 161-165.	4.1	16
77	The development of a true riverine phytoplankton assemblage along a lake-fed lowland river. <i>Fundamental and Applied Limnology</i> , 1997, 140, 243-260.	0.7	23
78	Factors related to heterotrophic bacterial and flagellate abundance in temperate rivers. <i>Aquatic Microbial Ecology</i> , 1997, 12, 123-129.	1.8	26
79	Effects of planktivorous fish and nutrient additions on primary production of shallow versus deep (stratified) lake enclosures. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1996, 53, 1125-1132.	1.4	21
80	Sedimentation of algae: relationships with biomass and size distribution. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1996, 53, 1133-1142.	1.4	27
81	Effects of Nutrients and Planktivorous Fish on the Phytoplankton of Shallow and Deep Aquatic Systems. <i>Ecology</i> , 1996, 77, 1556-1572.	3.2	48
82	Experimental Evidence for Interactive Impacts of Human Activities on Lake Algal Species Richness. <i>Oikos</i> , 1996, 76, 191.	2.7	55
83	CHANGES IN THE PLANKTONIC DIATOM FLORA OF A LARGE MOUNTAIN LAKE IN RESPONSE TO FERTILIZATION1. <i>Journal of Phycology</i> , 1996, 32, 232-243.	2.3	33
84	Factors regulating phytoplankton and zooplankton biomass in temperate rivers. <i>Limnology and Oceanography</i> , 1996, 41, 1572-1577.	3.1	241
85	Effects of planktivorous fish and nutrient additions on primary production of shallow versus deep (stratified) lake enclosures. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1996, 53, 1125-1132.	1.4	2
86	Contrasting the geochemistry of aluminum among peatlands. <i>Water, Air, and Soil Pollution</i> , 1995, 81, 219-240.	2.4	10
87	The response of biota in experimental stream channels to a 24-hour exposure to the herbicide Velpar LÂ®. <i>Environmental Toxicology and Chemistry</i> , 1995, 14, 1607-1613.	4.3	18
88	Nitrogen and Phosphorus Tissue Concentrations in 41 Wetland Plants: A Comparison Across Habitats and Functional Groups. <i>Functional Ecology</i> , 1995, 9, 231.	3.6	120
89	Longitudinal and seasonal development of planktonic chlorophyll a in the Rideau River, Ontario. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1995, 52, 804-815.	1.4	29
90	Metal concentrations in chironomids in relation to peatland geochemistry. <i>Archives of Environmental Contamination and Toxicology</i> , 1994, 27, 186.	4.1	19

#	ARTICLE	IF	CITATIONS
91	Diel cycles in the frequency of dividing cells of freshwater picocyanobacteria. <i>Journal of Plankton Research</i> , 1992, 14, 1193-1198.	1.8	13
92	Contrasting two methods for determining trace metal partitioning in oxidized lake sediments. <i>Biogeochemistry</i> , 1992, 17, 205-219.	3.5	37
93	The abundance and composition of freshwater picocyanobacteria in relation to light penetration. <i>Limnology and Oceanography</i> , 1991, 36, 1457-1462.	3.1	74
94	EFFECT OF SPECTRAL QUALITY ON GROWTH AND PIGMENTATION OF PICOCYANOBACTERIA <sup>1</sup> . <i>Journal of Phycology</i> , 1991, 27, 698-702.	2.3	39
95	The Seasonal Dynamics and Composition of Photosynthetic Picoplankton Communities in Temperate Lakes in Ontario, Canada. <i>International Review of Hydrobiology</i> , 1991, 76, 565-580.	0.6	73
96	Characterization of Cyanobacterial Picoplankton in Lake Ontario by Transmission Electron Microscopy. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1987, 44, 2173-2177.	1.4	15
97	Picoplankton and Nanoplankton Biomass in Lake Ontario: Relative Contribution of Phototrophic and Heterotrophic Communities. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1987, 44, 2164-2172.	1.4	111
98	The Lake Ontario Life Support System. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1987, 44, 2230-2240.	1.4	37
99	Interpretations of Alkaline Phosphatase Activity in Lake Ontario. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1987, 44, 2087-2094.	1.4	50
100	Phosphorus Deficiency of Lake Ontario Plankton. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1987, 44, 2069-2076.	1.4	50
101	The role of macronutrients (C, N, P) in controlling cyanobacterial dominance in temperate lakes. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1987, 21, 425-434.	2.0	113
102	The effects of changes in both the abundance of nitrogen and phosphorus and their ratio on Lake Okaro phytoplankton, with comment on six other central volcanic plateau lakes. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1987, 21, 539-542.	2.0	6
103	Carbohydrate and Protein Content of Lake Seston in Relation to Plankton Nutrient Deficiency. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1987, 44, 2095-2101.	1.4	28
104	Nutrient status of metalimnetic phytoplankton peaks. <i>Limnology and Oceanography</i> , 1984, 29, 960-971.	3.1	27
105	DIURNAL MOVEMENTS OF METALIMNETIC PHYTOPLANKTON <sup>1</sup> . <i>Journal of Phycology</i> , 1984, 20, 430-436.	2.3	13
106	The origin of a metalimnetic chrysophyte peak. <i>Limnology and Oceanography</i> , 1984, 29, 125-134.	3.1	54
107	Factors Influencing Orthophosphate Turnover Times: a Comparison of Canadian and New Zealand Lakes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1982, 39, 469-474.	1.4	23
108	PHOTOSYNTHETIC RESPONSE OF LAKE PLANKTON TO COMBINED NITROGEN ENRICHMENT. <i>Journal of Phycology</i> , 1982, 18, 509-521.	2.3	30

#	ARTICLE	IF	CITATIONS
109	Orthophosphate and its Flux in Lake Waters. Canadian Journal of Fisheries and Aquatic Sciences, 1981, 38, 1215-1219.	1.4	13
110	Photosynthetic response of lake plankton to nutrient enrichment: A test for nutrient limitation. Limnology and Oceanography, 1981, 26, 1001-1019.	3.1	134