

Mengle Shao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5023649/publications.pdf>

Version: 2024-02-01

46
papers

4,095
citations

147801

31
h-index

233421

45
g-index

49
all docs

49
docs citations

49
times ranked

6259
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Multilayered omics reveal sex- and depot-dependent adipose progenitor cell heterogeneity. <i>Cell Metabolism</i> , 2022, 34, 783-799.e7. | 16.2 | 24 |
| 2 | Triiodothyronine (T3) promotes brown fat hyperplasia via thyroid hormone receptor β mediated adipocyte progenitor cell proliferation. <i>Nature Communications</i> , 2022, 13, . | 12.8 | 18 |
| 3 | Pathologic HIF1 β signaling drives adipose progenitor dysfunction in obesity. <i>Cell Stem Cell</i> , 2021, 28, 685-701.e7. | 11.1 | 57 |
| 4 | Regulation of cold-induced thermogenesis by the RNA binding protein FAM195A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 7.1 | 13 |
| 5 | Adipose tissue hyaluronan production improves systemic glucose homeostasis and primes adipocytes for CL 316,243-stimulated lipolysis. <i>Nature Communications</i> , 2021, 12, 4829. | 12.8 | 15 |
| 6 | Cold-responsive adipocyte progenitors couple adrenergic signaling to immune cell activation to promote beige adipocyte accrual. <i>Genes and Development</i> , 2021, 35, 1333-1338. | 5.9 | 17 |
| 7 | ZFP423 controls EBF2 coactivator recruitment and PPAR β occupancy to determine the thermogenic plasticity of adipocytes. <i>Genes and Development</i> , 2021, 35, 1461-1474. | 5.9 | 15 |
| 8 | Perivascular mesenchymal cells control adipose-tissue macrophage accrual in obesity. <i>Nature Metabolism</i> , 2020, 2, 1332-1349. | 11.9 | 53 |
| 9 | Transcriptional brakes on the road to adipocyte thermogenesis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 20-28. | 2.4 | 19 |
| 10 | Cellular Origins of Beige Fat Cells Revisited. <i>Diabetes</i> , 2019, 68, 1874-1885. | 0.6 | 98 |
| 11 | A PRDM16-Driven Metabolic Signal from Adipocytes Regulates Precursor Cell Fate. <i>Cell Metabolism</i> , 2019, 30, 174-189.e5. | 16.2 | 141 |
| 12 | Dysregulation of amyloid precursor protein impairs adipose tissue mitochondrial function and promotes obesity. <i>Nature Metabolism</i> , 2019, 1, 1243-1257. | 11.9 | 39 |
| 13 | Low- and high-thermogenic brown adipocyte subpopulations coexist in murine adipose tissue. <i>Journal of Clinical Investigation</i> , 2019, 130, 247-257. | 8.2 | 134 |
| 14 | Dermal adipose tissue has high plasticity and undergoes reversible dedifferentiation in mice. <i>Journal of Clinical Investigation</i> , 2019, 129, 5327-5342. | 8.2 | 112 |
| 15 | Peroxisome Proliferator-Activated Receptor β and Its Role in Adipocyte Homeostasis and Thiazolidinedione-Mediated Insulin Sensitization. <i>Molecular and Cellular Biology</i> , 2018, 38, . | 2.3 | 33 |
| 16 | De novo adipocyte differentiation from Pdgfr β ²⁺ preadipocytes protects against pathologic visceral adipose expansion in obesity. <i>Nature Communications</i> , 2018, 9, 890. | 12.8 | 113 |
| 17 | Warming Induces Significant Reprogramming of Beige, but Not Brown, Adipocyte Cellular Identity. <i>Cell Metabolism</i> , 2018, 27, 1121-1137.e5. | 16.2 | 168 |
| 18 | An Adipose Tissue Atlas: An Image-Guided Identification of Human-like BAT and Beige Depots in Rodents. <i>Cell Metabolism</i> , 2018, 27, 252-262.e3. | 16.2 | 174 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Adipocyte Xbp1s overexpression drives uridine production and reduces obesity. <i>Molecular Metabolism</i> , 2018, 11, 1-17. | 6.5 | 34 |
| 20 | Intracellular lipid metabolism impairs β^2 cell compensation during diet-induced obesity. <i>Journal of Clinical Investigation</i> , 2018, 128, 1178-1189. | 8.2 | 33 |
| 21 | Reversible De-differentiation of Mature White Adipocytes into Preadipocyte-like Precursors during Lactation. <i>Cell Metabolism</i> , 2018, 28, 282-288.e3. | 16.2 | 116 |
| 22 | Identification of functionally distinct fibro-inflammatory and adipogenic stromal subpopulations in visceral adipose tissue of adult mice. <i>ELife</i> , 2018, 7, . | 6.0 | 227 |
| 23 | Fetal development of subcutaneous white adipose tissue is dependent on Zfp423. <i>Molecular Metabolism</i> , 2017, 6, 111-124. | 6.5 | 56 |
| 24 | Regeneration of fat cells from myofibroblasts during wound healing. <i>Science</i> , 2017, 355, 748-752. | 12.6 | 434 |
| 25 | Short-Term Versus Long-Term Effects of Adipocyte Toll-Like Receptor 4 Activation on Insulin Resistance in Male Mice. <i>Endocrinology</i> , 2017, 158, 1260-1270. | 2.8 | 31 |
| 26 | The metabolic ER stress sensor IRE1 β suppresses alternative activation of macrophages and impairs energy expenditure in obesity. <i>Nature Immunology</i> , 2017, 18, 519-529. | 14.5 | 279 |
| 27 | Hepatic GALE Regulates Whole-Body Glucose Homeostasis by Modulating <i>Tff3</i> Expression. <i>Diabetes</i> , 2017, 66, 2789-2799. | 0.6 | 24 |
| 28 | Directing visceral white adipocyte precursors to a thermogenic adipocyte fate improves insulin sensitivity in obese mice. <i>ELife</i> , 2017, 6, . | 6.0 | 39 |
| 29 | Zfp423 Maintains White Adipocyte Identity through Suppression of the Beige Cell Thermogenic Gene Program. <i>Cell Metabolism</i> , 2016, 23, 1167-1184. | 16.2 | 187 |
| 30 | Connexin 43 Mediates White Adipose Tissue Beiging by Facilitating the Propagation of Sympathetic Neuronal Signals. <i>Cell Metabolism</i> , 2016, 24, 420-433. | 16.2 | 80 |
| 31 | Pdgfr β^+ Mural Preadipocytes Contribute to Adipocyte Hyperplasia Induced by High-Fat-Diet Feeding and Prolonged Cold Exposure in Adult Mice. <i>Cell Metabolism</i> , 2016, 23, 350-359. | 16.2 | 259 |
| 32 | Impact of tamoxifen on adipocyte lineage tracing: Inducer of adipogenesis and prolonged nuclear translocation of Cre recombinase. <i>Molecular Metabolism</i> , 2015, 4, 771-778. | 6.5 | 103 |
| 33 | Role for the endoplasmic reticulum stress sensor IRE1 β in liver regenerative responses. <i>Journal of Hepatology</i> , 2015, 62, 590-598. | 3.7 | 67 |
| 34 | The Endoplasmic Reticulum Stress Sensor IRE1 β in Intestinal Epithelial Cells Is Essential for Protecting against Colitis. <i>Journal of Biological Chemistry</i> , 2015, 290, 15327-15336. | 3.4 | 54 |
| 35 | Distinct regulatory mechanisms governing embryonic versus adult adipocyte maturation. <i>Nature Cell Biology</i> , 2015, 17, 1099-1111. | 10.3 | 111 |
| 36 | Fibroblast Growth Factor 21 Is Regulated by the IRE1 β -XBP1 Branch of the Unfolded Protein Response and Counteracts Endoplasmic Reticulum Stress-induced Hepatic Steatosis. <i>Journal of Biological Chemistry</i> , 2014, 289, 29751-29765. | 3.4 | 147 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Hepatic IRE1 β regulates fasting-induced metabolic adaptive programs through the XBP1 \leftrightarrow PPAR β axis signalling. <i>Nature Communications</i> , 2014, 5, 3528. | 12.8 | 126 |
| 38 | Adiponectin is essential for lipid homeostasis and survival under insulin deficiency and promotes β -cell regeneration. <i>ELife</i> , 2014, 3, . | 6.0 | 74 |
| 39 | The m Subunit of Murine Translation Initiation Factor eIF3 Maintains the Integrity of the eIF3 Complex and Is Required for Embryonic Development, Homeostasis, and Organ Size Control. <i>Journal of Biological Chemistry</i> , 2013, 288, 30087-30093. | 3.4 | 26 |
| 40 | Herbal constituent sequoyitol improves hyperglycemia and glucose intolerance by targeting hepatocytes, adipocytes, and β -cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E932-E940. | 3.5 | 21 |
| 41 | A Role for Protein Inhibitor of Activated STAT1 (PIAS1) in Lipogenic Regulation through SUMOylation-independent Suppression of Liver X Receptors. <i>Journal of Biological Chemistry</i> , 2012, 287, 37973-37985. | 3.4 | 19 |
| 42 | PKA phosphorylation couples hepatic inositol-requiring enzyme 1 β to glucagon signaling in glucose metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 15852-15857. | 7.1 | 76 |
| 43 | Calorie restriction and endurance exercise share potent anti-inflammatory function in adipose tissues in ameliorating diet-induced obesity and insulin resistance in mice. <i>Nutrition and Metabolism</i> , 2010, 7, 59. | 3.0 | 41 |
| 44 | A Crucial Role for RACK1 in the Regulation of Glucose-Stimulated IRE1 β Activation in Pancreatic β Cells. <i>Science Signaling</i> , 2010, 3, ra7. | 3.6 | 130 |
| 45 | Deficiency in hepatic ATP-citrate lyase affects VLDL-triglyceride mobilization and liver fatty acid composition in mice. <i>Journal of Lipid Research</i> , 2010, 51, 2516-2526. | 4.2 | 53 |
| 46 | Single-Cell RNA Sequencing Identifies Functionally Distinct Fibro-inflammatory and Adipogenic Pdgfr Progenitor Subpopulations in Visceral Adipose Tissue. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |