

Masanori Mori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5024109/publications.pdf>

Version: 2024-02-01

135
papers

2,438
citations

257101

24
h-index

243296

44
g-index

141
all docs

141
docs citations

141
times ranked

2093
citing authors

#	ARTICLE	IF	CITATIONS
1	Physicians' Opinion and Practice With the Continuous Use of Sedatives in the Last Days of Life. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 78-87.	0.6	16
2	Predictive Factors for the Development of Dyspnea Within 7 Days After Admission Among Terminally Ill Cancer Patients. <i>American Journal of Hospice and Palliative Medicine</i> , 2022, 39, 413-420.	0.8	2
3	Does Urinary Catheterization Affect the Quality of Death in Patients with Advanced Cancer? A Secondary Analysis of a Multicenter Prospective Cohort Study. <i>Journal of Palliative Medicine</i> , 2022, 25, 205-212.	0.6	2
4	Assessment of Changes in Symptoms Is Feasible and Prognostic in the Last Weeks of Life: An International Multicenter Cohort Study. <i>Journal of Palliative Medicine</i> , 2022, 25, 388-395.	0.6	4
5	Comparison of the accuracy of clinicians's prediction of survival and Palliative Prognostic Score: an East Asian cross-cultural study. <i>Supportive Care in Cancer</i> , 2022, 30, 2367-2374.	1.0	5
6	Assessing the need for a question prompt list that encourages end-of-life discussions between patients with advanced cancer and their physicians: A focus group interview study. <i>Palliative and Supportive Care</i> , 2022, 20, 564-569.	0.6	7
7	Family experience of palliative sedation therapy: proportional vs. continuous deep sedation. <i>Supportive Care in Cancer</i> , 2022, 30, 3903-3915.	1.0	3
8	Effect of continuous deep sedation on survival in the last days of life of cancer patients: A multicenter prospective cohort study. <i>Palliative Medicine</i> , 2022, 36, 189-199.	1.3	10
9	Association between the amount of artificial hydration and quality of dying among terminally ill patients with cancer: The East Asian Collaborative Cross-Cultural Study to Elucidate the Dying Process. <i>Cancer</i> , 2022, 128, 1699-1708.	2.0	2
10	Defining "Continuous Deep Sedation" Using Treatment Protocol: A Proposal Article. <i>Palliative Medicine Reports</i> , 2022, 3, 8-15.	0.4	1
11	The Effect of Fan Therapy for Dyspnea in Patients with Chronic Progressive Disease: Systematic Review and Meta-analysis. <i>Palliative Care Research</i> , 2022, 17, 33-42.	0.0	0
12	Development of a list of competencies and entrustable professional activities for resident physicians during death pronouncement: a modified Delphi study. <i>BMC Medical Education</i> , 2022, 22, 119.	1.0	4
13	Association between experiences of advanced cancer patients at the end of life and depression in their bereaved caregivers. <i>Psycho-Oncology</i> , 2022, 31, 1243-1252.	1.0	5
14	Effects of Antibiotics on Respiratory Symptoms in Terminally Ill Cancer Patients With Pneumonia: A Multicenter Cohort Study. <i>American Journal of Hospice and Palliative Medicine</i> , 2022, 39, 1082-1089.	0.8	1
15	Prevalence and severity of symptoms and signs in patients with advanced cancer in the last days of life: the East Asian collaborative cross-cultural study to elucidate the dying process (EASED). <i>Supportive Care in Cancer</i> , 2022, 30, 5499-5508.	1.0	6
16	Prognostication of the Last Days of Life. <i>Cancer Research and Treatment</i> , 2022, 54, 631-643.	1.3	7
17	Association of the RASS Score with Intensity of Symptoms, Discomfort, and Communication Capacity in Terminally Ill Cancer Patients Receiving Palliative Sedation: Is RASS an Appropriate Outcome Measure?. <i>Palliative Medicine Reports</i> , 2022, 3, 47-54.	0.4	3
18	Research policy in supportive care and palliative care for cancer dyspnea. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 260-265.	0.6	7

#	ARTICLE	IF	CITATIONS
19	The impact of death rattle on bereaved families: not the sound itself, but the resonance with their feelings. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 774-778.	0.6	1
20	Effect of paracentesis on the survival of patients with terminal cancer and ascites: a propensity score-weighted analysis of the East Asian Collaborative Cross-cultural Study to Elucidate the Dying Process. <i>Supportive Care in Cancer</i> , 2022, 30, 6233-6241.	1.0	3
21	Intercountry and intracountry variations in opinions of palliative care specialist physicians in Germany, Italy, Japan and UK about continuous use of sedatives: an international cross-sectional survey. <i>BMJ Open</i> , 2022, 12, e060489.	0.8	4
22	The impact of cachexia on dietary intakes, symptoms, and quality of life in advanced cancer. <i>JCSM Rapid Communications</i> , 2022, 5, 162-170.	0.6	7
23	Are Prognostic Scores Better Than Clinician Judgment? A Prospective Study Using Three Models. <i>Journal of Pain and Symptom Management</i> , 2022, 64, 391-399.	0.6	8
24	How Successful Is Parenteral Oxycodone for Relieving Terminal Cancer Dyspnea Compared With Morphine? A Multicenter Prospective Observational Study. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 336-345.	0.6	13
25	Effects of enteral nutrition and parenteral nutrition on survival in patients with advanced cancer cachexia: Analysis of a multicenter prospective cohort study. <i>Clinical Nutrition</i> , 2021, 40, 1168-1175.	2.3	33
26	Factors influencing spiritual well-being in terminally ill cancer inpatients in Japan. <i>Supportive Care in Cancer</i> , 2021, 29, 2795-2802.	1.0	8
27	Physical and psychological symptoms and signs in dying digestive tract cancer patients: the East Asian collaborative cross-cultural Study to Elucidate the Dying process (EASED). <i>Supportive Care in Cancer</i> , 2021, 29, 3603-3612.	1.0	3
28	“Day Surprise Question” to predict prognosis of advanced cancer patients with impending death: Multicenter prospective observational study. <i>Cancer Medicine</i> , 2021, 10, 1018-1026.	1.3	7
29	Comparison of the prevalence and associated factors of hyperactive delirium in advanced cancer patients between inpatient palliative care and palliative home care. <i>Cancer Medicine</i> , 2021, 10, 1166-1179.	1.3	7
30	Communication and Behavior of Palliative Care Physicians of Patients With Cancer Near End of Life in Three East Asian Countries. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 315-322.e1.	0.6	36
31	The Physicians’ Barriers to Practice of Advance Care Planning: A Single Facility Questionnaire Survey. <i>Palliative Care Research</i> , 2021, 16, 19-25.	0.0	1
32	Definition and recommended cultural considerations for advance care planning in Japan: A systematic review. <i>Asia-Pacific Journal of Oncology Nursing</i> , 2021, 8, 628-641.	0.7	15
33	Advance Care Planning in Asia: A Systematic Narrative Review of Healthcare Professionals’ Knowledge, Attitude, and Experience. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 349.e1-349.e28.	1.2	59
34	Prevalence and associated factors of orphan symptoms in advanced cancer patients: a multicenter observational study. <i>Supportive Care in Cancer</i> , 2021, 29, 5537-5547.	1.0	0
35	Complexity of desire for hastened death in terminally ill cancer patients: A cluster analysis. <i>Palliative and Supportive Care</i> , 2021, 19, 646-655.	0.6	6
36	Association between Bathing and Survival in Patients with Advanced Cancer in Their Last Days of Life: A Prospective Cohort Study. <i>Palliative Medicine Reports</i> , 2021, 2, 59-64.	0.4	0

#	ARTICLE	IF	CITATIONS
37	Optimal Paracentesis Volume for Terminally Ill Cancer Patients With Ascites. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 968-977.	0.6	4
38	Management of Dyspnea in Advanced Cancer: ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2021, 39, 1389-1411.	0.8	74
39	Preparedness to Face the COVID-19 Pandemic in Hospice and Palliative Care Services in the Asia-Pacific Region: A Rapid Online Survey. <i>American Journal of Hospice and Palliative Medicine</i> , 2021, 38, 861-868.	0.8	7
40	Effect of paracentesis on the survival of patients with terminal cancer and ascites: A propensity score-weighted analysis of the EASED study.. <i>Journal of Clinical Oncology</i> , 2021, 39, e24063-e24063.	0.8	0
41	C-Reactive Protein and Its Relationship with Pain in Patients with Advanced Cancer Cachexia: Secondary Cross-Sectional Analysis of a Multicenter Prospective Cohort Study. <i>Palliative Medicine Reports</i> , 2021, 2, 122-131.	0.4	5
42	A Japanese translation, cultural adaptation, and linguistic and content validity confirmation of the Scored Patient-Generated Subjective Global Assessment. <i>Supportive Care in Cancer</i> , 2021, 29, 7329-7338.	1.0	5
43	Exploration of optimal paracentesis volume for terminally ill patients with malignant ascites.. <i>Journal of Clinical Oncology</i> , 2021, 39, 12089-12089.	0.8	0
44	Effectiveness of a nurse-led, screening-triggered, early specialized palliative care intervention program for patients with advanced lung cancer: A multicenter randomized controlled trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 12097-12097.	0.8	0
45	Visualizing How to Use Parenteral Opioids for Terminal Cancer Dyspnea: A Pilot, Multicenter, Prospective, Observational Study. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 936-948.	0.6	7
46	The Possibility of Conducting a Clinical Trial on Palliative Care: A Survey of Whether a Clinical Study on Cancer Dyspnea Is Acceptable to Cancer Patients and Their Relatives. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 1262-1272.	0.6	1
47	Incidence and associated factors of sudden unexpected death in advanced cancer patients: A multicenter prospective cohort study. <i>Cancer Medicine</i> , 2021, 10, 4939-4947.	1.3	9
48	Effects of parenteral nutrition and hydration on survival in advanced cancer patients with malignant bowel obstruction: secondary analysis of a multicenter prospective cohort study. <i>Supportive Care in Cancer</i> , 2021, 29, 7541-7549.	1.0	5
49	Validity and reliability of the Japanese version of the Peace, Equanimity, and Acceptance in the Cancer Experience (PEACE) questionnaire. <i>Palliative and Supportive Care</i> , 2021, , 1-7.	0.6	0
50	Factors related to spiritual well-being in the last days of life in three East Asian countries: An international multicenter prospective cohort study. <i>Palliative Medicine</i> , 2021, 35, 1564-1577.	1.3	3
51	Efficacy of Proportional Sedation and Deep Sedation Defined by Sedation Protocols: A Multicenter, Prospective, Observational Comparative Study. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 1165-1174.	0.6	8
52	Differences between dedicated and not dedicated hospice physicians in symptoms and signs improvement among advanced cancer patients. <i>Medicine (United States)</i> , 2021, 100, e26915.	0.4	2
53	Asian patients's™ perspectives on advance care planning: A mixed-method systematic review and conceptual framework. <i>Palliative Medicine</i> , 2021, 35, 1776-1792.	1.3	33
54	Diagnostic models for impending death in terminally ill cancer patients: A multicenter cohort study. <i>Cancer Medicine</i> , 2021, 10, 7988-7995.	1.3	9

#	ARTICLE	IF	CITATIONS
55	Care Associated With Satisfaction of Bereaved Family Members of Terminally Ill Cancer Patients With Dyspnea: A Cross-sectional Nationwide Survey. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 796-804.	0.6	2
56	Differences among institutions in the prevalence of and indications for urinary catheterization of advanced cancer patients at palliative care units: A multicenter prospective cohort study (EASED). <i>Palliative Medicine</i> , 2021, 35, 799-805.	1.3	3
57	Current Status of Advance Care Planning and End-of-life Communication for Patients with Advanced and Metastatic Breast Cancer. <i>Oncologist</i> , 2021, 26, e686-e693.	1.9	10
58	Is the 1-day surprise question a useful screening tool for predicting prognosis in patients with advanced cancer?â€”a multicenter prospective observational study. <i>Annals of Palliative Medicine</i> , 2021, 10, 11278-11287.	0.5	5
59	Terminal Change. , 2021, , 4993-4997.		0
60	How successful are we in relieving terminal dyspnea in cancer patients? A real-world multicenter prospective observational study. <i>Supportive Care in Cancer</i> , 2020, 28, 3051-3060.	1.0	22
61	Prognostication, palliative care, and patient outcomes (reply to Rossi et al.). <i>Supportive Care in Cancer</i> , 2020, 28, 1547-1548.	1.0	0
62	Benzodiazepines for cancer dyspnoea: a nationwide survey of palliative care physicians. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 205-208.	0.8	5
63	Advance care planning in Asian culture. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 976-989.	0.6	91
64	Determinants of Physicians' Attitudes Toward the Management of Infectious Diseases in Terminally Ill Patients With Cancer. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 1109-1116.e2.	0.6	4
65	Physician-Perceived Predictive Factors for the Effectiveness of Drugs for Treating Cancer Dyspnea: Results of a Nationwide Survey of Japanese Palliative Care Physicians. <i>Palliative Medicine Reports</i> , 2020, 1, 97-102.	0.4	6
66	The Bereaved Families' Preferences for Individualized Goals of Care for Terminal Dyspnea: What Is an Acceptable Balance between Dyspnea Intensity and Communication Capacity?. <i>Palliative Medicine Reports</i> , 2020, 1, 42-49.	0.4	7
67	Unanswered questions and future direction in the management of terminal breathlessness in patients with cancer. <i>ESMO Open</i> , 2020, 5, e000603.	2.0	14
68	HOme-based Longitudinal Investigation of the multidisciplinary Team Integrated Care (HOLISTIC): protocol of a prospective nationwide cohort study. <i>BMC Geriatrics</i> , 2020, 20, 511.	1.1	7
69	Palliative care physiciansâ€™ perspectives of management for terminally ill cancer patients with death rattle: a nationwide survey. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 830-833.	0.6	3
70	End-of-life decision-making in Asia: A need for in-depth cultural consideration. <i>Palliative Medicine</i> , 2020, , 026921631989693.	1.3	14
71	The Functional Palliative Prognostic Index: a scoring system for functional prognostication of patients with advanced cancer. <i>Supportive Care in Cancer</i> , 2020, 28, 6067-6074.	1.0	8
72	What is Whole Person Care for a Physician in Practice?. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2020, 109, 1155-1161.	0.0	0

#	ARTICLE	IF	CITATIONS
73	Issues in the 2019 revision of the Clinical Practice Guidelines for pancreatic cancer - Supportive/palliative care. Suizo, 2020, 35, 79-82.	0.1	0
74	A video to initiate advance care planning: The development of educational and supportive materials for patients with pancreatic and biliary tract cancer. Suizo, 2020, 35, 136-144.	0.1	0
75	C-reactive protein, delirium, and other psychological symptoms among patients with advanced cancer. JCSM Clinical Reports, 2020, 5, 42-51.	0.5	4
76	Significance of fluid retention, body mass index, and weight loss in patients with advanced cancer. JCSM Clinical Reports, 2020, 5, 69-78.	0.5	7
77	What determines the timing of discussions on forgoing anticancer treatment? A national survey of medical oncologists. Supportive Care in Cancer, 2019, 27, 1375-1382.	1.0	10
78	The Current Practice of Oxygen Therapy for Dyspnea in Terminally Ill Cancer Patients: A Nationwide Survey of Japanese Palliative Care Physicians. Journal of Pain and Symptom Management, 2019, 58, e2-e4.	0.6	7
79	2019 Taipei Declaration on Advance Care Planning: A Cultural Adaptation of End-of-Life Care Discussion. Journal of Palliative Medicine, 2019, 22, 1175-1177.	0.6	22
80	Communication with Families in the Last Days of a Patient's Life and Optimal Delivery of a Death Pronouncement. , 2019, , .		2
81	A Nationwide Survey of Japanese Palliative Care Physicians' Practice of Corticosteroid Treatment for Dyspnea in Patients With Cancer. Journal of Pain and Symptom Management, 2019, 58, e3-e5.	0.6	7
82	Explicit prognostic disclosure to Asian women with breast cancer: A randomized, scripted video vignette study (Jâ€SUPPORT1601). Cancer, 2019, 125, 3320-3329.	2.0	14
83	The Current Practice of Opioid for Cancer Dyspnea: The Result From the Nationwide Survey of Japanese Palliative Care Physicians. Journal of Pain and Symptom Management, 2019, 58, 672-677.e2.	0.6	18
84	Palliative Care Physicians' Practice in the Titration of Parenteral Opioids for Dyspnea in Terminally Ill Cancer Patients: A Nationwide Survey. Journal of Pain and Symptom Management, 2019, 58, e2-e5.	0.6	14
85	Prognostication in advanced cancer: update and directions for future research. Supportive Care in Cancer, 2019, 27, 1973-1984.	1.0	111
86	The Effects of Adding Reassurance Statements: Cancer Patients' Preferences for Phrases in End-of-Life Discussions. Journal of Pain and Symptom Management, 2019, 57, 1121-1129.	0.6	3
87	Adding a Wider Range and "Hope for the Best, and Prepare for the Worst" Statement: Preferences of Patients with Cancer for Prognostic Communication. Oncologist, 2019, 24, e943-e952.	1.9	30
88	Mechanical Thrombectomy for Trousseau Syndrome in a Terminally Ill Cancer Patient. Journal of Pain and Symptom Management, 2019, 57, 688-694.	0.6	11
89	Achievement of a good death among young adult patients with cancer: analyses of combined data from three nationwide surveys among bereaved family members. Supportive Care in Cancer, 2019, 27, 1519-1527.	1.0	8
90	Terminal Change. , 2019, , 1-5.		0

#	ARTICLE	IF	CITATIONS
91	Communication about the impending death of patients with cancer to the family: a nationwide survey. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 221-228.	0.8	19
92	Successful microsurgical lip replantation: Monitoring venous congestion by blood glucose measurements in the replanted lip. <i>JPRAS Open</i> , 2018, 15, 51-55.	0.4	0
93	Efficacy of two types of palliative sedation therapy defined using intervention protocols: proportional vs. deep sedation. <i>Supportive Care in Cancer</i> , 2018, 26, 1763-1771.	1.0	31
94	Validation of the Edmonton Symptom Assessment System: Ascites Modification. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 1557-1563.	0.6	6
95	Prevalence and predictors of conflict in the families of patients with advanced cancer: A nationwide survey of bereaved family members. <i>Psycho-Oncology</i> , 2018, 27, 302-308.	1.0	20
96	Automatic referral to standardize palliative care access: an international Delphi survey. <i>Supportive Care in Cancer</i> , 2018, 26, 175-180.	1.0	51
97	Which Physicians' Behaviors on Death Pronouncement Affect Family-Perceived Physician Compassion? A Randomized, Scripted, Video-Vignette Study. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 189-197.e4.	0.6	11
98	Acculturation and Perceptions of a Good Death Among Japanese Americans and Japanese Living in the U.S.. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 31-38.	0.6	20
99	“What I Did for My Loved One Is More Important than Whether We Talked About Death”: A Nationwide Survey of Bereaved Family Members. <i>Journal of Palliative Medicine</i> , 2018, 21, 335-341.	0.6	15
100	A combination of routine laboratory findings and vital signs can predict survival of advanced cancer patients without physician evaluation: a fractional polynomial model. <i>European Journal of Cancer</i> , 2018, 105, 50-60.	1.3	22
101	Talking About Palliative Sedation With the Family: Informed Consent vs. Assent and a Better Framework for Explaining Potential Risks. <i>Journal of Pain and Symptom Management</i> , 2018, 56, e5-e8.	0.6	6
102	Therapeutic Effects of Human Adipose-Derived Products on Impaired Wound Healing in Irradiated Tissue. <i>Plastic and Reconstructive Surgery</i> , 2018, 142, 383-391.	0.7	27
103	What Affects Unmet Learning Needs of Young Physicians in Specialty Palliative Care Training?. <i>Palliative Care Research</i> , 2018, 13, 297-303.	0.0	0
104	Perception about Specialty Training among Palliative Care Physicians: A Qualitative Study. <i>Palliative Care Research</i> , 2018, 13, 175-179.	0.0	0
105	Perspectives and attitudes toward the integration of oncology and palliative care in Japan: Qualitative analysis of a nationwide survey.. <i>Journal of Clinical Oncology</i> , 2018, 36, 96-96.	0.8	2
106	Authors' Reply to Rady and Verheijde. <i>Journal of Pain and Symptom Management</i> , 2017, 53, e12-e13.	0.6	0
107	Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 17-26.e1.	0.6	71
108	Predictors of response to corticosteroids for dyspnea in advanced cancer patients: a preliminary multicenter prospective observational study. <i>Supportive Care in Cancer</i> , 2017, 25, 1169-1181.	1.0	12

#	ARTICLE	IF	CITATIONS
109	Authors' Reply to Twycross. Journal of Pain and Symptom Management, 2017, 53, e15-e16.	0.6	0
110	Talking About Death With Terminally-Ill Cancer Patients: What Contributes to the Regret of Bereaved Family Members?. Journal of Pain and Symptom Management, 2017, 54, 853-860.e1.	0.6	20
111	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research. Journal of Pain and Symptom Management, 2017, 53, 146-152.	0.6	44
112	Phase II trial of subcutaneous methylnaltrexone in the treatment of severe opioid-induced constipation (OIC) in cancer patients: an exploratory study. International Journal of Clinical Oncology, 2017, 22, 397-404.	1.0	9
113	Development and Linguistic Validation of the Japanese Version of the Modified Richmond Agitation-Sedation Scale. Palliative Care Research, 2016, 11, 331-336.	0.0	13
114	Referral Criteria for Outpatient Palliative Cancer Care: A Systematic Review. Oncologist, 2016, 21, 895-901.	1.9	122
115	Referral criteria for outpatient specialty palliative cancer care: an international consensus. Lancet Oncology, The, 2016, 17, e552-e559.	5.1	204
116	Clinical Implications of C-Reactive Protein as a Prognostic Marker in Advanced Cancer Patients in Palliative Care Settings. Journal of Pain and Symptom Management, 2016, 51, 860-867.	0.6	41
117	Prospective Validation of the Objective Prognostic Score for Advanced Cancer Patients in Diverse Palliative Settings. Journal of Pain and Symptom Management, 2016, 52, 420-427.	0.6	15
118	Unmet Learning Needs of Physicians in Specialty Training in Palliative Care: A Japanese Nationwide Study. Journal of Palliative Medicine, 2016, 19, 1074-1079.	0.6	8
119	Treatment Recommendations for Respiratory Symptoms in Cancer Patients: Clinical Guidelines from the Japanese Society for Palliative Medicine. Journal of Palliative Medicine, 2016, 19, 925-935.	0.6	44
120	Uniform definition of continuous-deep sedation. Lancet Oncology, The, 2016, 17, e222.	5.1	11
121	Effect of continuous deep sedation on survival in patients with advanced cancer (J-Proval): a propensity score-weighted analysis of a prospective cohort study. Lancet Oncology, The, 2016, 17, 115-122.	5.1	79
122	Advances in Hospice and Palliative Care in Japan: A Review Paper. The Korean Journal of Hospice and Palliative Care, 2016, 19, 283-291.	0.2	17
123	Physicians' and Nurses' Attitudes toward Infectious Diseases in Terminally-ill Cancer Patients: What Determines Their Variabilities?. Palliative Care Research, 2016, 11, 241-247.	0.0	3
124	End-of-life discussions with advanced cancer patients and their effects on bereaved families' mental health.. Journal of Clinical Oncology, 2016, 34, 3-3.	0.8	1
125	Surprise Questions for Survival Prediction in Patients With Advanced Cancer: A Multicenter Prospective Cohort Study. Oncologist, 2015, 20, 839-844.	1.9	58
126	Survival prediction for advanced cancer patients in the real world: A comparison of the Palliative Prognostic Score, Delirium-Palliative Prognostic Score, Palliative Prognostic Index and modified Prognosis in Palliative Care Study predictor model. European Journal of Cancer, 2015, 51, 1618-1629.	1.3	99

#	ARTICLE	IF	CITATIONS
127	A National Survey to Systematically Identify Factors Associated With Oncologists' Attitudes Toward End-of-Life Discussions: What Determines Timing of End-of-Life Discussions?. <i>Oncologist</i> , 2015, 20, 1304-1311.	1.9	56
128	Validation of the Japanese Version of the Edmonton Symptom Assessment System—Revised. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 718-723.	0.6	58
129	Medical oncologists' attitude toward end-of-life discussions: Effects of their experience, perceptions, and beliefs.. <i>Journal of Clinical Oncology</i> , 2015, 33, e20503-e20503.	0.8	1
130	Successful management of rectal tenesmus with oral amoxapine and infusional lidocaine in a terminally ill cancer patient: a case report and literature review. <i>Palliative Care Research</i> , 2015, 10, 543-547.	0.0	1
131	Concepts and definitions for "supportive care," "best supportive care," "palliative care," and "hospice care" in the published literature, dictionaries, and textbooks. <i>Supportive Care in Cancer</i> , 2013, 21, 659-685.	1.0	249
132	In-advance end-of-life discussions and the quality of inpatient end-of-life care: a pilot study in bereaved primary caregivers of advanced cancer patients. <i>Supportive Care in Cancer</i> , 2013, 21, 629-636.	1.0	32
133	Prognosis disclosure to terminally ill cancer patients: A qualitative study among Japanese physicians.. <i>Journal of Clinical Oncology</i> , 2013, 31, e20717-e20717.	0.8	0
134	Comparison of Objective Prognostic Score and Palliative Prognostic Score performance in inpatients with advanced cancer in Japan and Korea. <i>Palliative and Supportive Care</i> , 0, , 1-9.	0.6	1
135	Morphine May Contribute to Improving Respiratory Failure in Severe COVID-19: A Case Report. <i>Indian Journal of Palliative Care</i> , 0, 28, 221-223.	1.0	1