

Hyeon-Cheol Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5025978/publications.pdf>

Version: 2024-02-01

25
papers

824
citations

623734

14
h-index

610901

24
g-index

26
all docs

26
docs citations

26
times ranked

2044
citing authors

#	ARTICLE	IF	CITATIONS
1	A Western Diet Alters Skin Ceramides and Compromises the Skin Barrier in Ears. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2020-2023.e2.	0.7	0
2	Development of a liquid chromatography-electrospray ionization tandem mass spectrometric method for the simultaneous analysis of free fatty acids. <i>Journal of Biochemistry</i> , 2021, 170, 389-397.	1.7	3
3	Ablation of fatty acid desaturase 2 (FADS2) exacerbates hepatic triacylglycerol and cholesterol accumulation in polyunsaturated fatty acid-depleted mice. <i>FEBS Letters</i> , 2021, 595, 1920-1932.	2.8	12
4	Dietary intake of n-3 polyunsaturated fatty acids alters the lipid mediator profile of the kidney but does not attenuate renal insufficiency. <i>Biochemical and Biophysical Research Communications</i> , 2021, 582, 49-56.	2.1	1
5	Liver-specific deletion of Ngly1 causes abnormal nuclear morphology and lipid metabolism under food stress. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020, 1866, 165588.	3.8	22
6	Combined use of irinotecan and p53 activator enhances growth inhibition of mesothelioma cells. <i>FEBS Open Bio</i> , 2020, 10, 2375-2387.	2.3	2
7	Metabolomic profiling of gastric cancer tissues identified potential biomarkers for predicting peritoneal recurrence. <i>Gastric Cancer</i> , 2020, 23, 874-883.	5.3	24
8	Aging exacerbates high-fat diet-induced steatohepatitis through alteration in hepatic lipid metabolism in mice. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1437-1448.	2.8	11
9	Loss of autophagy impairs physiological steatosis by accumulation of NCoR1. <i>Life Science Alliance</i> , 2020, 3, e201900513.	2.8	18
10	Carboxylesterase 2: A Key Enzyme in Drug and Prodrug Metabolism. <i>Juntendo Medical Journal</i> , 2020, 66, 120-124.	0.1	1
11	Lipid-metabolizing serine hydrolases in the mammalian central nervous system: endocannabinoids and beyond. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 907-921.	2.4	9
12	Dietary supplementation of omega-3 fatty acid eicosapentaenoic acid does not ameliorate pruritus in murine models of atopic dermatitis and psoriasis. <i>Journal of Dermatological Science</i> , 2019, 95, 130-133.	1.9	4
13	Autophagy regulates lipid metabolism through selective turnover of NCoR1. <i>Nature Communications</i> , 2019, 10, 1567.	12.8	143
14	Dietary ω -3 fatty acids alter the lipid mediator profile and alleviate allergic conjunctivitis without modulating Th2 immune responses. <i>FASEB Journal</i> , 2019, 33, 3392-3403.	0.5	28
15	Sensitization of Gastric Cancer Cells to Irinotecan by p53 Activation. <i>BPB Reports</i> , 2019, 2, 130-133.	0.3	2
16	Applications of mass spectrometry-based targeted and non-targeted lipidomics. <i>Biochemical and Biophysical Research Communications</i> , 2018, 504, 576-581.	2.1	70
17	The Relationship between TP53 Gene Status and Carboxylesterase 2 Expression in Human Colorectal Cancer. <i>Disease Markers</i> , 2018, 2018, 1-7.	1.3	13
18	Endurance exercise training and high-fat diet differentially affect composition of diacylglycerol molecular species in rat skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 314, R892-R901.	1.8	22

#	ARTICLE	IF	CITATIONS
19	Selective N-Hydroxyhydantoin Carbamate Inhibitors of Mammalian Serine Hydrolases. <i>Chemistry and Biology</i> , 2015, 22, 928-937.	6.0	52
20	ABHD4 Regulates Multiple Classes of <i>N</i> -Acyl Phospholipids in the Mammalian Central Nervous System. <i>Biochemistry</i> , 2015, 54, 2539-2549.	2.5	45
21	Identification of small subunit of serine palmitoyltransferase a as a lysophosphatidylinositol acyltransferase 1-interacting protein. <i>Genes To Cells</i> , 2013, 18, 397-409.	1.2	18
22	LPIAT1 regulates arachidonic acid content in phosphatidylinositol and is required for cortical lamination in mice. <i>Molecular Biology of the Cell</i> , 2012, 23, 4689-4700.	2.1	119
23	Depletion of <i>mboa-7</i> , an enzyme that incorporates polyunsaturated fatty acids into phosphatidylinositol (<i>PI</i>), impairs <i>PI</i> 3-phosphate signaling in <i>Caenorhabditis elegans</i> . <i>Genes To Cells</i> , 2012, 17, 748-757.	1.2	19
24	Member of the membrane-bound <i>O</i> -acyltransferase (MBOAT) family encodes a lysophospholipid acyltransferase with broad substrate specificity. <i>Genes To Cells</i> , 2008, 13, 879-888.	1.2	64
25	<i>Caenorhabditis elegans mboa-7</i> , a Member of the MBOAT Family, Is Required for Selective Incorporation of Polyunsaturated Fatty Acids into Phosphatidylinositol. <i>Molecular Biology of the Cell</i> , 2008, 19, 1174-1184.	2.1	119