

Maryse Lapeyre-Mestre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5026345/publications.pdf>

Version: 2024-02-01

362
papers

10,372
citations

43973

48
h-index

71532

76
g-index

483
all docs

483
docs citations

483
times ranked

10727
citing authors

#	ARTICLE	IF	CITATIONS
1	Benefits and strengths of the disproportionality analysis for identification of adverse drug reactions in a pharmacovigilance database. <i>British Journal of Clinical Pharmacology</i> , 2011, 72, 905-908.	1.1	309
2	French health insurance databases: What interest for medical research?. <i>Revue De Medecine Interne</i> , 2015, 36, 411-417.	0.6	273
3	Adverse drug reactions and off-label drug use in paediatric outpatients. <i>British Journal of Clinical Pharmacology</i> , 2002, 54, 665-670.	1.1	263
4	Epidemiology of incident immune thrombocytopenia: a nationwide population-based study in France. <i>Blood</i> , 2014, 124, 3308-3315.	0.6	248
5	Prescription of drugs during pregnancy in France. <i>Lancet, The</i> , 2000, 356, 1735-1736.	6.3	199
6	Cannabis Use: Signal of Increasing Risk of Serious Cardiovascular Disorders. <i>Journal of the American Heart Association</i> , 2014, 3, e000638.	1.6	199
7	Off-Label Prescribing of Antipsychotics in Adults, Children and Elderly Individuals: A Systematic Review of Recent Prescription Trends. <i>Current Pharmaceutical Design</i> , 2015, 21, 3280-3297.	0.9	153
8	Anxious and depressive symptoms in Parkinson's disease: The French cross-sectional DoPaMiP study. <i>Movement Disorders</i> , 2010, 25, 157-166.	2.2	136
9	Guillain-Barre syndrome and adjuvanted pandemic influenza A (H1N1) 2009 vaccine: multinational case-control study in Europe. <i>BMJ: British Medical Journal</i> , 2011, 343, d3908-d3908.	2.4	127
10	Hospitalizations because of Adverse Drug Reactions in Elderly Patients Admitted through the Emergency Department. <i>Drugs and Aging</i> , 2009, 26, 475-482.	1.3	112
11	Serious and Non-Serious Infections in Non-Splenectomized Adults Treated for Persistent or Chronic Primary Immune Thrombocytopenia: Effect of Treatments and Protection of Vaccines. Results of the French Nationwide Faith Study. <i>Blood</i> , 2015, 126, 9-9.	0.6	110
12	Limited contribution of common genetic variants to risk for liver injury due to a variety of drugs. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 784-795.	0.7	108
13	A study of salivary secretion in Parkinson's disease. <i>Clinical Neuropharmacology</i> , 1999, 22, 213-5.	0.2	104
14	What is the Current Knowledge About the Cardiovascular Risk for Users of Cannabis-Based Products? A Systematic Review. <i>Current Atherosclerosis Reports</i> , 2017, 19, 26.	2.0	97
15	Severe necrotizing soft-tissue infections and nonsteroidal anti-inflammatory drugs. <i>Clinical and Experimental Dermatology</i> , 2008, 33, 249-255.	0.6	95
16	Cannabis-related hospitalizations: unexpected serious events identified through hospital databases. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 758-765.	1.1	91
17	Pharmacovigilance for evaluating adverse drug reactions: value, organization, and methods. <i>Joint Bone Spine</i> , 2006, 73, 629-632.	0.8	90
18	Sleep Attacks and Antiparkinsonian Drugs: A Pilot Prospective Pharmacoepidemiologic Study. <i>Clinical Neuropharmacology</i> , 2001, 24, 181-183.	0.2	85

#	ARTICLE	IF	CITATIONS
19	Exercise training for managing behavioral and psychological symptoms in people with dementia: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2015, 24, 274-285.	5.0	82
20	Buprenorphine versus methadone in pregnant opioid-dependent women: a prospective multicenter study. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1053-1059.	0.8	79
21	Assessment of Abuse Potential of Benzodiazepines from a Prescription Database Using "Doctor Shopping" as an Indicator. <i>CNS Drugs</i> , 2010, 24, 611-620.	2.7	77
22	Trends in use of antipsychotics in elderly patients with dementia: Impact of national safety warnings. <i>European Neuropsychopharmacology</i> , 2014, 24, 95-104.	0.3	76
23	Overview of drug data within French health insurance databases and implications for pharmacoepidemiological studies. <i>Fundamental and Clinical Pharmacology</i> , 2016, 30, 616-624.	1.0	74
24	Risk factors for bleeding, including platelet count threshold, in newly diagnosed immune thrombocytopenia adults. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 1830-1842.	1.9	71
25	Immediate and delayed type allergic reactions to amide local anesthetics: clinical features and skin testing. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 595-601.	0.9	70
26	Pharmacological and clinical evidences on the potential for abuse and dependence of propofol: a review of the literature. <i>Fundamental and Clinical Pharmacology</i> , 2007, 21, 459-466.	1.0	69
27	Gender differences in adverse drug reactions: analysis of spontaneous reports to a Regional Pharmacovigilance Centre in France. <i>Fundamental and Clinical Pharmacology</i> , 2002, 16, 343-346.	1.0	68
28	Cancer Risk of Anti-TNF- α at Recommended Doses in Adult Rheumatoid Arthritis: A Meta-Analysis with Intention to Treat and per Protocol Analyses. <i>PLoS ONE</i> , 2012, 7, e48991.	1.1	68
29	Potentially inappropriate medication use among patients with Alzheimer disease in the REAL.FR cohort: be aware of atropinic and benzodiazepine drugs!. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1589-1597.	0.8	68
30	Off-Label Prescribing in Pediatric Outpatients. <i>Pediatrics</i> , 2015, 135, 49-58.	1.0	67
31	Newly diagnosed immune thrombocytopenia adults: Clinical epidemiology, exposure to treatments, and evolution. Results of the CARMEN multicenter prospective cohort. <i>American Journal of Hematology</i> , 2017, 92, 493-500.	2.0	67
32	Survey of Forged Prescriptions to Investigate Risk of Psychoactive Medications Abuse in France. <i>Drug Safety</i> , 2007, 30, 265-276.	1.4	66
33	Misuse and Dependence on Non-Prescription Codeine Analgesics or Sedative H1 Antihistamines by Adults: A Cross-Sectional Investigation in France. <i>PLoS ONE</i> , 2013, 8, e76499.	1.1	66
34	Patterns of gabapentin and pregabalin use and misuse: Results of a population-based cohort study in France. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1260-1269.	1.1	64
35	Assessing the Feasibility of Using an Adverse Drug Reaction Preventability Scale in Clinical Practice. <i>Drug Safety</i> , 2002, 25, 1035-1044.	1.4	62
36	Drug related falls: a study in the French Pharmacovigilance database. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 11-16.	0.9	62

#	ARTICLE	IF	CITATIONS
37	Case ascertainment and estimated incidence of drug-induced long-QT syndrome: study in Southwest France. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 386-395.	1.1	62
38	Detection and incidence of drug-induced liver injuries in hospital: a prospective analysis from laboratory signals. <i>British Journal of Clinical Pharmacology</i> , 2000, 50, 479-484.	1.1	61
39	Buprenorphine in pregnant opioid-dependent women: first results of a prospective study. <i>Addiction</i> , 2004, 99, 209-214.	1.7	60
40	Utilisation and Safety of Low Molecular Weight Heparins. <i>Drug Safety</i> , 2003, 26, 197-207.	1.4	59
41	Benzodiazepines and risk of death: Results from two large cohort studies in France and UK. <i>European Neuropsychopharmacology</i> , 2015, 25, 1566-1577.	0.3	57
42	What is pharmacoepidemiology? Definition, methods, interest and clinical applications. <i>Therapie</i> , 2019, 74, 169-174.	0.6	57
43	Antidepressants and movement disorders: a postmarketing study in the world pharmacovigilance database. <i>BMC Psychiatry</i> , 2020, 20, 308.	1.1	57
44	Potentially Inappropriate Drug Prescribing and Associated Factors in Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 850.e1-850.e9.	1.2	56
45	Addictovigilance contribution during COVID-19 epidemic and lockdown in France. <i>Therapie</i> , 2020, 75, 343-354.	0.6	54
46	Perception of the risk of adverse drug reactions: differences between health professionals and non health professionals. <i>British Journal of Clinical Pharmacology</i> , 2002, 54, 433-436.	1.1	53
47	Guillain-Barré Syndrome and Adjuvanted Pandemic Influenza A (H1N1) 2009 Vaccines: A Multinational Self-Controlled Case Series in Europe. <i>PLoS ONE</i> , 2014, 9, e82222.	1.1	53
48	Analgesic drug consumption increases after knee arthroplasty: A pharmacoepidemiological study investigating postoperative pain. <i>Pain</i> , 2014, 155, 1339-1345.	2.0	53
49	Mortality Associated With Time in and Out of Buprenorphine Treatment in French Office-Based General Practice: A 7-Year Cohort Study. <i>Annals of Family Medicine</i> , 2017, 15, 355-358.	0.9	52
50	Risk of Serious Extrapyrarnidal Symptoms in Patients With Parkinson's Disease Receiving Antidepressant Drugs: A Pharmacoepidemiologic Study Comparing Serotonin Reuptake Inhibitors and Other Antidepressant Drugs. <i>Clinical Neuropharmacology</i> , 2003, 26, 142-145.	0.2	51
51	Role of serotonin 5-HT _{2C} and histamine H ₁ receptors in antipsychotic-induced diabetes: A pharmacoepidemiological-pharmacodynamic study in Vigibase. <i>European Neuropsychopharmacology</i> , 2015, 25, 1556-1565.	0.3	51
52	Potential underuse of analgesics for recognized pain in nursing home residents with dementia: A cross-sectional study. <i>Pain</i> , 2013, 154, 2427-2431.	2.0	50
53	Risk of thrombosis in patients with primary immune thrombocytopenia and antiphospholipid antibodies: A systematic review and meta-analysis. <i>Autoimmunity Reviews</i> , 2016, 15, 203-209.	2.5	50
54	Adverse Drug Reactions to Gabapentin and Pregabalin. <i>Drug Safety</i> , 2013, 36, 55-62.	1.4	49

#	ARTICLE	IF	CITATIONS
55	Doctor shopping reveals geographical variations in opioid abuse. <i>Pain Physician</i> , 2013, 16, 89-100.	0.3	49
56	Nonsteroidal anti-inflammatory drug-induced liver injury: a case-control study in primary care. <i>Fundamental and Clinical Pharmacology</i> , 2004, 18, 201-206.	1.0	48
57	Is the risk of tumour necrosis factor inhibitor-induced lupus or lupus-like syndrome the same with monoclonal antibodies and soluble receptor? A case/non-case study in a nationwide pharmacovigilance database. <i>Rheumatology</i> , 2014, 53, 1864-1871.	0.9	47
58	Exposure to Atropinic Drugs and Frailty Status. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 253-257.	1.2	47
59	Drug Interactions with Cholinesterase Inhibitors. <i>Drug Safety</i> , 2007, 30, 1063-1071.	1.4	46
60	Adverse drug reactions associated with the use of NSAIDs: a case/noncase analysis of spontaneous reports from the French pharmacovigilance database 2002-2006. <i>Fundamental and Clinical Pharmacology</i> , 2013, 27, 223-230.	1.0	46
61	A multicentric individually-tailored controlled trial of education and professional support to nursing home staff: Research protocol and baseline data of the IQUARE study. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 173-178.	1.5	45
62	Prevalence and Associations of the Use of Proton-Pump Inhibitors in Nursing Homes: A Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 265-269.	1.2	45
63	Non-steroidal anti-inflammatory drug-related hepatic damage in France and Spain: analysis from national spontaneous reporting systems. <i>Fundamental and Clinical Pharmacology</i> , 2006, 20, 391-395.	1.0	44
64	Influence of fluoroquinolone consumption in inpatients and outpatients on ciprofloxacin-resistant <i>Escherichia coli</i> in a university hospital. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 2650-2657.	1.3	44
65	Searching for a Polypharmacy Threshold Associated With Frailty. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 259-261.	1.2	44
66	Medical prescriptions falsified by the patients: a 12-year national monitoring to assess prescription drug diversion. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 306-322.	1.0	44
67	Genomewide Association Study of Statin-Induced Myopathy in Patients Recruited Using the UK Clinical Practice Research Datalink. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 1353-1361.	2.3	44
68	Falsified or forged medical prescriptions as an indicator of pharmacodependence: A pilot study. <i>European Journal of Clinical Pharmacology</i> , 1997, 52, 37-39.	0.8	43
69	Adverse Drug Reactions to Selegiline: A Review of the French Pharmacovigilance Database. <i>Clinical Neuropharmacology</i> , 2000, 23, 271-275.	0.2	43
70	Estimated magnitude of diversion and abuse of opioids relative to benzodiazepines in France. <i>Drug and Alcohol Dependence</i> , 2012, 126, 13-20.	1.6	42
71	Microtubule-Driven Stress Granule Dynamics Regulate Inhibitory Immune Checkpoint Expression in T Cells. <i>Cell Reports</i> , 2019, 26, 94-107.e7.	2.9	42
72	Comparison of chronic analgesic drugs prevalence in Parkinson's disease, other chronic diseases and the general population. <i>Pain</i> , 2009, 141, 14-18.	2.0	41

#	ARTICLE	IF	CITATIONS
73	Statins and Erectile Dysfunction. <i>Drug Safety</i> , 2009, 32, 591-597.	1.4	41
74	Evaluation of Abuse and Dependence on Drugs Used for Self-Medication. <i>Drug Safety</i> , 2009, 32, 859-873.	1.4	41
75	Non-steroidal anti-inflammatory drugs (NSAIDs) and hypertension treatment intensification: a population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1533-1540.	0.8	40
76	Upper gastrointestinal adverse drug reactions and cyclo-oxygenase-2 inhibitors (celecoxib and) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62</i> <i>Clinical Pharmacology</i> , 2004, 60, 673-677.	0.8	39
77	Slow-release oral morphine for opioid maintenance treatment: a systematic review. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 832-843.	1.1	39
78	Evidence of clonazepam abuse liability: results of the tools developed by the French Centers for Evaluation and Information on Pharmacodependence (CEIP) network. <i>Fundamental and Clinical Pharmacology</i> , 2011, 25, 633-641.	1.0	39
79	Rituximab versus splenectomy in persistent or chronic adult primary immune thrombocytopenia: an adjusted comparison of mortality and morbidity. <i>American Journal of Hematology</i> , 2014, 89, 41-46.	2.0	39
80	Using a capture-recapture method to assess the frequency of adverse drug reactions in a French university hospital. <i>British Journal of Clinical Pharmacology</i> , 2006, 62, 225-231.	1.1	38
81	Efficacy and safety of biologics in relapsing polychondritis: a French national multicentre study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2017-212705.	0.5	38
82	Death related to a recreational abuse of propofol at therapeutic dose range. <i>British Journal of Anaesthesia</i> , 2006, 97, 268.	1.5	37
83	Drugs and dilated cardiomyopathies: a case/noncase study in the French Pharmacovigilance Database. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 287-294.	1.1	37
84	Baclofen for alcohol dependence in France: Incidence of treated patients and prescription patterns – A cohort study. <i>European Neuropsychopharmacology</i> , 2014, 24, 192-199.	0.3	37
85	Increased exposure to statins in patients developing chronic muscle diseases: a 2-year retrospective study. <i>Annals of the Rheumatic Diseases</i> , 2007, 67, 614-619.	0.5	36
86	Drug interactions between antihypertensive drugs and non-steroidal anti-inflammatory agents: a descriptive study using the French Pharmacovigilance database. <i>Fundamental and Clinical Pharmacology</i> , 2014, 28, 230-235.	1.0	36
87	Off-label and unlicensed drug use in children population. <i>Therapie</i> , 2018, 73, 135-149.	0.6	36
88	Vinorelbine-related cardiac events: a meta-analysis of randomized clinical trials. <i>Fundamental and Clinical Pharmacology</i> , 2004, 18, 97-105.	1.0	35
89	Spinal Anesthesia Failure After Local Anesthetic Injection Into Cerebrospinal Fluid. <i>Regional Anesthesia and Pain Medicine</i> , 2011, 36, 322-326.	1.1	35
90	Risk of heart failure following treatment with dopamine agonists in Parkinson's disease patients. <i>Expert Opinion on Drug Safety</i> , 2014, 13, 351-360.	1.0	35

#	ARTICLE	IF	CITATIONS
91	Disproportionality Analysis for the Assessment of Abuse and Dependence Potential of Pregabalin in the French Pharmacovigilance Database. <i>Clinical Drug Investigation</i> , 2016, 36, 735-742.	1.1	35
92	Use of multiple sources and capture-recapture method to estimate the frequency of hospitalizations related to drug abuse. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 733-741.	0.9	34
93	The importance of drug-drug interactions as a cause of adverse drug reactions: a pharmacovigilance study of serotonergic reuptake inhibitors in France. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 767-775.	0.8	34
94	Adverse Drug Reaction Reports Received Through the Mobile App, VigiBIPÂ®: A Comparison with Classical Methods of Reporting. <i>Drug Safety</i> , 2018, 41, 511-514.	1.4	34
95	Triptan use and risk of cardiovascular events: a nested-case-control study from the French health system database. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 801-807.	0.8	33
96	QT interval prolongation: prevalence, risk factors and pharmacovigilance data among methadone-treated patients in France. <i>Fundamental and Clinical Pharmacology</i> , 2011, 25, 503-510.	1.0	33
97	Trends of reporting of "serious" vs "non-serious" adverse drug reactions over time: a study in the French Pharmacovigilance Database. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 201-204.	1.1	33
98	Neurological Complications After Radiosurgery Versus Conservative Management in Acoustic Neuromas: A Systematic Review-based Study. <i>Acta Oto-Laryngologica</i> , 2003, 123, 59-64.	0.3	32
99	Adverse Drug Reactions to Local Anaesthetics. <i>Drug Safety</i> , 2009, 32, 345-356.	1.4	32
100	Impact of long-term benzodiazepine use on cognitive functioning in young adults: the VISAT cohort. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1045-1052.	0.8	32
101	Antipsychotic Use and Mortality Risk in Community-Dwelling Alzheimer's Disease Patients: Evidence for a Role of Dementia Severity. <i>Current Alzheimer Research</i> , 2012, 9, 1106-1116.	0.7	32
102	Reporting rate of adverse drug reactions to the French pharmacovigilance system with three step 2 analgesic drugs: dextropropoxyphene, tramadol and codeine (in combination with paracetamol). <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 422-426.	1.1	31
103	First French Experience of ADR Reporting by Patients After a Mass Immunization Campaign with Influenza A (H1N1) Pandemic Vaccines. <i>Drug Safety</i> , 2012, 35, 845-854.	1.4	31
104	A European Community Pharmacy-Based Survey to Investigate Patterns of Prescription Fraud through Identification of Falsified Prescriptions. <i>European Addiction Research</i> , 2014, 20, 174-182.	1.3	31
105	A Review of Adverse Outcomes Associated with Psychoactive Drug Use in Nursing Home Residents with Dementia. <i>Drugs and Aging</i> , 2016, 33, 865-888.	1.3	31
106	Doctor shopping of opioid analgesics relative to benzodiazepines: A pharmacoepidemiological study among 11.7 million inhabitants in the French countries. <i>Drug and Alcohol Dependence</i> , 2018, 187, 88-94.	1.6	31
107	Follow-up of Adverse Drug Reactions from Peginterferon alfa-2b "Ribavirin Therapy. <i>Pharmacotherapy</i> , 2004, 24, 1546-1553.	1.2	30
108	HMG CoA Reductase Inhibitors and Impotence. <i>Drug Safety</i> , 2006, 29, 143-149.	1.4	30

#	ARTICLE	IF	CITATIONS
109	Does urine drug abuse screening help for managing patients? A systematic review. <i>Drug and Alcohol Dependence</i> , 2014, 136, 11-20.	1.6	30
110	Signal for Thrombosis with Eltrombopag and Romiplostim: A Disproportionality Analysis of Spontaneous Reports Within VigiBase®. <i>Drug Safety</i> , 2015, 38, 1179-1186.	1.4	30
111	Identification of cellular targets involved in cardiac failure caused by PKI in oncology: an approach combining pharmacovigilance and pharmacodynamics. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1544-1555.	1.1	30
112	Predictive Factors of Discontinuation and Switch of Cholinesterase Inhibitors in Community-Dwelling Patients with Alzheimer's Disease. <i>CNS Drugs</i> , 2010, 24, 431-442.	2.7	29
113	Drug Prescribing Before and During Pregnancy in South West France. <i>Drug Safety</i> , 2011, 34, 595-604.	1.4	29
114	Drug-induced immune thrombocytopenia: A descriptive survey in the French Pharmacovigilance database. <i>Platelets</i> , 2012, 23, 490-494.	1.1	29
115	A comparative study of adverse drug reactions during two heat waves that occurred in France in 2003 and 2006. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 285-288.	0.9	29
116	Are adverse drug reaction patterns different between romiplostim and eltrombopag? 2009-2013 French Pharmacovigilance assessment. <i>European Journal of Internal Medicine</i> , 2014, 25, 777-780.	1.0	29
117	Need for an improved vaccination rate in primary immune thrombocytopenia patients exposed to rituximab or splenectomy. A nationwide population-based study in France. <i>American Journal of Hematology</i> , 2015, 90, 301-305.	2.0	29
118	Is Statin Exposure Associated with Occurrence or Better Outcome in Giant Cell Arteritis? Results from a French Population-based Study. <i>Journal of Rheumatology</i> , 2015, 42, 316-322.	1.0	29
119	An original pharmacoepidemiological-pharmacodynamic method: application to antipsychotic-induced movement disorders. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 612-622.	1.1	29
120	Opiate maintenance with buprenorphine in ambulatory care: a 24-week follow-up study of new users. <i>Drug and Alcohol Dependence</i> , 2003, 72, 297-303.	1.6	28
121	Statin-induced lupus: a case/non-case study in a nationwide pharmacovigilance database. <i>Lupus</i> , 2012, 21, 885-889.	0.8	28
122	Positive predictive values of selected hospital discharge diagnoses to identify infections responsible for hospitalization in the French national hospital database. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 785-789.	0.9	28
123	Long-term mortality results of the randomized controlled study comparing bromocriptine to which levodopa was later added with levodopa alone in previously untreated patients with Parkinson's disease. <i>Movement Disorders</i> , 2001, 16, 511-514.	2.2	27
124	Heat-related morbidity in patients with orthostatic hypotension and primary autonomic failure. <i>Movement Disorders</i> , 2005, 20, 1213-1219.	2.2	27
125	Adverse drug reactions in patients older than 70 years during the heat wave occurred in France in summer 2003: a study from the French Pharmacovigilance Database. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 735-740.	0.9	27
126	Use of Drugs, Tobacco, Alcohol and Illicit Substances in a French Student Population. <i>Therapie</i> , 2012, 67, 429-435.	0.6	27

#	ARTICLE	IF	CITATIONS
127	Slow-Release Oral Morphine Sulfate Abuse: Results of the Postmarketing Surveillance Systems for Psychoactive Prescription Drug Abuse in France. <i>European Addiction Research</i> , 2013, 19, 235-244.	1.3	27
128	Gabapentinoid Abuse in France: Evidence on Health Consequences and New Points of Vigilance. <i>Frontiers in Psychiatry</i> , 2021, 12, 639780.	1.3	27
129	Drug utilisation in outpatient children. A comparison among Tenerife, Valencia, and Barcelona (Spain), Toulouse (France), Sofia (Bulgaria), Bratislava (Slovakia) and Smolensk (Russia). <i>European Journal of Clinical Pharmacology</i> , 2004, 60, 127-134.	0.8	26
130	Pregabalin use disorder and secondary nicotine dependence in a woman with no substance abuse history. <i>Therapie</i> , 2016, 71, 575-578.	0.6	26
131	Forged medical prescriptions in a community pharmacy network in Midi-Pyrénées area: assessment of a falsification ratio. <i>European Journal of Clinical Pharmacology</i> , 2002, 57, 911-912.	0.8	25
132	Psychoactive drug consumption: performance-enhancing behaviour and pharmacodependence in workers. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 81-89.	0.9	25
133	Detection and incidence of muscular adverse drug reactions: a prospective analysis from laboratory signals. <i>European Journal of Clinical Pharmacology</i> , 2004, 60, 285-92.	0.8	24
134	Monitoring of benzodiazepine diversion using a multi-indicator approach. <i>International Clinical Psychopharmacology</i> , 2011, 26, 268-277.	0.9	24
135	Importance of cytochrome P450 (CYP450) in adverse drug reactions due to drug-drug interactions: a PharmacoVigilance study in France. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 885-888.	0.8	24
136	Predictors of Cardiovascular Hospitalization in Giant Cell Arteritis: Effect of Statin Exposure. A French Population-based Study. <i>Journal of Rheumatology</i> , 2016, 43, 2162-2170.	1.0	24
137	Trends and Patterns of Antidepressant Use in French Children and Adolescents From 2009 to 2016. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 327-335.	0.7	24
138	A Pharmacoeconomic Evaluation of Botulinum Toxin in the Treatment of Spasmodic Torticollis. <i>Clinical Neuropharmacology</i> , 2000, 23, 203-207.	0.2	23
139	Ambulatory Medical Assistance - After Cancer (AMA-AC): A model for an early trajectory survivorship survey of lymphoma patients treated with anthracycline-based chemotherapy. <i>BMC Cancer</i> , 2015, 15, 781.	1.1	23
140	Immeasurable time bias due to hospitalization in medico-administrative databases: which impact for pharmacoepidemiological studies?. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 544-553.	0.9	23
141	Potentially inappropriate prescribing in a population of frail elderly people. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 113-119.	1.0	23
142	Impact of risk factors on the occurrence of arterial thrombosis and venous thromboembolism in adults with primary immune thrombocytopenia - Results from two nationwide cohorts. <i>Thrombosis Research</i> , 2019, 178, 124-131.	0.8	23
143	Corticosteroid Risk Function of Severe Infection in Primary Immune Thrombocytopenia Adults. A Nationwide Nested Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0142217.	1.1	23
144	Evolution of drug consumption in a sample of French workers since 1986: the "Drugs and Work"™ study. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 335-343.	0.9	22

#	ARTICLE	IF	CITATIONS
145	Prescribed drugs and violence: a case/noncase study in the French Pharmacovigilance Database. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1189-1198.	0.8	22
146	Indicators of Benzodiazepine Use in Nursing Home Residents in France: A Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 29-33.	1.2	22
147	Positive predictive values of peripheral arterial and venous thrombosis codes in French hospital database. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 108-113.	1.0	22
148	Incidence and cost of adverse drug reactions in a French cancer institute. <i>European Journal of Clinical Pharmacology</i> , 1997, 53, 19-22.	0.8	21
149	Drug counselling in pregnancy: an opinion survey of French community pharmacists. <i>Pharmacoepidemiology and Drug Safety</i> , 2004, 13, 711-715.	0.9	21
150	Influence of HCV or HBV coinfection on adverse drug reactions to antiretroviral drugs in HIV patients. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 243-249.	0.8	21
151	More on the "Triple Whammy" antihypertensive drugs, non-steroidal anti-inflammatory agents and acute kidney injury – a case/non-case study in the French pharmacovigilance database. <i>Renal Failure</i> , 2014, 36, 1166-1168.	0.8	21
152	Detection and incidence of drug-induced agranulocytosis in hospital: a prospective analysis from laboratory signals. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 221-228.	0.8	20
153	Healthcare cost impact of biological drugs compared with traditional systemic treatments in psoriasis: a cohort analysis in the French insurance database. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1235-1244.	1.3	20
154	A 2-Year Prospective Cohort Study of Antidementia Drug Non-Persistence in Mild-to-Moderate Alzheimer's Disease in Europe. <i>CNS Drugs</i> , 2014, 28, 157-170.	2.7	20
155	Pharmacoepidemiology of Immune Thrombocytopenia: Protocols of FAITH and CARMEN Studies. <i>Therapie</i> , 2014, 69, 437-448.	0.6	20
156	Drug Abuse Monitoring: Which Pharmacoepidemiological Resources at the European Level?. <i>Therapie</i> , 2015, 70, 157-165.	0.6	20
157	Effects of a geriatric intervention aiming to improve quality care in nursing homes on benzodiazepine use and discontinuation. <i>British Journal of Clinical Pharmacology</i> , 2016, 81, 759-767.	1.1	20
158	Drug Consumption in Workers in France. <i>Journal of Clinical Epidemiology</i> , 1999, 52, 471-478.	2.4	19
159	Blood Concentrations of Hydroxychloroquine and Its Desethyl Derivative Correlate Negatively with the Percentage of CD45RO+ Cells among CD4+ Lymphocytes in Hydroxychloroquine-Treated Lupus Patients. <i>Annals of the New York Academy of Sciences</i> , 2007, 1108, 41-50.	1.8	19
160	Multimorbidity type, hospitalizations and emergency department visits among nursing home residents: A preliminary study. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 705-709.	1.5	19
161	No differences between men and women in adverse drug reactions related to psychotropic drugs: a survey from France, Italy and Spain. <i>Fundamental and Clinical Pharmacology</i> , 2014, 28, 342-348.	1.0	19
162	Guideline sheets on the side effects of anticancer drugs are useful for general practitioners. <i>Supportive Care in Cancer</i> , 2015, 23, 3473-3480.	1.0	19

#	ARTICLE	IF	CITATIONS
163	Infections in non-splenectomized persistent or chronic primary immune thrombocytopenia adults: risk factors and vaccination effect. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 785-791.	1.9	19
164	Identifying multiple myeloma patients using data from the French health insurance databases. <i>Medicine (United States)</i> , 2017, 96, e6189.	0.4	19
165	Association between anticholinergic (atropinic) drug exposure and cognitive function in longitudinal studies among individuals over 50 years old: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1631-1644.	0.8	19
166	Ten-year trend of opioid and nonopioid analgesic use in the French adult population. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 555-564.	1.1	19
167	High Maintenance Dosage of Clopidogrel is Associated with a Reduced Risk of Stent Thrombosis in Clopidogrel-Resistant Patients. <i>American Journal of Cardiovascular Drugs</i> , 2010, 10, 29-35.	1.0	18
168	Laboratory Monitoring of Patients Treated with Antihypertensive Drugs and Newly Exposed to Non Steroidal Anti-Inflammatory Drugs: A Cohort Study. <i>PLoS ONE</i> , 2012, 7, e34187.	1.1	18
169	Organizational Factors Associated With Inappropriate Neuroleptic Drug Prescribing in Nursing Homes: A Multilevel Approach. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 590-597.	1.2	18
170	Detection of signals of abuse and dependence applying disproportionality analysis. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 229-236.	0.8	18
171	Real-life practices for preventing venous thromboembolism in multiple myeloma patients: a cohort study from the French health insurance database. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 578-586.	0.9	18
172	Validation of an algorithm identifying incident primary immune thrombocytopenia in the French national health insurance database. <i>European Journal of Haematology</i> , 2017, 99, 344-349.	1.1	18
173	Pharmacogenomics of statin-related myopathy: Meta-analysis of rare variants from whole-exome sequencing. <i>PLoS ONE</i> , 2019, 14, e0218115.	1.1	18
174	Exposure to non-corticosteroid treatments in adult primary immune thrombocytopenia before the chronic phase in the era of thrombopoietin receptor agonists in France. A nationwide population-based study. <i>Autoimmunity Reviews</i> , 2015, 14, 168-173.	2.5	17
175	Drug-drug interactions with imatinib. <i>Medicine (United States)</i> , 2016, 95, e5076.	0.4	17
176	Early signal of diverted use of tropicamide eye drops in France. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1791-1800.	1.1	17
177	Fear of cancer recurrence in Non- and Hodgkin lymphoma survivors during their first three years of survivorship among French patients. <i>Psychology, Health and Medicine</i> , 2019, 24, 781-787.	1.3	17
178	Was the thrombotic risk of rofecoxib predictable from the French Pharmacovigilance Database before 30 September 2004?. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 829-834.	0.8	16
179	Interest of large electronic health care databases in addictovigilance: Lessons from 15 years of pharmacoepidemiological contribution. <i>Therapie</i> , 2019, 74, 307-314.	0.6	16
180	The value of a health insurance database to conduct pharmacoepidemiological studies in oncology. <i>Therapie</i> , 2019, 74, 279-288.	0.6	16

#	ARTICLE	IF	CITATIONS
181	Nicotine Poisoning as a Cause of Cardiac Arrest?. <i>Journal of Toxicology: Clinical Toxicology</i> , 1996, 34, 475-476.	1.5	15
182	Perception of the risk of gastrointestinal adverse drug reactions with non-steroidal anti-inflammatory drugs (including coxibs): differences among general practitioners, gastroenterologists and rheumatologists. <i>European Journal of Clinical Pharmacology</i> , 2003, 59, 685-688.	0.8	15
183	Pharmacological treatment of acute otitis media in children. A comparison among seven locations: Tenerife, Barcelona and Valencia (Spain), Toulouse (France), Smolensk (Russia), Bratislava (Slovakia) and Sofia (Bulgaria). <i>European Journal of Clinical Pharmacology</i> , 2004, 60, 37-43.	0.8	15
184	Drug-Induced Yawning. <i>Drug Safety</i> , 2007, 30, 327-331.	1.4	15
185	Effectiveness of drug tests in outpatients starting opioid substitution therapy. <i>Journal of Substance Abuse Treatment</i> , 2013, 44, 515-521.	1.5	15
186	Comment on: An Insight Into Z-Drug Abuse and Dependence: An Examination of Reports to the European Medicines Agency Database of Suspected Adverse Drug Reactions. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 528-530.	1.0	15
187	Primary Care of Opioid use Disorder: The End of "the French Model"? <i>European Addiction Research</i> , 2020, 26, 346-354.	1.3	15
188	Lack of correlation between the activity of the mesolimbic dopaminergic system and the rewarding properties of pregabalin in mouse. <i>Psychopharmacology</i> , 2019, 236, 2069-2082.	1.5	14
189	Drug-induced parkinsonism: Revisiting the epidemiology using the WHO pharmacovigilance database. <i>Parkinsonism and Related Disorders</i> , 2020, 70, 55-59.	1.1	14
190	Risk of vaso-occlusive episode after exposure to corticosteroids in patients with sickle cell disease. <i>Blood</i> , 2022, 139, 3771-3777.	0.6	14
191	Valvular heart disease in a patient taking 3,4-methylenedioxymethamphetamine (MDMA, "Ecstasy"). <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 547-548.	1.1	13
192	Acute pain management for patients under opioid maintenance treatment. <i>European Journal of Emergency Medicine</i> , 2013, 21, 1.	0.5	13
193	Example of an Investigation of an "Emergent" Phenomenon in Addiction Vigilance: the Case of Methylphenidate. <i>Therapie</i> , 2015, 70, 197-202.	0.6	13
194	Is borderline personality disorder only a mental health problem?. <i>Personality and Mental Health</i> , 2016, 10, 328-336.	0.6	13
195	Identifying cancer drug regimens in French health insurance database: An application in multiple myeloma patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1492-1499.	0.9	13
196	A comparative study of adverse drug reactions reported through hospital and private medicine. <i>British Journal of Clinical Pharmacology</i> , 1996, 41, 166-168.	1.1	12
197	Drug consumption in a very elderly community-dwelling population. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 691-692.	0.8	12
198	Drug treatment for diabetes in nursing home residents. <i>Diabetic Medicine</i> , 2014, 31, 570-576.	1.2	12

#	ARTICLE	IF	CITATIONS
199	Reducing potentially inappropriate drug prescribing in nursing home residents: effectiveness of a geriatric intervention. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1598-1610.	1.1	12
200	Detecting the diverted use of psychoactive drugs by adolescents and young adults: A pilot study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1286-1292.	0.9	12
201	Early Detection of Prescription Drug Abuse Using Doctor Shopping Monitoring From Claims Databases: Illustration From the Experience of the French Addictovigilance Network. <i>Frontiers in Psychiatry</i> , 2021, 12, 640120.	1.3	12
202	Long-term consequences of acute pain for patients under methadone or buprenorphine maintenance treatment. <i>Pain Physician</i> , 2013, 16, E739-47.	0.3	12
203	Exposure to inhibitors of the renin-angiotensin system is a major independent risk factor for acute renal failure induced by sucrose-containing intravenous immunoglobulins: a case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 314-319.	0.9	11
204	Which Adverse Events Are Related to Health Care during Hospitalization in Elderly Inpatients?. <i>International Journal of Medical Sciences</i> , 2013, 10, 1224-1230.	1.1	11
205	Validation of immune thrombocytopenia diagnosis code in the French hospital electronic database. <i>European Journal of Internal Medicine</i> , 2016, 32, e21-e22.	1.0	11
206	Psychotropic drug initiation during the first diagnosis and the active treatment phase of B cell non-Hodgkin's lymphoma: a cohort study of the French national health insurance database. <i>Supportive Care in Cancer</i> , 2016, 24, 4791-4799.	1.0	11
207	Utilization and costs of HIV antiretroviral drugs in Europe during the last ten years: Impact of generic antiretroviral drugs on cost reduction. <i>Health Policy</i> , 2018, 122, 237-242.	1.4	11
208	Î²-Adrenoceptor Drugs and Parkinson's Disease: A Nationwide Nested Case-Control Study. <i>CNS Drugs</i> , 2020, 34, 763-772.	2.7	11
209	Multimorbidity type, hospitalizations and emergency department visits among nursing home residents: A preliminary study. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 705-9.	1.5	11
210	Medication error caused by confusing drug blisters. <i>Lancet, The</i> , 2004, 363, 2142.	6.3	10
211	Anticholinergics, antimuscarinics or atropinics? About the words in pharmacology. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 561-562.	1.1	10
212	A questionnaire to document self-medication history in adult patients visiting emergency departments. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 151-159.	0.9	10
213	Indicators of influenza and pneumococcal vaccination in French nursing home residents in 2011. <i>Vaccine</i> , 2014, 32, 846-851.	1.7	10
214	Comment on: "Social Media Mining for Toxicovigilance: Automatic Monitoring of Prescription Medication Abuse from Twitter". <i>Drug Safety</i> , 2017, 40, 183-185.	1.4	10
215	Infectious risk of biological drugs vs. traditional systemic treatments in moderate-to-severe psoriasis: a cohort analysis in the French insurance database. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 436-449.	1.0	10
216	Interest of pharmacoepidemiology for pharmacodynamics and analysis of the mechanism of action of drugs. <i>Therapie</i> , 2019, 74, 209-214.	0.6	10

#	ARTICLE	IF	CITATIONS
217	Epidemiology of autoimmune hemolytic anemia: A nationwide population-based study in France. <i>American Journal of Hematology</i> , 2021, 96, E291-E293.	2.0	10
218	Warning on increased serious health complications related to non-medical use of nitrous oxide. <i>Therapie</i> , 2021, 76, 478-479.	0.6	10
219	Increase of high-risk tramadol use and harmful consequences in France from 2013 to 2018: Evidence from the triangulation of addicovigilance data. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 3789-3802.	1.1	10
220	Rituximab off-label use for immune diseases: assessing adverse events in a single-centre drug utilization survey. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 320-322.	1.1	9
221	Factors associated with psychoactive drug initiation in a sample of workers in France: results of the VISAT cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 296-305.	0.9	9
222	Persistent use of Analgesic Medications in Mild-to-Moderate Alzheimer's Disease. <i>Drugs and Aging</i> , 2013, 30, 439-445.	1.3	9
223	Severe bleeding events in adults and children with primary immune thrombocytopenia: a systematic review: comment. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 1521-1522.	1.9	9
224	Role of Medicines of Unknown Identity in Adverse Drug Reaction-Related Hospitalizations in Developing Countries: Evidence from a Cross-Sectional Study in a Teaching Hospital in the Lao People's Democratic Republic. <i>Drug Safety</i> , 2017, 40, 809-821.	1.4	9
225	Drug-Induced Dental Caries: A Disproportionality Analysis Using Data from VigiBase. <i>Drug Safety</i> , 2017, 40, 1249-1258.	1.4	9
226	Incremental Costs in Giant Cell Arteritis. <i>Arthritis Care and Research</i> , 2018, 70, 1074-1081.	1.5	9
227	Tamoxifen and the risk of Parkinsonism: a case/non-case study. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1181-1184.	0.8	9
228	Cluster Headache in Subjects With Substance Use Disorder: A Case Series and a Review of the Literature. <i>Headache</i> , 2019, 59, 576-589.	1.8	9
229	Significance of antinuclear antibodies in primary immune thrombocytopenia: results of the CARMEN registry. <i>Blood Advances</i> , 2020, 4, 1974-1977.	2.5	9
230	Risk factors of hospitalisation for thrombosis in adults with primary immune thrombocytopenia, including disease-specific treatments: a French nationwide cohort study. <i>British Journal of Haematology</i> , 2021, 195, 456-465.	1.2	9
231	Assessment of the Accuracy of Using ICD-10 Codes to Identify Systemic Sclerosis. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1355-1359.	1.5	9
232	Drug safety of rosiglitazone and pioglitazone in France: a study using the French Pharmacovigilance database. <i>BMC Clinical Pharmacology</i> , 2011, 11, 5.	2.5	8
233	A novel approach for medical research on lymphomas. <i>Medicine (United States)</i> , 2018, 97, e9418.	0.4	8
234	Tamper-resistant prescription forms for narcotics in France: Should we generalize them?. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 571-577.	1.0	8

#	ARTICLE	IF	CITATIONS
235	Validation of giant cell arteritis diagnosis code in the French hospital electronic database. <i>European Journal of Internal Medicine</i> , 2019, 60, e16-e17.	1.0	8
236	Use of the French healthcare insurance database to estimate the prevalence of exposure to potential drug-drug interactions. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1675-1682.	0.8	8
237	Potentially Inappropriate Drug Prescribing in French Nursing Home Residents: An Observational Study. <i>Pharmacy (Basel, Switzerland)</i> , 2020, 8, 133.	0.6	8
238	Combatting the misuse of benzodiazepines and related Z drugs in French general practice: a clinical review. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101014.	0.9	8
239	Treatment of acute renal colic in a French emergency department: a comparison of simulated cases and real cases in acute pain assessment and management. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 685-689.	0.8	7
240	On-Site Drugs of Abuse Urinary Screening Tests for the Management of Opiate-Addicted Patients: A Survey among French General Practitioners. <i>European Addiction Research</i> , 2012, 18, 175-183.	1.3	7
241	The public health benefit of medicines: How it has been assessed in France? The principles and results of five yearsâ€™ experience. <i>Health Policy</i> , 2013, 112, 273-284.	1.4	7
242	Prevalence of pneumococcal vaccination in adult immune thrombocytopenia patients exposed to rituximab or to splenectomy. <i>European Journal of Haematology</i> , 2013, 90, 438-439.	1.1	7
243	Mortality and Antipsychotic Drug Use in Elderly Patients With Parkinson Disease in Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 791-796.	1.2	7
244	Psychiatric disorders as predictors of long-term opioid therapy and the need for treating chronic pain correctly in patients with prior opioid substance use disorder: a commentary. <i>Pain</i> , 2017, 158, 6-7.	2.0	7
245	Cross-national health care database utilization between Spain and France: results from the EPICHRONIC study assessing the prevalence of type 2 diabetes mellitus. <i>Clinical Epidemiology</i> , 2018, Volume 10, 863-874.	1.5	7
246	Parkinsonism Associated with Gabapentinoid Drugs: A Pharmacoepidemiologic Study. <i>Movement Disorders</i> , 2020, 35, 176-180.	2.2	7
247	Validation of hemolytic anemia discharge diagnosis codes in the French hospital database. <i>European Journal of Internal Medicine</i> , 2020, 79, 136-138.	1.0	7
248	Psychotropic drug initiation in patients diagnosed with chronic myeloid leukemia: a population-based study in France. <i>Fundamental and Clinical Pharmacology</i> , 2020, 34, 612-622.	1.0	7
249	Evolution of doctor shopping for oxycodone in the 67 million inhabitants in France as a proxy for potential misuse or abuse. <i>Pain</i> , 2021, 162, 770-777.	2.0	7
250	A Prospective Intensive Study of Adverse Drug Reactions in Urban General Practice. <i>Clinical Drug Investigation</i> , 1995, 10, 117-122.	1.1	6
251	A Comparative Survey of Antidepressant Drug Prescribing Habits of General Practitioners and Psychiatrists. <i>Clinical Drug Investigation</i> , 1998, 16, 53-61.	1.1	6
252	Use of Codeine and Non-Codeine Cough Suppressants. <i>Clinical Drug Investigation</i> , 2002, 22, 399-402.	1.1	6

#	ARTICLE	IF	CITATIONS
253	The Nursing Home Effect: A Case Study of Residents With Potential Dementia and Emergency Department Visits. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 901-905.	1.2	6
254	Trends in opioid analgesics use in Europe: a ten-year perspective. <i>Clinical Therapeutics</i> , 2015, 37, e4.	1.1	6
255	Sex and age differences in ED patients with mental and behavioral disorders due to psychoactive substance use. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1612-1616.	0.7	6
256	Comparison of adherence to generic multi-tablet regimens vs. brand multi-tablet and brand single-tablet regimens likely to incorporate generic antiretroviral drugs by breaking or not fixed-dose combinations in HIV-infected patients. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 450-458.	1.0	6
257	Trends of atropinic (anticholinergic) exposure in the elderly: a 10-year analysis in the French EGB database. <i>Fundamental and Clinical Pharmacology</i> , 2019, 33, 471-478.	1.0	6
258	Adverse drug reactions in infants, children and adolescents exposed to antidepressants: a French pharmacovigilance study. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1591-1599.	0.8	6
259	Development and Validation of a Model to Identify Alzheimer's Disease and Related Syndromes in Administrative Data. <i>Current Alzheimer Research</i> , 2021, 18, 142-156.	0.7	6
260	Patterns of Tyrosine Kinase Inhibitor Utilization in Newly Treated Patients With Chronic Myeloid Leukemia: An Exhaustive Population-Based Study in France. <i>Frontiers in Oncology</i> , 2021, 11, 675609.	1.3	6
261	The challenges of pharmacoepidemiology of orphan drugs in rare diseases. <i>Therapie</i> , 2020, 75, 215-220.	0.6	6
262	Risk of pacemaker implantation after radiotherapy for breast cancer: A study based on French nationwide health care database sample. <i>IJC Heart and Vasculature</i> , 2022, 38, 100936.	0.6	6
263	Efficacy of Psychoeducational Intervention on Allograft Function in Kidney Transplant Patients: 10-Year Results of a Prospective Randomized Study. <i>Experimental and Clinical Transplantation</i> , 2016, 14, 38-44.	0.2	6
264	Naloxone does not prevent apomorphine-induced emesis or hypotension in dogs. <i>Clinical Autonomic Research</i> , 1994, 4, 303-305.	1.4	5
265	Fertility and outcomes of pregnancy after chemotherapy in a sample of childbearing aged women. <i>Fundamental and Clinical Pharmacology</i> , 2004, 18, 573-579.	1.0	5
266	Modifications of Low-Molecular Weight Heparin Use in a French University Hospital after Implementation of New Guidelines. <i>Drug Safety</i> , 2007, 30, 409-417.	1.4	5
267	Prescribers' indications for drugs in childhood: A survey of five European countries (Spain, France, Italy, Greece, Portugal). <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2007, 32, 1784-1790.	0.7	5
268	Utilisation de la méthode capture-recapture pour l'évaluation de la fréquence des effets indésirables « graves » médicamenteux : l'expérience du CHU de Toulouse. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2008, 192, 421-431.	0.0	5
269	Pharmacoepidemiology Studies: what Levels of Evidence and how can They be Reached?. <i>Therapie</i> , 2013, 68, 247-252.	0.6	5
270	Population awareness of risks related to medicinal product use in Vientiane Capital, Lao PDR: a cross-sectional study for public health improvement in low and middle income countries. <i>BMC Public Health</i> , 2015, 15, 590.	1.2	5

#	ARTICLE	IF	CITATIONS
271	Phone-based safety monitoring of the first year of baclofen treatment for alcohol use disorder: the BACLOPHONE cohort study protocol. <i>Expert Opinion on Drug Safety</i> , 2017, 16, 1-8.	1.0	5
272	Study protocol of the ESUB-MG cluster randomized trial: a pragmatic trial assessing the implementation of urine drug screening in general practice for buprenorphine maintained patients. <i>BMC Family Practice</i> , 2016, 17, 24.	2.9	5
273	Effect of dementia on receipt of influenza vaccine: a cohort study in French older adults using administrative data: 2007â€“2012. <i>Fundamental and Clinical Pharmacology</i> , 2017, 31, 471-480.	1.0	5
274	Use of French healthcare insurance databases in pediatric pharmacoepidemiology. <i>Therapie</i> , 2018, 73, 127-133.	0.6	5
275	Analgesic Drug Prescription After Carpal Tunnel Surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2018, 43, 19-24.	1.1	5
276	Considering sex-specific adverse drug reactions should be a priority in pharmacovigilance and pharmacoepidemiological studies. <i>EClinicalMedicine</i> , 2019, 17, 100216.	3.2	5
277	Benzodiazepine exposure in subjects with incident Alzheimerâ€™s disease and related syndromes in France: a longitudinal study 2011â€“2017. <i>International Clinical Psychopharmacology</i> , 2020, 35, 270-278.	0.9	5
278	Drugâ€“induced tics: An observational postmarketing study. <i>Human Psychopharmacology</i> , 2020, 35, e2734.	0.7	5
279	A 13-Year National Monitoring Study to Assess Narcotic Prescriptions and Indications (2007â€“2019). <i>Drug Safety</i> , 2022, 45, 37-44.	1.4	5
280	Cannabinoid-Related Acute Pancreatitis: An Update from International Literature and Individual Case Safety Reports. <i>Drug Safety</i> , 2022, 45, 215-235.	1.4	5
281	Risk of Immune Thrombocytopenia After Influenza Vaccine. <i>JAMA Internal Medicine</i> , 2022, 182, 444.	2.6	5
282	Study on the Regular Use of Drugs in Workers over 50 Years of Age. <i>Clinical Drug Investigation</i> , 1995, 9, 1-7.	1.1	4
283	Mortality Rates Among Patients With Rheumatoid Arthritis Treated With Tumor Necrosis Factor Inhibitors: Comment on the Article by Simard et al. <i>Arthritis and Rheumatism</i> , 2013, 65, 1670-1671.	6.7	4
284	DÃ©pistage des troubles de la personnalitÃ© avec la version franÃ§aise du Personality Diagnostic Questionnaire-4+ dans une population psychiatrique: une Ã©tude prÃ©liminaire. <i>Annales Medico-Psychologiques</i> , 2016, 174, 39-44.	0.2	4
285	Identification of Somatic Disorders Related to Psychoactive Drug Use from an Inpatient Database in a French University Hospital. <i>Clinical Drug Investigation</i> , 2018, 38, 977-982.	1.1	4
286	Additional Costs of Polymyalgia Rheumatica With Giant Cell Arteritis. <i>Arthritis Care and Research</i> , 2019, 71, 1127-1131.	1.5	4
287	Is there overuse of proton pump inhibitors in Bâ€“cell nonâ€“Hodgkin lymphomas? A cohort study based on the French health insurance database in the Midiâ€“PyrÃ©nÃ©es region. <i>Fundamental and Clinical Pharmacology</i> , 2019, 33, 327-338.	1.0	4
288	Real-world costs of illness of Hodgkin and the main B-Cell Non-Hodgkin lymphomas in France. <i>Journal of Medical Economics</i> , 2020, 23, 235-242.	1.0	4

#	ARTICLE	IF	CITATIONS
289	Le psychotraumatisme chez l'enfant et l'adolescent: donn�es actuelles et perspectives. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2020, 68, 384-393.	0.1	4
290	Benzodiazepine Dispensing to Persons With Dementia in France, 2011-2016: A Nationwide Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 830-836.	1.2	4
291	Perceived risk of opioid use disorder secondary to opioid analgesic medication use by the general population in France. <i>European Journal of Pain</i> , 2022, 26, 729-739.	1.4	4
292	Risk of gastrointestinal haemorrhage with calcium antagonists. <i>British Journal of Clinical Pharmacology</i> , 1998, 46, 88-9.	1.1	4
293	Association between NMDAR antagonists, drug abuse and dependence: A disproportionality analysis from the WHO pharmacovigilance database. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 4937-4940.	1.1	4
294	Drugs and Cancer: an Analysis of the French Pharmacovigilance Database. <i>Therapie</i> , 2013, 68, 149-154.	0.6	3
295	Factors affecting chronic pain and increases of analgesic drug consumption after knee arthroplasty. <i>Pain</i> , 2014, 155, 2720-2721.	2.0	3
296	From rural to urban areas: differences in behavioural and psychological symptoms of dementia in nursing home residents according to geographical location. <i>Psychogeriatrics</i> , 2014, 14, 229-234.	0.6	3
297	Dementia Diagnosis and Influenza Vaccination in French Nursing Home Residents. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1256-1258.	1.3	3
298	Analgesic Drug Consumption Increases After Carpal Tunnel Surgery: A Pharmacoepidemiological Study Investigating Postoperative Pain. <i>Clinical Therapeutics</i> , 2015, 37, e64-e65.	1.1	3
299	Misuse of Benzodiazepines in France. , 2016, , 1101-1111.		3
300	Impact of pregnancy on psychoactive substance use among women with substance use disorders recruited in addiction specialized care centers in France. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 188-197.	1.0	3
301	Cardiovascular risk factors in immune thrombocytopenia adults: Results from the CARMEN registry. <i>American Journal of Hematology</i> , 2018, 93, E181-E184.	2.0	3
302	Identification and tracking of addictovigilance signals in general practice: which interactions between the general practitioners and the French addictovigilance network?. <i>Fundamental and Clinical Pharmacology</i> , 2018, 32, 641-642.	1.0	3
303	Vaccination during the First Diagnosis of Multiple Myeloma: A Cohort Study of the French National Health Insurance Database. <i>Vaccines</i> , 2020, 8, 722.	2.1	3
304	Use of the French national health insurance information system for research in the field of mental health: Systematic review and perspectives. <i>Fundamental and Clinical Pharmacology</i> , 2022, 36, 16-34.	1.0	3
305	Correspondence on "Risk of systemic lupus erythematosus after immune thrombocytopenia and autoimmune haemolytic anaemia: a nationwide French study". <i>Annals of the Rheumatic Diseases</i> , 2023, 82, e95-e95.	0.5	3
306	Clinical Epidemiology and First-Line Treatment in Immune Thrombocytopenia Adults. Results of the Carmen Prospective Cohort. <i>Blood</i> , 2015, 126, 3473-3473.	0.6	3

#	ARTICLE	IF	CITATIONS
307	Dermatological adverse drug reactions of anticancer drugs: International data of pharmacovigilance: VigiBase®. <i>Therapie</i> , 2022, 77, 219-227.	0.6	3
308	Weak Opioid Analgesics Abuse and Addiction. , 2016, , 375-391.		2
309	Pretreatment with standard-dose intravenous methylprednisolone does not improve outcomes in newly diagnosed immune thrombocytopenia (<sc>ITP</sc>). <i>European Journal of Haematology</i> , 2018, 100, 412-418.	1.1	2
310	Impact of a geriatric intervention conducted in nursing homes on inappropriate prescriptions of antipsychotics. <i>European Geriatric Medicine</i> , 2019, 10, 285-293.	1.2	2
311	Case Report: the Comorbidity of Pregabalin-Use Disorder and Post-Traumatic Stress Disorder: Clinical and Pharmacological Issues. <i>International Journal of Mental Health and Addiction</i> , 2022, 20, 152-161.	4.4	2
312	Antidepressant Use and Progression of Mild to Moderate Alzheimer's Disease: Results from the European ICTUS Cohort. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 433-439.	1.2	2
313	Evolution of medication consumption in a working environment in France: Results of the four waves of the "Drugs and Work" study (1986-2016). <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 661-668.	0.9	2
314	Medical prescription forms of opioid cough suppressants falsified by the patients before and after they switched from over-the-counter to prescription-only in France. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 1713-1721.	1.1	2
315	Risk Factors of Thrombosis in Adults with Primary Immune Thrombocytopenia. a French Nationwide Cohort Study. <i>Blood</i> , 2018, 132, 3745-3745.	0.6	2
316	Eltrombopag for Immune Thrombocytopenia Adult Patients in the Real-Life Practice in France. Interim Results of the Elextra Study. <i>Blood</i> , 2019, 134, 2372-2372.	0.6	2
317	Eltrombopag for Immune Thrombocytopenia in Adult Patients in the Real-World in France. Final Results of the Elextra Study. <i>Blood</i> , 2020, 136, 11-12.	0.6	2
318	Incident users of tyrosine kinase inhibitors in patients with chronic myeloid leukemia: Analysis of anticancer treatment trajectories "A French population-based study using the French national health data system. <i>American Journal of Hematology</i> , 2022, 97, .	2.0	2
319	Coxibs: evolution of prescription's behaviour in France. <i>Fundamental and Clinical Pharmacology</i> , 2007, 21, 317-325.	1.0	1
320	Did thirst blockers contribute to the exorbitant number of fatalities during the French 2003 heat wave?. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 312-313.	0.9	1
321	Safety of amide local anesthetics: new trends. <i>Expert Opinion on Drug Safety</i> , 2010, 9, 759-769.	1.0	1
322	THU0283...Incremental Costs of Giant Cell Arteritis in France. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 298.3-298.	0.5	1
323	Triptan Use and Serious Cardiovascular Events In Elderly Over 65 Years In France: A Nationwide Retrospective Propensity-Matched Cohort Study. <i>Clinical Therapeutics</i> , 2017, 39, e33.	1.1	1
324	Generic antiretroviral drug use in HIV-infected patients: A cohort study from the French health insurance database. <i>Therapie</i> , 2018, 73, 257-266.	0.6	1

#	ARTICLE	IF	CITATIONS
325	Non-cancer drug consumption during the early trajectory of lymphoma survivorship. <i>Therapie</i> , 2018, 73, 307-317.	0.6	1
326	Novel forms of injectable buprenorphine and French model of opioid use disorder treatment. <i>Therapie</i> , 2020, 75, 393-395.	0.6	1
327	Evaluation of Prescription Practices of Domperidone in Parkinson's Disease: A Cross Sectional Study Among French Neurologists. <i>CNS Drugs</i> , 2020, 34, 1267-1274.	2.7	1
328	Potential inappropriate use of strong opioid analgesics in cancer outpatients during the last year of life in France and associated factors. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 1691-1703.	1.1	1
329	Qu'est-ce que la pharmacopidmiologie?. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2015, 199, 263-273.	0.0	1
330	Validation of an Algorithm Identifying Incident Primary Immune Thrombocytopenia in the French National Health Insurance Database. <i>Blood</i> , 2016, 128, 4764-4764.	0.6	1
331	The effect of an ambulatory medical assistance during chemotherapy and follow-up among patient with diffuse large B-cell lymphoma on treatment adherence.. <i>Journal of Clinical Oncology</i> , 2014, 32, e19550-e19550.	0.8	1
332	Le point sur les cas d'abus et de dépendance à la poudre d'opium (Lamaline®, Izalgi®) en France. <i>Douleur Et Analgesie</i> , 2019, 32, 95-98.	0.2	1
333	The cardiovascular health of prisoners who use cannabis: An exploratory study among hospitalised prisoners. <i>Therapie</i> , 2020, 75, 579-589.	0.6	1
334	Risk of bleeding associated with nonsteroidal anti-inflammatory drug use in patients exposed to antithrombotic therapy: a case-crossover study. <i>Journal of Clinical Pharmacology</i> , 2021, , .	1.0	1
335	Patterns of opioid analgesic prescribing in cancer outpatients during the last year of life in France: A pharmacoepidemiological cohort study based on the French health insurance database. <i>Therapie</i> , 2022, 77, 703-711.	0.6	1
336	Supervised prescription of methadone plus heroin is more effective than methadone alone. <i>Evidence-Based Healthcare and Public Health</i> , 2004, 8, 110-111.	0.0	0
337	Affinité sérotoninergique 5HT2 C et diabète médicamenteux: Étude de pharmacopidmiologie dans la base de pharmacovigilance de l'OMS. <i>European Psychiatry</i> , 2013, 28, 106-106.	0.1	0
338	Factors affecting chronic pain and increases of analgesic drug consumption after knee arthroplasty: Reply. <i>Pain</i> , 2014, 155, 2721-2722.	2.0	0
339	Infectious risk of biological drugs versus conventional systemic treatments in moderate to severe psoriasis. <i>Clinical Therapeutics</i> , 2015, 37, e4.	1.1	0
340	Thromboprophylaxis In Multiple Myeloma Patients Treated With Lenalidomide or Thalidomide. <i>Clinical Therapeutics</i> , 2015, 37, e65.	1.1	0
341	Outpatient Antibiotic Prescriptions with High Risk of Bacterial Resistance in France: A National Healthcare Insurance Database Analysis. <i>Clinical Therapeutics</i> , 2017, 39, e12.	1.1	0
342	Searching Hospital Database for Detecting the Serious Consequences Related to Use of Drugs With an Abuse Potential. <i>Clinical Therapeutics</i> , 2017, 39, e91.	1.1	0

#	ARTICLE	IF	CITATIONS
343	AB0565â€¦Insufficient influenza vaccination coverage in giant cell arteritis. a french population-based study. , 2017, , .		0
344	Costs of Hodgkin and Non-Hodgkin Lymphoma in France: Results on the Basis of the French National Health Insurance Database. Value in Health, 2018, 21, S25.	0.1	0
345	Teaching Basic Knowledge on Substance Use Disorders: The Impact of e-Learning on Health Professionals. Clinical Therapeutics, 2019, 41, 2154-2161.	1.1	0
346	No increased risk of cataract in adult patients with primary immune thrombocytopenia treated with eltrombopag. A French nationwide nested caseâ€¦control study. British Journal of Haematology, 2020, 189, e137-e140.	1.2	0
347	Reply to: Comment on â€œParkinsonism Associated with Gabapentinoid Drugs: A Pharmacoepidemiological Studyâ€œ. Movement Disorders, 2020, 35, 376-377.	2.2	0
348	Bacterial infections in people who inject psychoactive substances: An observational study in a French university hospital. A comment. Therapie, 2021, 76, 525-526.	0.6	0
349	Exposure to Corticoid-Sparing Treatments in Adult Primary Immune Thrombocytopenia before the Chronic Phase in the Era of Thrombopoietin Receptor Agonists in France. a Nationwide Population-Based Study. Blood, 2014, 124, 2178-2178.	0.6	0
350	Incidence of Adverse Drug Reactions Related to Immune Thrombocytopenia Drugs. A Prospective Cohort Study. Blood, 2015, 126, 1056-1056.	0.6	0
351	Quelle Pharmacovigilance pour les vaccins ?. Bulletin De L'Academie Nationale De Medecine, 2016, 200, 241-250.	0.0	0
352	Interest in Initiating Corticosteroids By Intravenous Methylprednisolone at Standard Dose in Newly Diagnosed Immune Thrombocytopenia Adults: Results of the Prospective Carmen Registry. Blood, 2016, 128, 3736-3736.	0.6	0
353	Positivity Rates of Tests Used at Immune Thrombocytopenia Diagnosis to Detect Associated Diseases. a Prospective Multicenter Cohort Study of 218 Patients. Blood, 2016, 128, 1367-1367.	0.6	0
354	Drug Use and Mortality in Parkinson Disease. Journal of the American Medical Directors Association, 2017, 18, 989.	1.2	0
355	Risk of Vaccine-Induced Immune Thrombocytopenia in Children. Nationwide Case Cross-over and Self-Controlled Case Series Studies in France. Blood, 2018, 132, 738-738.	0.6	0
356	Positivity Rate of Systematic Bone Marrow Smear Above 60-Year-Old Patients with Newly Diagnosed Immune Thrombocytopenia to Screen for Associated Hematological Malignancy. Results from the French Prospective Multicenter Carmen Registry. Blood, 2019, 134, 1083-1083.	0.6	0
357	Validation of Hemolytic Anemia Codes in the French Hospital Database. Blood, 2019, 134, 3460-3460.	0.6	0
358	Risk of Immune Thrombocytopenia Induced By Influenza Vaccine. a Nationwide Population-Based Study in France. Blood, 2019, 134, 1086-1086.	0.6	0
359	No Increased Risk of Cataract in Immune Thrombocytopenia Adult Patients Treated with Eltrombopag. a French Nationwide Nested Case-Control Study. Blood, 2019, 134, 2363-2363.	0.6	0
360	Cannabis et pathologies cardio-vasculaires. La Presse MÃ©dicale Formation, 2020, 1, 355-363.	0.1	0

#	ARTICLE	IF	CITATIONS
361	Autoimmune Hemolytic Anemia: A Disease of the Elderly and the Very Elderly with Increased Mortality and Increased Rates of Hospitalization for Thrombosis and Infection. <i>Blood</i> , 2020, 136, 41-41.	0.6	0
362	Impact of the treatment of chronic myeloid leukaemia by tyrosine-kinase inhibitors on sick leaves refund: a nationwide cohort study. <i>Supportive Care in Cancer</i> , 2022, , 1.	1.0	0