

Maryse Lapeyre-Mestre

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5026345/maryse-lapeyre-mestre-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

350
papers

7,449
citations

41
h-index

65
g-index

483
ext. papers

9,148
ext. citations

3.9
avg, IF

6.05
L-index

#	Paper	IF	Citations
350	Risk of pacemaker implantation after radiotherapy for breast cancer: A study based on French nationwide health care database sample.. <i>IJC Heart and Vasculature</i> , 2022 , 38, 100936	2.4	0
349	Cannabinoid-Related Acute Pancreatitis: An Update from International Literature and Individual Case Safety Reports.. <i>Drug Safety</i> , 2022 , 45, 215	5.1	0
348	Impact of the treatment of chronic myeloid leukaemia by tyrosine-kinase inhibitors on sick leaves refund: a nationwide cohort study.. <i>Supportive Care in Cancer</i> , 2022 , 1	3.9	
347	Warning on increased serious health complications related to non-medical use of nitrous oxide. <i>Therapie</i> , 2021 , 76, 478-479	3.8	1
346	A 13-Year National Monitoring Study to Assess Narcotic Prescriptions and Indications (2007-2019). <i>Drug Safety</i> , 2021 , 45, 37	5.1	1
345	Evolution of doctor shopping for oxycodone in the 67 million inhabitants in France as a proxy for potential misuse or abuse. <i>Pain</i> , 2021 , 162, 770-777	8	3
344	Abus et dépendance vis-à-vis des antagonistes des récepteurs NMDA : s'agit-il d'un effet de classe?. <i>Therapie</i> , 2021 , 76, 159	3.8	
343	Anciens utilisateurs chroniques de dextropropoxyphène : évolution de leurs délivrances d'analgésiques après l'arrêt de sa commercialisation en France. <i>Therapie</i> , 2021 , 76, 163	3.8	
342	Evolution of medication consumption in a working environment in France: Results of the four waves of the "Drugs and Work" study (1986-2016). <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 661-668	2.6	
341	Early Detection of Prescription Drug Abuse Using Doctor Shopping Monitoring From Claims Databases: Illustration From the Experience of the French Addictovigilance Network. <i>Frontiers in Psychiatry</i> , 2021 , 12, 640120	5	2
340	Epidemiology of autoimmune hemolytic anemia: A nationwide population-based study in France. <i>American Journal of Hematology</i> , 2021 , 96, E291-E293	7.1	2
339	Development and Validation of a Model to Identify Alzheimer's Disease and Related Syndromes in Administrative Data. <i>Current Alzheimer Research</i> , 2021 , 18, 142-156	3	3
338	Use of the French national health insurance information system for research in the field of mental health: Systematic review and perspectives. <i>Fundamental and Clinical Pharmacology</i> , 2021 ,	3.1	1
337	Ten-year trend of opioid and nonopioid analgesic use in the French adult population. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 555-564	3.8	6
336	Antidepressant Use and Progression of Mild to Moderate Alzheimer's Disease: Results from the European ICTUS Cohort. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 433-439	5.9	1
335	Gabapentinoid Abuse in France: Evidence on Health Consequences and New Points of Vigilance. <i>Frontiers in Psychiatry</i> , 2021 , 12, 639780	5	6
334	Ordonnances suspectes indicateur d'abus possible : résultats de l'enquête OSIAP 2019. <i>Therapie</i> , 2021 , 76, 170	3.8	

333	Risk factors of hospitalisation for thrombosis in adults with primary immune thrombocytopenia, including disease-specific treatments: a French nationwide cohort study. <i>British Journal of Haematology</i> , 2021 , 195, 456-465	4.5	2
332	Patterns of Tyrosine Kinase Inhibitor Utilization in Newly Treated Patients With Chronic Myeloid Leukemia: An Exhaustive Population-Based Study in France. <i>Frontiers in Oncology</i> , 2021 , 11, 675609	5.3	3
331	Evaluation of Prescription Practices of Domperidone in Parkinson's Disease: A Cross Sectional Study Among French Neurologists. <i>CNS Drugs</i> , 2020 , 34, 1267-1274	6.7	
330	Significance of antinuclear antibodies in primary immune thrombocytopenia: results of the CARMEN registry. <i>Blood Advances</i> , 2020 , 4, 1974-1977	7.8	3
329	Benzodiazepine Dispensing to Persons With Dementia in France, 2011-2016: A Nationwide Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 830-836	5.9	2
328	βAdrenoceptor Drugs and Parkinson's Disease: A Nationwide Nested Case-Control Study. <i>CNS Drugs</i> , 2020 , 34, 763-772	6.7	3
327	Antidepressants and movement disorders: a postmarketing study in the world pharmacovigilance database. <i>BMC Psychiatry</i> , 2020 , 20, 308	4.2	20
326	No increased risk of cataract in adult patients with primary immune thrombocytopenia treated with eltrombopag. A French nationwide nested case-control study. <i>British Journal of Haematology</i> , 2020 , 189, e137-e140	4.5	
325	Adverse drug reactions in infants, children and adolescents exposed to antidepressants: a French pharmacovigilance study. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1591-1599	2.8	2
324	Addictovigilance contribution during COVID-19 epidemic and lockdown in France. <i>Therapie</i> , 2020 , 75, 343-354	3.8	25
323	Case Report: the Comorbidity of Pregabalin-Use Disorder and Post-Traumatic Stress Disorder: Clinical and Pharmacological Issues. <i>International Journal of Mental Health and Addiction</i> , 2020 , 1	8.8	1
322	Reply to: Comment on "Parkinsonism associated with gabapentinoid drugs: A pharmacoepidemiological study". <i>Movement Disorders</i> , 2020 , 35, 376-377	7	
321	Psychotropic drug initiation in patients diagnosed with chronic myeloid leukemia: a population-based study in France. <i>Fundamental and Clinical Pharmacology</i> , 2020 , 34, 612-622	3.1	4
320	Drug-induced tics: An observational postmarketing study. <i>Human Psychopharmacology</i> , 2020 , 35, e2734	2.3	4
319	Primary Care of Opioid use Disorder: The End of "the French Model"?. <i>European Addiction Research</i> , 2020 , 26, 346-354	4.6	6
318	Correspondence on 'Risk of systemic lupus erythematosus after immune thrombocytopenia and autoimmune haemolytic anaemia: a nationwide French study'. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	2
317	Eltrombopag for Immune Thrombocytopenia in Adult Patients in the Real-World in France. Final Results of the Elextra Study. <i>Blood</i> , 2020 , 136, 11-12	2.2	0
316	The challenges of pharmacoepidemiology of orphan drugs in rare diseases. <i>Therapie</i> , 2020 , 75, 215-220	3.8	1

315	Cannabis et pathologies cardio-vasculaires: Synthèse des données récentes sur les caractéristiques des complications cardiovasculaires dues aux cannabinoïdes. <i>La Presse Médicale Formation</i> , 2020 , 1, 355-363		
314	The cardiovascular health of prisoners who use cannabis: An exploratory study among hospitalised prisoners. <i>Thérapie</i> , 2020 , 75, 579-589	3.8	0
313	Assessment of the Accuracy of Using Codes to Identify Systemic Sclerosis. <i>Clinical Epidemiology</i> , 2020 , 12, 1355-1359	5.9	4
312	Combatting the misuse of benzodiazepines and related Z drugs in French general practice: a clinical review. <i>BJGP Open</i> , 2020 , 4,	3.1	1
311	Real-world costs of illness of Hodgkin and the main B-Cell Non-Hodgkin lymphomas in France. <i>Journal of Medical Economics</i> , 2020 , 23, 235-242	2.4	0
310	Drug-induced parkinsonism: Revisiting the epidemiology using the WHO pharmacovigilance database. <i>Parkinsonism and Related Disorders</i> , 2020 , 70, 55-59	3.6	6
309	Benzodiazepine exposure in subjects with incident Alzheimer's disease and related syndromes in France: a longitudinal study 2011-2017. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 270-278	2.2	2
308	Le psychotraumatisme chez l'enfant et l'adolescent: données actuelles et perspectives. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2020 , 68, 384-393	0.3	1
307	Validation of hemolytic anemia discharge diagnosis codes in the French hospital database. <i>European Journal of Internal Medicine</i> , 2020 , 79, 136-138	3.9	4
306	Use of the French healthcare insurance database to estimate the prevalence of exposure to potential drug-drug interactions. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1675-1682	2.8	4
305	Vaccination during the First Diagnosis of Multiple Myeloma: A Cohort Study of the French National Health Insurance Database. <i>Vaccines</i> , 2020 , 8,	5.3	1
304	Parkinsonism associated with gabapentinoid drugs: A pharmacoepidemiologic study. <i>Movement Disorders</i> , 2020 , 35, 176-180	7	4
303	Comment on: An Insight Into Z-Drug Abuse and Dependence: An Examination of Reports to the European Medicines Agency Database of Suspected Adverse Drug Reactions. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 528-530	5.8	8
302	Association between anticholinergic (atropinic) drug exposure and cognitive function in longitudinal studies among individuals over 50 years old: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1631-1644	2.8	11
301	Teaching Basic Knowledge on Substance Use Disorders: The Impact of e-Learning on Health Professionals. <i>Clinical Therapeutics</i> , 2019 , 41, 2154-2161	3.5	
300	Trends of atropinic (anticholinergic) exposure in the elderly: a 10-year analysis in the French EGB database. <i>Fundamental and Clinical Pharmacology</i> , 2019 , 33, 471-478	3.1	3
299	Fear of cancer recurrence in Non- and Hodgkin lymphoma survivors during their first three years of survivorship among French patients. <i>Psychology, Health and Medicine</i> , 2019 , 24, 781-787	2.1	9
298	Genomewide Association Study of Statin-Induced Myopathy in Patients Recruited Using the UK Clinical Practice Research Datalink. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 1353-1361	6.1	28

297	Impact of risk factors on the occurrence of arterial thrombosis and venous thromboembolism in adults with primary immune thrombocytopenia - Results from two nationwide cohorts. <i>Thrombosis Research</i> , 2019 , 178, 124-131	8.2	11
296	Lack of correlation between the activity of the mesolimbic dopaminergic system and the rewarding properties of pregabalin in mouse. <i>Psychopharmacology</i> , 2019 , 236, 2069-2082	4.7	12
295	Cluster Headache in Subjects With Substance Use Disorder: A Case Series and a Review of the Literature. <i>Headache</i> , 2019 , 59, 576-589	4.2	2
294	Impact of a geriatric intervention conducted in nursing homes on inappropriate prescriptions of antipsychotics. <i>European Geriatric Medicine</i> , 2019 , 10, 285-293	3	1
293	Patterns of gabapentin and pregabalin use and misuse: Results of a population-based cohort study in France. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 1260-1269	3.8	39
292	Pharmacogenomics of statin-related myopathy: Meta-analysis of rare variants from whole-exome sequencing. <i>PLoS ONE</i> , 2019 , 14, e0218115	3.7	12
291	Eltrombopag for Immune Thrombocytopenia Adult Patients in the Real-Life Practice in France. Interim Results of the Elextra Study. <i>Blood</i> , 2019 , 134, 2372-2372	2.2	2
290	Le point sur les cas d'abus et de dépendance à la poudre d'opium (Lamaline, Izalgi) en France. <i>Douleur Et Analgesie</i> , 2019 , 32, 95-98	0.2	1
289	Positivity Rate of Systematic Bone Marrow Smear Above 60-Year-Old Patients with Newly Diagnosed Immune Thrombocytopenia to Screen for Associated Hematological Malignancy. Results from the French Prospective Multicenter Carmen Registry. <i>Blood</i> , 2019 , 134, 1083-1083	2.2	
288	Validation of Hemolytic Anemia Codes in the French Hospital Database. <i>Blood</i> , 2019 , 134, 3460-3460	2.2	
287	Risk of Immune Thrombocytopenia Induced By Influenza Vaccine. a Nationwide Population-Based Study in France. <i>Blood</i> , 2019 , 134, 1086-1086	2.2	
286	No Increased Risk of Cataract in Immune Thrombocytopenia Adult Patients Treated with Eltrombopag. a French Nationwide Nested Case-Control Study. <i>Blood</i> , 2019 , 134, 2363-2363	2.2	
285	The value of a health insurance database to conduct pharmacoepidemiological studies in oncology. <i>Therapie</i> , 2019 , 74, 279-288	3.8	8
284	Interest of pharmacoepidemiology for pharmacodynamics and analysis of the mechanism of action of drugs. <i>Therapie</i> , 2019 , 74, 209-214	3.8	5
283	Considering sex-specific adverse drug reactions should be a priority in pharmacovigilance and pharmacoepidemiological studies. <i>EclinicalMedicine</i> , 2019 , 17, 100216	11.3	3
282	Interest of large electronic health care databases in addictovigilance: Lessons from 15 years of pharmacoepidemiological contribution. <i>Therapie</i> , 2019 , 74, 307-314	3.8	8
281	Additional Costs of Polymyalgia Rheumatica With Giant Cell Arteritis. <i>Arthritis Care and Research</i> , 2019 , 71, 1127-1131	4.7	4
280	Microtubule-Driven Stress Granule Dynamics Regulate Inhibitory Immune Checkpoint Expression in T Cells. <i>Cell Reports</i> , 2019 , 26, 94-107.e7	10.6	26

279	What is pharmacoepidemiology? Definition, methods, interest and clinical applications. <i>Therapie</i> , 2019 , 74, 169-174	3.8	22
278	Validation of giant cell arteritis diagnosis code in the French hospital electronic database. <i>European Journal of Internal Medicine</i> , 2019 , 60, e16-e17	3.9	5
277	Is there overuse of proton pump inhibitors in B-cell non-Hodgkin lymphomas? A cohort study based on the French health insurance database in the Midi-Pyr�nes region. <i>Fundamental and Clinical Pharmacology</i> , 2019 , 33, 327-338	3.1	2
276	Comparison of adherence to generic multi-tablet regimens vs. brand multi-tablet and brand single-tablet regimens likely to incorporate generic antiretroviral drugs by breaking or not fixed-dose combinations in HIV-infected patients. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 450-458	3.1	4
275	Off-label and unlicensed drug use in children population. <i>Therapie</i> , 2018 , 73, 135-149	3.8	15
274	A novel approach for medical research on lymphomas: A study validation of claims-based algorithms to identify incident cases. <i>Medicine (United States)</i> , 2018 , 97, e9418	1.8	7
273	Use of French healthcare insurance databases in pediatric pharmacoepidemiology. <i>Therapie</i> , 2018 , 73, 127-133	3.8	5
272	Reducing potentially inappropriate drug prescribing in nursing home residents: effectiveness of a geriatric intervention. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1598-1610	3.8	6
271	Tamper-resistant prescription forms for narcotics in France: Should we generalize them?. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 571-577	3.1	5
270	Doctor shopping of opioid analgesics relative to benzodiazepines: A pharmacoepidemiological study among 11.7 million inhabitants in the French countries. <i>Drug and Alcohol Dependence</i> , 2018 , 187, 88-94	4.9	17
269	Infectious risk of biological drugs vs. traditional systemic treatments in moderate-to-severe psoriasis: a cohort analysis in the French insurance database. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 436-449	3.1	10
268	Medical prescriptions falsified by the patients: a 12-year national monitoring to assess prescription drug diversion. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 306-322	3.1	22
267	Utilization and costs of HIV antiretroviral drugs in Europe during the last ten years: Impact of generic antiretroviral drugs on cost reduction. <i>Health Policy</i> , 2018 , 122, 237-242	3.2	8
266	Pretreatment with standard-dose intravenous methylprednisolone does not improve outcomes in newly diagnosed immune thrombocytopenia (ITP). <i>European Journal of Haematology</i> , 2018 , 100, 412-418	3.8	1
265	Impact of pregnancy on psychoactive substance use among women with substance use disorders recruited in addiction specialized care centers in France. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 188-197	3.1	0
264	Adverse Drug Reaction Reports Received Through the Mobile App, VigiBIP: A Comparison with Classical Methods of Reporting. <i>Drug Safety</i> , 2018 , 41, 511-514	5.1	16
263	Generic antiretroviral drug use in HIV-infected patients: A cohort study from the French health insurance database. <i>Therapie</i> , 2018 , 73, 257-266	3.8	1
262	Non-cancer drug consumption during the early trajectory of lymphoma survivorship. <i>Therapie</i> , 2018 , 73, 307-317	3.8	0

261	Cardiovascular risk factors in immune thrombocytopenia adults: Results from the CARMEN registry. <i>American Journal of Hematology</i> , 2018 , 93, E181-E184	7.1	1
260	Efficacy and safety of biologics in relapsing polychondritis: a French national multicentre study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1172-1178	2.4	18
259	Incremental Costs in Giant Cell Arteritis. <i>Arthritis Care and Research</i> , 2018 , 70, 1074-1081	4.7	6
258	Identification of Somatic Disorders Related to Psychoactive Drug Use from an Inpatient Database in a French University Hospital. <i>Clinical Drug Investigation</i> , 2018 , 38, 977-982	3.2	2
257	Risk factors for bleeding, including platelet count threshold, in newly diagnosed immune thrombocytopenia adults. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 1830-1842	15.4	35
256	Cross-national health care database utilization between Spain and France: results from the EPICHRONIC study assessing the prevalence of type 2 diabetes mellitus. <i>Clinical Epidemiology</i> , 2018 , 10, 863-874	5.9	2
255	Trends and Patterns of Antidepressant Use in French Children and Adolescents From 2009 to 2016: A Population-Based Study in the French Health Insurance Database. <i>Journal of Clinical Psychopharmacology</i> , 2018 , 38, 327-335	1.7	15
254	Risk Factors of Thrombosis in Adults with Primary Immune Thrombocytopenia. a French Nationwide Cohort Study. <i>Blood</i> , 2018 , 132, 3745-3745	2.2	1
253	Risk of Vaccine-Induced Immune Thrombocytopenia in Children. Nationwide Case Cross-over and Self-Controlled Case Series Studies in France. <i>Blood</i> , 2018 , 132, 738-738	2.2	
252	Positive predictive values of peripheral arterial and venous thrombosis codes in French hospital database. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 108-113	3.1	14
251	Analgesic Drug Prescription After Carpal Tunnel Surgery: A Pharmacoepidemiological Study Investigating Postoperative Pain. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 19-24	3.4	2
250	Detecting the diverted use of psychoactive drugs by adolescents and young adults: A pilot study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1286-1292	2.6	6
249	Tamoxifen and the risk of Parkinsonism: a case/non-case study. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 1181-1184	2.8	6
248	Infections in non-splenectomized persistent or chronic primary immune thrombocytopenia adults: risk factors and vaccination effect. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 785-791	15.4	14
247	Identification of cellular targets involved in cardiac failure caused by PKI in oncology: an approach combining pharmacovigilance and pharmacodynamics. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1544-1555	3.8	22
246	Comment on: "Social Media Mining for Toxicovigilance: Automatic Monitoring of Prescription Medication Abuse from Twitter". <i>Drug Safety</i> , 2017 , 40, 183-185	5.1	7
245	Early signal of diverted use of tropicamide eye drops in France. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1791-1800	3.8	9
244	Immeasurable time bias due to hospitalization in medico-administrative databases: which impact for pharmacoepidemiological studies?. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 544-553	2.6	15

243	Newly diagnosed immune thrombocytopenia adults: Clinical epidemiology, exposure to treatments, and evolution. Results of the CARMEN multicenter prospective cohort. <i>American Journal of Hematology</i> , 2017 , 92, 493-500	7.1	33
242	Real-life practices for preventing venous thromboembolism in multiple myeloma patients: a cohort study from the French health insurance database. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 578-586	2.6	12
241	Effect of dementia on receipt of influenza vaccine: a cohort study in French older adults using administrative data: 2007-2012. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 471-480	3.1	4
240	What is the Current Knowledge About the Cardiovascular Risk for Users of Cannabis-Based Products? A Systematic Review. <i>Current Atherosclerosis Reports</i> , 2017 , 19, 26	6	67
239	Mortality and Antipsychotic Drug Use in Elderly Patients With Parkinson Disease in Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 791-796	5.9	7
238	Role of Medicines of Unknown Identity in Adverse Drug Reaction-Related Hospitalizations in Developing Countries: Evidence from a Cross-Sectional Study in a Teaching Hospital in the Lao People's Democratic Republic. <i>Drug Safety</i> , 2017 , 40, 809-821	5.1	4
237	Potentially inappropriate prescribing in a population of frail elderly people. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 113-119	2.3	18
236	Mortality Associated With Time in and Out of Buprenorphine Treatment in French Office-Based General Practice: A 7-Year Cohort Study. <i>Annals of Family Medicine</i> , 2017 , 15, 355-358	2.9	34
235	Validation of an algorithm identifying incident primary immune thrombocytopenia in the French national health insurance database. <i>European Journal of Haematology</i> , 2017 , 99, 344-349	3.8	13
234	Identifying cancer drug regimens in French health insurance database: An application in multiple myeloma patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1492-1499	2.6	8
233	Drug-Induced Dental Caries: A Disproportionality Analysis Using Data from VigiBase. <i>Drug Safety</i> , 2017 , 40, 1249-1258	5.1	3
232	Psychiatric disorders as predictors of long-term opioid therapy and the need for treating chronic pain correctly in patients with prior opioid substance use disorder: a commentary. <i>Pain</i> , 2017 , 158, 6-7	8	5
231	Identifying multiple myeloma patients using data from the French health insurance databases: Validation using a cancer registry. <i>Medicine (United States)</i> , 2017 , 96, e6189	1.8	13
230	An original pharmacoepidemiological-pharmacodynamic method: application to antipsychotic-induced movement disorders. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 612-622	3.8	24
229	Drug Use and Mortality in Parkinson Disease. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 989	5.9	
228	Phone-based safety monitoring of the first year of baclofen treatment for alcohol use disorder: the BACLOPHONE cohort study protocol. <i>Expert Opinion on Drug Safety</i> , 2017 , 16, 125-132	4.1	4
227	Overview of drug data within French health insurance databases and implications for pharmacoepidemiological studies. <i>Fundamental and Clinical Pharmacology</i> , 2016 , 30, 616-624	3.1	58
226	Psychotropic drug initiation during the first diagnosis and the active treatment phase of B cell non-Hodgkin's lymphoma: a cohort study of the French national health insurance database. <i>Supportive Care in Cancer</i> , 2016 , 24, 4791-9	3.9	7

225	A Review of Adverse Outcomes Associated with Psychoactive Drug Use in Nursing Home Residents with Dementia. <i>Drugs and Aging</i> , 2016 , 33, 865-888	4.7	24
224	Drug-drug interactions with imatinib: An observational study. <i>Medicine (United States)</i> , 2016 , 95, e5076	1.8	9
223	Dépistage des troubles de la personnalité avec la version française du Personality Diagnostic Questionnaire-4+ dans une population psychiatrique : une étude préliminaire. <i>Annales Medico-Psychologiques</i> , 2016 , 174, 39-44	0.2	2
222	Risk of thrombosis in patients with primary immune thrombocytopenia and antiphospholipid antibodies: A systematic review and meta-analysis. <i>Autoimmunity Reviews</i> , 2016 , 15, 203-9	13.6	32
221	Effets aderses des traitements de l'allergie respiratoire : y a-t-il un échappement thérapeutique aux anti-H1 ? <i>Revue Française d'Allergologie</i> , 2016 , 56, 492-493	0.2	
220	Study protocol of the ESUB-MG cluster randomized trial: a pragmatic trial assessing the implementation of urine drug screening in general practice for buprenorphine maintained patients. <i>BMC Family Practice</i> , 2016 , 17, 24	2.6	3
219	Validation of an Algorithm Identifying Incident Primary Immune Thrombocytopenia in the French National Health Insurance Database. <i>Blood</i> , 2016 , 128, 4764-4764	2.2	1
218	2016 , 14,		1
217	Quelle Pharmacovigilance pour les vaccins ? <i>Bulletin De L'Académie Nationale De Médecine</i> , 2016 , 200, 241-250	0.1	
216	Interest in Initiating Corticosteroids By Intravenous Methylprednisolone at Standard Dose in Newly Diagnosed Immune Thrombocytopenia Adults: Results of the Prospective Carmen Registry. <i>Blood</i> , 2016 , 128, 3736-3736	2.2	
215	Positivity Rates of Tests Used at Immune Thrombocytopenia Diagnosis to Detect Associated Diseases. a Prospective Multicenter Cohort Study of 218 Patients. <i>Blood</i> , 2016 , 128, 1367-1367	2.2	
214	Misuse of Benzodiazepines in France 2016 , 1101-1111		2
213	Weak Opioid Analgesics Abuse and Addiction 2016 , 375-391		1
212	Effects of a geriatric intervention aiming to improve quality care in nursing homes on benzodiazepine use and discontinuation. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 759-67	3.8	18
211	Disproportionality Analysis for the Assessment of Abuse and Dependence Potential of Pregabalin in the French Pharmacovigilance Database. <i>Clinical Drug Investigation</i> , 2016 , 36, 735-742	3.2	31
210	Positive predictive values of selected hospital discharge diagnoses to identify infections responsible for hospitalization in the French national hospital database. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 785-9	2.6	19
209	Validation of immune thrombocytopenia diagnosis code in the French hospital electronic database. <i>European Journal of Internal Medicine</i> , 2016 , 32, e21-2	3.9	10
208	Predictors of Cardiovascular Hospitalization in Giant Cell Arteritis: Effect of Statin Exposure. A French Population-based Study. <i>Journal of Rheumatology</i> , 2016 , 43, 2162-2170	4.1	13

207	Pregabalin use disorder and secondary nicotine dependence in a woman with no substance abuse history. <i>Therapie</i> , 2016 , 71, 575-578	3.8	15
206	Is borderline personality disorder only a mental health problem?. <i>Personality and Mental Health</i> , 2016 , 10, 328-336	3.1	10
205	Efficacy of Psychoeducational Intervention on Allograft Function in Kidney Transplant Patients: 10-Year Results of a Prospective Randomized Study. <i>Experimental and Clinical Transplantation</i> , 2016 , 14, 38-44	0.8	6
204	Detection of signals of abuse and dependence applying disproportionality analysis. <i>European Journal of Clinical Pharmacology</i> , 2015 , 71, 229-36	2.8	13
203	Trends in opioid analgesics use in Europe: a ten-year perspective. <i>Clinical Therapeutics</i> , 2015 , 37, e4	3.5	5
202	Analgesic Drug Consumption Increases After Carpal Tunnel Surgery: A Pharmacoepidemiological Study Investigating Postoperative Pain. <i>Clinical Therapeutics</i> , 2015 , 37, e64-e65	3.5	2
201	Benzodiazepines and risk of death: Results from two large cohort studies in France and UK. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1566-77	1.2	43
200	Searching for a polypharmacy threshold associated with frailty. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 259-61	5.9	27
199	Exposure to atropinic drugs and frailty status. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 253-7	5.9	30
198	Guideline sheets on the side effects of anticancer drugs are useful for general practitioners. <i>Supportive Care in Cancer</i> , 2015 , 23, 3473-80	3.9	12
197	French health insurance databases: What interest for medical research?. <i>Revue De Medecine Interne</i> , 2015 , 36, 411-7	0.1	204
196	Exercise training for managing behavioral and psychological symptoms in people with dementia: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2015 , 24, 274-85	12	69
195	Signal for Thrombosis with Eltrombopag and Romiplostim: A Disproportionality Analysis of Spontaneous Reports Within VigiBase. <i>Drug Safety</i> , 2015 , 38, 1179-86	5.1	20
194	Role of serotonin 5-HT _{2C} and histamine H ₁ receptors in antipsychotic-induced diabetes: A pharmacoepidemiological-pharmacodynamic study in VigiBase. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1556-65	1.2	44
193	Population awareness of risks related to medicinal product use in Vientiane Capital, Lao PDR: a cross-sectional study for public health improvement in low and middle income countries. <i>BMC Public Health</i> , 2015 , 15, 590	4.1	4
192	Sex and age differences in ED patients with mental and behavioral disorders due to psychoactive substance use. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 1612-6	2.9	4
191	Exposure to non-corticosteroid treatments in adult primary immune thrombocytopenia before the chronic phase in the era of thrombopoietin receptor agonists in France. A nationwide population-based study. <i>Autoimmunity Reviews</i> , 2015 , 14, 168-73	13.6	13
190	Off-label prescribing in pediatric outpatients. <i>Pediatrics</i> , 2015 , 135, 49-58	7.4	47

189	Is statin exposure associated with occurrence or better outcome in giant cell arteritis? Results from a French population-based study. <i>Journal of Rheumatology</i> , 2015 , 42, 316-22	4.1	17
188	Example of an investigation of an "emergent" phenomenon in addiction vigilance: the case of methylphenidate. <i>Therapie</i> , 2015 , 70, 191-202	3.8	9
187	Système de surveillance en addictovigilance : quelles données pharmacoépidémiologiques à l'échelle de l'Europe ?. <i>Therapie</i> , 2015 , 70, 147-156	3.8	10
186	Drug abuse monitoring: which pharmacoepidemiological resources at the European level?. <i>Therapie</i> , 2015 , 70, 147-65	3.8	14
185	Dementia Diagnosis and Influenza Vaccination in French Nursing Home Residents. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1256-8	5.6	3
184	Ambulatory Medical Assistance--After Cancer (AMA-AC): A model for an early trajectory survivorship survey of lymphoma patients treated with anthracycline-based chemotherapy. <i>BMC Cancer</i> , 2015 , 15, 781	4.8	17
183	Severe bleeding events in adults and children with primary immune thrombocytopenia: a systematic review: comment. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 1521-2	15.4	2
182	THU0283 Incremental Costs of Giant Cell Arteritis in France. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 298.3-298	2.4	1
181	Need for an improved vaccination rate in primary immune thrombocytopenia patients exposed to rituximab or splenectomy. A nationwide population-based study in France. <i>American Journal of Hematology</i> , 2015 , 90, 301-5	7.1	19
180	Organizational Factors Associated With Inappropriate Neuroleptic Drug Prescribing in Nursing Homes: A Multilevel Approach. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 590-7	5.9	16
179	Clinical Epidemiology and First-Line Treatment in Immune Thrombocytopenia Adults. Results of the Carmen Prospective Cohort. <i>Blood</i> , 2015 , 126, 3473-3473	2.2	2
178	Serious and Non-Serious Infections in Non-Splenectomized Adults Treated for Persistent or Chronic Primary Immune Thrombocytopenia: Effect of Treatments and Protection of Vaccines. Results of the French Nationwide Faith Study. <i>Blood</i> , 2015 , 126, 9-9	2.2	2
177	Corticosteroid Risk Function of Severe Infection in Primary Immune Thrombocytopenia Adults. A Nationwide Nested Case-Control Study. <i>PLoS ONE</i> , 2015 , 10, e0142217	3.7	16
176	Off-Label Prescribing of Antipsychotics in Adults, Children and Elderly Individuals: A Systematic Review of Recent Prescription Trends. <i>Current Pharmaceutical Design</i> , 2015 , 21, 3280-97	3.3	108
175	Qu'est-ce que la pharmacoépidémiologie?. <i>Bulletin De L'Académie Nationale De Médecine</i> , 2015 , 199, 263-273	0.1	1
174	Incidence of Adverse Drug Reactions Related to Immune Thrombocytopenia Drugs. A Prospective Cohort Study. <i>Blood</i> , 2015 , 126, 1056-1056	2.2	
173	A 2-year prospective cohort study of antedementia drug non-persistence in mild-to-moderate Alzheimer's disease in Europe : predictors of discontinuation and switch in the ICTUS study. <i>CNS Drugs</i> , 2014 , 28, 157-70	6.7	18
172	Risk of heart failure following treatment with dopamine agonists in Parkinson's disease patients. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 351-60	4.1	31

171	Trends in use of antipsychotics in elderly patients with dementia: Impact of national safety warnings. <i>European Neuropsychopharmacology</i> , 2014 , 24, 95-104	1.2	62
170	Rituximab versus splenectomy in persistent or chronic adult primary immune thrombocytopenia: an adjusted comparison of mortality and morbidity. <i>American Journal of Hematology</i> , 2014 , 89, 41-6	7.1	33
169	Drug treatment for diabetes in nursing home residents. <i>Diabetic Medicine</i> , 2014 , 31, 570-6	3.5	10
168	Cannabis use: signal of increasing risk of serious cardiovascular disorders. <i>Journal of the American Heart Association</i> , 2014 , 3, e000638	6	145
167	Potentially inappropriate drug prescribing and associated factors in nursing homes. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 850.e1-9	5.9	39
166	Baclofen for alcohol dependence in France: incidence of treated patients and prescription patterns--a cohort study. <i>European Neuropsychopharmacology</i> , 2014 , 24, 192-9	1.2	34
165	Does urine drug abuse screening help for managing patients? A systematic review. <i>Drug and Alcohol Dependence</i> , 2014 , 136, 11-20	4.9	20
164	Pharmacoepidemiology of Immune Thrombocytopenia: protocols of FAITH and CARMEN studies. <i>Therapie</i> , 2014 , 69, 437-48	3.8	18
163	Epidemiology of incident immune thrombocytopenia: a nationwide population-based study in France. <i>Blood</i> , 2014 , 124, 3308-15	2.2	170
162	Guillain-Barré syndrome and adjuvanted pandemic influenza A (H1N1) 2009 vaccines: a multinational self-controlled case series in Europe. <i>PLoS ONE</i> , 2014 , 9, e82222	3.7	45
161	Multimorbidity type, hospitalizations and emergency department visits among nursing home residents: A preliminary study. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 705-709	5.2	16
160	Is the risk of tumour necrosis factor inhibitor-induced lupus or lupus-like syndrome the same with monoclonal antibodies and soluble receptor? A case/non-case study in a nationwide pharmacovigilance database. <i>Rheumatology</i> , 2014 , 53, 1864-71	3.9	38
159	Are adverse drug reaction patterns different between romiplostim and eltrombopag? 2009-2013 French Pharmacovigilance assessment. <i>European Journal of Internal Medicine</i> , 2014 , 25, 777-80	3.9	19
158	Factors affecting chronic pain and increases of analgesic drug consumption after knee arthroplasty. <i>Pain</i> , 2014 , 155, 2720-2721	8	3
157	Factors affecting chronic pain and increases of analgesic drug consumption after knee arthroplasty: Reply. <i>Pain</i> , 2014 , 155, 2721-2722	8	
156	No differences between men and women in adverse drug reactions related to psychotropic drugs: a survey from France, Italy and Spain. <i>Fundamental and Clinical Pharmacology</i> , 2014 , 28, 342-8	3.1	17
155	Drug interactions between antihypertensive drugs and non-steroidal anti-inflammatory agents: a descriptive study using the French Pharmacovigilance database. <i>Fundamental and Clinical Pharmacology</i> , 2014 , 28, 230-5	3.1	29
154	Healthcare cost impact of biological drugs compared with traditional systemic treatments in psoriasis: a cohort analysis in the French insurance database. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 1235-44	4.6	16

153	A European community pharmacy-based survey to investigate patterns of prescription fraud through identification of falsified prescriptions. <i>European Addiction Research</i> , 2014 , 20, 174-82	4.6	21
152	More on the "Triple Whammy": antihypertensive drugs, non-steroidal anti-inflammatory agents and acute kidney injury - a case/non-case study in the French pharmacovigilance database. <i>Renal Failure</i> , 2014 , 36, 1166-8	2.9	18
151	From rural to urban areas: differences in behavioural and psychological symptoms of dementia in nursing home residents according to geographical location. <i>Psychogeriatrics</i> , 2014 , 14, 229-34	1.8	2
150	Indicators of influenza and pneumococcal vaccination in French nursing home residents in 2011. <i>Vaccine</i> , 2014 , 32, 846-51	4.1	7
149	Analgesic drug consumption increases after knee arthroplasty: a pharmacoepidemiological study investigating postoperative pain. <i>Pain</i> , 2014 , 155, 1339-1345	8	43
148	Acute pain management for patients under opioid maintenance treatment: what physicians do in emergency departments?. <i>European Journal of Emergency Medicine</i> , 2014 , 21, 73-6	2.3	9
147	The effect of an ambulatory medical assistance during chemotherapy and follow-up among patient with diffuse large B-cell lymphoma on treatment adherence.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e19550-e19550	2.2	1
146	Multimorbidity type, hospitalizations and emergency department visits among nursing home residents: a preliminary study. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 705-9	5.2	9
145	Potentially inappropriate medication use among patients with Alzheimer disease in the REAL.FR cohort: be aware of atropinic and benzodiazepine drugs!. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1589-97	2.8	63
144	A multicentric individually-tailored controlled trial of education and professional support to nursing home staff: research protocol and baseline data of the IQUARE study. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 173-8	5.2	38
143	Persistent use of analgesic medications in mild-to-moderate Alzheimer's disease. <i>Drugs and Aging</i> , 2013 , 30, 439-45	4.7	7
142	Potential underuse of analgesics for recognized pain in nursing home residents with dementia: a cross-sectional study. <i>Pain</i> , 2013 , 154, 2427-2431	8	41
141	Indicators of benzodiazepine use in nursing home residents in France: a cross-sectional study. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 29-33	5.9	19
140	The public health benefit of medicines: how it has been assessed in France? The principles and results of five years' experience. <i>Health Policy</i> , 2013 , 112, 273-84	3.2	6
139	A questionnaire to document self-medication history in adult patients visiting emergency departments. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 151-9	2.6	7
138	Adverse drug reactions to gabapentin and pregabalin: a review of the French pharmacovigilance database. <i>Drug Safety</i> , 2013 , 36, 55-62	5.1	37
137	The nursing home effect: a case study of residents with potential dementia and emergency department visits. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 901-5	5.9	3
136	Affinité serotoninergique 5HT ₂ C et diabète médicamenteux : étude de pharmacoépidémiologie dans la base de pharmacovigilance de l'OMS. <i>European Psychiatry</i> , 2013 , 28, 106-106	6	

135	Prevalence and associations of the use of proton-pump inhibitors in nursing homes: a cross-sectional study. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 265-9	5.9	32
134	Effectiveness of drug tests in outpatients starting opioid substitution therapy. <i>Journal of Substance Abuse Treatment</i> , 2013 , 44, 515-21	4.2	11
133	Importance of cytochrome P450 (CYP450) in adverse drug reactions due to drug-drug interactions: a PharmacoVigilance study in France. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 885-8	2.8	20
132	Adverse drug reactions associated with the use of NSAIDs: a case/noncase analysis of spontaneous reports from the French pharmacovigilance database 2002-2006. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 223-30	3.1	36
131	Slow-release oral morphine sulfate abuse: results of the postmarketing surveillance systems for psychoactive prescription drug abuse in France. <i>European Addiction Research</i> , 2013 , 19, 235-44	4.6	18
130	Prevalence of pneumococcal vaccination in adult immune thrombocytopenia patients exposed to rituximab or to splenectomy. <i>European Journal of Haematology</i> , 2013 , 90, 438-9	3.8	7
129	Mortality rates among patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors: comment on the article by Simard et al. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1670-1		2
128	Drugs and cancer: an analysis of the French Pharmacovigilance Database. <i>Therapie</i> , 2013 , 68, 149-54	3.8	3
127	Pharmacoepidemiology studies: what levels of evidence and how can they be reached?. <i>Therapie</i> , 2013 , 68, 241-52	3.8	1
126	Addiction m'dicamenteuse : quelles donn'es pour valuer et pr'venir?. <i>Psychotropes (discontinued)</i> , 2013 , 19, 65	0.1	4
125	Misuse and dependence on non-prescription codeine analgesics or sedative H1 antihistamines by adults: a cross-sectional investigation in France. <i>PLoS ONE</i> , 2013 , 8, e76499	3.7	53
124	Which adverse events are related to health care during hospitalization in elderly inpatients?. <i>International Journal of Medical Sciences</i> , 2013 , 10, 1224-30	3.7	8
123	Doctor shopping reveals geographical variations in opioid abuse. <i>Pain Physician</i> , 2013 , 16, 89-100	1.8	40
122	Long-term consequences of acute pain for patients under methadone or buprenorphine maintenance treatment. <i>Pain Physician</i> , 2013 , 16, E739-47	1.8	11
121	Trends of reporting of 'serious'vs. 'non-serious' adverse drug reactions over time: a study in the French PharmacoVigilance Database. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 201-4	3.8	25
120	Valvular heart disease in a patient taking 3,4-methylenedioxymethamphetamine (MDMA, 'Ecstasy'). <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 547-8	3.8	6
119	First French experience of ADR reporting by patients after a mass immunization campaign with Influenza A (H1N1) pandemic vaccines: a comparison of reports submitted by patients and healthcare professionals. <i>Drug Safety</i> , 2012 , 35, 845-54	5.1	22
118	Estimated magnitude of diversion and abuse of opioids relative to benzodiazepines in France. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 13-20	4.9	33

117	Non-steroidal anti-inflammatory drugs (NSAIDs) and hypertension treatment intensification: a population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1533-40	2.8	34
116	Drug-induced immune thrombocytopenia: a descriptive survey in the French Pharmacovigilance database. <i>Platelets</i> , 2012 , 23, 490-4	3.6	20
115	Laboratory monitoring of patients treated with antihypertensive drugs and newly exposed to non-steroidal anti-inflammatory drugs: a cohort study. <i>PLoS ONE</i> , 2012 , 7, e34187	3.7	15
114	Cancer risk of anti-TNF- α recommended doses in adult rheumatoid arthritis: a meta-analysis with intention to treat and per protocol analyses. <i>PLoS ONE</i> , 2012 , 7, e48991	3.7	56
113	Exposure to inhibitors of the renin-angiotensin system is a major independent risk factor for acute renal failure induced by sucrose-containing intravenous immunoglobulins: a case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 314-9	2.6	9
112	A comparative study of adverse drug reactions during two heat waves that occurred in France in 2003 and 2006. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 285-8	2.6	26
111	Use of multiple sources and capture-recapture method to estimate the frequency of hospitalizations related to drug abuse. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 733-741	2.6	26
110	The importance of drug-drug interactions as a cause of adverse drug reactions: a pharmacovigilance study of serotonergic reuptake inhibitors in France. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 767-75	2.8	28
109	Statin-induced lupus: a case/non-case study in a nationwide pharmacovigilance database. <i>Lupus</i> , 2012 , 21, 885-9	2.6	22
108	On-site drugs of abuse urinary screening tests for the management of opiate-addicted patients: a survey among French general practitioners. <i>European Addiction Research</i> , 2012 , 18, 175-83	4.6	5
107	Limited contribution of common genetic variants to risk for liver injury due to a variety of drugs. <i>Pharmacogenetics and Genomics</i> , 2012 , 22, 784-95	1.9	96
106	Antipsychotic use and mortality risk in community-dwelling Alzheimer's disease patients: evidence for a role of dementia severity. <i>Current Alzheimer Research</i> , 2012 , 9, 1106-16	3	26
105	Use of drugs, tobacco, alcohol and illicit substances in a French student population. <i>Therapie</i> , 2012 , 67, 429-35	3.8	19
104	Impact d'une consommation modérée d'alcool sur les performances cognitives des salariés: résultats de la cohorte VISAT. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2011 , 72, 189-195	0.1	
103	Drug prescribing before and during pregnancy in south west France: a retrospective study. <i>Drug Safety</i> , 2011 , 34, 595-604	5.1	22
102	Spinal anesthesia failure after local anesthetic injection into cerebrospinal fluid: a multicenter prospective analysis of its incidence and related risk factors in 1214 patients. <i>Regional Anesthesia and Pain Medicine</i> , 2011 , 36, 322-6	3.4	27
101	Monitoring of benzodiazepine diversion using a multi-indicator approach. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 268-77	2.2	21
100	Cannabis-related hospitalizations: unexpected serious events identified through hospital databases. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 758-65	3.8	72

99	Slow-release oral morphine for opioid maintenance treatment: a systematic review. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 832-43	3.8	30
98	Benefits and strengths of the disproportionality analysis for identification of adverse drug reactions in a pharmacovigilance database. <i>British Journal of Clinical Pharmacology</i> , 2011 , 72, 905-8	3.8	210
97	QT interval prolongation: prevalence, risk factors and pharmacovigilance data among methadone-treated patients in France. <i>Fundamental and Clinical Pharmacology</i> , 2011 , 25, 503-10	3.1	25
96	Evidence of clonazepam abuse liability: results of the tools developed by the French Centers for Evaluation and Information on Pharmacodependence (CEIP) network. <i>Fundamental and Clinical Pharmacology</i> , 2011 , 25, 633-41	3.1	35
95	Impact of long-term benzodiazepine use on cognitive functioning in young adults: the VISAT cohort. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 1045-52	2.8	26
94	Buprenorphine versus methadone in pregnant opioid-dependent women: a prospective multicenter study. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 1053-9	2.8	71
93	Prescribed drugs and violence: a case/noncase study in the French Pharmacovigilance Database. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 1189-98	2.8	18
92	Drug safety of rosiglitazone and pioglitazone in France: a study using the French Pharmacovigilance database. <i>BMC Clinical Pharmacology</i> , 2011 , 11, 5		8
91	Guillain-Barre syndrome and adjuvanted pandemic influenza A (H1N1) 2009 vaccine: multinational case-control study in Europe. <i>BMJ, The</i> , 2011 , 343, d3908	5.9	110
90	Drugs and dilated cardiomyopathies: A case/noncase study in the French Pharmacovigilance Database. <i>British Journal of Clinical Pharmacology</i> , 2010 , 69, 287-94	3.8	33
89	Anticholinergics, antimuscarinics or atropinics? About the words in pharmacology. <i>British Journal of Clinical Pharmacology</i> , 2010 , 69, 561-2	3.8	9
88	Influence of fluoroquinolone consumption in inpatients and outpatients on ciprofloxacin-resistant <i>Escherichia coli</i> in a university hospital. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 2650-7	5.1	38
87	Safety of amide local anesthetics: new trends. <i>Expert Opinion on Drug Safety</i> , 2010 , 9, 759-69	4.1	1
86	Predictive factors of discontinuation and switch of cholinesterase inhibitors in community-dwelling patients with Alzheimer's disease: a 2-year prospective, multicentre, cohort study. <i>CNS Drugs</i> , 2010 , 24, 431-42	6.7	21
85	High maintenance dosage of clopidogrel is associated with a reduced risk of stent thrombosis in clopidogrel-resistant patients. <i>American Journal of Cardiovascular Drugs</i> , 2010 , 10, 29-35	4	17
84	Assessment of abuse potential of benzodiazepines from a prescription database using 'doctor shopping' as an indicator. <i>CNS Drugs</i> , 2010 , 24, 611-20	6.7	63
83	Anxious and depressive symptoms in Parkinson's disease: the French cross-sectional DoPaMiP study. <i>Movement Disorders</i> , 2010 , 25, 157-66	7	115
82	Factors associated with psychoactive drug initiation in a sample of workers in France: results of the VISAT cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 296-305	2.6	6

81	Evolution of drug consumption in a sample of French workers since 1986: the 'Drugs and Work' study. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 335-43	2.6	17
80	Immediate- and delayed-type allergic reactions to amide local anesthetics: clinical features and skin testing. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 595-601	2.6	59
79	Reporting rate of adverse drug reactions to the French pharmacovigilance system with three step 2 analgesic drugs: dextropropoxyphene, tramadol and codeine (in combination with paracetamol). <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 422-6	3.8	21
78	Comparison of chronic analgesic drugs prevalence in Parkinson's disease, other chronic diseases and the general population. <i>Pain</i> , 2009 , 141, 14-8	8	36
77	Adverse drug reactions to local anaesthetics: a review of the French pharmacovigilance database. <i>Drug Safety</i> , 2009 , 32, 345-56	5.1	24
76	Statins and erectile dysfunction: results of a case/non-case study using the French Pharmacovigilance System Database. <i>Drug Safety</i> , 2009 , 32, 591-7	5.1	34
75	Evaluation of abuse and dependence on drugs used for self-medication: a pharmacoepidemiological pilot study based on community pharmacies in France. <i>Drug Safety</i> , 2009 , 32, 859-73	5.1	30
74	Hospitalizations because of adverse drug reactions in elderly patients admitted through the emergency department: a prospective survey. <i>Drugs and Aging</i> , 2009 , 26, 475-82	4.7	92
73	Severe necrotizing soft-tissue infections and nonsteroidal anti-inflammatory drugs. <i>Clinical and Experimental Dermatology</i> , 2008 , 33, 249-55	1.8	75
72	Rituximab off-label use for immune diseases: assessing adverse events in a single-centre drug-utilization survey. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 320-2	3.8	7
71	Case ascertainment and estimated incidence of drug-induced long-QT syndrome: study in Southwest France. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 386-95	3.8	47
70	Utilisation de la méthode capture-recapture pour l'évaluation de la fréquence des effets indésirables « graves » médicamenteux : l'expérience du CHU de Toulouse. <i>Bulletin De L'Académie Nationale De Médecine</i> , 2008 , 192, 421-431	0.1	
69	Was the thrombotic risk of rofecoxib predictable from the French Pharmacovigilance Database before 30 September 2004?. <i>European Journal of Clinical Pharmacology</i> , 2008 , 64, 829-34	2.8	15
68	Did thirst-blockers contribute to the exorbitant number of fatalities during the French 2003 heat wave?. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 312-3	2.6	0
67	Increased exposure to statins in patients developing chronic muscle diseases: a 2-year retrospective study. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 614-9	2.4	26
66	Survey of forged prescriptions to investigate risk of psychoactive medications abuse in France: results of OSIAP survey. <i>Drug Safety</i> , 2007 , 30, 265-76	5.1	50
65	Drug-induced yawning: a review of the French pharmacovigilance database. <i>Drug Safety</i> , 2007 , 30, 327-31	3.1	10
64	Modifications of low-molecular weight heparin use in a French university hospital after implementation of new guidelines. <i>Drug Safety</i> , 2007 , 30, 409-17	5.1	4

63	Drug interactions with cholinesterase inhibitors: an analysis of the French pharmacovigilance database and a comparison of two national drug formularies (Vidal, British National Formulary). <i>Drug Safety</i> , 2007 , 30, 1063-71	5.1	40
62	Coxibs: evolution of prescription's behaviour in France. <i>Fundamental and Clinical Pharmacology</i> , 2007 , 21, 317-25	3.1	1
61	Pharmacological and clinical evidences on the potential for abuse and dependence of propofol: a review of the literature. <i>Fundamental and Clinical Pharmacology</i> , 2007 , 21, 459-66	3.1	50
60	Blood concentrations of hydroxychloroquine and its desethyl derivative correlate negatively with the percentage of CD45RO+ cells among CD4+ lymphocytes in hydroxychloroquine-treated lupus patients. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1108, 41-50	6.5	16
59	Detection and incidence of drug-induced agranulocytosis in hospital: a prospective analysis from laboratory signals. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 221-8	2.8	19
58	Triptan use and risk of cardiovascular events: a nested-case-control study from the French health system database. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 801-7	2.8	27
57	La pharmacovigilance et l'évaluation du risque médicamenteux: intérêt, fonctionnement et méthodes. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2006 , 73, 1021-1024	0.1	2
56	Pharmacovigilance for evaluating adverse drug reactions: value, organization, and methods. <i>Joint Bone Spine</i> , 2006 , 73, 629-32	2.9	73
55	Death related to a recreational abuse of propofol at therapeutic dose range. <i>British Journal of Anaesthesia</i> , 2006 , 97, 268	5.4	28
54	Influence of HCV or HBV coinfection on adverse drug reactions to antiretroviral drugs in HIV patients. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 243-9	2.8	18
53	HMG CoA reductase inhibitors and impotence: two case series from the Spanish and French drug monitoring systems. <i>Drug Safety</i> , 2006 , 29, 143-9	5.1	22
52	Adverse drug reactions in patients older than 70 years during the heat wave occurred in France in summer 2003: A study from the French Pharmacovigilance Database. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 735-40	2.6	20
51	Non-steroidal anti-inflammatory drug-related hepatic damage in France and Spain: analysis from national spontaneous reporting systems. <i>Fundamental and Clinical Pharmacology</i> , 2006 , 20, 391-5	3.1	39
50	Using a capture-recapture method to assess the frequency of adverse drug reactions in a French university hospital. <i>British Journal of Clinical Pharmacology</i> , 2006 , 62, 225-31	3.8	30
49	Prescribers' indications for drugs in childhood: a survey of five European countries (Spain, France, Bulgaria, Slovakia and Russia). <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 1784-90	3.1	5
48	Heat-related morbidity in patients with orthostatic hypotension and primary autonomic failure. <i>Movement Disorders</i> , 2005 , 20, 1213-9	7	24
47	Psychoactive drug consumption: performance-enhancing behaviour and pharmacodependence in workers. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 81-9	2.6	18
46	Drug related falls: a study in the French Pharmacovigilance database. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 11-6	2.6	50

45	Nouvelles méthodes d'étude du risque médicamenteux : l'expérience du Centre Midi-Pyrénées de Pharmacovigilance. <i>Bulletin De L'Académie Nationale De Médecine</i> , 2005 , 189, 493-505	0.1	
44	Nonsteroidal anti-inflammatory drug-induced liver injury: a case-control study in primary care. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 201-6	3.1	42
43	Fertility and outcomes of pregnancy after chemotherapy in a sample of childbearing aged women. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 573-9	3.1	5
42	Follow-up of adverse drug reactions from peginterferon alfa-2b-ribavirin therapy. <i>Pharmacotherapy</i> , 2004 , 24, 1546-53	5.8	24
41	Pharmacological treatment of acute otitis media in children. A comparison among seven locations: Tenerife, Barcelona and Valencia (Spain), Toulouse (France), Smolensk (Russia), Bratislava (Slovakia) and Sofia (Bulgaria). <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 37-43	2.8	13
40	Drug utilisation in outpatient children. A comparison among Tenerife, Valencia, and Barcelona (Spain), Toulouse (France), Sofia (Bulgaria), Bratislava (Slovakia) and Smolensk (Russia). <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 127-34	2.8	24
39	Detection and incidence of muscular adverse drug reactions: a prospective analysis from laboratory signals. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 285-92	2.8	14
38	Upper gastrointestinal adverse drug reactions and cyclo-oxygenase-2 inhibitors (celecoxib and rofecoxib): a case/non-case study from the French Pharmacovigilance Database. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 673-7	2.8	35
37	Vinorelbine-related cardiac events: a meta-analysis of randomized clinical trials. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 97-105	3.1	26
36	Drug counselling in pregnancy: an opinion survey of French community pharmacists. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 711-5	2.6	16
35	Buprenorphine in pregnant opioid-dependent women: first results of a prospective study. <i>Addiction</i> , 2004 , 99, 209-14	4.6	50
34	Supervised prescription of methadone plus heroin is more effective than methadone alone. <i>Evidence-Based Healthcare and Public Health</i> , 2004 , 8, 110-111		
33	Medication error caused by confusing drug blisters. <i>Lancet, The</i> , 2004 , 363, 2142	4.0	7
32	Risk of serious extrapyramidal symptoms in patients with Parkinson's disease receiving antidepressant drugs: a pharmacoepidemiologic study comparing serotonin reuptake inhibitors and other antidepressant drugs. <i>Clinical Neuropharmacology</i> , 2003 , 26, 142-5	1.4	41
31	Neurological complications after radiosurgery versus conservative management in acoustic neuromas: a systematic review-based study. <i>Acta Oto-Laryngologica</i> , 2003 , 123, 59-64	1.6	28
30	Perception of the risk of gastrointestinal adverse drug reactions with non-steroidal anti-inflammatory drugs (including coxibs): differences among general practitioners, gastroenterologists and rheumatologists. <i>European Journal of Clinical Pharmacology</i> , 2003 , 59, 685-8	2.8	11
29	Utilisation and safety of low molecular weight heparins: prospective observational study in medical inpatients. <i>Drug Safety</i> , 2003 , 26, 197-207	5.1	46
28	Opiate maintenance with buprenorphine in ambulatory care: a 24-week follow-up study of new users. <i>Drug and Alcohol Dependence</i> , 2003 , 72, 297-303	4.9	23

27	Forged medical prescriptions in a community pharmacy network in Midi-Pyrhès area: assessment of a falsification ratio. <i>European Journal of Clinical Pharmacology</i> , 2002 , 57, 911-2	2.8	13
26	Gender differences in adverse drug reactions: analysis of spontaneous reports to a Regional Pharmacovigilance Centre in France. <i>Fundamental and Clinical Pharmacology</i> , 2002 , 16, 343-6	3.1	56
25	Perception of the risk of adverse drug reactions: differences between health professionals and non health professionals. <i>British Journal of Clinical Pharmacology</i> , 2002 , 54, 433-6	3.8	38
24	Adverse drug reactions and off-label drug use in paediatric outpatients. <i>British Journal of Clinical Pharmacology</i> , 2002 , 54, 665-70	3.8	203
23	Assessing the feasibility of using an adverse drug reaction preventability scale in clinical practice: a study in a French emergency department. <i>Drug Safety</i> , 2002 , 25, 1035-44	5.1	43
22	Use of Codeine and Non-Codeine Cough Suppressants. <i>Clinical Drug Investigation</i> , 2002 , 22, 399-402	3.2	3
21	Sleep attacks and antiparkinsonian drugs: a pilot prospective pharmacoepidemiologic study. <i>Clinical Neuropharmacology</i> , 2001 , 24, 181-3	1.4	69
20	Long-term mortality results of the randomized controlled study comparing bromocriptine to which levodopa was later added with levodopa alone in previously untreated patients with Parkinson's disease. <i>Movement Disorders</i> , 2001 , 16, 511-4	7	21
19	Drug consumption in a very elderly community-dwelling population. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 691-2	2.8	9
18	Treatment of acute renal colic in a French emergency department: a comparison of simulated cases and real cases in acute pain assessment and management. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 685-9	2.8	5
17	Adverse drug reactions to selegiline: a review of the French pharmacovigilance database. <i>Clinical Neuropharmacology</i> , 2000 , 23, 271-5	1.4	35
16	A pharmacoeconomic evaluation of botulinum toxin in the treatment of spasmodic torticollis. <i>Clinical Neuropharmacology</i> , 2000 , 23, 203-7	1.4	20
15	Detection and incidence of drug-induced liver injuries in hospital: a prospective analysis from laboratory signals. <i>British Journal of Clinical Pharmacology</i> , 2000 , 50, 479-84	3.8	49
14	Prescription of drugs during pregnancy in France. <i>Lancet, The</i> , 2000 , 356, 1735-6	4.0	166
13	Drug consumption in workers in France: a comparative study at a 10-year interval (1996 versus 1986). <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 471-8	5.7	11
12	A study of salivary secretion in Parkinson's disease. <i>Clinical Neuropharmacology</i> , 1999 , 22, 213-5	1.4	88
11	A comparative survey of antidepressant drug prescribing habits of general practitioners and psychiatrists. <i>Clinical Drug Investigation</i> , 1998 , 16, 53-61	3.2	3
10	Risk of gastrointestinal haemorrhage with calcium antagonists. <i>British Journal of Clinical Pharmacology</i> , 1998 , 46, 88-9	3.8	4

9	Falsified or forged medical prescriptions as an indicator of pharmacodependence: a pilot study. Community pharmacists of the Midi-Pyrénées. <i>European Journal of Clinical Pharmacology</i> , 1997 , 52, 37-9	2.8	25
8	Incidence and cost of adverse drug reactions in a French cancer institute. <i>European Journal of Clinical Pharmacology</i> , 1997 , 53, 19-22	2.8	17
7	A comparative study of adverse drug reactions reported through hospital and private medicine. <i>British Journal of Clinical Pharmacology</i> , 1996 , 41, 166-8	3.8	11
6	Nicotine poisoning as a cause of cardiac arrest?. <i>Journal of Toxicology: Clinical Toxicology</i> , 1996 , 34, 475-6		12
5	Study on the Regular Use of Drugs in Workers over 50 Years of Age. <i>Clinical Drug Investigation</i> , 1995 , 9, 1-7	3.2	4
4	A Prospective Intensive Study of Adverse Drug Reactions in Urban General Practice. <i>Clinical Drug Investigation</i> , 1995 , 10, 117-122	3.2	3
3	Naloxone does not prevent apomorphine-induced emesis or hypotension in dogs. <i>Clinical Autonomic Research</i> , 1994 , 4, 303-5	4.3	4
2	Incident users of tyrosine kinase inhibitors in chronic myeloid leukemia patients: analysis of anticancer treatment trajectories - A French population-based study using the French national health data system. <i>American Journal of Hematology</i> ,	7.1	0
1	Association between NMDAR antagonists, drug abuse and dependence: a disproportionality analysis from the WHO pharmacovigilance database. <i>British Journal of Clinical Pharmacology</i> ,	3.8	0