

Josã© M Guerra-García

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/502641/publications.pdf>

Version: 2024-02-01

160
papers

3,077
citations

147801

31
h-index

265206

42
g-index

160
all docs

160
docs citations

160
times ranked

1818
citing authors

#	ARTICLE	IF	CITATIONS
1	Disentangling the Taxonomic Status of <i>Caprella penantis</i> sensu stricto (Amphipoda: Caprellidae) Using an Integrative Approach. <i>Life</i> , 2022, 12, 155.	2.4	1
2	Aquaculture waste as food for amphipods: the case of <i>Gammarus insensibilis</i> in marsh ponds from southern Spain. <i>Aquaculture International</i> , 2021, 29, 139-153.	2.2	9
3	Assessing environmental pollution levels in marinas. <i>Science of the Total Environment</i> , 2021, 762, 144169.	8.0	23
4	Using molecular data to monitor the post-establishment evolution of the invasive skeleton shrimp <i>Caprella scaura</i> . <i>Marine Environmental Research</i> , 2021, 166, 105266.	2.5	5
5	<i>Paraliropus</i> nom. nov., a replacement name for <i>Pseudoliropus</i> Guerra-García & Ahyong, 2020, preoccupied by <i>Pseudoliropus</i> Laubitz, 1970 (Crustacea: Amphipoda: Caprellidae). <i>Records of the Australian Museum</i> , 2021, 73, 51-51.	0.2	0
6	Ecological quality assessment of marinas: An integrative approach combining biological and environmental data. <i>Journal of Environmental Management</i> , 2021, 286, 112237.	7.8	21
7	Evaluating the vulnerability of coralligenous epifauna to macroalgal invasions. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 2305-2319.	2.0	9
8	To the Mediterranean and beyond: An integrative approach to evaluate the spreading of <i>Branchiommata luctuosum</i> (Annelida: Sabellidae). <i>Estuarine, Coastal and Shelf Science</i> , 2021, 254, 107357.	2.1	10
9	Environmental stress responses in sympatric congeneric crustaceans: Explaining and predicting the context-dependencies of invader impacts. <i>Marine Pollution Bulletin</i> , 2021, 170, 112621.	5.0	5
10	Hitchhiking northwards: on the presence of the invasive skeleton shrimp <i>Caprella scaura</i> in the UK. <i>Marine Biodiversity</i> , 2021, 51, 1.	1.0	4
11	Coastal armoring affects intertidal biodiversity across the Alboran Sea (Western Mediterranean) Tj ETQq1 1 0.784314 rgBT /Overloc	2.5	7
12	Diversity, community structure and habitat use of molluscs in marinas from the Iberian Peninsula and Northern Africa. <i>Ocean and Coastal Management</i> , 2021, 212, 105795.	4.4	6
13	Do artificial structures affect the diet of the limpet <i>Patella caerulea</i> Linnaeus, 1758?. <i>Regional Studies in Marine Science</i> , 2020, 36, 101261.	0.7	3
14	Do artificial structures cause shifts in epifaunal communities and trophic guilds across different spatial scales?. <i>Marine Environmental Research</i> , 2020, 158, 104998.	2.5	13
15	Understanding the effects of coastal defence structures on marine biota: The role of substrate composition and roughness in structuring sessile, macro- and meiofaunal communities. <i>Marine Pollution Bulletin</i> , 2020, 157, 111334.	5.0	24
16	A new species of <i>Paraproto</i> (Crustacea: Amphipoda) from southern New South Wales, Australia . <i>Zootaxa</i> , 2020, 4755, 271-293.	0.5	0
17	From sessile to vagile: Understanding the importance of epifauna to assess the environmental impacts of coastal defence structures. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 235, 106616.	2.1	22
18	Starting the stowaway pathway: the role of dispersal behavior in the invasion success of low-mobile marine species. <i>Biological Invasions</i> , 2020, 22, 2797-2812.	2.4	17

#	ARTICLE	IF	CITATIONS
19	First record of <i>Pseudaeginella arraiensis</i> (Amphipoda: Caprellidea) from the Gulf of Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2020, 91, 913151.	0.4	1
20	A new genus and two new species of Caprellidae (Crustacea: Amphipoda) from mesophotic and deep-sea waters of Australia. <i>Records of the Australian Museum</i> , 2020, 72, 45-62.	0.2	0
21	Can invasive habitat-forming species play the same role as native ones? The case of the exotic marine macroalga <i>Rugulopteryx okamurae</i> in the Strait of Gibraltar. <i>Biological Invasions</i> , 2019, 21, 3319-3334.	2.4	27
22	Influence of Marine Protected Areas on parasitic prevalence: the case of the isopod <i>Anilocra physodes</i> as a parasite of the fish <i>Lithognathus mormyrus</i> . <i>Journal of Zoology</i> , 2019, 308, 280-292.	1.7	4
23	A new genus and species of Caprellidae (Crustacea: Amphipoda) from Kiribati. <i>Journal of Natural History</i> , 2019, 53, 2817-2832.	0.5	0
24	Marinas: An overlooked habitat for exploring the relation among polychaete assemblages and environmental factors. <i>Marine Pollution Bulletin</i> , 2019, 138, 584-597.	5.0	13
25	Desalination effluents and the establishment of the non-indigenous skeleton shrimp <i>Paracaprella pusilla</i> Mayer, 1890 in the south-eastern Mediterranean. <i>BioInvasions Records</i> , 2019, 8, 661-669.	1.1	11
26	Mobile epifauna of the invasive bryozoan <i>Tricellaria inopinata</i> : is there a potential invasional meltdown?. <i>Marine Biodiversity</i> , 2018, 48, 1169-1178.	1.0	23
27	Crustacean amphipods from marsh ponds: a nutritious feed resource with potential for application in Integrated Multi-Trophic Aquaculture. <i>PeerJ</i> , 2018, 6, e4194.	2.0	20
28	Caprellidae (Crustacea: Peracarida: Amphipoda) from deep-sea waters off Galicia (NW Iberian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	0.5	1
29	Habitat selection of intertidal caprellid amphipods in a changing scenario. <i>Behavioural Processes</i> , 2018, 153, 16-24.	1.1	13
30	Cold-water corals off Angola as refuge for a new <i>Aeginella</i> species (Crustacea: Amphipoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	0.5	0
31	Impoverished mobile epifaunal assemblages associated with the invasive macroalga <i>Asparagopsis taxiformis</i> in the Mediterranean Sea. <i>Marine Environmental Research</i> , 2018, 141, 44-52.	2.5	27
32	Marine exotic isopods from the Iberian Peninsula and nearby waters. <i>PeerJ</i> , 2018, 6, e4408.	2.0	15
33	Long-term dynamics in a soft-bottom amphipod community and the influence of the pelagic environment. <i>Marine Environmental Research</i> , 2017, 129, 133-146.	2.5	12
34	A new caprellid species (Crustacea: Amphipoda: Senticaudata) from Brazil. <i>Zootaxa</i> , 2017, 4258, 388.	0.5	5
35	Distribution of the Invasive Caprellid <i>Caprella scaura</i> (Crustacea: Amphipoda) in Cádiz Marina, Southern Spain: Implications for its Dispersal. <i>Thalassas</i> , 2017, 33, 81-86.	0.5	4
36	Additional records of <i>Elasmopus vachoni</i> Mateus & Mateus, 1966 (Crustacea: Amphipoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	0.5	0

#	ARTICLE	IF	CITATIONS
37	Towards Integrated Multi-Trophic Aquaculture: Lessons from Caprellids (Crustacea: Amphipoda). PLoS ONE, 2016, 11, e0154776.	2.5	29
38	Studying exotics in their native range: Can introduced fouling amphipods expand beyond artificial habitats?. Biological Invasions, 2016, 18, 2983-3000.	2.4	12
39	Caprellidae (Crustacea: Peracarida: Amphipoda) from the Red Sea and Suez Canal, with the redescription of <i>Metaprotella africana</i> and <i>Paradeutella multispinosa</i> . Zootaxa, 2016, 4098, 227-53.	0.5	6
40	Spatial distribution of crustaceans associated with shallow soft-bottom habitats in a coral reef lagoon. Marine Ecology, 2016, 37, 77-87.	1.1	8
41	The Caprellid <i>Aciconula acanthosoma</i> (Crustacea: Amphipoda) Associated with Gorgonians from Ecuador, Eastern Pacific. Pacific Science, 2016, 70, 73-82.	0.6	5
42	First record of the exotic caprellid amphipod <i>Paracaprella pusilla</i> Mayer, 1890 in the eastern Mediterranean. Marine Biodiversity, 2016, 46, 281-284.	1.0	9
43	Amphipod community associated with invertebrate hosts in a Mediterranean marine cave. Marine Biodiversity, 2016, 46, 105-112.	1.0	8
44	New genus and new species of Caprellidae (Crustacea: Peracarida: Amphipoda) from the mesophotic coral ecosystems of Puerto Rico and St. Croix, Caribbean Sea. Zootaxa, 2015, 4018, 80.	0.5	4
45	Environmental factors modulating the extent of impact in coastal invasions: The case of a widespread invasive caprellid (Crustacea: Amphipoda) in the Iberian Peninsula. Marine Pollution Bulletin, 2015, 98, 247-258.	5.0	34
46	Diversity and abundance of invertebrate epifaunal assemblages associated with gorgonians are driven by colony attributes. Coral Reefs, 2015, 34, 611-624.	2.2	25
47	Seasonal fluctuations and dietary analysis of fouling caprellids (Crustacea: Amphipoda) from marinas of southern Spain. Marine Biology Research, 2015, 11, 703-715.	0.7	19
48	Dietary analysis of caprellids <i>Caprella penantis</i> and <i>Caprella grandimana</i> (Crustacea: Amphipoda) in southern Spain. Marine Biology, 2015, 162, 2057-2066.	1.5	2
49	Littoral caprellids (Crustacea: Amphipoda) from the Mexican Central Pacific coast, with the description of four new species. Journal of Natural History, 2015, 49, 77-127.	0.5	8
50	Artificial Marine Micro-Reserves Networks (AMMRNs): an innovative approach to conserve marine littoral biodiversity and protect endangered species. Marine Ecology, 2015, 36, 259-277.	1.1	36
51	Colonization and successional patterns of the mobile epifaunal community along an environmental gradient in a marine cave. Marine Ecology - Progress Series, 2015, 521, 105-115.	1.9	17
52	Caprellids (Crustacea: Amphipoda) from the Gulf of Mexico, with observations on <i>Deutella mayeri</i> , redescription of <i>Metaprotella hummelincki</i> , a taxonomic key and zoogeographical comments. Journal of Natural History, 2014, 48, 2517-2578.	0.5	12
53	Exploring trophic strategies of exotic caprellids (Crustacea: Amphipoda): Comparison between habitat types and native vs. introduced distribution ranges. Estuarine, Coastal and Shelf Science, 2014, 139, 88-98.	2.1	11
54	Dietary analysis of the marine Amphipoda (Crustacea: Peracarida) from the Iberian Peninsula. Journal of Sea Research, 2014, 85, 508-517.	1.6	84

#	ARTICLE	IF	CITATIONS
55	Invasion history of <i>Caprella scaura</i> Templeton, 1836 (Amphipoda: Caprellidae) in the Iberian Peninsula: multiple introductions revealed by mitochondrial sequence data. <i>Biological Invasions</i> , 2014, 16, 2221-2245.	2.4	32
56	Biodiversity patterns of epifaunal assemblages associated with the gorgonians <i>Eunicella gazella</i> and <i>Leptogorgia lusitanica</i> in response to host, space and time. <i>Journal of Sea Research</i> , 2014, 85, 37-47.	1.6	32
57	The Panama Canal and the transoceanic dispersal of marine invertebrates: Evaluation of the introduced amphipod <i>Paracaprella pusilla</i> Mayer, 1890 in the Pacific Ocean. <i>Marine Environmental Research</i> , 2014, 99, 204-211.	2.5	21
58	Nutritional analysis of freshwater and marine amphipods from the Strait of Gibraltar and potential aquaculture applications. <i>Journal of Sea Research</i> , 2014, 85, 29-36.	1.6	44
59	Mobile epifaunal community in marine caves in comparison to open habitats. <i>Aquatic Biology</i> , 2014, 20, 101-109.	1.4	6
60	Amphipods from marine cave sediments of the southern Iberian Peninsula: diversity and ecological distribution. <i>Scientia Marina</i> , 2014, 78, 415-424.	0.6	6
61	Marine gammarids (Crustacea: Amphipoda): a new live prey to culture <i>Octopus maya</i> hatchlings. <i>Aquaculture Research</i> , 2013, 44, 1602-1612.	1.8	38
62	The tropical caprellid amphipod <i>Paracaprella pusilla</i> : a new alien crustacean in the Mediterranean Sea. <i>Helgoland Marine Research</i> , 2013, 67, 675-685.	1.3	23
63	Influence of fouling communities on the establishment success of alien caprellids (Crustacea: Amphipoda) in the Mediterranean Sea. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 446, 22-28.	0.7	44
64	Soft-bottom diversity patterns in marine caves; Lessons from crustacean community. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 446, 22-28.	1.5	13
65	The role of marinas and recreational boating in the occurrence and distribution of exotic caprellids (Crustacea: Amphipoda) in the Western Mediterranean: Mallorca Island as a case study. <i>Journal of Sea Research</i> , 2013, 83, 94-103.	1.6	46
66	Hidden diversity and cryptic speciation refute cosmopolitan distribution in <i>Caprella penantis</i> (Crustacea: Amphipoda: Caprellidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2013, 51, 85-99.	1.4	32
67	Feeding habits of amphipods (Crustacea: Malacostraca) from shallow soft bottom communities: Comparison between marine caves and open habitats. <i>Journal of Sea Research</i> , 2013, 78, 1-7.	1.6	31
68	A preliminary study of the <i>Caprella scaura</i> amphipod culture for potential use in aquaculture. <i>Journal of Sea Research</i> , 2013, 83, 146-151.	1.6	20
69	Long-distance dispersal, low connectivity and molecular evidence of a new cryptic species in the obligate rafter <i>Caprella andreae</i> Mayer, 1890 (Crustacea: Amphipoda: Caprellidae). <i>Helgoland Marine Research</i> , 2013, 67, 483-497.	1.3	36
70	An illustrated key to the soft-bottom caprellids (Crustacea: Amphipoda) of the Iberian Peninsula and remarks to their ecological distribution along the Andalusian coast. <i>Helgoland Marine Research</i> , 2013, 67, 321-336.	1.3	16
71	A new species of <i>Liropus</i> (Crustacea, Amphipoda, Caprellidae) from California, USA, with an illustrated key of the genus. <i>Zootaxa</i> , 2013, 3718, .	0.5	6
72	 Mantacaprella macaronensis, a new genus and species of Caprellidae (Crustacea: Amphipoda) from Canary Islands and Cape Verde . <i>Zootaxa</i> , 2013, 3700, 159.	0.5	4

#	ARTICLE	IF	CITATIONS
73	The spreading of the non-native caprellid (Crustacea: Amphipoda) <i>Caprella scaura</i> Templeton, 1836 into southern Europe and northern Africa: a complicated taxonomic history.. <i>Mediterranean Marine Science</i> , 2013, 15, 145.	1.6	8
74	A new species of <i>Liropus</i> (Crustacea, Amphipoda, Caprellidae) from California, U.S.A., with an illustrated key of the genus. <i>Zootaxa</i> , 2013, 3718, 467-76.	0.5	0
75	Presence of abdominal appendages in females of <i>Caprella equilibra</i> Say, 1818 (Peracarida, Amphipoda): is <i>Metacaprella</i> Mayer, 1903 a valid genus?. <i>Crustaceana</i> , 2012, 85, 71-79.	0.3	2
76	Soft-bottom crustacean assemblages in Mediterranean marine caves: the cave of Cerro Gordo (Granada, Spain) as case study. <i>Helgoland Marine Research</i> , 2012, 66, 567-576.	1.3	21
77	The invasive <i>Asparagopsis armata</i> versus the native <i>Corallina elongata</i> : Differences in associated peracarid assemblages. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 416-417, 121-128.	1.5	48
78	A new species of <i>Caprella</i> (Crustacea: Amphipoda) from the Mediterranean Sea. <i>Helgoland Marine Research</i> , 2012, 66, 33-42.	1.3	15
79	On the occurrence of the tropical caprellid <i>Paracaprella pusilla</i> Mayer, 1890 (Crustacea: Amphipoda) in Europe. <i>Mediterranean Marine Science</i> , 2012, 13, 134.	1.6	34
80	Vertical distribution and seasonality of peracarid crustaceans associated with intertidal macroalgae. <i>Journal of Sea Research</i> , 2011, 65, 256-264.	1.6	26
81	Spatial patterns and seasonal fluctuations of intertidal macroalgal assemblages from Tarifa Island, southern Spain: relationship with associated Crustacea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 107-116.	0.8	13
82	Marine artificial micro-reserves: a possibility for the conservation of endangered species living on artificial substrata. <i>Marine Ecology</i> , 2011, 32, 6-14.	1.1	38
83	Population genetic structure of the endangered limpet <i>Cymbula nigra</i> in a temperate Northern hemisphere region: influence of palaeoclimatic events?. <i>Marine Ecology</i> , 2011, 32, 1-5.	1.1	16
84	The non-native seaweed <i>Asparagopsis armata</i> supports a diverse crustacean assemblage. <i>Marine Environmental Research</i> , 2011, 71, 275-282.	2.5	20
85	Distribution patterns of the peracarid crustaceans associated with the alga <i>Corallina elongata</i> along the intertidal rocky shores of the Iberian Peninsula. <i>Helgoland Marine Research</i> , 2011, 65, 233-243.	1.3	28
86	Geographical expansion of the invader <i>Caprella scaura</i> (Crustacea: Amphipoda: Caprellidae) to the East Atlantic coast. <i>Marine Biology</i> , 2011, 158, 2617-2622.	1.5	41
87	Taxonomy and ecology of some gammaridean species (Crustacea: Amphipoda) from Tarifa Island, southern Spain. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 447-453.	0.8	5
88	Life history of <i>Caprella grandimana</i> (Crustacea: Amphipoda) reared under laboratory conditions. <i>Marine Biology Research</i> , 2011, 7, 85-92.	0.7	18
89	Exploring molecular variation in the cosmopolitan <i>Caprella penantis</i> (Crustacea: Amphipoda): results from RAPD analysis. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 617-622.	0.8	10
90	Caprellids (Crustacea: Amphipoda) from India. <i>Helgoland Marine Research</i> , 2010, 64, 297-310.	1.3	29

#	ARTICLE	IF	CITATIONS
91	Caprellids (Crustacea: Amphipoda) associated with the intertidal alga <i>Corallina elongata</i> along the Iberian Peninsula. <i>Marine Biodiversity Records</i> , 2010, 3, .	1.2	7
92	Na, K, Ca and Mg of intertidal caprellids (Crustacea: Amphipoda). <i>Marine Biology Research</i> , 2010, 6, 321-326.	0.7	3
93	Trace metals in <i>Caprella</i> (Crustacea: Amphipoda). A new tool for monitoring pollution in coastal areas?. <i>Ecological Indicators</i> , 2010, 10, 734-743.	6.3	33
94	Use of Amphipods as alternative prey to culture cuttlefish (<i>Sepia officinalis</i>) hatchlings. <i>Aquaculture</i> , 2010, 300, 243-246.	3.5	33
95	<i>Cubadeutella cavernicola</i> , a new genus and species of Caprellidae (Crustacea: Amphipoda) from Cuba. <i>Zootaxa</i> , 2009, 2130, 60-68.	0.5	7
96	Caprellidae. <i>Zootaxa</i> , 2009, 2260, 290-327.	0.5	3
97	Distributional and ecological patterns of caprellids (Crustacea: Amphipoda) associated with the seaweed <i>Stypocaulon scoparium</i> in the Iberian Peninsula. <i>Marine Biodiversity Records</i> , 2009, 2, .	1.2	7
98	Is the north side of the Strait of Gibraltar more diverse than the south side? A case study using the intertidal peracarids (Crustacea: Malacostraca) associated to the seaweed <i>Corallina elongata</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 387-397.	0.8	47
99	The amphipods <i>Caprella penantis</i> and <i>Hyale schmidtii</i> as biomonitors of trace metal contamination in intertidal ecosystems of Algeciras Bay, Southern Spain. <i>Marine Pollution Bulletin</i> , 2009, 58, 783-786.	5.0	24
100	Recolonization of macrofauna in unpolluted sands placed in a polluted yachting harbour: A field approach using experimental trays. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 81, 49-58.	2.1	13
101	Caprellid assemblages (Crustacea: Amphipoda) in shallow waters invaded by <i>Caulerpa racemosa</i> var. <i>cylindracea</i> from southeastern Spain. <i>Helgoland Marine Research</i> , 2009, 63, 107-117.	1.3	24
102	What do caprellids (Crustacea: Amphipoda) feed on?. <i>Marine Biology</i> , 2009, 156, 1881-1890.	1.5	81
103	Carbon, nitrogen, hydrogen and sulphur components of intertidal caprellids (Crustacea) from southern Spain. <i>Aquatic Biology</i> , 2009, 8, 39-43.	1.4	1
104	Community structure of caprellids (Crustacea: Amphipoda: Caprellidae) on seagrasses from southern Spain. <i>Helgoland Marine Research</i> , 2008, 62, 189-199.	1.3	28
105	A new species of <i>Liropus</i> (Crustacea, Amphipoda, Caprellidae) from Le Danois bank (southern Bay of Tj ETQq1 1 0.784314 rgBT /Ove	1.6	3
106	Responses of the endangered limpet <i>Patella ferruginea</i> to reintroduction under different environmental conditions: survival, growth rates and life history. <i>Italian Journal of Zoology</i> , 2008, 75, 371-384.	0.6	40
107	Sewage pollution and extinction risk: an endangered limpet as a bioindicator?. <i>Biodiversity and Conservation</i> , 2007, 16, 377-397.	2.6	48
108	<i>Caprella penantis</i> Leach, 1814 and <i>Caprella dilatata</i> Kroyer, 1843 (Crustacea: Amphipoda) from the Strait of Gibraltar: a molecular approach to explore intra- and interspecific variation. <i>Marine Biology Research</i> , 2006, 2, 100-108.	0.7	11

#	ARTICLE	IF	CITATIONS
109	Aspects of reproduction and their implications for the conservation of the endangered limpet, <i>Patella ferruginea</i> . <i>Invertebrate Reproduction and Development</i> , 2006, 49, 85-92.	0.8	52
110	Assessing a Quick Monitoring Method Using Rocky Intertidal Communities as a Bioindicator: A Multivariate Approach in Algeciras Bay. <i>Environmental Monitoring and Assessment</i> , 2006, 116, 345-361.	2.7	24
111	Recolonization of defaunated sediments: Fine versus gross sand and dredging versus experimental trays. <i>Estuarine, Coastal and Shelf Science</i> , 2006, 68, 328-342.	2.1	29
112	Effects of competition on an endangered limpet <i>Patella ferruginea</i> (Gastropoda: Patellidae): Implications for conservation. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 330, 482-492.	1.5	34
113	Caprellidae (Crustacea: Amphipoda) from the Great Barrier Reef and adjacent localities. <i>Records of the Australian Museum</i> , 2006, 58, 417-458.	0.2	28
114	Assessing pollution levels in sediments of a harbour with two opposing entrances. Environmental implications. <i>Journal of Environmental Management</i> , 2005, 77, 1-11.	7.8	92
115	Algae, macrofaunal assemblages and temperature: a quantitative approach to intertidal ecosystems of Iceland. <i>Helgoland Marine Research</i> , 2005, 59, 273-285.	1.3	12
116	<i>Metaprotella Sandalensis</i> (Crustacea: Amphipoda: Caprellidae): A Bioindicator of Nutrient Enrichment on Coral Reefs?. <i>Environmental Monitoring and Assessment</i> , 2005, 104, 353-367.	2.7	12
117	Oxygen levels versus chemical pollutants: do they have similar influence on macrofaunal assemblages? A case study in a harbour with two opposing entrances. <i>Environmental Pollution</i> , 2005, 135, 281-291.	7.5	48
118	The Caprellidea (Crustacea: Amphipoda) from Tasmania. <i>Journal of Natural History</i> , 2004, 38, 967-1044.	0.5	34
119	Extinction risk and harbours as marine reserves?. <i>Journal of Molluscan Studies</i> , 2004, 70, 96-98.	1.2	12
120	Crustachan Assemblages and Sediment Pollution in an Exceptional Case Study: A Harbour with Two Opposing Entrances. <i>Crustaceana</i> , 2004, 77, 353-370.	0.3	37
121	Soft bottom mollusc assemblages and pollution in a harbour with two opposing entrances. <i>Estuarine, Coastal and Shelf Science</i> , 2004, 60, 273-283.	2.1	30
122	The Caprellidea (Crustacea, Amphipoda) from Western Australia and Northern Territory, Australia. <i>Hydrobiologia</i> , 2004, 522, 1-74.	2.0	34
123	Polychaete assemblages and sediment pollution in a harbour with two opposing entrances. <i>Helgoland Marine Research</i> , 2004, 58, 183-191.	1.3	34
124	Assessing habitat use of the endangered marine mollusc <i>Patella ferruginea</i> (Gastropoda, Patellidae) in northern Africa: preliminary results and implications for conservation. <i>Biological Conservation</i> , 2004, 116, 319-326.	4.1	71
125	Fatty acid composition of the Caprellidea (Crustacea: Amphipoda) from the Strait of Gibraltar. <i>Scientia Marina</i> , 2004, 68, 501-510.	0.6	35
126	Title is missing!. <i>Hydrobiologia</i> , 2003, 490, 187-195.	2.0	3

#	ARTICLE	IF	CITATIONS
127	Caprellids (Crustacea: Amphipoda) from Papua New Guinea, with the description of a new species. Helgoland Marine Research, 2003, 57, 100-109.	1.3	16
128	Short-Term Benthic Recolonization after Dredging in the Harbour of Ceuta, North Africa. Marine Ecology, 2003, 24, 217-229.	1.1	28
129	THE CAPRELLIDEA (MALACOSTRACA: AMPHIPODA) FROM MIRS BAY, HONG KONG, WITH THE DESCRIPTION OF A NEW GENUS AND TWO NEW SPECIES. Journal of Crustacean Biology, 2003, 23, 154-168.	0.8	8
130	Revision of the genus Deutella (Crustacea: Amphipoda: Caprellidea) with description of a new species, redescription of Deutella venenosa Mayer, 1890 and a key to the species of Deutella. Journal of Natural History, 2003, 37, 1059-1084.	0.5	15
131	A new species of Caprella (Amphipoda, Caprellidae) from deep sea waters. Crustaceana, 2003, 76, 581-590.	0.3	7
132	The Caprellidea (Malacostraca: Amphipoda) from Mirs Bay, Hong Kong, with the Description of a New Genus and Two New Species. Journal of Crustacean Biology, 2003, 23, 154-168.	0.8	9
133	The Caprellidea (Crustacea: Amphipoda) from Mauritius Island, Western Indian Ocean. Zootaxa, 2003, 232, 1-24.	0.5	25
134	The distribution of littoral caprellids (Crustacea: Amphipoda: Caprellidea) along the Pacific coast of continental Chile. Revista Chilena De Historia Natural, 2003, 76, 297.	1.2	66
135	The caprellidean Amphipoda from the subantarctic islands of New Zealand and Australia with the description of a new genus and two new species. Scientia Marina, 2003, 67, 177-194.	0.6	12
136	CLINGING BEHAVIOUR OF THE CAPRELLIDEA (AMPHIPODA) FROM THE STRAIT OF GIBRALTAR. Crustaceana, 2002, 75, 41-50.	0.3	31
137	Caprella caulerpensis (Crustacea: Amphipoda), a new species associated with Caulerpa prolifera from the Strait of Gibraltar. Journal of the Marine Biological Association of the United Kingdom, 2002, 82, 843-846.	0.8	7
138	The Caprellidea (Crustacea: Amphipoda) from Ceuta, North Africa, with the description of three species of Caprella, a key to the species of Caprella, and biogeographical discussion. Journal of Natural History, 2002, 36, 675-713.	0.5	38
139	Re-descriptions of Caprella linearis (Linnaeus, 1767) and C. septentrionalis Krøyer, 1838 (Crustacea: Amphipoda) and a study of the clinging behaviour. Sarsia, 2002, 87, 216-235.	0.5	15
140	Redescription of five rare caprellids (Crustacea: Amphipoda: Caprellidea) collected from Tanzanian coasts. Helgoland Marine Research, 2002, 55, 221-231.	1.3	19
141	Two new species of Deutella Mayer, 1890 (Crustacea: Amphipoda: Pariamidae) collected by the R.V. "Anton Bruun" during the International Indian Ocean Expedition 1963-1964. Zootaxa, 2002, 74, .	0.5	7
142	La fauna de caprellidos (Crustacea: Amphipoda: Caprellidea) de la costa de Coquimbo, centro-norte de Chile, con una clave taxonómica para la identificación de las especies. Revista Chilena De Historia Natural, 2001, 74, 873.	1.2	33
143	A new species of Caprellinoides (Crustacea: Amphipoda: Phtisicidae) from the Antarctic. Helgoland Marine Research, 2001, 55, 212-220.	1.3	2
144	The Spatial Distribution of Caprellidea (Crustacea: Amphipoda): A Stress Bioindicator in Ceuta (North) Tj ETQq0 0 0,rgBT /Overlock 10 TF	1.1	75

#	ARTICLE	IF	CITATIONS
145	Title is missing!. <i>Hydrobiologia</i> , 2001, 448, 181-192.	2.0	5
146	Two New Hairy Species of <i>Caprella</i> (Amphipoda) from the Strait of Gibraltar, with a Redescription of <i>Caprella Grandimana</i> . <i>Journal of Crustacean Biology</i> , 2001, 21, 1014-1030.	0.8	7
147	A NEW SPECIES OF <i>CAPRELLA</i> (AMPHIPODA, CAPRELLIDEA) FROM ALGECIRAS BAY,SOUTHERN SPAIN. <i>Crustaceana</i> , 2001, 74, 211-219.	0.3	3
148	TWO NEW HAIRY SPECIES OF <i>CAPRELLA</i> (AMPHIPODA) FROM THE STRAIT OF GIBRALTAR, WITH A REDESCRIPTION OF <i>CAPRELLA GRANDIMANA</i> . <i>Journal of Crustacean Biology</i> , 2001, 21, 1014-1030.	0.8	11
149	REDESCRIPTION OF <i>CAPRELLINA LONGICOLLIS</i> (NICOLET, 1849) (AMPHIPODA, CAPRELLIDEA, PHTISICIDAE) FROM CHILE, WITH NOTES ON ONTOGENETIC DEVELOPMENT AND CLINGING BEHAVIOUR. <i>Crustaceana</i> , 2001, 74, 1291-1303.	0.3	5
150	Habitat use of the caprellidea (crustacea: Amphipoda) from ceuta, North Africa. <i>Ophelia</i> , 2001, 55, 27-38.	0.3	65
151	<i>Parvipalpus onubensis</i>, a new species (Crustacea: Amphipoda: Caprellidea) from the Atlantic coast of Southern Spain. <i>Scientia Marina</i> , 2001, 65, 333-339.	0.6	3
152	Scientific collaboration for early detection of invaders results in a significant update on estimated range: lessons from <i>Stenothoe georgiana</i> Bynum & Fox 1977. <i>Mediterranean Marine Science</i> , 0, , .	1.6	3
153	Towards a standardized methodology for monitoring and assessing marine mobile epibenthic communities across spatio-temporal scales. <i>Frontiers in Marine Science</i> , 0, 6, .	2.5	4
154	Unravelling the origin and introduction pattern of the tropical species <i>Paracaprella pusilla</i> Mayer, 1890 (Crustacea, Amphipoda, Caprellidae) in temperate European waters: first molecular insights from a spatial and temporal perspective. <i>NeoBiota</i> , 0, 47, 43-80.	1.0	7
155	CAPRELLIDS FROM THE CARIBBEAN COAST OF COLOMBIA, WITH DESCRIPTION OF THREE NEW SPECIES AND A KEY FOR SPECIES IDENTIFICATION. <i>Boletin De Investigaciones Marinas Y Costeras</i> , 0, 35, .	0.1	9
156	KEYNOTE TALK The importance of amphipods: from taxonomy to applications. <i>Frontiers in Marine Science</i> , 0, 6, .	2.5	1
157	First confirmed record of <i>Branchiomma luctuosum</i> (Annelida: Sabellidae) in marinas of southern Spain. <i>Frontiers in Marine Science</i> , 0, 6, .	2.5	0
158	First data about marine tardigrades from Andalusia (South Spain) and first record of the genus <i>Archechiniscus</i> Schultz, 1953 in the Iberian Peninsula. <i>Frontiers in Marine Science</i> , 0, 6, .	2.5	0
159	Do artificial structures affect the feed of <i>Patella caerulea</i> limpets?. <i>Frontiers in Marine Science</i> , 0, 6, .	2.5	0
160	A new caprellid genus and species (Crustacea: Amphipoda: Caprellidae) from Australia. <i>Nauplius</i> , 0, 28, .	0.3	1