

Anders Rane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5026902/publications.pdf>

Version: 2024-02-01

123
papers

8,048
citations

47006

47
h-index

48315

88
g-index

126
all docs

126
docs citations

126
times ranked

6286
citing authors

#	ARTICLE	IF	CITATIONS
1	Survey of unlicensed and off label drug use in paediatric wards in European countries. <i>BMJ: British Medical Journal</i> , 2000, 320, 79-82.	2.3	622
2	A Genome-Wide Association Study Confirms VKORC1, CYP2C9, and CYP4F2 as Principal Genetic Determinants of Warfarin Dose. <i>PLoS Genetics</i> , 2009, 5, e1000433.	3.5	554
3	The largest prospective warfarin-treated cohort supports genetic forecasting. <i>Blood</i> , 2009, 113, 784-792.	1.4	490
4	Use of doping agents, particularly anabolic steroids, in sports and society. <i>Lancet</i> , The, 2008, 371, 1872-1882.	13.7	297
5	Large Differences in Testosterone Excretion in Korean and Swedish Men Are Strongly Associated with a UDP-Glucuronosyl Transferase 2B17 Polymorphism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 687-693.	3.6	258
6	Caffeine Intake and the Risk of First-Trimester Spontaneous Abortion. <i>New England Journal of Medicine</i> , 2000, 343, 1839-1845.	27.0	241
7	Plasma protein binding of diphenylhydantoin in man; Interaction with other drugs and the effect of temperature and plasma dilution. <i>Clinical Pharmacology and Therapeutics</i> , 1970, 11, 846-855.	4.7	240
8	Prednisolone excretion in human milk. <i>Journal of Pediatrics</i> , 1985, 106, 1008-1011.	1.8	217
9	Induction of CYP2D6 in pregnancy*. <i>Clinical Pharmacology and Therapeutics</i> , 1997, 62, 400-407.	4.7	207
10	Influence of CYP2C9 genotype on warfarin dose requirements—a systematic review and meta-analysis. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 365-375.	1.9	189
11	Cytochromes P450 and MDR1 mRNA expression along the human gastrointestinal tract. <i>British Journal of Clinical Pharmacology</i> , 2005, 60, 54-60.	2.4	182
12	Expression of xenobiotic-metabolizing cytochrome P450 forms in human adult and fetal liver. <i>Biochemical Pharmacology</i> , 1994, 48, 59-64.	4.4	179
13	Doping Test Results Dependent on Genotype of Uridine Diphospho-Glucuronosyl Transferase 2B17, the Major Enzyme for Testosterone Glucuronidation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2500-2506.	3.6	163
14	Acetyltransferase in Humans: Development and Tissue Distribution. <i>Pharmacology</i> , 1986, 32, 283-291.	2.2	143
15	Relation between plasma concentration of indomethacin and its effect on prostaglandin synthesis and platelet aggregation in man. <i>Clinical Pharmacology and Therapeutics</i> , 1978, 23, 658-668.	4.7	136
16	Linkage between the CYP2C8 and CYP2C9 genetic polymorphisms. <i>Biochemical and Biophysical Research Communications</i> , 2002, 299, 25-28.	2.1	133
17	Autoinduction of carbamazepine metabolism in children examined by a stable isotope technique. <i>Clinical Pharmacology and Therapeutics</i> , 1980, 27, 83-88.	4.7	130
18	SFINX—a drug-drug interaction database designed for clinical decision support systems. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 627-633.	1.9	124

#	ARTICLE	IF	CITATIONS
19	Clinical Pharmacokinetics in Infants and Children. <i>Clinical Pharmacokinetics</i> , 1976, 1, 2-24.	3.5	119
20	Pregnancy-induced increase in metoprolol metabolism. <i>Clinical Pharmacology and Therapeutics</i> , 1985, 37, 688-692.	4.7	119
21	Pharmacogenetics of cyclophosphamide in patients with hematological malignancies. <i>European Journal of Pharmaceutical Sciences</i> , 2006, 27, 54-61.	4.0	103
22	Plasma protein binding of diphenylhydantoin in normal and hyperbilirubinemic infants. <i>Journal of Pediatrics</i> , 1971, 78, 877-882.	1.8	101
23	The anti-doping hot-line, a means to capture the abuse of doping agents in the Swedish society and a new service function in clinical pharmacology. <i>European Journal of Clinical Pharmacology</i> , 2003, 59, 571-577.	1.9	99
24	Polymorphisms in NAT2, CYP2D6, CYP2C19 and GSTP1 and their association with prostate cancer. <i>Pharmacogenetics and Genomics</i> , 1999, 9, 333-340.	5.7	98
25	Kinetics of carbamazepine and its 10,11-epoxide metabolite in children. <i>Clinical Pharmacology and Therapeutics</i> , 1976, 19, 276-283.	4.7	87
26	Polymorphic formation of morphine from codeine in poor and extensive metabolizers of dextromethorphan: Relationship to the presence of immunoidentified cytochrome P-450IID1. <i>Clinical Pharmacology and Therapeutics</i> , 1990, 47, 27-35.	4.7	85
27	Prostate cancer associated with CYP17 genotype. <i>Pharmacogenetics and Genomics</i> , 1999, 9, 635-640.	5.7	85
28	The enantioselective glucuronidation of morphine in rats and humans. <i>Biochemical Pharmacology</i> , 1989, 38, 3273-3280.	4.4	83
29	EXPRESSION OF CYP3A ISOFORMS AND P-GLYCOPROTEIN IN HUMAN STOMACH, JEJUNUM AND ILEUM. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007, 34, 1138-1144.	1.9	82
30	Human brain metabolism of morphine and naloxone. <i>Pain</i> , 1988, 35, 121-127.	4.2	80
31	Identification of cytochromes P 450 2C9 and 3A4 as the major catalysts of phenprocoumon hydroxylation in vitro. <i>European Journal of Clinical Pharmacology</i> , 2004, 60, 173-182.	1.9	69
32	Plasma disappearance of transplacentally transferred diphenylhydantoin in the newborn studied by mass fragmentography. <i>Clinical Pharmacology and Therapeutics</i> , 1974, 15, 39-45.	4.7	66
33	Pharmacogenetic warfarin dose refinements remain significantly influenced by genetic factors after one week of therapy. <i>Thrombosis and Haemostasis</i> , 2012, 107, 232-240.	3.4	62
34	Development of the Glucuronyltransferase and Sulphotransferase towards 2-Naphthol in Human Fetus. <i>Developmental Pharmacology and Therapeutics</i> , 1990, 14, 108-114.	0.2	58
35	Several-fold increase in risk of overanticoagulation by CYP2C9 mutations. <i>Clinical Pharmacology and Therapeutics</i> , 2005, 78, 540-550.	4.7	58
36	The Uridine Diphosphate Glucuronosyltransferase 2B15 D85Y and 2B17 Deletion Polymorphisms Predict the Glucuronidation Pattern of Androgens and Fat Mass in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 4878-4882.	3.6	58

#	ARTICLE	IF	CITATIONS
37	Glutathione S-transferase in humans: development and tissue distribution. Archives of Toxicology, 1988, 61, 265-269.	4.2	56
38	Paediatric adverse drug reactions reported in Sweden from 1987 to 2001. Pharmacoepidemiology and Drug Safety, 2005, 14, 493-499.	1.9	54
39	DNA methylation dynamics in the hepatic CYP3A4 gene promoter. Biochimie, 2012, 94, 2338-2344.	2.6	54
40	Diphenylhydantoin Binding to Proteins in Plasma and Its Dependence on Free Fatty Acid and Bilirubin Concentration in Dogs and Newborn Infants. Pediatric Research, 1975, 9, 26-30.	2.3	53
41	A Prospective Controlled trial of Metoprolol-Hydralazine Treatment in Hypertension during Pregnancy. Acta Obstetrica Et Gynecologica Scandinavica, 1985, 64, 505-510.	2.8	53
42	The effect of the CYP1A2 *1F mutation on CYP1A2 inducibility in pregnant women. British Journal of Clinical Pharmacology, 2002, 54, 504-510.	2.4	50
43	Therapeutic Drug Monitoring of Anticonvulsants. Clinical Pharmacokinetics, 1990, 18, 318-328.	3.5	49
44	The role of cytochrome P450 3A (CYP3A) isoform(s) in oxidative metabolism of testosterone and benzphetamine in human adult and fetal liver. Journal of Steroid Biochemistry and Molecular Biology, 1993, 44, 61-67.	2.5	49
45	Genetic aspects of epitestosterone formation and androgen disposition: influence of polymorphisms in CYP17 and UGT2B enzymes. Pharmacogenetics and Genomics, 2008, 18, 477-485.	1.5	49
46	Incidence and predictors of severe bleeding during warfarin treatment. Journal of Thrombosis and Thrombolysis, 2008, 25, 151-159.	2.1	48
47	Long term perturbation of endocrine parameters and cholesterol metabolism after discontinued abuse of anabolic androgenic steroids. Journal of Steroid Biochemistry and Molecular Biology, 2011, 127, 295-300.	2.5	48
48	THE IMPACT OF CYP2C9 GENETICS AND ORAL CONTRACEPTIVES ON CYTOCHROME P450 2C9 PHENOTYPE. Drug Metabolism and Disposition, 2004, 32, 484-489.	3.3	47
49	Effects of the Antifungals Voriconazole and Fluconazole on the Pharmacokinetics of S -(+)- and R -(âˆ-)ibuprofen. Antimicrobial Agents and Chemotherapy, 2006, 50, 1967-1972.	3.2	47
50	A supraphysiological dose of testosterone induces nitric oxide production and oxidative stress. European Journal of Preventive Cardiology, 2014, 21, 1049-1054.	1.8	47
51	Doseâ€dependent testosterone sensitivity of the steroidal passport and GCâ€RMS analysis in relation to the UGT2B17 deletion polymorphism. Drug Testing and Analysis, 2015, 7, 1063-1070.	2.6	46
52	Drug Metabolism in the Human Fetus and Newborn Infant. Pediatric Clinics of North America, 1972, 19, 37-49.	1.8	44
53	Drugs and fetal metabolism. Clinical Pharmacology and Therapeutics, 1973, 14, 666-672.	4.7	44
54	Regulation and expression of human CYP7B1 in prostate: Overexpression of CYP7B1 during progression of prostatic adenocarcinoma. Prostate, 2007, 67, 1439-1446.	2.3	41

#	ARTICLE	IF	CITATIONS
55	Widespread off-label prescribing of topical but not systemic drugs for 350,000 paediatric outpatients in Stockholm. <i>European Journal of Clinical Pharmacology</i> , 2003, 58, 779-783.	1.9	40
56	PLASMA PROTEIN BINDING, PLASMA CONCENTRATIONS, AND EFFECTS OF DIPHENYLHYDANTOIN IN MAN. <i>Annals of the New York Academy of Sciences</i> , 1971, 179, 723-728.	3.8	39
57	Atenolol and Metoprolol. A Comparison of Their Excretion into Human Breast Milk. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1984, 63, 65-69.	2.8	38
58	Comparison Between One and Three Years of Treatment in Uncomplicated Childhood Epilepsy: A Prospective Study. I. Outcome in Different Seizure Types. <i>Epilepsia</i> , 1996, 37, 822-832.	5.1	38
59	Substantial advantage of a combined Bayesian and genotyping approach in testosterone doping tests. <i>Steroids</i> , 2009, 74, 365-368.	1.8	38
60	Recruitment to doping and help-seeking behavior of eight female AAS users. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2016, 11, 11.	2.2	38
61	Dietary caffeine as a probe agent for assessment of cytochrome P4501A2 activity in random urine samples. <i>British Journal of Clinical Pharmacology</i> , 1999, 47, 397-402.	2.4	37
62	The liver microsomal monooxygenase system in the human fetus: Distribution in different centrifugal fractions. <i>Clinical Pharmacology and Therapeutics</i> , 1972, 13, 652-662.	4.7	36
63	Tricyclic Antidepressants Inhibit Opioid Receptor Binding in Human Brain and Hepatic Morphine Glucuronidation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1994, 75, 23-27.	0.0	36
64	Independent patterns of cytochrome P 450 gene expression in liver and blood in patients with suspected liver disease. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 403-409.	1.9	36
65	Sensitivity of doping biomarkers after administration of a single dose testosterone gel. <i>Drug Testing and Analysis</i> , 2018, 10, 839-848.	2.6	35
66	Dual use of anabolic-androgenic steroids and narcotics in Sweden. <i>Drug and Alcohol Dependence</i> , 2010, 109, 144-146.	3.2	34
67	Androgens and doping tests: genetic variation and pitâ€falls. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 3-15.	2.4	34
68	Valproate in the Treatment of Absence Epilepsy in Children: A Study of Doseâ€Response Relationships. <i>Epilepsia</i> , 1988, 29, 548-552.	5.1	29
69	Caffeine Metabolism and the Risk of Spontaneous Abortion of Normal Karyotype Fetuses. <i>Obstetrics and Gynecology</i> , 2001, 98, 1059-1066.	2.4	29
70	Expression of <sc>CYP</sc>3A4 and <sc>CYP</sc>3A7 in Human Foetal Tissues and its Correlation with Nuclear Receptors. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 117, 261-266.	2.5	29
71	Messenger Ribonucleic Acid Levels of Steroid 5Î±-Reductase 2 in Human Prostate Predict the Enzyme Activity¹. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 855-858.	3.6	27
72	Low Vitamin D Levels and Genetic Polymorphism in the Vitamin D Receptor are Associated with Increased Risk of Statinâ€Induced Myopathy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 214-218.	2.5	27

#	ARTICLE	IF	CITATIONS
73	Oxidative Drug Metabolism in the Perinatal Rabbit Liver and Placenta: A Biochemical and Morphologic Study. <i>Xenobiotica</i> , 1973, 3, 37-48.	1.1	26
74	Single dose testosterone increases total cholesterol levels and induces the expression of HMG CoA Reductase. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2012, 7, 12.	2.2	26
75	Sex Steroid Levels and Cortical Bone Size in Young Men Are Associated with a Uridine Diphosphate Glucuronosyltransferase 2B7 Polymorphism (H268Y). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3697-3704.	3.6	24
76	Bioavailability of testosterone enanthate dependent on genetic variation in the phosphodiesterase 7B but not on the uridine 5â€²-diphospho-glucuronosyltransferase (UGT2B17) gene.. <i>Pharmacogenetics and Genomics</i> , 2011, 21, 325-332.	1.5	24
77	Phenotyping of Drug Metabolism in Infants and Children: Potentials and Problems. <i>Pediatrics</i> , 1999, 104, 640-643.	2.1	24
78	N-oxidation of a tertiary amine (N,N-dimethylaniline) by human fetal liver microsomes. <i>Clinical Pharmacology and Therapeutics</i> , 1974, 15, 32-38.	4.7	21
79	Relation of naproxen kinetics to effect on platelet prostaglandin release in men and dysmenorrheic women. <i>Clinical Pharmacology and Therapeutics</i> , 1981, 29, 168-173.	4.7	20
80	Human liver morphine UDPâ€²-glucuronyl transferase enantioselectivity and inhibition by opioid congeners and oxazepam. <i>British Journal of Pharmacology</i> , 1988, 94, 864-870.	5.4	20
81	Renal Glucuronidation of Morphine in the Human Foetus. <i>Acta Pharmacologica Et Toxicologica</i> , 1982, 50, 155-160.	0.0	20
82	Effects of different doses of testosterone on gonadotropins, 25-hydroxyvitamin D3, and blood lipids in healthy men. <i>Substance Abuse and Rehabilitation</i> , 2014, 5, 121.	4.8	19
83	Formation of a 16,17-trans-glycolic metabolite from a 16-dehydro-androgen in human fetal liver microsomes. <i>Clinical Pharmacology and Therapeutics</i> , 1973, 14, 833-839.	4.7	18
84	CYP1A2*1F Polymorphism Decreases Clinical Response to Clozapine in Patients with Schizophrenia. <i>Journal of Microbiology and Biotechnology</i> , 2011, 21, 93-99.	2.1	17
85	Prenatal expression of thioredoxin reductase 1 (TRXR1) and microsomal glutathione transferase 1 (MGST1) in humans. <i>FEBS Open Bio</i> , 2014, 4, 886-891.	2.3	17
86	Pharmacogenetics of Anticoagulants. <i>Human Genomics and Proteomics</i> , 2010, 2, 754919.	1.5	15
87	Statin-induced myopathy in a usual care settingâ€”a prospective observational study of gender differences. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1171-1176.	1.9	15
88	Angiotensin II Receptor Blockers Inhibit the Generation of Epoxyeicosatrienoic Acid from Arachidonic Acid in Recombinant <sc>CYP</sc>2C9, <sc>CYP</sc>2J2 and Human Liver Microsomes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 239-245.	2.5	14
89	Male Anabolic Androgenic Steroid Users with Personality Disorders Report More Aggressive Feelings, Suicidal Thoughts, and Criminality. <i>Medicina (Lithuania)</i> , 2020, 56, 265.	2.0	14
90	Selective effects of somatostatin analogs on human drug-metabolizing enzymes*. <i>Clinical Pharmacology and Therapeutics</i> , 1998, 64, 150-159.	4.7	13

#	ARTICLE	IF	CITATIONS
91	Genetic variation in androgen disposition: implications in clinical medicine including testosterone abuse. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2009, 5, 731-744.	3.3	13
92	CYP2C8 and CYP2C9 mRNA expression profile in the human fetus. <i>Frontiers in Genetics</i> , 2014, 5, 58.	2.3	13
93	Implication of Human UGT2B7, 2B15, and 2B17 in 19-Norandrosterone Metabolism. <i>Frontiers in Endocrinology</i> , 2013, 4, 75.	3.5	12
94	The Inhibitory Effect of Telmisartan on the Metabolism of Arachidonic Acid by CYP2C9 and CYP2C8: An <i>in Vitro</i> Study. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 1409-1415.	1.4	12
95	Pregnancy greatly affects the steroidal module of the Athlete Biological Passport. <i>Drug Testing and Analysis</i> , 2018, 10, 1070-1075.	2.6	12
96	Metabolism of Desmethylinipramine in Human Foetal and Adult Liver Microsomes. <i>Acta Pharmacologica Et Toxicologica</i> , 1974, 34, 58-64.	0.0	11
97	Perturbation of the Hematopoietic Profile by Anabolic Androgenic Steroids. <i>Journal of Hormones</i> , 2014, 2014, 1-7.	0.2	11
98	Statin-induced Myopathy and Ubiquinone Levels in Serum – Results from a Prospective, Observational Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 117, 133-136.	2.5	8
99	Atypical excretion profile and GC/C/IRMS findings may last for nine months after a single dose of nandrolone decanoate. <i>Steroids</i> , 2016, 108, 105-111.	1.8	8
100	Individual variations in fentanyl pharmacokinetics and pharmacodynamics in preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1441-1446.	1.5	8
101	Discordant genotyping results using DNA isolated from anti-doping control urine samples. <i>Drug Testing and Analysis</i> , 2017, 9, 994-1000.	2.6	7
102	Additive Clinical Effect of Indomethacin Suppositories During Salicylate Therapy in Rheumatoid Patients. <i>Scandinavian Journal of Rheumatology</i> , 1981, 10, 69-75.	1.1	6
103	The Rhesus Monkey as a Model for Studies of Pregnancy Induced Changes in Metoprolol Metabolism. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1990, 66, 32-36.	0.0	6
104	Endocrine and adrenergic pharmacological intervention in diseases of the prostate. <i>British Journal of Clinical Pharmacology</i> , 1998, 45, 329-337.	2.4	6
105	Co-administration of Fluvastatin and CYP3A4 and CYP2C8 Inhibitors May Increase the Exposure to Fluvastatin in Carriers of CYP2C9 Genetic Variants. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 1078-1085.	1.4	6
106	Comparative Determination of Sulfonamide Concentration in Serum by Chemical and Microbiological Assay. <i>Scandinavian Journal of Infectious Diseases</i> , 1984, 16, 309-314.	1.5	5
107	PDE7B is involved in nandrolone decanoate hydrolysis in liver cytosol and its transcription is up-regulated by androgens in HepG2. <i>Frontiers in Pharmacology</i> , 2014, 5, 132.	3.5	5
108	Developmental Aspects of Pharmacokinetics. <i>Acta Pharmacologica Et Toxicologica</i> , 1971, 29, 240-249.	0.0	4

#	ARTICLE	IF	CITATIONS
109	Vitamin D receptor rs2228570 polymorphism is associated with LH levels in men exposed to anabolic androgenic steroids. <i>BMC Research Notes</i> , 2018, 11, 51.	1.4	4
110	Tardy development of safe medicines for children: a Nordic network offers new platform to reduce this inequity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 992-993.	1.5	4
111	Association of the cytochrome P450 1A2*1F polymorphism with clozapine response in schizophrenic patients. <i>FASEB Journal</i> , 2007, 21, A196.	0.5	4
112	Seeking Improved Global Child Health: Progress Toward Millennium Development Goal 4. <i>Paediatric Drugs</i> , 2014, 16, 101-103.	3.1	3
113	The Role of CYP2C8 and CYP2C9 Genotypes in Losartan-Dependent Inhibition of Paclitaxel Metabolism in Human Liver Microsomes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 408-414.	2.5	3
114	How paediatric drug development and use could benefit from OMICs: A c4c expert group white paper. <i>British Journal of Clinical Pharmacology</i> , 2022, , .	2.4	3
115	Glucuronidation of Morphine and some Drug Oxidation Reactions in Liver Microsomes from Pregnant and Non-Pregnant Rhesus Monkeys. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1991, 69, 78-80.	0.0	2
116	Institutional Profile: Karolinska Institutet. <i>Pharmacogenomics</i> , 2012, 13, 1887-1891.	1.3	2
117	Pregnancy-Induced Perturbation of Urinary Androgenic Steroid Disposition. <i>Journal of the Endocrine Society</i> , 2018, 2, 597-608.	0.2	2
118	Improved infrastructure and support needed for paediatric clinical trials in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 2740-2747.	1.5	2
119	Combined effect of telmisartan and fluvastatin on arachidonic acid metabolism in human liver microsomes. <i>Xenobiotica</i> , 2018, 48, 898-903.	1.1	1
120	Reply to "Multiple and Opposite Effects of Angiotensin II Receptor Blockers on the Bioavailability of Epoxyeicosatrienoic Acids". <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 215-216.	2.5	0
121	Tribute to Folke Sjöqvist, a Pioneer in Clinical Pharmacology. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 1127-1128.	4.7	0
122	Encouraging prospects for paediatric drug development in Europe. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 438-439.	1.5	0
123	Effects of angiotensin II receptor blockers on serum levels of epoxyeicosatrienoic acids and dihydroxyeicosatrienoic acids in patients admitted to a cardiovascular center. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 887-894.	1.9	0