

D G Joakim Larsson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5027046/d-g-joakim-larsson-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

14,342
citations

58
h-index

118
g-index

185
ext. papers

17,847
ext. citations

7.7
avg, IF

7.03
L-index

#	Paper	IF	Citations
166	Large-scale characterization of the macrolide resistome reveals high diversity and several new pathogen-associated genes.. <i>Microbial Genomics</i> , 2022 , 8,	4.4	1
165	Long-read metagenomic sequencing reveals shifts in associations of antibiotic resistance genes with mobile genetic elements from sewage to activated sludge.. <i>Microbiome</i> , 2022 , 10, 20	16.6	2
164	Evidence for <i>Pseudoxanthomonas mexicana</i> as the recent origin of the bla carbapenemase gene.. <i>International Journal of Antimicrobial Agents</i> , 2022 , 106571	14.3	1
163	Three-Year Consecutive Field Application of Erythromycin Fermentation Residue Following Hydrothermal Treatment: Cumulative Effect on Soil Antibiotic Resistance Genes. <i>Engineering</i> , 2022 ,	9.7	1
162	Antibiotic resistance genes of emerging concern in municipal and hospital wastewater from a major Swedish city. <i>Science of the Total Environment</i> , 2021 , 812, 151433	10.2	2
161	Antibiotic resistance in the environment. <i>Nature Reviews Microbiology</i> , 2021 ,	22.2	68
160	Antibiotic Resistance in Wastewater Treatment Plants and Transmission Risks for Employees and Residents: The Concept of the AWARE Study. <i>Antibiotics</i> , 2021 , 10,	4.9	3
159	Investigating the effects of municipal and hospital wastewaters on horizontal gene transfer. <i>Environmental Pollution</i> , 2021 , 276, 116733	9.3	6
158	Evidence for selection of multi-resistant E. coli by hospital effluent. <i>Environment International</i> , 2021 , 150, 106436	12.9	8
157	Monitoring of hospital sewage shows both promise and limitations as an early-warning system for carbapenemase-producing Enterobacterales in a low-prevalence setting. <i>Water Research</i> , 2021 , 200, 117261	12.5	5
156	An updated phylogeny of the metallo-β-lactamases. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 , 76, 117-123	5.1	8
155	Neuroactive drugs and other pharmaceuticals found in blood plasma of wild European fish. <i>Environment International</i> , 2021 , 146, 106188	12.9	9
154	A framework for identifying the recent origins of mobile antibiotic resistance genes. <i>Communications Biology</i> , 2021 , 4, 8	6.7	26
153	Supply chain transparency and the availability of essential medicines. <i>Bulletin of the World Health Organization</i> , 2021 , 99, 319-320	8.2	1
152	Twenty-year trends in antimicrobial resistance from aquaculture and fisheries in Asia. <i>Nature Communications</i> , 2021 , 12, 5384	17.4	8
151	Carriage of ESBL-producing Enterobacterales in wastewater treatment plant workers and surrounding residents - the AWARE Study.. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 1	5.3	0
150	Predicting clinical resistance prevalence using sewage metagenomic data. <i>Communications Biology</i> , 2020 , 3, 711	6.7	11

149	Structural and biochemical characterization of the environmental MBLs MYO-1, ECV-1 and SHD-1. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 2554-2563	5.1	6
148	A Novel, Integron-Regulated, Class C β -Lactamase. <i>Antibiotics</i> , 2020 , 9,	4.9	9
147	Discovery of a novel integron-borne aminoglycoside resistance gene present in clinical pathogens by screening environmental bacterial communities. <i>Microbiome</i> , 2020 , 8, 41	16.6	23
146	Surveillance of antibiotic resistant <i>Escherichia coli</i> in human populations through urban wastewater in ten European countries. <i>Environmental Pollution</i> , 2020 , 261, 114200	9.3	24
145	The Lancet Infectious Diseases Commission on antimicrobial resistance: 6 years later. <i>Lancet Infectious Diseases</i> , 2020 , 20, e51-e60	25.5	77
144	Long-term application of Swedish sewage sludge on farmland does not cause clear changes in the soil bacterial resistome. <i>Environment International</i> , 2020 , 137, 105339	12.9	22
143	Comprehensive screening of genomic and metagenomic data reveals a large diversity of tetracycline resistance genes. <i>Microbial Genomics</i> , 2020 , 6,	4.4	6
142	The Class A Carbapenemases BKC-1 and GPC-1 Both Originate from the Bacterial Genus. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	4
141	Naproxen affects multiple organs in fish but is still an environmentally better alternative to diclofenac. <i>Aquatic Toxicology</i> , 2020 , 227, 105583	5.1	6
140	Structural insights into the enhanced carbapenemase efficiency of OXA-655 compared to OXA-10. <i>FEBS Open Bio</i> , 2020 , 10, 1821-1832	2.7	2
139	Selective concentrations for trimethoprim resistance in aquatic environments. <i>Environment International</i> , 2020 , 144, 106083	12.9	15
138	The Association between Insertion Sequences and Antibiotic Resistance Genes. <i>MSphere</i> , 2020 , 5,	5	24
137	Setting a baseline for global urban virome surveillance in sewage. <i>Scientific Reports</i> , 2020 , 10, 13748	4.9	15
136	Every fifth published metagenome is not available to science. <i>PLoS Biology</i> , 2020 , 18, e3000698	9.7	9
135	A conceptual framework for the environmental surveillance of antibiotics and antibiotic resistance. <i>Environment International</i> , 2019 , 130, 104880	12.9	67
134	Health-related Research Ethics and Social Value: Antibiotic Resistance Intervention Research and Pragmatic Risks. <i>Bioethics</i> , 2019 , 33, 335-342	2	4
133	Global monitoring of antimicrobial resistance based on metagenomics analyses of urban sewage. <i>Nature Communications</i> , 2019 , 10, 1124	17.4	293
132	CMY-1/MOX-family AmpC β -Lactamases MOX-1, MOX-2 and MOX-9 were mobilized independently from three <i>Aeromonas</i> species. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 1202-1206	5.1	11

131	Identification and reconstruction of novel antibiotic resistance genes from metagenomes. <i>Microbiome</i> , 2019 , 7, 52	16.6	44
130	Sewage effluent from an Indian hospital harbors novel carbapenemases and integron-borne antibiotic resistance genes. <i>Microbiome</i> , 2019 , 7, 97	16.6	44
129	Synthesis and biological evaluation of truncated derivatives of abyssomicin C as antibacterial agents. <i>Beilstein Journal of Organic Chemistry</i> , 2019 , 15, 1468-1474	2.5	2
128	The mobile FOX AmpC beta-lactamases originated in <i>Aeromonas allosaccharophila</i> . <i>International Journal of Antimicrobial Agents</i> , 2019 , 54, 798-802	14.3	5
127	gen. nov., sp. nov., a New Member of the Family Isolated From a Wound Infection, Carries a Novel Quinolone Resistance Gene Variant. <i>Frontiers in Microbiology</i> , 2019 , 10, 2511	5.7	7
126	Population-level surveillance of antibiotic resistance in through sewage analysis. <i>Eurosurveillance</i> , 2019 , 24,	19.8	36
125	Managing pollution from antibiotics manufacturing: charting actors, incentives and disincentives. <i>Environmental Health</i> , 2019 , 18, 95	6	9
124	Characterization of the First OXA-10 Natural Variant with Increased Carbapenemase Activity. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	12
123	Fecal pollution can explain antibiotic resistance gene abundances in anthropogenically impacted environments. <i>Nature Communications</i> , 2019 , 10, 80	17.4	195
122	PER extended-spectrum β actamases originate from <i>Pararheinheimera</i> spp. <i>International Journal of Antimicrobial Agents</i> , 2019 , 53, 158-164	14.3	7
121	Differential removal of human pathogenic viruses from sewage by conventional and ozone treatments. <i>International Journal of Hygiene and Environmental Health</i> , 2018 , 221, 479-488	6.9	45
120	Risks of using the natural defence of commensal bacteria as antibiotics call for research and regulation. <i>International Journal of Antimicrobial Agents</i> , 2018 , 51, 277-278	14.3	
119	Antimicrobial resistance and the environment: assessment of advances, gaps and recommendations for agriculture, aquaculture and pharmaceutical manufacturing. <i>FEMS Microbiology Ecology</i> , 2018 , 94,	4.3	41
118	Functional metagenomics reveals a novel carbapenem-hydrolyzing mobile beta-lactamase from Indian river sediments contaminated with antibiotic production waste. <i>Environment International</i> , 2018 , 112, 279-286	12.9	33
117	Selective concentration for ciprofloxacin resistance in <i>Escherichia coli</i> grown in complex aquatic bacterial biofilms. <i>Environment International</i> , 2018 , 116, 255-268	12.9	49
116	Protection goals must guide risk assessment for antibiotics. <i>Environment International</i> , 2018 , 111, 352-353.	3.9	8
115	Environmental factors influencing the development and spread of antibiotic resistance. <i>FEMS Microbiology Reviews</i> , 2018 , 42,	15.1	361
114	Can branding and price of pharmaceuticals guide informed choices towards improved pollution control during manufacturing?. <i>Journal of Cleaner Production</i> , 2018 , 171, 137-146	10.3	21

113	Effects of ozonated sewage effluent on reproduction and behavioral endpoints in zebrafish (<i>Danio rerio</i>). <i>Aquatic Toxicology</i> , 2018 , 200, 93-101	5.1	12
112	Critical knowledge gaps and research needs related to the environmental dimensions of antibiotic resistance. <i>Environment International</i> , 2018 , 117, 132-138	12.9	183
111	Antibiotics and common antibacterial biocides stimulate horizontal transfer of resistance at low concentrations. <i>Science of the Total Environment</i> , 2018 , 616-617, 172-178	10.2	138
110	Maternal gut and breast milk microbiota affect infant gut antibiotic resistome and mobile genetic elements. <i>Nature Communications</i> , 2018 , 9, 3891	17.4	145
109	A Comprehensive Screening of Escherichia coli Isolates from Scandinavia's Largest Sewage Treatment Plant Indicates No Selection for Antibiotic Resistance. <i>Environmental Science & Technology</i> , 2018 , 52, 11419-11428	10.3	30
108	Bacterial resistance to arsenic protects against protist killing. <i>BioMetals</i> , 2017 , 30, 307-311	3.4	7
107	Metal Resistance and Its Association With Antibiotic Resistance. <i>Advances in Microbial Physiology</i> , 2017 , 70, 261-313	4.4	144
106	Does antifouling paint select for antibiotic resistance?. <i>Science of the Total Environment</i> , 2017 , 590-591, 461-468	10.2	42
105	Computational discovery and functional validation of novel fluoroquinolone resistance genes in public metagenomic data sets. <i>BMC Genomics</i> , 2017 , 18, 682	4.5	16
104	Identification of 76 novel B1 metallo-β-lactamases through large-scale screening of genomic and metagenomic data. <i>Microbiome</i> , 2017 , 5, 134	16.6	44
103	Discovery of the fourth mobile sulfonamide resistance gene. <i>Microbiome</i> , 2017 , 5, 160	16.6	65
102	Untreated urban waste contaminates Indian river sediments with resistance genes to last resort antibiotics. <i>Water Research</i> , 2017 , 124, 388-397	12.5	105
101	Using metagenomics to investigate human and environmental resistomes. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 2690-2703	5.1	63
100	Diclofenac affects kidney histology in the three-spined stickleback (<i>Gasterosteus aculeatus</i>) at low μ /L concentrations. <i>Aquatic Toxicology</i> , 2017 , 189, 87-96	5.1	36
99	Elucidating selection processes for antibiotic resistance in sewage treatment plants using metagenomics. <i>Science of the Total Environment</i> , 2016 , 572, 697-712	10.2	152
98	An assay for determining minimal concentrations of antibiotics that drive horizontal transfer of resistance. <i>Science of the Total Environment</i> , 2016 , 548-549, 131-138	10.2	99
97	Minimal selective concentrations of tetracycline in complex aquatic bacterial biofilms. <i>Science of the Total Environment</i> , 2016 , 553, 587-595	10.2	116
96	Concentrations of antibiotics predicted to select for resistant bacteria: Proposed limits for environmental regulation. <i>Environment International</i> , 2016 , 86, 140-9	12.9	386

95	Limited Bacterial Diversity within a Treatment Plant Receiving Antibiotic-Containing Waste from Bulk Drug Production. <i>PLoS ONE</i> , 2016 , 11, e0165914	3.7	7
94	The structure and diversity of human, animal and environmental resistomes. <i>Microbiome</i> , 2016 , 4, 54	16.6	239
93	Isolation of novel IncA/C and IncN fluoroquinolone resistance plasmids from an antibiotic-polluted lake. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 2709-17	5.1	43
92	Antibiotic resistance genes in the environment: prioritizing risks. <i>Nature Reviews Microbiology</i> , 2015 , 13, 396	22.2	134
91	The European technical report on aquatic effect-based monitoring tools under the water framework directive. <i>Environmental Sciences Europe</i> , 2015 , 27,		151
90	Improving environmental risk assessment of human pharmaceuticals. <i>Environmental Science & Technology</i> , 2015 , 49, 5336-45	10.3	106
89	The Human Gut Microbiome as a Transporter of Antibiotic Resistance Genes between Continents. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 6551-60	5.9	120
88	Waterborne beclomethasone dipropionate affects the physiology of fish while its metabolite beclomethasone is not taken up. <i>Science of the Total Environment</i> , 2015 , 511, 37-46	10.2	9
87	Co-occurrence of resistance genes to antibiotics, biocides and metals reveals novel insights into their co-selection potential. <i>BMC Genomics</i> , 2015 , 16, 964	4.5	370
86	Quinolone resistance mutations in the faecal microbiota of Swedish travellers to India. <i>BMC Microbiology</i> , 2015 , 15, 235	4.5	14
85	METAXA2: improved identification and taxonomic classification of small and large subunit rRNA in metagenomic data. <i>Molecular Ecology Resources</i> , 2015 , 15, 1403-14	8.4	252
84	Resistance Mutations in <i>gyrA</i> and <i>parC</i> are Common in <i>Escherichia</i> Communities of both Fluoroquinolone-Polluted and Uncontaminated Aquatic Environments. <i>Frontiers in Microbiology</i> , 2015 , 6, 1355	5.7	29
83	Progesterone-mediated effects on gene expression and oocyte-cumulus complex transport in the mouse fallopian tube. <i>Reproductive Biology and Endocrinology</i> , 2015 , 13, 40	5	10
82	BacMet: antibacterial biocide and metal resistance genes database. <i>Nucleic Acids Research</i> , 2014 , 42, D737-43	20.1	310
81	GC-MS determination of bisphenol A and alkylphenol ethoxylates in river water from India and their ecotoxicological risk assessment. <i>Ecotoxicology and Environmental Safety</i> , 2014 , 99, 13-20	7	104
80	Fluoroquinolones and <i>qnr</i> genes in sediment, water, soil, and human fecal flora in an environment polluted by manufacturing discharges. <i>Environmental Science & Technology</i> , 2014 , 48, 7825-32	10.3	111
79	Aqueous and lipid nuclear magnetic resonance metabolomic profiles of the earthworm <i>Aporrectodea caliginosa</i> show potential as an indicator species for environmental metabolomics. <i>Environmental Toxicology and Chemistry</i> , 2014 , 33, 2313-22	3.8	10
78	Antibiotics in the environment. <i>Upsala Journal of Medical Sciences</i> , 2014 , 119, 108-12	2.8	168

77	Tissue-specific bioconcentration of antidepressants in fish exposed to effluent from a municipal sewage treatment plant. <i>Science of the Total Environment</i> , 2014 , 488-489, 46-50	10.2	90
76	Pollution from drug manufacturing: review and perspectives. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014 , 369,	5.8	272
75	Shotgun metagenomics reveals a wide array of antibiotic resistance genes and mobile elements in a polluted lake in India. <i>Frontiers in Microbiology</i> , 2014 , 5, 648	5.7	144
74	Underappreciated role of regionally poor water quality on globally increasing antibiotic resistance. <i>Environmental Science & Technology</i> , 2014 , 48, 11746-7	10.3	33
73	Potential ecological footprints of active pharmaceutical ingredients: an examination of risk factors in low-, middle- and high-income countries. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014 , 369,	5.8	98
72	Non-steroidal anti-inflammatory drugs in Indian rivers. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 921-31	5.1	116
71	The classical progesterone receptor mediates the rapid reduction of fallopian tube ciliary beat frequency by progesterone. <i>Reproductive Biology and Endocrinology</i> , 2013 , 11, 33	5	25
70	A novel method for cross-species gene expression analysis. <i>BMC Bioinformatics</i> , 2013 , 14, 70	3.6	30
69	Hepatic transcriptome profiling indicates differential mRNA expression of apoptosis and immune related genes in eelpout (<i>Zoarces viviparus</i>) caught at Gøteborg harbor, Sweden. <i>Aquatic Toxicology</i> , 2013 , 130-131, 58-67	5.1	25
68	The scourge of antibiotic resistance: the important role of the environment. <i>Clinical Infectious Diseases</i> , 2013 , 57, 704-10	11.6	371
67	Functional verification of computationally predicted qnr genes. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2013 , 12, 34	6.2	14
66	The impact of temperature on the metabolome and endocrine metabolic signals in Atlantic salmon (<i>Salmo salar</i>). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2013 , 164, 44-53	2.6	79
65	Effluent from drug manufacturing affects cytochrome P450 1 regulation and function in fish. <i>Chemosphere</i> , 2013 , 90, 1149-57	8.4	32
64	Acquired genetic mechanisms of a multiresistant bacterium isolated from a treatment plant receiving wastewater from antibiotic production. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 7256-63	4.8	44
63	Human Health Risk Assessment (HHRA) for environmental development and transfer of antibiotic resistance. <i>Environmental Health Perspectives</i> , 2013 , 121, 993-1001	8.4	390
62	Management options for reducing the release of antibiotics and antibiotic resistance genes to the environment. <i>Environmental Health Perspectives</i> , 2013 , 121, 878-85	8.4	505
61	Oral exposure to industrial effluent with exceptionally high levels of drugs does not indicate acute toxic effects in rats. <i>Environmental Toxicology and Chemistry</i> , 2013 , 32, 577-84	3.8	8
60	A treatment plant receiving waste water from multiple bulk drug manufacturers is a reservoir for highly multi-drug resistant integron-bearing bacteria. <i>PLoS ONE</i> , 2013 , 8, e77310	3.7	74

59	Influence of humans on evolution and mobilization of environmental antibiotic resistome. <i>Emerging Infectious Diseases</i> , 2013 , 19,	10.2	99
58	Prioritising pharmaceuticals for environmental risk assessment: Towards adequate and feasible first-tier selection. <i>Science of the Total Environment</i> , 2012 , 421-422, 102-10	10.2	110
57	Global hepatic gene expression in rainbow trout exposed to sewage effluents: a comparison of different sewage treatment technologies. <i>Science of the Total Environment</i> , 2012 , 427-428, 106-14	10.2	17
56	Does ketoprofen or diclofenac pose the lowest risk to fish?. <i>Journal of Hazardous Materials</i> , 2012 , 229-230, 100-6	12.8	30
55	A novel method to discover fluoroquinolone antibiotic resistance (qnr) genes in fragmented nucleotide sequences. <i>BMC Genomics</i> , 2012 , 13, 695	4.5	20
54	Carbonyl reductase mRNA abundance and enzymatic activity as potential biomarkers of oxidative stress in marine fish. <i>Marine Environmental Research</i> , 2012 , 80, 56-61	3.3	5
53	Environmental Comparative Pharmacology: Theory and Application. <i>Emerging Topics in Ecotoxicology</i> , 2012 , 85-108		11
52	Pharmaceuticals and personal care products in the environment: what are the big questions?. <i>Environmental Health Perspectives</i> , 2012 , 120, 1221-9	8.4	830
51	Antimicrobial activity of filamentous fungi isolated from highly antibiotic-contaminated river sediment. <i>Infection Ecology and Epidemiology</i> , 2012 , 2,	4.3	18
50	Pyrosequencing of antibiotic-contaminated river sediments reveals high levels of resistance and gene transfer elements. <i>PLoS ONE</i> , 2011 , 6, e17038	3.7	379
49	Environmental Microbial Communities Living Under Very High Antibiotic Selection Pressure 2011 , 483-501		
48	Diclofenac in fish: blood plasma levels similar to human therapeutic levels affect global hepatic gene expression. <i>Environmental Toxicology and Chemistry</i> , 2011 , 30, 2126-34	3.8	73
47	Physiology and mRNA expression in rainbow trout (<i>Oncorhynchus mykiss</i>) after long-term exposure to the new antifoulant medetomidine. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2011 , 154, 234-41	3.2	7
46	Reproducible (1)H NMR-based metabolomic responses in fish exposed to different sewage effluents in two separate studies. <i>Environmental Science & Technology</i> , 2011 , 45, 1703-10	10.3	46
45	GC-MS analysis and ecotoxicological risk assessment of triclosan, carbamazepine and parabens in Indian rivers. <i>Journal of Hazardous Materials</i> , 2011 , 186, 1586-93	12.8	259
44	Does waterborne citalopram affect the aggressive and sexual behaviour of rainbow trout and guppy?. <i>Journal of Hazardous Materials</i> , 2011 , 187, 596-9	12.8	33
43	A metabolomics approach to elucidate effects of food deprivation in juvenile rainbow trout (<i>Oncorhynchus mykiss</i>). <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 299, R1440-8	3.2	58
42	Therapeutic levels of levonorgestrel detected in blood plasma of fish: results from screening rainbow trout exposed to treated sewage effluents. <i>Environmental Science & Technology</i> , 2010 , 44, 2661-6	10.3	174

41	Transcriptional effects of progesterone receptor antagonist in rat granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2010 , 315, 121-30	4.4	10
40	Induction of hepatic carbonyl reductase/20beta-hydroxysteroid dehydrogenase mRNA in rainbow trout downstream from sewage treatment works--possible roles of aryl hydrocarbon receptor agonists and oxidative stress. <i>Aquatic Toxicology</i> , 2010 , 97, 243-9	5.1	16
39	Rapid effects of progesterone on ciliary beat frequency in the mouse fallopian tube. <i>Reproductive Biology and Endocrinology</i> , 2010 , 8, 48	5	36
38	Predicted critical environmental concentrations for 500 pharmaceuticals. <i>Regulatory Toxicology and Pharmacology</i> , 2010 , 58, 516-23	3.4	156
37	Release of active pharmaceutical ingredients from manufacturing sites--need for new management strategies. <i>Integrated Environmental Assessment and Management</i> , 2010 , 6, 184-6	2.5	10
36	Dominant role of nuclear progesterone receptor in the control of rat periovulatory granulosa cell apoptosis. <i>Biology of Reproduction</i> , 2009 , 80, 1160-7	3.9	19
35	Comparison of six different sewage treatment processes--reduction of estrogenic substances and effects on gene expression in exposed male fish. <i>Science of the Total Environment</i> , 2009 , 407, 5235-42	10.2	42
34	Characterization of the <i>Zoarces viviparus</i> liver transcriptome using massively parallel pyrosequencing. <i>BMC Genomics</i> , 2009 , 10, 345	4.5	60
33	Transparency throughout the production chain--a way to reduce pollution from the manufacturing of pharmaceuticals?. <i>Regulatory Toxicology and Pharmacology</i> , 2009 , 53, 161-3	3.4	60
32	Effluent from bulk drug production is toxic to aquatic vertebrates. <i>Environmental Toxicology and Chemistry</i> , 2009 , 28, 2656-62	3.8	94
31	Contamination of surface, ground, and drinking water from pharmaceutical production. <i>Environmental Toxicology and Chemistry</i> , 2009 , 28, 2522-7	3.8	588
30	Pharmaceutical industry effluent diluted 1:500 affects global gene expression, cytochrome P450 1A activity, and plasma phosphate in fish. <i>Environmental Toxicology and Chemistry</i> , 2009 , 28, 2639-47	3.8	53
29	Distribution and hormonal regulation of membrane progesterone receptors beta and gamma in ciliated epithelial cells of mouse and human fallopian tubes. <i>Reproductive Biology and Endocrinology</i> , 2009 , 7, 89	5	49
28	Evolutionary conservation of human drug targets in organisms used for environmental risk assessments. <i>Environmental Science & Technology</i> , 2008 , 42, 5807-13	10.3	412
27	Contributions from metabolomics to fish research. <i>Molecular BioSystems</i> , 2008 , 4, 974-9		73
26	Effluent from drug manufactures contains extremely high levels of pharmaceuticals. <i>Journal of Hazardous Materials</i> , 2007 , 148, 751-5	12.8	931
25	Sensitive and robust gene expression changes in fish exposed to estrogen--a microarray approach. <i>BMC Genomics</i> , 2007 , 8, 149	4.5	50
24	Membrane progesterone receptor gamma: tissue distribution and expression in ciliated cells in the fallopian tube. <i>Molecular Reproduction and Development</i> , 2007 , 74, 843-50	2.6	39

23	Apoptotic effects of a progesterone receptor antagonist on rat granulosa cells are not mediated via reduced protein isoprenylation. <i>Molecular Reproduction and Development</i> , 2007 , 74, 1317-26	2.6	5
22	Proteomic analyses indicate induction of hepatic carbonyl reductase/20beta-hydroxysteroid dehydrogenase B in rainbow trout exposed to sewage effluent. <i>Ecotoxicology and Environmental Safety</i> , 2007 , 68, 33-9	7	29
21	Variations in bioconcentration of human pharmaceuticals from sewage effluents into fish blood plasma. <i>Environmental Toxicology and Pharmacology</i> , 2007 , 24, 267-74	5.8	117
20	Fish models in toxicology. <i>Zebrafish</i> , 2007 , 4, 9-20	2	21
19	Using NMR metabolomics to identify responses of an environmental estrogen in blood plasma of fish. <i>Aquatic Toxicology</i> , 2006 , 78, 341-9	5.1	103
18	Is heart rate in fish a sensitive indicator to evaluate acute effects of β blockers in surface water?. <i>Environmental Toxicology and Pharmacology</i> , 2006 , 22, 338-40	5.8	18
17	Characterization of putative ligands for a fish gonadal androgen receptor in a pulp mill effluent. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 419-27	3.8	22
16	Progesterone-receptor antagonists and statins decrease de novo cholesterol synthesis and increase apoptosis in rat and human periovulatory granulosa cells in vitro. <i>Biology of Reproduction</i> , 2005 , 72, 538-45	3.9	37
15	Male-biased sex ratios of fish embryos near a pulp mill: temporary recovery after a short-term shutdown. <i>Environmental Health Perspectives</i> , 2002 , 110, 739-42	8.4	105
14	Regulation of androgen receptors in Atlantic croaker brains by testosterone and estradiol. <i>General and Comparative Endocrinology</i> , 2002 , 128, 224-30	3	17
13	Seasonal variations of vitelline envelope proteins, vitellogenin, and sex steroids in male and female eelpout (<i>Zoarces viviparus</i>). <i>General and Comparative Endocrinology</i> , 2002 , 125, 184-96	3	27
12	Studies of masculinization, detoxification, and oxidative stress responses in guppies (<i>Poecilia reticulata</i>) exposed to effluent from a pulp mill. <i>Ecotoxicology and Environmental Safety</i> , 2002 , 52, 13-20 ⁷		40
11	More male fish embryos near a pulp mill. <i>Environmental Toxicology and Chemistry</i> , 2000 , 19, 2911-2917	3.8	150
10	Development of hepatic CYP1A and blood vitellogenin in eel (<i>Anguilla anguilla</i>) for use as biomarkers in the Thames Estuary, UK. <i>Marine Environmental Research</i> , 2000 , 50, 367-71	3.3	20
9	More male fish embryos near a pulp mill 2000 , 19, 2911		10
8	Seasonal variations in the activities of selected hepatic biotransformation and antioxidant enzymes in eelpout (<i>Zoarces viviparus</i>). <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 1999 , 124, 271-9		26
7	Ethinylestradiol: An undesired fish contraceptive?. <i>Aquatic Toxicology</i> , 1999 , 45, 91-97	5.1	560
6	Effects of potential xenoestrogens (DEHP, nonylphenol and PCB) on sexual differentiation in juvenile Atlantic salmon (<i>Salmo salar</i>). <i>Aquatic Ecosystem Health and Management</i> , 1999 , 2, 311-317	1.4	14

5	Gonadotropin-releasing hormone analogue (GnRH-A) induces multiple ovulations of high-quality eggs in a cold-water, batch-spawning teleost, the yellowtail flounder (<i>Pleuronectes ferrugineus</i>). <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1997 , 54, 1957-1964	2.4	23
4	Amino acid composition and endocrine control of vitelline envelope proteins in European sea bass (<i>Dicentrarchus labrax</i>) and gilthead sea bream (<i>Sparus aurata</i>). <i>Molecular Reproduction and Development</i> , 1995 , 41, 339-47	2.6	35
3	Induction of vitelline envelope proteins by estradiol-17 beta in 10 teleost species. <i>General and Comparative Endocrinology</i> , 1994 , 96, 445-50	3	42
2	Fecal pollution explains antibiotic resistance gene abundances in anthropogenically impacted environments		3
1	Wastewater Based Epidemiology Enabled Surveillance of Antibiotic Resistance		1