

# Dariusz Grzesiak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/502752/publications.pdf>

Version: 2024-02-01

35  
papers

2,434  
citations

430874

18  
h-index

454955

30  
g-index

35  
all docs

35  
docs citations

35  
times ranked

1546  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Effect of Laser Spot Size, Scanning Strategy, Scanning Speed, and Laser Power on Microstructure and Mechanical Behavior of 316L Stainless Steel Fabricated via Selective Laser Melting. <i>Journal of Materials Engineering and Performance</i> , 2022, 31, 2205-2224.                                      | 2.5  | 26        |
| 2  | Compressive deformation behavior and energy absorption characteristic of additively manufactured sheet CoCrMo triply periodic minimal surface lattices. <i>Journal of Materials Research and Technology</i> , 2022, 18, 171-184.  | 5.8  | 14        |
| 3  | A New Approach for Manufacturing Stochastic Pure Magnesium Foam by Laser Powder Bed Fusion: Fabrication, Geometrical Characteristics, and Compressive Mechanical Properties. <i>Advanced Engineering Materials</i> , 2021, 23, 2100483.   | 3.5  | 7         |
| 4  | Effect of energy density and scanning strategy on densification, microstructure and mechanical properties of 316L stainless steel processed via selective laser melting. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 770, 138455. | 5.6  | 157       |
| 5  | Fracture Toughness of a Hot Work Tool Steel Fabricated by Laser Powder Bed Fusion Additive Manufacturing. <i>Steel Research International</i> , 2020, 91, 1900449.  | 1.8  | 9         |
| 6  | Effects of building direction and defect sensitivity on the fatigue behavior of additively manufactured H13 tool steel. <i>Theoretical and Applied Fracture Mechanics</i> , 2020, 108, 102634.  | 4.7  | 32        |
| 7  | Effect of processing parameters on the microstructure and mechanical properties of Co-Cr-Mo alloy fabricated by selective laser melting. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 792, 139456.                                 | 5.6  | 36        |
| 8  | The role of the additive manufacturing process parameters in the shaping of the surface geometric structure during micro-milling. <i>Journal of Machine Engineering</i> , 2020, 20, 86-93.  | 1.8  | 1         |
| 9  | Technical and Economic Implications of the Combination of Machining and Additive Manufacturing in the Production of Metal Parts on the Example of a Disc Type Element. <i>Lecture Notes in Mechanical Engineering</i> , 2020, , 128-137.  | 0.4  | 0         |
| 10 | Novel TiB <sub>2</sub> -reinforced 316L stainless steel nanocomposites with excellent room- and high-temperature yield strength developed by additive manufacturing. <i>Composites Part B: Engineering</i> , 2019, 156, 51-63.  | 12.0 | 185       |
| 11 | Selective laser melting of TiC reinforced stainless steel nanocomposites: Mechanical behaviour at elevated temperatures. <i>Materials Letters</i> , 2019, 256, 126633.  | 2.6  | 11        |
| 12 | Superior Wear Resistance in EBM-Processed TC4 Alloy Compared with SLM and Forged Samples. <i>Materials</i> , 2019, 12, 782.   | 2.9  | 23        |
| 13 | Heat treatment and properties of a hot work tool steel fabricated by additive manufacturing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 753, 109-121.  | 5.6  | 129       |
| 14 | Hf-partially stabilized zirconia nanocomposites fabricated by high-energy mechanical milling and selective laser melting. <i>Materials and Design</i> , 2018, 146, 286-297.   | 7.0  | 25        |
| 15 | Thermal behavior of the molten pool, microstructural evolution, and tribological performance during selective laser melting of TiC/316L stainless steel nanocomposites: Experimental and simulation methods. <i>Journal of Materials Processing Technology</i> , 2018, 257, 288-301.                        | 6.3  | 133       |
| 16 | In situ formation of TiC-particle-reinforced stainless steel matrix nanocomposites during ball milling: Feedstock powder preparation for selective laser melting at various energy densities. <i>Powder Technology</i> , 2018, 326, 467-478.  | 4.2  | 89        |
| 17 | Densification behavior, microstructural evolution, and mechanical properties of TiC/316L stainless steel nanocomposites fabricated by selective laser melting. <i>Materials and Design</i> , 2018, 138, 119-128.  | 7.0  | 182       |
| 18 | Strengthening of stainless steel by titanium carbide addition and grain refinement during selective laser melting. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 712, 812-818.  | 5.6  | 149       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Topology Optimisation Aimed at Additive SLM Manufacturing of Metal Parts of ExoArm 7-DOF. Lecture Notes in Mechanical Engineering, 2018, , 533-541.  | 0.4 | 2         |
| 20 | Selective laser melting of TiB <sub>2</sub> /316L stainless steel composites: The roles of powder preparation and hot isostatic pressing post-treatment. Powder Technology, 2017, 309, 37-48.  | 4.2 | 134       |
| 21 | Selective laser melting of TiB <sub>2</sub> /H13 steel nanocomposites: Influence of hot isostatic pressing post-treatment. Journal of Materials Processing Technology, 2017, 244, 344-353.   | 6.3 | 94        |
| 22 | In-situ formation of novel TiC-particle-reinforced 316L stainless steel bulk-form composites by selective laser melting. Journal of Alloys and Compounds, 2017, 706, 409-418.  | 5.5 | 193       |
| 23 | Selective laser melting of TiC/H13 steel bulk-form nanocomposites with variations in processing parameters. MRS Communications, 2017, 7, 84-89.  | 1.8 | 10        |
| 24 | Scanning strategies for texture and anisotropy tailoring during selective laser melting of TiC/316L stainless steel nanocomposites. Journal of Alloys and Compounds, 2017, 728, 424-435.   | 5.5 | 190       |
| 25 | Nanocrystalline TiC-reinforced H13 steel matrix nanocomposites fabricated by selective laser melting. Materials and Design, 2016, 96, 150-161.   | 7.0 | 149       |
| 26 | Rapid fabrication of bulk-form TiB <sub>2</sub> /316L stainless steel nanocomposites with novel reinforcement architecture and improved performance by selective laser melting. Journal of Alloys and Compounds, 2016, 680, 480-493. | 5.5 | 208       |
| 27 | Selective laser melting of TiC reinforced 316L stainless steel matrix nanocomposites: Influence of starting TiC particle size and volume content. Materials and Design, 2016, 104, 141-151.  | 7.0 | 214       |
| 28 | Selective Laser Melting of TiB <sub>2</sub> /H13 Steel Bulk Nanocomposites: Influence of Nanoscale Reinforcement. , 2016, , 171-176.   |     | 0         |
| 29 | Technological Restrictions of Lightweight Lattice Structures Manufactured by Selective Laser Melting of Metals. Advances in Manufacturing Science and Technology, 2014, 38, 75-82.   | 0.3 | 2         |
| 30 | Effect of milling time on thermal treatment of TiC, TiB <sub>2</sub> /steel powders. Journal of Thermal Analysis and Calorimetry, 2013, 113, 379-383.  | 3.6 | 10        |
| 31 | Mechanical Properties of Metal Matrix Nanocomposites Synthesized by Selective Laser Melting Measured by Depth Sensing Indentation Technique. Key Engineering Materials, 2013, 586, 83-86.  | 0.4 | 4         |
| 32 | Oxidation process of the steel/nc-TiC nanocomposites. Journal of Thermal Analysis and Calorimetry, 2012, 108, 979-983.   | 3.6 | 6         |
| 33 | Application of thermal analysis in nanotechnology. Journal of Thermal Analysis and Calorimetry, 2010, 101, 701-706.  | 3.6 | 7         |
| 34 | Microstructure and Tribocorrosion Properties of Titanium Matrix Nanocomposites Manufactured by Selective Laser Sintering/Melting Method. Solid State Phenomena, 0, 227, 247-250.   | 0.3 | 3         |
| 35 | Selective Laser Melting of TiB <sub>2</sub> /H13 Steel Bulk Nanocomposites: Influence of Nanoscale Reinforcement. , 0, , 167-176.  |     | 0         |