

Pil Joon Seo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5028601/publications.pdf>

Version: 2024-02-01

119
papers

8,590
citations

41258

49
h-index

46693

89
g-index

124
all docs

124
docs citations

124
times ranked

9270
citing authors

#	ARTICLE	IF	CITATIONS
1	The MYB96 Transcription Factor Regulates Cuticular Wax Biosynthesis under Drought Conditions in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2011, 23, 1138-1152.	3.1	522
2	The MYB96 Transcription Factor Mediates Abscisic Acid Signaling during Drought Stress Response in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2009, 151, 275-289.	2.3	510
3	The <i>GIGANTEA</i> -Regulated MicroRNA172 Mediates Photoperiodic Flowering Independent of <i>CONSTANS</i> in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2007, 19, 2736-2748.	3.1	438
4	The <i>Arabidopsis</i> NAC Transcription Factor VNI2 Integrates Abscisic Acid Signals into Leaf Senescence via the <i>COR</i> / <i>RD</i> Genes. <i>Plant Cell</i> , 2011, 23, 2155-2168.	3.1	366
5	A NAC transcription factor NTL4 promotes reactive oxygen species production during drought-induced leaf senescence in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012, 70, 831-844.	2.8	360
6	MYB96-mediated abscisic acid signals induce pathogen resistance response by promoting salicylic acid biosynthesis in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2010, 186, 471-483.	3.5	293
7	Cold activation of a plasma membrane-tethered NAC transcription factor induces a pathogen resistance response in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010, 61, 661-671.	2.8	253
8	A Self-Regulatory Circuit of CIRCADIAN CLOCK-ASSOCIATED1 Underlies the Circadian Clock Regulation of Temperature Responses in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 2427-2442.	3.1	249
9	The SOC1- <i>SPL</i> module integrates photoperiod and gibberellic acid signals to control flowering time in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012, 69, 577-588.	2.8	225
10	Exploring membrane-associated NAC transcription factors in <i>Arabidopsis</i> : implications for membrane biology in genome regulation. <i>Nucleic Acids Research</i> , 2007, 35, 203-213.	6.5	214
11	Membrane-bound transcription factors in plants. <i>Trends in Plant Science</i> , 2008, 13, 550-556.	4.3	199
12	Molecular and Functional Profiling of <i>Arabidopsis</i> Pathogenesis-Related Genes: Insights into Their Roles in Salt Response of Seed Germination. <i>Plant and Cell Physiology</i> , 2008, 49, 334-344.	1.5	197
13	miR172 signals are incorporated into the miR156 signaling pathway at the <i>SPL3/4/5</i> genes in <i>Arabidopsis</i> developmental transitions. <i>Plant Molecular Biology</i> , 2011, 76, 35-45.	2.0	177
14	An <i>Arabidopsis</i> senescence-associated protein SAG29 regulates cell viability under high salinity. <i>Planta</i> , 2011, 233, 189-200.	1.6	170
15	Expression of <i>Arabidopsis</i> pathogenesis-related genes during nematode infection. <i>Molecular Plant Pathology</i> , 2011, 12, 355-364.	2.0	150
16	The <i>MYB96</i> - <i>HHP</i> module integrates cold and abscisic acid signaling to activate the <i>CBF</i> - <i>COR</i> pathway in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2015, 82, 962-977.	2.8	140
17	Modulation of sugar metabolism by an INDETERMINATE DOMAIN transcription factor contributes to photoperiodic flowering in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2011, 65, 418-429.	2.8	137
18	Two splice variants of the <i>IDD14</i> transcription factor competitively form nonfunctional heterodimers which may regulate starch metabolism. <i>Nature Communications</i> , 2011, 2, 303.	5.8	132

#	ARTICLE	IF	CITATIONS
19	HD-ZIP III Activity Is Modulated by Competitive Inhibitors via a Feedback Loop in <i>Arabidopsis</i> Shoot Apical Meristem Development. <i>Plant Cell</i> , 2008, 20, 920-933.	3.1	127
20	STRESSing the role of the plant circadian clock. <i>Trends in Plant Science</i> , 2015, 20, 230-237.	4.3	119
21	Activation of a flavin monooxygenase gene YUCCA7 enhances drought resistance in <i>Arabidopsis</i> . <i>Planta</i> , 2012, 235, 923-938.	1.6	117
22	Dynamic Epigenetic Changes during Plant Regeneration. <i>Trends in Plant Science</i> , 2018, 23, 235-247.	4.3	114
23	Genome-scale screening and molecular characterization of membrane-bound transcription factors in <i>Arabidopsis</i> and rice. <i>Genomics</i> , 2010, 95, 56-65.	1.3	112
24	The AT-hook Motif-containing Protein AHL22 Regulates Flowering Initiation by Modifying FLOWERING LOCUS T Chromatin in <i>Arabidopsis</i> . <i>Journal of Biological Chemistry</i> , 2012, 287, 15307-15316.	1.6	108
25	Systemic Immunity Requires SnRK2.8-Mediated Nuclear Import of NPR1 in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2015, 27, 3425-3438.	3.1	104
26	Competitive inhibition of transcription factors by small interfering peptides. <i>Trends in Plant Science</i> , 2011, 16, 541-549.	4.3	100
27	The E3 Ubiquitin Ligase HOS1 Regulates <i>Arabidopsis</i> Flowering by Mediating CONSTANS Degradation Under Cold Stress. <i>Journal of Biological Chemistry</i> , 2012, 287, 43277-43287.	1.6	90
28	Histone deacetylation-mediated cellular dedifferentiation in <i>Arabidopsis</i> . <i>Journal of Plant Physiology</i> , 2016, 191, 95-100.	1.6	86
29	Cuticular wax biosynthesis as a way of inducing drought resistance. <i>Plant Signaling and Behavior</i> , 2011, 6, 1043-1045.	1.2	82
30	Alternative splicing of transcription factors in plant responses to low temperature stress: mechanisms and functions. <i>Planta</i> , 2013, 237, 1415-1424.	1.6	81
31	Multiple Layers of Posttranslational Regulation Refine Circadian Clock Activity in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 79-87.	3.1	81
32	The <i>Arabidopsis</i> Floral Repressor BFT Delays Flowering by Competing with FT for FD Binding under High Salinity. <i>Molecular Plant</i> , 2014, 7, 377-387.	3.9	79
33	Signaling Peptides and Receptors Coordinating Plant Root Development. <i>Trends in Plant Science</i> , 2018, 23, 337-351.	4.3	79
34	<i>Arabidopsis</i> RNA-binding Protein FCA Regulates MicroRNA172 Processing in Thermosensory Flowering. <i>Journal of Biological Chemistry</i> , 2012, 287, 16007-16016.	1.6	78
35	AKIN10 delays flowering by inactivating IDD8 transcription factor through protein phosphorylation in <i>Arabidopsis</i> . <i>BMC Plant Biology</i> , 2015, 15, 110.	1.6	76
36	MYB96 recruits the HDA15 protein to suppress negative regulators of ABA signaling in <i>Arabidopsis</i> . <i>Nature Communications</i> , 2019, 10, 1713.	5.8	75

#	ARTICLE	IF	CITATIONS
37	The Arabidopsis MIEL1 E3 ligase negatively regulates ABA signalling by promoting protein turnover of MYB96. <i>Nature Communications</i> , 2016, 7, 12525.	5.8	73
38	The Floral Repressor BROTHER OF FT AND TFL1 (BFT) Modulates Flowering Initiation under High Salinity in Arabidopsis. <i>Molecules and Cells</i> , 2011, 32, 295-304.	1.0	72
39	Auxin homeostasis during lateral root development under drought condition. <i>Plant Signaling and Behavior</i> , 2009, 4, 1002-1004.	1.2	71
40	The Circadian Clock Sets the Time of DNA Replication Licensing to Regulate Growth in Arabidopsis. <i>Developmental Cell</i> , 2018, 45, 101-113.e4.	3.1	71
41	JMJ30-mediated demethylation of H3K9me3 drives tissue identity changes to promote callus formation in Arabidopsis. <i>Plant Journal</i> , 2018, 95, 961-975.	2.8	70
42	Proteolytic processing of an Arabidopsis membrane-bound NAC transcription factor is triggered by cold-induced changes in membrane fluidity. <i>Biochemical Journal</i> , 2010, 427, 359-367.	1.7	63
43	The Arabidopsis MYB96 transcription factor plays a role in seed dormancy. <i>Plant Molecular Biology</i> , 2015, 87, 371-381.	2.0	63
44	Arabidopsis ATXR2 deposits H3K36me3 at the promoters of LBD genes to facilitate cellular dedifferentiation. <i>Science Signaling</i> , 2017, 10, .	1.6	63
45	The Arabidopsis MYB96 Transcription Factor Is a Positive Regulator of ABSCISIC ACID-INSENSITIVE4 in the Control of Seed Germination. <i>Plant Physiology</i> , 2015, 168, 677-689.	2.3	62
46	A membrane-bound NAC transcription factor as an integrator of biotic and abiotic stress signals. <i>Plant Signaling and Behavior</i> , 2010, 5, 481-483.	1.2	60
47	An Arabidopsis GH3 Gene, Encoding an Auxin-Conjugating Enzyme, Mediates Phytochrome B-Regulated Light Signals in Hypocotyl Growth. <i>Plant and Cell Physiology</i> , 2007, 48, 1236-1241.	1.5	59
48	A Golgi-localized MATE transporter mediates iron homeostasis under osmotic stress in Arabidopsis. <i>Biochemical Journal</i> , 2012, 442, 551-561.	1.7	56
49	De novo shoot organogenesis during plant regeneration. <i>Journal of Experimental Botany</i> , 2020, 71, 63-72.	2.4	55
50	Ca ²⁺ -talyzing Initial Responses to Environmental Stresses. <i>Trends in Plant Science</i> , 2021, 26, 849-870.	4.3	54
51	MicroRNA biogenesis and function in higher plants. <i>Plant Biotechnology Reports</i> , 2009, 3, 111-126.	0.9	49
52	CCA1 alternative splicing as a way of linking the circadian clock to temperature response in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2012, 7, 1194-1196.	1.2	47
53	MYB96 shapes the circadian gating of ABA signaling in Arabidopsis. <i>Scientific Reports</i> , 2016, 6, 17754.	1.6	47
54	Natural variation in floral nectar proteins of two <i>Nicotiana attenuata</i> accessions. <i>BMC Plant Biology</i> , 2013, 13, 101.	1.6	39

#	ARTICLE	IF	CITATIONS
55	The E3 Ubiquitin Ligase COP1 Regulates Thermosensory Flowering by Triggering GI Degradation in Arabidopsis. <i>Scientific Reports</i> , 2015, 5, 12071.	1.6	39
56	Preparation of leaf mesophyll protoplasts for transient gene expression in <i>Brachypodium distachyon</i> . <i>Journal of Plant Biology</i> , 2012, 55, 390-397.	0.9	38
57	Identification and molecular characterization of a <i>Brachypodium distachyon</i> GIGANTEA gene: functional conservation in monocot and dicot plants. <i>Plant Molecular Biology</i> , 2010, 72, 485-497.	2.0	35
58	Alternative splicing provides a proactive mechanism for the diurnal CONSTANS dynamics in Arabidopsis photoperiodic flowering. <i>Plant Journal</i> , 2017, 89, 128-140.	2.8	34
59	The MYB96 Transcription Factor Regulates Triacylglycerol Accumulation by Activating DGAT1 and PDAT1 Expression in Arabidopsis Seeds. <i>Plant and Cell Physiology</i> , 2018, 59, 1432-1442.	1.5	34
60	A Competitive Peptide Inhibitor KIDARI Negatively Regulates HFR1 by Forming Nonfunctional Heterodimers in Arabidopsis Photomorphogenesis. <i>Molecules and Cells</i> , 2013, 35, 25-31.	1.0	33
61	Recent advances in plant membrane-bound transcription factor research: Emphasis on intracellular movement. <i>Journal of Integrative Plant Biology</i> , 2014, 56, 334-342.	4.1	33
62	Get closer and make hotspots: liquid-liquid phase separation in plants. <i>EMBO Reports</i> , 2021, 22, e51656.	2.0	33
63	Peptide Signaling during Plant Reproduction. <i>Trends in Plant Science</i> , 2021, 26, 822-835.	4.3	33
64	Airborne signals from salt-stressed <i>Arabidopsis</i> plants trigger salinity tolerance in neighboring plants. <i>Plant Signaling and Behavior</i> , 2014, 9, e28392.	1.2	31
65	The EC-HDA9 complex rhythmically regulates histone acetylation at the TOC1 promoter in Arabidopsis. <i>Communications Biology</i> , 2019, 2, 143.	2.0	31
66	Optimization of protoplast regeneration in the model plant <i>Arabidopsis thaliana</i> . <i>Plant Methods</i> , 2021, 17, 21.	1.9	30
67	RNA-Seq Analysis of the Arabidopsis Transcriptome in Pluripotent Calli. <i>Molecules and Cells</i> , 2016, 39, 484-494.	1.0	29
68	LBD14/ASL17 Positively Regulates Lateral Root Formation and is Involved in ABA Response for Root Architecture in Arabidopsis. <i>Plant and Cell Physiology</i> , 2017, 58, 2190-2201.	1.5	28
69	Coordination of matrix attachment and ATP-dependent chromatin remodeling regulate auxin biosynthesis and Arabidopsis hypocotyl elongation. <i>PLoS ONE</i> , 2017, 12, e0181804.	1.1	28
70	<i>ARABIDOPSIS TRITHORAX 4</i> Facilitates Shoot Identity Establishment during the Plant Regeneration Process. <i>Plant and Cell Physiology</i> , 2019, 60, 826-834.	1.5	26
71	Targeted inactivation of transcription factors by overexpression of their truncated forms in plants. <i>Plant Journal</i> , 2012, 72, 162-172.	2.8	25
72	Role of the INDETERMINATE DOMAIN Genes in Plants. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2286.	1.8	24

#	ARTICLE	IF	CITATIONS
73	The Evening Complex Establishes Repressive Chromatin Domains Via H2A.Z Deposition. <i>Plant Physiology</i> , 2020, 182, 612-625.	2.3	23
74	H3K36me2 is highly correlated with m ⁶ A modifications in plants. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 1455-1460.	4.1	23
75	The Arabidopsis MYB96 Transcription Factor Mediates ABA-Dependent Triacylglycerol Accumulation in Vegetative Tissues under Drought Stress Conditions. <i>Plants</i> , 2019, 8, 296.	1.6	22
76	Recent advances in peptide signaling during Arabidopsis root development. <i>Journal of Experimental Botany</i> , 2021, 72, 2889-2902.	2.4	21
77	Activation of a Mitochondrial ATPase Gene Induces Abnormal Seed Development in Arabidopsis. <i>Molecules and Cells</i> , 2011, 31, 361-370.	1.0	20
78	The E3 ubiquitin ligase HOS1 is involved in ethylene regulation of leaf expansion in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2015, 10, e1003755.	1.2	19
79	MYB96 stimulates C18 fatty acid elongation in Arabidopsis seeds. <i>Plant Biotechnology Reports</i> , 2015, 9, 161-166.	0.9	18
80	Varying Auxin Levels Induce Distinct Pluripotent States in Callus Cells. <i>Frontiers in Plant Science</i> , 2018, 9, 1653.	1.7	18
81	Circadian expression profiles of chromatin remodeling factor genes in Arabidopsis. <i>Journal of Plant Research</i> , 2015, 128, 187-199.	1.2	17
82	The HAF2 protein shapes histone acetylation levels of PRR5 and LUX loci in Arabidopsis. <i>Planta</i> , 2018, 248, 513-518.	1.6	17
83	m6A mRNA Modification as a New Layer of Gene Regulation in Plants. <i>Journal of Plant Biology</i> , 2020, 63, 97-106.	0.9	17
84	Signaling linkage between environmental stress resistance and leaf senescence in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2011, 6, 1564-1566.	1.2	16
85	Arabidopsis ATXR2 represses de novo shoot organogenesis in the transition from callus to shoot formation. <i>Cell Reports</i> , 2021, 37, 109980.	2.9	16
86	<i>Arabidopsis</i> TOR signaling is essential for sugar-regulated callus formation. <i>Journal of Integrative Plant Biology</i> , 2017, 59, 742-746.	4.1	15
87	The DME demethylase regulates sporophyte gene expression, cell proliferation, differentiation, and meristem resurrection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	14
88	Transcriptional regulation of triacylglycerol accumulation in plants under environmental stress conditions. <i>Journal of Experimental Botany</i> , 2022, 73, 2905-2917.	2.4	14
89	Coordination of seed dormancy and germination processes by MYB96. <i>Plant Signaling and Behavior</i> , 2015, 10, e1056423.	1.2	13
90	Targeted genome editing, an alternative tool for trait improvement in horticultural crops. <i>Horticulture Environment and Biotechnology</i> , 2016, 57, 531-543.	0.7	13

#	ARTICLE	IF	CITATIONS
91	High-temperature promotion of callus formation requires the BIN2-ARF-LBD axis in Arabidopsis. <i>Planta</i> , 2017, 246, 797-802.	1.6	13
92	Dependence and independence of the root clock on the shoot clock in Arabidopsis. <i>Genes and Genomics</i> , 2018, 40, 1063-1068.	0.5	13
93	Dynamic changes in DNA methylation occur in TE regions and affect cell proliferation during leaf-to-callus transition in Arabidopsis. <i>Epigenetics</i> , 2022, 17, 41-58.	1.3	12
94	Interaction of DGAT1 and PDAT1 to enhance TAG assembly in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2019, 14, 1554467.	1.2	11
95	Transcriptional activation of <i>SUGAR TRANSPORT PROTEIN 13</i> mediates biotic and abiotic stress signaling. <i>Plant Signaling and Behavior</i> , 2021, 16, 1920759.	1.2	11
96	Controlled turnover of CONSTANS protein by the HOS1 E3 ligase regulates floral transition at low temperatures. <i>Plant Signaling and Behavior</i> , 2013, 8, e23780.	1.2	10
97	Increased STM expression is associated with drought tolerance in Arabidopsis. <i>Journal of Plant Physiology</i> , 2016, 201, 79-84.	1.6	10
98	ATXR2 as a core regulator of <i>de novo</i> root organogenesis. <i>Plant Signaling and Behavior</i> , 2018, 13, e1449543.	1.2	10
99	The Arabidopsis Sin3-HDAC Complex Facilitates Temporal Histone Deacetylation at the CCA1 and PRR9 Loci for Robust Circadian Oscillation. <i>Frontiers in Plant Science</i> , 2019, 10, 171.	1.7	10
100	Brassinosteroids Regulate Circadian Oscillation via the BES1/TPL-CCA1/LHY Module in Arabidopsis thaliana. <i>IScience</i> , 2020, 23, 101528.	1.9	10
101	Transcriptome comparison between pluripotent and non-pluripotent calli derived from mature rice seeds. <i>Scientific Reports</i> , 2020, 10, 21257.	1.6	10
102	The Arabidopsis E3 ubiquitin ligase HOS1 contributes to auxin biosynthesis in the control of hypocotyl elongation. <i>Plant Growth Regulation</i> , 2015, 76, 157-165.	1.8	8
103	JA-pretreated hypocotyl explants potentiate <i>de novo</i> shoot regeneration in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2019, 14, 1618180.	1.2	8
104	The ASHR3 SET-Domain Protein is a Pivotal Upstream Coordinator for Wound-Induced Callus Formation in Arabidopsis. <i>Journal of Plant Biology</i> , 2020, 63, 361-368.	0.9	8
105	N ⁶ -methyladenosine-modified RNA acts as a molecular glue that drives liquid-liquid phase separation in plants. <i>Plant Signaling and Behavior</i> , 2022, 17, .	1.2	7
106	iRegNet: an integrative regulatory network analysis tool for <i>Arabidopsis thaliana</i> . <i>Plant Physiology</i> , 2021, 187, 1292-1309.	2.3	6
107	MET1-Dependent DNA Methylation Represses Light Signaling and Influences Plant Regeneration in Arabidopsis. <i>Molecules and Cells</i> , 2021, 44, 746-757.	1.0	6
108	EAT-UpTF: Enrichment Analysis Tool for Upstream Transcription Factors of a Group of Plant Genes. <i>Frontiers in Genetics</i> , 2020, 11, 566569.	1.1	5

#	ARTICLE	IF	CITATIONS
109	A novel method for high-frequency genome editing in rice, using the CRISPR/Cas9 system. <i>Journal of Plant Biotechnology</i> , 2017, 44, 89-96.	0.1	4
110	An Arabidopsis GH3 Gene, Encoding an Auxin-Conjugating Enzyme, Mediates Phytochrome B-Regulated Light Signals in Hypocotyl Growth. <i>Plant and Cell Physiology</i> , 2007, 48, 1514-1514.	1.5	3
111	The Arabidopsis JMJ29 Protein Controls Circadian Oscillation through Diurnal Histone Demethylation at the CCA1 and PRR9 Loci. <i>Genes</i> , 2021, 12, 529.	1.0	3
112	Overexpression of the <i>WOX5</i> gene inhibits shoot development. <i>Plant Signaling and Behavior</i> , 2022, 17, 2050095.	1.2	3
113	HiCORE: Hi-C Analysis for Identification of Core Chromatin Looping Regions with Higher Resolution. <i>Molecules and Cells</i> , 2021, 44, 883-892.	1.0	3
114	Bidirectional regulation between circadian clock and ABA signaling. <i>Communicative and Integrative Biology</i> , 2017, 10, e1296999.	0.6	2
115	Go green with plant organelle genome editing. <i>Molecular Plant</i> , 2021, 14, 1415-1417.	3.9	2
116	Regenerating from the middle. <i>Nature Plants</i> , 2021, 7, 1441-1442.	4.7	2
117	Arabidopsis HISTONE DEACETYLASE 9 Stimulates Hypocotyl Cell Elongation by Repressing GIGANTEA Expression Under Short Day Photoperiod. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	2
118	Membrane-triggered plant immunity. <i>Plant Signaling and Behavior</i> , 2014, 9, e29729.	1.2	1
119	Heat Makes Cellular Hotspots in Plants. <i>Molecular Plant</i> , 2020, 13, 1536-1538.	3.9	0