

Pil Joon Seo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5028601/pil-joon-seo-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

5,917
citations

42
h-index

75
g-index

124
ext. papers

7,651
ext. citations

6.4
avg, IF

6.21
L-index

#	Paper	IF	Citations
117	Transcriptional regulation of triacylglycerol accumulation in plants under environmental stress conditions.. <i>Journal of Experimental Botany</i> , 2022 ,	7	2
116	Overexpression of the gene inhibits shoot development.. <i>Plant Signaling and Behavior</i> , 2022 , 17, 2050095.	5.5	0
115	Arabidopsis ATXR2 represses de novo shoot organogenesis in the transition from callus to shoot formation. <i>Cell Reports</i> , 2021 , 37, 109980	10.6	2
114	Regenerating from the middle. <i>Nature Plants</i> , 2021 , 7, 1441-1442	11.5	0
113	MET1-Dependent DNA Methylation Represses Light Signaling and Influences Plant Regeneration in. <i>Molecules and Cells</i> , 2021 , 44, 746-757	3.5	0
112	Get closer and make hotspots: liquid-liquid phase separation in plants. <i>EMBO Reports</i> , 2021 , 22, e51656	6.5	6
111	Transcriptional activation of mediates biotic and abiotic stress signaling. <i>Plant Signaling and Behavior</i> , 2021 , 16, 1920759	2.5	1
110	Recent advances in peptide signaling during Arabidopsis root development. <i>Journal of Experimental Botany</i> , 2021 , 72, 2889-2902	7	4
109	Optimization of protoplast regeneration in the model plant Arabidopsis thaliana. <i>Plant Methods</i> , 2021 , 17, 21	5.8	3
108	The DME demethylase regulates sporophyte gene expression, cell proliferation, differentiation, and meristem resurrection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	1
107	Catalyzing Initial Responses to Environmental Stresses. <i>Trends in Plant Science</i> , 2021 , 26, 849-870	13.1	16
106	Peptide Signaling during Plant Reproduction. <i>Trends in Plant Science</i> , 2021 , 26, 822-835	13.1	6
105	iRegNet: an integrative Regulatory Network analysis tool for Arabidopsis thaliana. <i>Plant Physiology</i> , 2021 , 187, 1292-1309	6.6	1
104	Go green with plant organelle genome editing. <i>Molecular Plant</i> , 2021 , 14, 1415-1417	14.4	0
103	Dynamic changes in DNA methylation occur in TE regions and affect cell proliferation during leaf-to-callus transition in Arabidopsis. <i>Epigenetics</i> , 2021 , 1-18	5.7	3
102	HiCORE: Hi-C Analysis for Identification of Core Chromatin Looping Regions with Higher Resolution.. <i>Molecules and Cells</i> , 2021 , 44, 883-892	3.5	1
101	The ASHR3 SET-Domain Protein is a Pivotal Upstream Coordinator for Wound-Induced Callus Formation in Arabidopsis 2020 , 63, 361-368		1

100	m6A mRNA Modification as a New Layer of Gene Regulation in Plants 2020 , 63, 97-106		9
99	H3K36me2 is highly correlated with m A modifications in plants. <i>Journal of Integrative Plant Biology</i> , 2020 , 62, 1455-1460	8.3	12
98	The Evening Complex Establishes Repressive Chromatin Domains Via H2A.Z Deposition. <i>Plant Physiology</i> , 2020 , 182, 612-625	6.6	10
97	Heat Makes Cellular Hotspots in Plants. <i>Molecular Plant</i> , 2020 , 13, 1536-1538	14.4	
96	EAT-UpTF: Enrichment Analysis Tool for Upstream Transcription Factors of a Group of Plant Genes. <i>Frontiers in Genetics</i> , 2020 , 11, 566569	4.5	2
95	Brassinosteroids Regulate Circadian Oscillation via the BES1/TPL-CCA1/LHY Module in Arabidopsisthaliana. <i>IScience</i> , 2020 , 23, 101528	6.1	1
94	Transcriptome comparison between pluripotent and non-pluripotent calli derived from mature rice seeds. <i>Scientific Reports</i> , 2020 , 10, 21257	4.9	1
93	De novo shoot organogenesis during plant regeneration. <i>Journal of Experimental Botany</i> , 2020 , 71, 63-72		16
92	The MYB96 Transcription Factor Mediates ABA-Dependent Triacylglycerol Accumulation in Vegetative Tissues under Drought Stress Conditions. <i>Plants</i> , 2019 , 8,	4.5	10
91	Role of the Genes in Plants. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
90	JA-pretreated hypocotyl explants potentiate shoot regeneration in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2019 , 14, 1618180	2.5	7
89	The EC-HDA9 complex rhythmically regulates histone acetylation at the promoter in. <i>Communications Biology</i> , 2019 , 2, 143	6.7	19
88	The Sin3-HDAC Complex Facilitates Temporal Histone Deacetylation at the and Loci for Robust Circadian Oscillation. <i>Frontiers in Plant Science</i> , 2019 , 10, 171	6.2	6
87	MYB96 recruits the HDA15 protein to suppress negative regulators of ABA signaling in Arabidopsis. <i>Nature Communications</i> , 2019 , 10, 1713	17.4	43
86	Interaction of DGAT1 and PDAT1 to enhance TAG assembly in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2019 , 14, 1554467	2.5	3
85	ARABIDOPSIS TRITHORAX 4 Facilitates Shoot Identity Establishment during the Plant Regeneration Process. <i>Plant and Cell Physiology</i> , 2019 , 60, 826-834	4.9	9
84	The MYB96 Transcription Factor Regulates Triacylglycerol Accumulation by Activating DGAT1 and PDAT1 Expression in Arabidopsis Seeds. <i>Plant and Cell Physiology</i> , 2018 , 59, 1432-1442	4.9	21
83	Signaling Peptides and Receptors Coordinating Plant Root Development. <i>Trends in Plant Science</i> , 2018 , 23, 337-351	13.1	53

82	Dynamic Epigenetic Changes during Plant Regeneration. <i>Trends in Plant Science</i> , 2018 , 23, 235-247	13.1	65
81	The Circadian Clock Sets the Time of DNA Replication Licensing to Regulate Growth in Arabidopsis. <i>Developmental Cell</i> , 2018 , 45, 101-113.e4	10.2	37
80	ATXR2 as a core regulator of de novo root organogenesis. <i>Plant Signaling and Behavior</i> , 2018 , 13, e1449543	5.3	5
79	Dependence and independence of the root clock on the shoot clock in Arabidopsis. <i>Genes and Genomics</i> , 2018 , 40, 1063-1068	2.1	9
78	JMJ30-mediated demethylation of H3K9me3 drives tissue identity changes to promote callus formation in Arabidopsis. <i>Plant Journal</i> , 2018 , 95, 961-975	6.9	24
77	Varying Auxin Levels Induce Distinct Pluripotent States in Callus Cells. <i>Frontiers in Plant Science</i> , 2018 , 9, 1653	6.2	11
76	The HAF2 protein shapes histone acetylation levels of PRR5 and LUX loci in Arabidopsis. <i>Planta</i> , 2018 , 248, 513-518	4.7	10
75	Bidirectional regulation between circadian clock and ABA signaling. <i>Communicative and Integrative Biology</i> , 2017 , 10, e1296999	1.7	2
74	Arabidopsis TOR signaling is essential for sugar-regulated callus formation. <i>Journal of Integrative Plant Biology</i> , 2017 , 59, 742-746	8.3	9
73	LBD14/ASL17 Positively Regulates Lateral Root Formation and is Involved in ABA Response for Root Architecture in Arabidopsis. <i>Plant and Cell Physiology</i> , 2017 , 58, 2190-2201	4.9	14
72	Coordination of matrix attachment and ATP-dependent chromatin remodeling regulate auxin biosynthesis and Arabidopsis hypocotyl elongation. <i>PLoS ONE</i> , 2017 , 12, e0181804	3.7	16
71	High-temperature promotion of callus formation requires the BIN2-ARF-LBD axis in Arabidopsis. <i>Planta</i> , 2017 , 246, 797-802	4.7	5
70	ATXR2 deposits H3K36me3 at the promoters of genes to facilitate cellular dedifferentiation. <i>Science Signaling</i> , 2017 , 10,	8.8	35
69	Alternative splicing provides a proactive mechanism for the diurnal CONSTANS dynamics in Arabidopsis photoperiodic flowering. <i>Plant Journal</i> , 2017 , 89, 128-140	6.9	18
68	A novel method for high-frequency genome editing in rice, using the CRISPR/Cas9 system. <i>Journal of Plant Biotechnology</i> , 2017 , 44, 89-96	0.6	4
67	Increased STM expression is associated with drought tolerance in Arabidopsis. <i>Journal of Plant Physiology</i> , 2016 , 201, 79-84	3.6	8
66	The Arabidopsis MIEL1 E3 ligase negatively regulates ABA signalling by promoting protein turnover of MYB96. <i>Nature Communications</i> , 2016 , 7, 12525	17.4	55
65	Histone deacetylation-mediated cellular dedifferentiation in Arabidopsis. <i>Journal of Plant Physiology</i> , 2016 , 191, 95-100	3.6	41

64	RNA-Seq Analysis of the Arabidopsis Transcriptome in Pluripotent Calli. <i>Molecules and Cells</i> , 2016 , 39, 484-94	3.5	17
63	MYB96 shapes the circadian gating of ABA signaling in Arabidopsis. <i>Scientific Reports</i> , 2016 , 6, 17754	4.9	39
62	Targeted genome editing, an alternative tool for trait improvement in horticultural crops. <i>Horticulture Environment and Biotechnology</i> , 2016 , 57, 531-543	2	11
61	The Arabidopsis E3 ubiquitin ligase HOS1 contributes to auxin biosynthesis in the control of hypocotyl elongation. <i>Plant Growth Regulation</i> , 2015 , 76, 157-165	3.2	5
60	The E3 Ubiquitin Ligase COP1 Regulates Thermosensory Flowering by Triggering GI Degradation in Arabidopsis. <i>Scientific Reports</i> , 2015 , 5, 12071	4.9	25
59	The Arabidopsis MYB96 transcription factor plays a role in seed dormancy. <i>Plant Molecular Biology</i> , 2015 , 87, 371-81	4.6	43
58	The Arabidopsis MYB96 Transcription Factor Is a Positive Regulator of ABSCISIC ACID-INSENSITIVE4 in the Control of Seed Germination. <i>Plant Physiology</i> , 2015 , 168, 677-89	6.6	41
57	The MYB96-HHP module integrates cold and abscisic acid signaling to activate the CBF-COR pathway in Arabidopsis. <i>Plant Journal</i> , 2015 , 82, 962-977	6.9	84
56	The E3 ubiquitin ligase HOS1 is involved in ethylene regulation of leaf expansion in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2015 , 10, e1003755	2.5	11
55	Coordination of seed dormancy and germination processes by MYB96. <i>Plant Signaling and Behavior</i> , 2015 , 10, e1056423	2.5	8
54	Circadian expression profiles of chromatin remodeling factor genes in Arabidopsis. <i>Journal of Plant Research</i> , 2015 , 128, 187-99	2.6	12
53	MYB96 stimulates C18 fatty acid elongation in Arabidopsis seeds. <i>Plant Biotechnology Reports</i> , 2015 , 9, 161-166	2.5	11
52	AKIN10 delays flowering by inactivating IDD8 transcription factor through protein phosphorylation in Arabidopsis. <i>BMC Plant Biology</i> , 2015 , 15, 110	5.3	53
51	Systemic Immunity Requires SnRK2.8-Mediated Nuclear Import of NPR1 in Arabidopsis. <i>Plant Cell</i> , 2015 , 27, 3425-38	11.6	77
50	STRESSing the role of the plant circadian clock. <i>Trends in Plant Science</i> , 2015 , 20, 230-7	13.1	94
49	Multiple layers of posttranslational regulation refine circadian clock activity in Arabidopsis. <i>Plant Cell</i> , 2014 , 26, 79-87	11.6	70
48	Membrane-triggered plant immunity. <i>Plant Signaling and Behavior</i> , 2014 , 9, e29729	2.5	1
47	The Arabidopsis floral repressor BFT delays flowering by competing with FT for FD binding under high salinity. <i>Molecular Plant</i> , 2014 , 7, 377-87	14.4	48

46	Recent advances in plant membrane-bound transcription factor research: emphasis on intracellular movement. <i>Journal of Integrative Plant Biology</i> , 2014 , 56, 334-42	8.3	25
45	Airborne signals from salt-stressed <i>Arabidopsis</i> plants trigger salinity tolerance in neighboring plants. <i>Plant Signaling and Behavior</i> , 2014 , 9, e28392	2.5	24
44	Natural variation in floral nectar proteins of two <i>Nicotiana attenuata</i> accessions. <i>BMC Plant Biology</i> , 2013 , 13, 101	5.3	17
43	Alternative splicing of transcription factors in plant responses to low temperature stress: mechanisms and functions. <i>Planta</i> , 2013 , 237, 1415-24	4.7	59
42	A competitive peptide inhibitor KIDARI negatively regulates HFR1 by forming nonfunctional heterodimers in <i>Arabidopsis</i> photomorphogenesis. <i>Molecules and Cells</i> , 2013 , 35, 25-31	3.5	20
41	Controlled turnover of CONSTANS protein by the HOS1 E3 ligase regulates floral transition at low temperatures. <i>Plant Signaling and Behavior</i> , 2013 , 8, e23780	2.5	8
40	A NAC transcription factor NTL4 promotes reactive oxygen species production during drought-induced leaf senescence in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012 , 70, 831-44	6.9	238
39	The AT-hook motif-containing protein AHL22 regulates flowering initiation by modifying FLOWERING LOCUS T chromatin in <i>Arabidopsis</i> . <i>Journal of Biological Chemistry</i> , 2012 , 287, 15307-16	5.4	52
38	<i>Arabidopsis</i> RNA-binding protein FCA regulates microRNA172 processing in thermosensory flowering. <i>Journal of Biological Chemistry</i> , 2012 , 287, 16007-16	5.4	61
37	Preparation of leaf mesophyll protoplasts for transient gene expression in <i>Brachypodium distachyon</i> 2012 , 55, 390-397		26
36	Transcription Factors: Improving Abiotic Stress Tolerance in Plants 2012 , 451-479		1
35	Targeted inactivation of transcription factors by overexpression of their truncated forms in plants. <i>Plant Journal</i> , 2012 , 72, 162-72	6.9	20
34	Activation of a flavin monooxygenase gene YUCCA7 enhances drought resistance in <i>Arabidopsis</i> . <i>Planta</i> , 2012 , 235, 923-38	4.7	90
33	The SOC1-SPL module integrates photoperiod and gibberellic acid signals to control flowering time in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012 , 69, 577-88	6.9	162
32	A Golgi-localized MATE transporter mediates iron homeostasis under osmotic stress in <i>Arabidopsis</i> . <i>Biochemical Journal</i> , 2012 , 442, 551-61	3.8	42
31	CCA1 alternative splicing as a way of linking the circadian clock to temperature response in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2012 , 7, 1194-6	2.5	25
30	The E3 ubiquitin ligase HOS1 regulates <i>Arabidopsis</i> flowering by mediating CONSTANS degradation under cold stress. <i>Journal of Biological Chemistry</i> , 2012 , 287, 43277-87	5.4	65
29	A self-regulatory circuit of CIRCADIAN CLOCK-ASSOCIATED1 underlies the circadian clock regulation of temperature responses in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012 , 24, 2427-42	11.6	203

28	Competitive inhibition of transcription factors by small interfering peptides. <i>Trends in Plant Science</i> , 2011 , 16, 541-9	13.1	68
27	The MYB96 transcription factor regulates cuticular wax biosynthesis under drought conditions in Arabidopsis. <i>Plant Cell</i> , 2011 , 23, 1138-52	11.6	392
26	Modulation of sugar metabolism by an INDETERMINATE DOMAIN transcription factor contributes to photoperiodic flowering in Arabidopsis. <i>Plant Journal</i> , 2011 , 65, 418-29	6.9	105
25	Expression of Arabidopsis pathogenesis-related genes during nematode infection. <i>Molecular Plant Pathology</i> , 2011 , 12, 355-64	5.7	114
24	The Arabidopsis NAC transcription factor VNI2 integrates abscisic acid signals into leaf senescence via the COR/RD genes. <i>Plant Cell</i> , 2011 , 23, 2155-68	11.6	270
23	miR172 signals are incorporated into the miR156 signaling pathway at the SPL3/4/5 genes in Arabidopsis developmental transitions. <i>Plant Molecular Biology</i> , 2011 , 76, 35-45	4.6	127
22	An Arabidopsis senescence-associated protein SAG29 regulates cell viability under high salinity. <i>Planta</i> , 2011 , 233, 189-200	4.7	119
21	Activation of a mitochondrial ATPase gene induces abnormal seed development in Arabidopsis. <i>Molecules and Cells</i> , 2011 , 31, 361-9	3.5	8
20	The floral repressor BROTHER OF FT AND TFL1 (BFT) modulates flowering initiation under high salinity in Arabidopsis. <i>Molecules and Cells</i> , 2011 , 32, 295-303	3.5	36
19	Two splice variants of the IDD14 transcription factor competitively form nonfunctional heterodimers which may regulate starch metabolism. <i>Nature Communications</i> , 2011 , 2, 303	17.4	111
18	Signaling linkage between environmental stress resistance and leaf senescence in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2011 , 6, 1564-6	2.5	11
17	Cuticular wax biosynthesis as a way of inducing drought resistance. <i>Plant Signaling and Behavior</i> , 2011 , 6, 1043-5	2.5	53
16	MYB96-mediated abscisic acid signals induce pathogen resistance response by promoting salicylic acid biosynthesis in Arabidopsis. <i>New Phytologist</i> , 2010 , 186, 471-83	9.8	216
15	Cold activation of a plasma membrane-tethered NAC transcription factor induces a pathogen resistance response in Arabidopsis. <i>Plant Journal</i> , 2010 , 61, 661-71	6.9	193
14	A membrane-bound NAC transcription factor as an integrator of biotic and abiotic stress signals. <i>Plant Signaling and Behavior</i> , 2010 , 5, 481-3	2.5	42
13	Genome-scale screening and molecular characterization of membrane-bound transcription factors in Arabidopsis and rice. <i>Genomics</i> , 2010 , 95, 56-65	4.3	83
12	Proteolytic processing of an Arabidopsis membrane-bound NAC transcription factor is triggered by cold-induced changes in membrane fluidity. <i>Biochemical Journal</i> , 2010 , 427, 359-67	3.8	45
11	Identification and molecular characterization of a Brachypodium distachyon GIGANTEA gene: functional conservation in monocot and dicot plants. <i>Plant Molecular Biology</i> , 2010 , 72, 485-97	4.6	32

10	MicroRNA biogenesis and function in higher plants. <i>Plant Biotechnology Reports</i> , 2009 , 3, 111-126	2.5	44
9	The MYB96 transcription factor mediates abscisic acid signaling during drought stress response in Arabidopsis. <i>Plant Physiology</i> , 2009 , 151, 275-89	6.6	396
8	Auxin homeostasis during lateral root development under drought condition. <i>Plant Signaling and Behavior</i> , 2009 , 4, 1002-4	2.5	57
7	Membrane-bound transcription factors in plants. <i>Trends in Plant Science</i> , 2008 , 13, 550-6	13.1	136
6	Molecular and functional profiling of Arabidopsis pathogenesis-related genes: insights into their roles in salt response of seed germination. <i>Plant and Cell Physiology</i> , 2008 , 49, 334-44	4.9	151
5	HD-ZIP III activity is modulated by competitive inhibitors via a feedback loop in Arabidopsis shoot apical meristem development. <i>Plant Cell</i> , 2008 , 20, 920-33	11.6	97
4	Exploring membrane-associated NAC transcription factors in Arabidopsis: implications for membrane biology in genome regulation. <i>Nucleic Acids Research</i> , 2007 , 35, 203-13	20.1	170
3	The GIGANTEA-regulated microRNA172 mediates photoperiodic flowering independent of CONSTANS in Arabidopsis. <i>Plant Cell</i> , 2007 , 19, 2736-48	11.6	355
2	An Arabidopsis GH3 Gene, Encoding an Auxin-Conjugating Enzyme, Mediates Phytochrome B-Regulated Light Signals in Hypocotyl Growth. <i>Plant and Cell Physiology</i> , 2007 , 48, 1514-1514	4.9	3
1	An Arabidopsis GH3 gene, encoding an auxin-conjugating enzyme, mediates phytochrome B-regulated light signals in hypocotyl growth. <i>Plant and Cell Physiology</i> , 2007 , 48, 1236-41	4.9	47