Kun Zuo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5030671/publications.pdf

Version: 2024-02-01

932766 752256 21 475 10 20 citations h-index g-index papers 22 22 22 473 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Disordered gut microbiota and alterations in metabolic patterns are associated with atrial fibrillation. GigaScience, 2019, 8 , .	3.3	123
2	Dysbiotic gut microbes may contribute to hypertension by limiting vitamin D production. Clinical Cardiology, 2019, 42, 710-719.	0.7	48
3	MicroRNA-122 aggravates angiotensin II-mediated apoptosis and autophagy imbalance in rat aortic adventitial fibroblasts via the modulation of SIRT6-elabela-ACE2 signaling. European Journal of Pharmacology, 2020, 883, 173374.	1.7	43
4	Different Types of Atrial Fibrillation Share Patterns of Gut Microbiota Dysbiosis. MSphere, 2020, 5, .	1.3	41
5	Duration of Persistent Atrial Fibrillation Is Associated with Alterations in Human Gut Microbiota and Metabolic Phenotypes. MSystems, 2019, 4, .	1.7	35
6	Shifts in gut microbiome and metabolome are associated with risk of recurrent atrial fibrillation. Journal of Cellular and Molecular Medicine, 2020, 24, 13356-13369.	1.6	27
7	Metagenomic data-mining reveals enrichment of trimethylamine-N-oxide synthesis in gut microbiome in atrial fibrillation patients. BMC Genomics, 2020, 21, 526.	1.2	24
8	Altered synthesis of genes associated with short-chain fatty acids in the gut of patients with atrial fibrillation. BMC Genomics, 2021, 22, 634.	1.2	23
9	Myofibroblast-Derived Exosomes Contribute to Development of a Susceptible Substrate for Atrial Fibrillation. Cardiology, 2020, 145, 324-332.	0.6	21
10	Dysbiosis of Gut Microbiota and Metabolite Phenylacetylglutamine in Coronary Artery Disease Patients With Stent Stenosis. Frontiers in Cardiovascular Medicine, 2022, 9, 832092.	1.1	19
11	Cigarette smoking status alters dysbiotic gut microbes in hypertensive patients. Journal of Clinical Hypertension, 2021, 23, 1431-1446.	1.0	12
12	Correlation between cardiac rhythm, left atrial appendage flow velocity, and <scp>CHA₂DS₂â€VASc</scp> score: Study based on transesophageal echocardiography and 2â€dimensional speckle tracking. Clinical Cardiology, 2017, 40, 120-125.	0.7	12
13	Study on the relationship between telomere length changes and recurrence of atrial fibrillation after radiofrequency catheter ablation. Journal of Cardiovascular Electrophysiology, 2019, 30, 1117-1124.	0.8	11
14	Characteristics and variation of fecal bacterial communities and functions in isolated systolic and diastolic hypertensive patients. BMC Microbiology, 2021, 21, 128.	1.3	9
15	p38/JNK Is Required for the Proliferation and Phenotype Changes of Vascular Smooth Muscle Cells Induced by L3MBTL4 in Essential Hypertension. International Journal of Hypertension, 2020, 2020, 1-12.	0.5	6
16	Characterization of fecal metabolome changes in patients with obstructive sleep apnea. Journal of Clinical Sleep Medicine, 2022, 18, 575-586.	1.4	6
17	Distal Transradial Access: a Safe and Feasible Approach for Coronary Catheterization in Cases of Total Radial Artery Occlusion. Journal of Cardiovascular Translational Research, 2022, , 1.	1.1	6
18	Association between Gut Microbiota Dysbiosis and the CHA2DS2-VASc Score in Atrial Fibrillation Patients. International Journal of Clinical Practice, 2022, 2022, 1-10.	0.8	5

Kun Zuo

#	Article	lF	CITATION
19	Patients with end-stage renal disease requiring hemodialysis benefit from percutaneous coronary intervention after non-ST-segment elevation myocardial infarction. Internal and Emergency Medicine, 2022, , 1.	1.0	2
20	Profile of gut flora in hypertensive patients with insufficient sleep duration. Journal of Human Hypertension, 2022, 36, 390-404.	1.0	1
21	Elevated plasma Ninjurin-1 levels in atrial fibrillation is associated with atrial remodeling and thromboembolic risk. BMC Cardiovascular Disorders, 2022, 22, 153.	0.7	O