

Robert G Walker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5030774/robert-g-walker-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

1,033
citations

20
h-index

32
g-index

38
ext. papers

1,160
ext. citations

4.9
avg, IF

3.42
L-index

#	Paper	IF	Citations
37	Optimizing Physiology During Prehospital Airway Management: An NAEMSP Position Statement and Resource Document.. <i>Prehospital Emergency Care</i> , 2022 , 26, 72-79	2.8	1
36	Cerebral Oximetry during Out-of-Hospital Resuscitation: Pilot Study of First Responder Implementation. <i>Prehospital Emergency Care</i> , 2021 , 1-5	2.8	0
35	Evaluation of Physiologic Alterations during Prehospital Paramedic-Performed Rapid Sequence Intubation. <i>Prehospital Emergency Care</i> , 2018 , 22, 300-311	2.8	12
34	A quality improvement initiative to optimize use of a mechanical chest compression device within a high-performance CPR approach to out-of-hospital cardiac arrest resuscitation. <i>Resuscitation</i> , 2015 , 92, 32-7	4	26
33	Association Between Chest Compression Interruptions and Clinical Outcomes of Ventricular Fibrillation Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2015 , 132, 1030-7	16.7	53
32	Increasing home-based dialysis therapies to tackle dialysis burden around the world: A position statement on dialysis economics from the 2nd Congress of the International Society for Hemodialysis. <i>Hemodialysis International</i> , 2011 , 15, 10-4	1.7	9
31	Effect of timing and duration of a single chest compression pause on short-term survival following prolonged ventricular fibrillation. <i>Resuscitation</i> , 2009 , 80, 458-62	4	11
30	Defibrillation probability and impedance change between shocks during resuscitation from out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2009 , 80, 773-7	4	26
29	Reply to: Defibrillator type is an important confounding variable in resuscitation research. <i>Resuscitation</i> , 2009 , 80, 1440-1441	4	
28	Reply to Letter: The guidelines got it right on defibrillation energy protocol. <i>Resuscitation</i> , 2009 , 80, 1438-1440		
27	Attenuating the defibrillation dosage decreases postresuscitation myocardial dysfunction in a swine model of pediatric ventricular fibrillation. <i>Pediatric Critical Care Medicine</i> , 2008 , 9, 429-34	3	20
26	Recurrent ventricular fibrillation during advanced life support care of patients with prehospital cardiac arrest. <i>Resuscitation</i> , 2008 , 78, 252-7	4	69
25	A percutaneous catheter-based system for the measurement of potential gradients applicable to the study of transthoracic defibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 166-74	1.6	14
24	BIPHASIC Trial: a randomized comparison of fixed lower versus escalating higher energy levels for defibrillation in out-of-hospital cardiac arrest. <i>Circulation</i> , 2007 , 115, 1511-7	16.7	73
23	Definition of successful defibrillation. <i>Critical Care Medicine</i> , 2006 , 34, S423-6	1.4	18
22	Better outcome after pediatric defibrillation dosage than adult dosage in a swine model of pediatric ventricular fibrillation. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 786-9	15.1	75
21	Intracardiac Voltage Gradients during Transthoracic Defibrillation: Implications for Postshock Myocardial Injury. <i>Academic Emergency Medicine</i> , 2005 , 12, 99-105	3.4	6

20	Intracardiac voltage gradients during transthoracic defibrillation: implications for postshock myocardial injury. <i>Academic Emergency Medicine</i> , 2005 , 12, 99-105	3.4	6
19	Attenuated adult biphasic shocks compared with weight-based monophasic shocks in a swine model of prolonged pediatric ventricular fibrillation. <i>Resuscitation</i> , 2004 , 61, 189-97	4	72
18	Efficacy of lower-energy biphasic shocks for transthoracic defibrillation: a follow-up clinical study. <i>Prehospital Emergency Care</i> , 2004 , 8, 262-7	2.8	6
17	A randomized trial comparing monophasic and biphasic waveform shocks for external cardioversion of atrial fibrillation. <i>American Heart Journal</i> , 2004 , 147, e20	4.9	50
16	EFFICACY OF LOWER-ENERGY BIPHASIC SHOCKS FOR TRANSTHORACIC DEFIBRILLATION: A FOLLOW-UP CLINICAL STUDY. <i>Prehospital Emergency Care</i> , 2004 , 8, 262-267	2.8	15
15	A Model of Ischemically Induced Ventricular Fibrillation for Comparison of Fixed-dose and Escalating-dose Defibrillation Strategies. <i>Academic Emergency Medicine</i> , 2004 , 11, 619-624	3.4	3
14	Response to Jones et al. letter re:Defibrillation Waveform Comparison from Walker RG, Melnick SB, Chapman FW, Walcott GP, Schmitt PW, Ideker RE. <i>Resuscitation</i> , 2003 , 59, 367-371	4	3
13	Comparison of six clinically used external defibrillators in swine. <i>Resuscitation</i> , 2003 , 57, 73-83	4	33
12	Defibrillation threshold and cardiac responses using an external biphasic defibrillator with pediatric and adult adhesive patches in pediatric-sized piglets. <i>Resuscitation</i> , 2002 , 55, 177-85	4	53
11	Critically timed auxiliary shock to weak field area lowers defibrillation threshold. <i>Journal of Cardiovascular Electrophysiology</i> , 2001 , 12, 556-62	2.7	9
10	Fibrillation is more complex in the left ventricle than in the right ventricle. <i>Journal of Cardiovascular Electrophysiology</i> , 2000 , 11, 1364-71	2.7	35
9	Marked reduction of ventricular defibrillation threshold by application of an auxiliary shock to a catheter electrode in the left posterior coronary vein of dogs. <i>Journal of Cardiovascular Electrophysiology</i> , 2000 , 11, 900-6	2.7	22
8	Locally propagated activation immediately after internal defibrillation. <i>Circulation</i> , 1998 , 97, 1401-10	16.7	52
7	Effect of electrode polarity on internal defibrillation with monophasic and biphasic waveforms using an endocardial lead system. <i>Journal of Cardiovascular Electrophysiology</i> , 1997 , 8, 161-71	2.7	20
6	Epicardial sock mapping following monophasic and biphasic shocks of equal voltage with an endocardial lead system. <i>Journal of Cardiovascular Electrophysiology</i> , 1996 , 7, 322-34	2.7	44
5	Choosing the optimal monophasic and biphasic waveforms for ventricular defibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 1995 , 6, 737-50	2.7	96
4	Influence of malpositioned transvenous leads on defibrillation efficacy with and without a subcutaneous array electrode. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995 , 18, 2008-16	1.6	21
3	Influence of epicardial patches on defibrillation threshold with nonthoracotomy lead configurations. <i>Circulation</i> , 1995 , 92, 3082-8	16.7	11

2	Effect of rapid pacing and T-wave scanning on the relation between the defibrillation and upper-limit-of-vulnerability dose-response curves. <i>Circulation</i> , 1995 , 92, 1291-9	16.7	38
1	Is the second phase of a biphasic defibrillation waveform the defibrillating phase?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993 , 16, 1401-11	1.6	31