## Mohammadali Mohammadi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5031412/publications.pdf

Version: 2024-02-01

195 papers 1,486 citations

471509 17 h-index 27 g-index

197 all docs

197 docs citations

197 times ranked 1294 citing authors

#	Article	IF	CITATIONS
1	Analysis of D2D Underlaid Cellular Networks: SIR Meta Distribution and Mean Local Delay. IEEE Transactions on Communications, 2017, 65, 2904-2916.	7.8	74
2	Single RF front-end MIMO transceivers. , 2011, 49, 104-109.		73
3	RF Transceiver Design for MIMO Wireless Communications. Lecture Notes in Electrical Engineering, 2012, , .	0.4	51
4	Beamforming Design and Power Allocation for Full-Duplex Non-Orthogonal Multiple Access Cognitive Relaying. IEEE Transactions on Communications, 2018, 66, 5952-5965.	7.8	48
5	Optimal Power Allocation and Secrecy Sum Rate in Two-Way Untrusted Relaying Networks With an External Jammer. IEEE Transactions on Communications, 2018, 66, 2671-2684.	7.8	44
6	Beamforming Design and Performance Analysis of Full-Duplex Cooperative NOMA Systems. IEEE Transactions on Wireless Communications, 2019, 18, 3295-3311.	9.2	35
7	Full-Duplex Non-Orthogonal Multiple Access Cooperative Spectrum-Sharing Networks With Non-Linear Energy Harvesting. IEEE Transactions on Vehicular Technology, 2020, 69, 10925-10936.	6.3	34
8	Uplink/Downlink Rate Analysis and Impact of Power Allocation for Full-Duplex Cloud-RANs. IEEE Transactions on Wireless Communications, 2018, 17, 5774-5788.	9.2	32
9	Analytical Modeling of MIMO-OFDM System in the Presence of Nonlinear Power Amplifier with Memory. IEEE Transactions on Communications, 2013, 61, 155-163.	7.8	31
10	Optimal Power Allocation by Imperfect Hardware Analysis in Untrusted Relaying Networks. IEEE Transactions on Wireless Communications, 2018, 17, 4302-4314.	9.2	30
11	Analysis of performance degradation due to non-linearity and phase noise in orthogonal frequency division multiplexing systems. IET Communications, 2010, 4, 1226.	2.2	28
12	Full-duplex MIMO relaying powered by wireless energy transfer. , 2015, , .		26
13	Rate optimization in NOMA cognitive radio networks. , 2016, , .		25
14	Joint Relay Selection and Power Allocation in Large-Scale MIMO Systems with Untrusted Relays and Passive Eavesdroppers. IEEE Transactions on Information Forensics and Security, 2017, , 1-1.	6.9	24
15	Five-port microwave receiver architectures and applications. , 2010, 48, 30-36.		23
16	A Quad-Band Distributed Amplifier With E-CRLH Transmission Line. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 4188-4194.	4.6	22
17	Destinationâ€based cooperative jamming in untrusted amplifyâ€andâ€forward relay networks: resource allocation and performance study. IET Communications, 2016, 10, 17-23.	2.2	22
18	Full-Duplex Multi-Antenna Relay Assisted Cooperative Non-Orthogonal Multiple Access. , 2017, , .		22

#	Article	IF	Citations
19	Proactive Eavesdropping via Jamming in Full-Duplex Multi-Antenna Systems: Beamforming Design and Antenna Selection. IEEE Transactions on Communications, 2020, 68, 7563-7577.	7.8	22
20	Analysis of the Power Amplifier Nonlinearity on the Power Allocation in Cognitive Radio Networks. IEEE Transactions on Communications, 2014, 62, 467-477.	7.8	21
21	A two-step vaccination technique to limit COVID-19 spread using mobile data. Sustainable Cities and Society, 2021, 70, 102886.	10.4	21
22	On the Modeling and Compensation of Backward Crosstalk in MIMO Transmitters. IEEE Microwave and Wireless Components Letters, 2017, 27, 842-844.	3.2	19
23	Secure Two-Way Communication via a Wireless Powered Untrusted Relay and Friendly Jammer. , 2017, , .		19
24	Reduced-complexity power amplifier linearization for carrier aggregation mobile transceivers. , 2014, ,		17
25	UAV-Assisted Fault Location in Power Distribution Systems: An Optimization Approach. IEEE Transactions on Smart Grid, 2019, 10, 4628-4636.	9.0	17
26	Direct conversion receivers using multiport structures for software-defined radio systems. IET Microwaves, Antennas and Propagation, 2007, 1, 363.	1.4	15
27	Low-cost implementation of broadband microwave receivers in Ka-band using multiport structures. IET Microwaves, Antennas and Propagation, 2009, 3, 483.	1.4	15
28	Characterization of effective capacity in antenna selection MIMO systems. Journal of Communications and Networks, 2013, 15, 476-485.	2.6	15
29	Analysis and Rate Optimization of OFDM-Based Cognitive Radio Networks Under Power Amplifier Nonlinearity. IEEE Transactions on Communications, 2014, 62, 3410-3419.	7.8	15
30	Characterization of adaptive modulators in fixed wireless ATM networks. Journal of Communications and Networks, 2004, 6, 123-132.	2.6	14
31	A cross layer approach based on queuing and adaptive modulation for MIMO systems. Telecommunication Systems, 2009, 42, 85-96.	2.5	14
32	The Capacity of Wireless Ad Hoc Networks Using Statistical Techniques. , 2006, , .		13
33	Optimal power allocation to improve secrecy performance of nonâ€regenerative cooperative systems using an untrusted relay. IET Communications, 2016, 10, 962-968.	2.2	13
34	Indoor propagation MIMO channel modeling in 60 GHz using SBR based 3D ray tracing technique. , 2012, , .		12
35	Joint Beamforming Design and Power Allocation for Full-Duplex NOMA Cognitive Relay Systems. , 2017, , .		12
36	Antenna Selection in Full-Duplex Cooperative NOMA Systems. , 2018, , .		12

#	Article	IF	Citations
37	Time-multiplexed single front-end multiple-input multiple-output receivers with preserved diversity gain. IET Communications, 2011, 5, 789-796.	2.2	11
38	A cross-layer design of wireless IP systems using effective bandwidth and MQAM adaptive modulation. Telecommunication Systems, 2011, 46, 343-351.	2.5	11
39	Accurate analysis of spectral regrowth of nonlinear power amplifier driven by cyclostationary modulated signals. Analog Integrated Circuits and Signal Processing, 2013, 74, 425-437.	1.4	11
40	Joint optimal power allocation and relay selection to establish secure transmission in uplink transmission of untrusted relays network. IET Networks, 2016, 5, 30-36.	1.8	11
41	Security-reliability trade-off in cyber-physical cooperative systems with non-ideal untrusted relaying. , 2018, , .		11
42	Energyâ€efficient power allocation for deviceâ€toâ€device communications underlaid cellular networks using stochastic geometry. Transactions on Emerging Telecommunications Technologies, 2019, 30, e3768.	3.9	11
43	Low-Complexity Digital Predistortion for Reducing Power Amplifier Spurious Emissions in Spectrally-Agile Flexible Radio. , 2014, , .		10
44	Optimal Power Allocation and Secrecy Sum Rate in Two-Way Untrusted Relaying. , 2017, , .		10
45	Secure Cooperative Network With Multi-Antenna Full-Duplex Receiver. IEEE Systems Journal, 2019, 13, 2786-2794.	4.6	10
46	Linear reflection phase shifter with optimised varactor gamma. Electronics Letters, 1997, 33, 1054.	1.0	9
47	Capacity Enhancement of Ad Hoc Networks Using a New Single-RF Compact Beamforming Scheme. IEEE Transactions on Antennas and Propagation, 2015, 63, 5026-5034.	5.1	9
48	Power amplifier linearisation using digital predistortion and multiâ€port techniques. IET Science, Measurement and Technology, 2016, 10, 467-476.	1.6	9
49	Proactive Eavesdropping Using UAV Systems with Full-Duplex Ground Terminals. , 2018, , .		9
50	Linearity improvement of a dual-band Doherty power amplifier using E-CRLH transmission line. AEU - International Journal of Electronics and Communications, 2021, 131, 153584.	2.9	9
51	Direct GMSK modulation with a phase-locked power oscillator. IEEE Transactions on Vehicular Technology, 1999, 48, 1616-1625.	6.3	8
52	Diversity-Multiplexing Tradeoff in MISO/SIMO Systems at Finite SNR. IEEE Vehicular Technology Conference, 2007, , .	0.4	8
53	Diversity-Multiplexing Tradeoff in MIMO System with Finite SNR. , 2007, , .		8
54	Modeling and analysis of a nonlinear fully distributed FET using FDTD technique. AEU - International Journal of Electronics and Communications, 2007, 61, 444-452.	2.9	8

#	Article	IF	Citations
55	Analytical performance evaluation of the OFDM systems in the presence of jointly fifth order nonlinearity and phase noise. Analog Integrated Circuits and Signal Processing, 2011, 66, 103-115.	1.4	8
56	Interference-constraint spectrum allocation model for cognitive radio networks. , 2012, , .		8
57	Energy and Spectrum Efficient Resource Allocation in Two-Tier Networks: A Multiobjective Approach. , 2017, , .		8
58	A reliable relay selection scheme for SSK modulation in cooperative communication systems. Wireless Networks, 2018, 24, 1927-1937.	3.0	8
59	Direct Conversion EHM Transceivers Design for Millimeter-Wave Wireless Applications. Eurasip Journal on Wireless Communications and Networking, 2007, 2007, 1.	2.4	7
60	Analytical performance evaluation of the OFDM systems passing through nonlinear circuits. IEICE Electronics Express, 2010, 7, 138-145.	0.8	7
61	An analytic approach for CDMA output of feedforward power amplifier. Analog Integrated Circuits and Signal Processing, 2011, 66, 349-361.	1.4	7
62	Characterization of effective capacity in AF relay systems. IEICE Electronics Express, 2012, 9, 679-684.	0.8	7
63	Modeling of Mobile Scatterer Clusters for Doppler Spectrum in Wideband Vehicle-to-Vehicle Communication Channels. IEEE Communications Letters, 2014, 18, 628-631.	4.1	7
64	New throughput-based antenna selection scheme. Turkish Journal of Electrical Engineering and Computer Sciences, 2014, 22, 1017-1031.	1.4	7
65	Statistical modelling of a nonâ€linear highâ€power amplifier with memory in multiâ€input–multiâ€output orthogonal frequency division multiplexing systems. IET Communications, 2014, 8, 714-721.	2.2	7
66	Bandwidth enhancement in delta sigma modulator transmitter using low complexity time-interleaved parallel delta sigma modulator. AEU - International Journal of Electronics and Communications, 2015, 69, 1032-1038.	2.9	7
67	Energy-Efficient Resource Allocation for Adaptive Modulated MIMO–OFDM Heterogeneous Cloud Radio Access Networks. Wireless Personal Communications, 2017, 95, 4847-4866.	2.7	7
68	Security enhancement of wireless networks with wireless-powered full-duplex relay and friendly jammer nodes., 2017,,.		7
69	Energy efficient resource allocation in two-tier OFDMA networks with QoS guarantees. Wireless Networks, 2018, 24, 1841-1855.	3.0	7
70	Characterization and Performance Improvement of Cooperative Wireless Networks With Nonlinear Power Amplifier at Relay. IEEE Transactions on Vehicular Technology, 2020, 69, 3244-3255.	6.3	7
71	Design and Analysis of Full-Duplex Massive Antenna Array Systems Based on Wireless Power Transfer. IEEE Transactions on Communications, 2021, 69, 1302-1316.	7.8	7
72	Five-port receiver implementation in Ka-band for software-defined radio., 2006,,.		6

#	Article	IF	Citations
<b>7</b> 3	Uplink resource allocation in multiuser multicarrier cognitive radio networks under power amplifier nonlinearity. Transactions on Emerging Telecommunications Technologies, 2017, 28, e3162.	3.9	6
74	Multilevel outphasing system using six-port modulators and doherty power amplifiers. Analog Integrated Circuits and Signal Processing, 2017, 90, 361-372.	1.4	6
75	Realization of constant envelope OFDM using quantization and CPM technique. AEU - International Journal of Electronics and Communications, 2017, 80, 172-178.	2.9	6
76	Characterization of IDF and SDF Relaying Protocols in SSK Modulation Systems. Wireless Personal Communications, 2017, 94, 2797-2818.	2.7	6
77	Performance Analysis of Linear Precoded MU-MIMO-OFDM Systems With Nonlinear Power Amplifiers and Correlated Channel. IEEE Transactions on Communications, 2019, 67, 6753-6765.	7.8	6
78	Optimal power allocation for physical layer security in deviceâ€toâ€device communications using untrusted relays. Transactions on Emerging Telecommunications Technologies, 2019, 30, e3623.	3.9	6
79	Characterization of untrusted relaying networks in the presence of an adversary jammer. Wireless Networks, 2020, 26, 2113-2124.	3.0	6
80	Analysis of DF Relay Selection in Massive MIMO Systems With Hardware Impairments. IEEE Transactions on Vehicular Technology, 2020, 69, 6141-6152.	6.3	6
81	New Antenna Selection Schemes for Full-Duplex Cooperative MIMO-NOMA Systems. IEEE Transactions on Communications, 2022, 70, 4343-4358.	7.8	6
82	Capacity estimation of wireless ad hoc networks in fading channels. IET Communications, 2009, 3, 293.	2.2	5
83	Nonlinear modeling and analysis of a Doherty power amplifier driven by non-constant envelope signals. Analog Integrated Circuits and Signal Processing, 2012, 72, 141-153.	1.4	5
84	Simply decoded efficient fullâ€rate space–time block codes over correlated Rician fading channels. IET Communications, 2014, 8, 1684-1695.	2.2	5
85	Coding efficiency and bandwidth enhancement in polar delta sigma modulator transmitter. Analog Integrated Circuits and Signal Processing, 2015, 82, 411-421.	1.4	5
86	Downlink resource allocation in OFDMA wireless networks under power amplifier nonâ€inearity. IET Communications, 2017, 11, 2751-2757.	2.2	5
87	Sparse power allocation in downlink transmission of cloud radio access networks. IET Communications, 2017, 11, 2531-2538.	2.2	5
88	Characterization of DC Offset on Adaptive MIMO Direct Conversion Transceivers. IEICE Transactions on Communications, 2011, E94-B, 253-261.	0.7	5
89	Improving broadcast performance by traffic isolation in wirelessad hoc networks. International Journal of Communication Systems, 2006, 19, 1029-1043.	2.5	4
90	Characterization of the Scalability of Wireless Ad Hoc Networks under Channel Limitations. , 2006, , .		4

#	Article	IF	Citations
91	Analysis of Multiport Receivers Using FDTD Technique. Journal of Electromagnetic Waves and Applications, 2009, 23, 635-643.	1.6	4
92	Cross layer transmit antenna selection in MQAM modulation MIMO systems. , 2010, , .		4
93	Outage threshold extraction for maximising the capacity of wireless ad hoc networks. IET Communications, 2011, 5, 811-818.	2.2	4
94	On the error exponent of MIMOâ€ARQ system over the fast fading channels. European Transactions on Telecommunications, 2011, 22, 451-457.	1.2	4
95	Nonlinear analysis of microwave amplifiers excited by multicarrier modulated signals using envelop transient technique. Analog Integrated Circuits and Signal Processing, 2012, 72, 313-323.	1.4	4
96	Analyzing the capacity of wireless ad hoc networks. Telecommunication Systems, 2014, 55, 159-167.	2.5	4
97	Uplink and downlink rate analysis of a full-duplex C-RAN with radio remote head association. , 2016, , .		4
98	Analysis of MIMO-OFDM system impaired by nonlinear dual-band power amplifiers. Analog Integrated Circuits and Signal Processing, 2016, 89, 205-212.	1.4	4
99	Outage Probability of Wireless-powered Multi-antenna Cooperative Spectrum Sharing Networks with Full-duplex and NOMA Transmissions. , 2018, , .		4
100	Proactive Eavesdropping via Jamming in Full-duplex Cellular Networks with Antenna Selection. , 2018, , .		4
101	Analysis of nonlinear crosstalk impairment in MIMO-OFDM systems. Analog Integrated Circuits and Signal Processing, 2019, 99, 559-569.	1.4	4
102	Investigation of the Transmission Line Loss on the Performance of the HBT_HEMT Matrix Amplifier. , 2005, , .		3
103	A High Performance Cluster-Based Flooding Algorithm for Wireless Ad Hoc Networks. , 2005, , .		3
104	A distributed stabilised clustering algorithm for large-scale wireless ad hoc networks. International Journal of Ad Hoc and Ubiquitous Computing, 2007, 2, 186.	0.5	3
105	Low-complexity channel and frequency offset estimation in MIMO systems. Electronics Letters, 2008, 44, 599.	1.0	3
106	A new wide-band Five-port receiver based on metamaterial (MTM) structures. , 2008, , .		3
107	Characterization and compensation of DC offset on adaptive MIMO direct conversion transceivers. , 2009, , .		3
108	A novel MIMO receiver using antenna selection and time-multiplexed single RF technique., 2010,,.		3

#	Article	IF	Citations
109	Cross layer design based on adaptive modulation and truncated ARQ in MIMO Rician channels. , 2010, , .		3
110	Effective capacity in receive antenna selection and spatially correlated MIMO-OSTBC systems. , 2012, , .		3
111	Throughput analysis of Ad-Hoc networks with directional antenna at 60ÂGHz. Journal of Electromagnetic Waves and Applications, 2014, 28, 228-241.	1.6	3
112	Relay Selection in Non-coherent AF MIMO–OFDM Relay-Assisted Systems with OSTBC. Wireless Personal Communications, 2015, 82, 1013-1025.	2.7	3
113	Wireless information and power transfer in full-duplex systems with massive antenna arrays. , 2017, , .		3
114	Throughput analysis of wireless-powered decode-and-forward relay systems with interference. Wireless Networks, 2019, 25, 2485-2495.	3.0	3
115	Energy efficiency optimization for deviceâ€toâ€device communication underlaying cellular networks in millimeterâ€wave. International Journal of Communication Systems, 2020, 33, e4287.	2.5	3
116	Impact of Imperfect Channel State Information on the Physical Layer Security in D2D Wireless Networks Using Untrusted Relays. Wireless Personal Communications, 2021, 116, 341-368.	2.7	3
117	An adaptive MQAM modulator for fixed wireless ATM networks. , 0, , .		2
118	A software defined radio direct conversion receiver. , 2005, , .		2
119	A new approach to design a frequency synthesizer using Direct Digital Synthesis technique. Canadian Conference on Electrical and Computer Engineering, 2008, , .	0.0	2
120	Characterization of Traveling Wave Multiplier. , 2008, , .		2
121	Characterization of adaptive modulation MIMO systems in the presence of phase noise., 2009,,.		2
122	Continuous phase modulation detection using TURBO-BLAST., 2009,,.		2
123	Diversity Multiplexing Tradeoff in shadowed Nakagami fading SIMO/MISO channels. IEICE Electronics Express, 2010, 7, 546-551.	0.8	2
124	Diversity multiplexing trade-off in shadowed fading SIMO/MISO channels. Electronics Letters, 2010, 46, 307.	1.0	2
125	Scalability Analysis of Wireless Sensor Networks Using Analytical Techniques. , 2010, , .		2
126	Design and nonlinear analysis of a dual-band Doherty power amplifier for ISM and LMDS applications. , 2011, , .		2

#	Article	IF	Citations
127	A hydrochemical and dye- tracing investigation in the Posht-e-Naz Karstic Aquifer, Alburz Mountain, Northern Iran. Journal of Mountain Science, 2011, 8, 37-45.	2.0	2
128	Nonlinear analysis and design of a mm-wave wideband Doherty power amplifier. , 2011, , .		2
129	Localization in wireless imaging sensor networks using SAR techniques. , 2012, , .		2
130	Miniaturized branch-line coupler for 60 GHz frequency band applications using CMOS technology. , 2012, , .		2
131	A DUAL BAND E-CRLH FREQUENCY MULTIPLIER WITH TWO MULTIPLICATION FACTORS. Progress in Electromagnetics Research Letters, 2016, 64, 99-104.	0.7	2
132	A linearity improved quad-band amplifier based on E-CRLH transmission line. International Journal of Microwave and Wireless Technologies, 2017, 9, 1603-1610.	1.9	2
133	Coding Efficiency and Bandwidth Enhancement in Polar Delta-Sigma Modulator Transmitter Using Quantization Noise Reduction and Parallel Processing Techniques. Journal of Circuits, Systems and Computers, 2017, 26, 1750085.	1.5	2
134	Secure spectrum-sharing networks with full-duplex multiple-antenna wireless-powered secondary system. , 2017, , .		2
135	Optimum power allocation in OFDM systems under power amplifier nonlinearity. Analog Integrated Circuits and Signal Processing, 2019, 99, 33-38.	1.4	2
136	An accurate analysis of the nonlinear power amplifier effects on SC-FDMA signals. Wireless Networks, 2019, 25, 533-543.	3.0	2
137	Spectral analysis of GFDM modulated signal under nonlinear behavior of power amplifier. Wireless Networks, 2021, 27, 137-149.	3.0	2
138	Link Activation Using Variational Graph Autoencoders. IEEE Communications Letters, 2021, 25, 2358-2361.	4.1	2
139	On the Diversity-Multiplexing Tradeoff in MIMO Wireless Channels at Finite SNRs. IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences, 2010, E93-A, 2057-2064.	0.3	2
140	A fast ray tracing algorithm for propagation prediction in broadband wireless systems. , 0, , .		1
141	A cross layer approach based on adaptive modulation and truncated ARQ for MIMO systems. , 2007, , .		1
142	Design and implementation of a flexible 4×4 MIMO testbed. , 2008, , .		1
143	Design and Analysis of Wireless Systems using CAC and M-QAM Adaptive Modulation for Throughput Improvement. , 2008, , .		1
144	Five (Four)-Port Transceiver for Ultra-Wideband Applications. , 2008, , .		1

#	Article	lF	Citations
145	Performance degradation of OFDM signals passing through nonlinear circuits., 2009,,.		1
146	Route BER estimation in wireless ad hoc networks exploiting minimum distance routing. , 2012, , .		1
147	Analysis of effect of high-power amplifier modelling on the performance of orthogonal frequency division multiplexing transceiver for wireless communications. IET Science, Measurement and Technology, 2012, 6, 159.	1.6	1
148	Radix-tree based spectrum allocation model for cognitive radio networks: Maximizing network capacity. , $2012,  ,  .$		1
149	SER Computation in M-QAM Systems with Phase Noise. Wireless Personal Communications, 2013, 70, 1575-1587.	2.7	1
150	Capacity enhancement in vehicle to roadside networks using ESPAR technique. , 2013, , .		1
151	Estimation of SINR distribution function in clustered wireless sensor networks using statistical distribution modeling. , 2014, , .		1
152	An adaptive pre-distortion linearization technique for power amplifier using a five-port receiver. , 2014, , .		1
153	Characterisation of relay selection in cooperative multipleâ€input multipleâ€outputâ€orthogonal frequency division multiplexing systems. IET Communications, 2014, 8, 3290-3297.	2.2	1
154	Diversityâ€multiplexing tradeâ€off of linear dispersion coded multiâ€input–multiâ€output systems. IET Communications, 2015, 9, 55-61.	2.2	1
155	Lowâ€complexity method for primary synchronisation in the third generation partnership project long term evolution downlink system. IET Communications, 2016, 10, 1229-1235.	2.2	1
156	Analysis of low complexity uplink/downlink fullâ€duplex wireless access with spatially random nodes. IET Communications, 2016, 10, 1777-1785.	2.2	1
157	Wireless-powered cooperative systems with relay selection in spectrum-sharing scenario., 2017,,.		1
158	Link-Level Throughput Maximization Using Deep Reinforcement Learning. IEEE Networking Letters, 2020, 2, 101-105.	1.9	1
159	Accurate modelling of power amplifier energy consumption for resource allocation in wireless networks. Electronics Letters, 2020, 56, 155-157.	1.0	1
160	Outage Probability Analysis of Wireless-powered Full-duplex Cognitive Non-Orthogonal Multiple Access Relaying Systems., 2020,,.		1
161	Energy-Efficient Sparse Beamforming in Cloud Radio Access Networks. Canadian Journal of Electrical and Computer Engineering, 2018, 41, 151-159.	2.0	1
162	Characteristics of rectangular dielectric waveguide with sinusoidally varying width. The International Executive, 1995, 5, 278-286.	0.1	0

#	Article	IF	Citations
163	Broadband electronically tunable microstrip ring resonator filter with negative resistance coupling. Electronics Letters, 1996, 32, 809.	1.0	O
164	Study of buildings and antenna directivity effects on LMDS systems using a modified ray tracing algorithm. , 0, , .		O
165	Signal and noise modeling and analysis of free-running low noise DRO in Ka-band compatible to MMIC technology. , 0, , .		O
166	Efficient numerical simulation of GaAs MESFET's based on energy model and using interpolating wavelet. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2006, 19, 433-451.	1.9	0
167	Nonlinear Stability Analysis of Microwave Oscillators Using Lyapunov Function. , 2006, , .		O
168	Design and simulation of active frequency tripler with efficient and low spurious response. , 2008, , .		0
169	Characterization of wireless mesh backhaul networks with MIMO systems. , 2008, , .		O
170	A high power high voltage short pulse width pulse generator using direct drive method in application of modulating-cathode tubes drive. , 2009, , .		0
171	Analyzing the capacity of wireless ad hoc networks with rate adaptation capability. , 2009, , .		O
172	Study the influence of transmission line loss on the performance of matrix amplifiers. IEICE Electronics Express, 2009, 6, 1291-1296.	0.8	0
173	DC compensated adaptive modulation in MIMO systems. Analog Integrated Circuits and Signal Processing, 2010, 62, 249-252.	1.4	O
174	Novel five-port receiver using metamaterial transmission line for broadband systems. AEU - International Journal of Electronics and Communications, 2011, 65, 523-529.	2.9	0
175	A 28 GHz linear envelope tracking-power amplifier for LMDS applications. , 2011, , .		O
176	A zero-forcing linear precoder for downlink multi-user LoS MIMO channels. , 2012, , .		0
177	Design of optimum grid array antenna in 60GHz frequency band. , 2012, , .		O
178	Design and hybrid analysis of an integrated 60 GHz active phased array transmitter using a power amplifier and 360° phase shifter., 2012,,.		0
179	Simple structure efficient full-rate STBC for LTE-Advanced system over correlated Rayleigh fading channel with simple decoder. , 2014, , .		O
180	Finite-SNR diversity-multiplexing tradeoff of linear dispersion coded MISO systems. , 2014, , .		0

#	Article	IF	Citations
181	A novel relay selection scheme for SSK modulation in cooperative communication. , 2016, , .		O
182	Energy-Efficient Downlink Transceiver for Massive Generalized Spatial Modulation MIMO., 2018, , .		O
183	Characterization of sparse beamforming for energy efficiency in cloud radio access networks using Gauss–Poisson process. Wireless Networks, 2019, 25, 4555-4567.	3.0	O
184	An Improved Performance Ka-Band Low Noise Amplifier and On-Chip Transmission Line Modeling in 0.18 $$ â $$ Åm CMOS Technology. , 2019, , .		O
185	A seven-port receiver for MIMO wireless communications. Analog Integrated Circuits and Signal Processing, 2019, 101, 243-253.	1.4	O
186	A Seven-Port Receiver for MIMO 2x2 Communication Systems. , 2019, , .		0
187	Dynamic range improvement of six-port receiver through analysis of output DC offset. Analog Integrated Circuits and Signal Processing, 2020, 103, 451-460.	1.4	O
188	Modeling of spectrum sharing using ITLinQ scheme in device-to-device networks with full-duplex relays. Telecommunication Systems, 2021, 78, 85.	2.5	0
189	Digital Modulation Techniques in MIMO Systems. Lecture Notes in Electrical Engineering, 2012, , 27-54.	0.4	O
190	MIMO Wireless Communications. Lecture Notes in Electrical Engineering, 2012, , 9-26.	0.4	0
191	Receiver Design for MIMO Wireless Communications. Lecture Notes in Electrical Engineering, 2012, , 151-180.	0.4	O
192	Characterization of mmWave Xâ€duplex multiâ€relay system in 5G mobile network. International Journal of Communication Systems, 2022, 35, .	2.5	0
193	Machine learning for power control in deviceâ€toâ€device communications with fullâ€duplex relays using ITLinQ spectrum sharing scheme. Transactions on Emerging Telecommunications Technologies, 2022, 33, .	3.9	O
194	Characterization of MmWave Full-Duplex Cloud-Radio Access Network (C-RAN) with RRH Selection for 5G and Beyond. Physical Communication, 2022, 52, 101693.	2.1	0
195	Sparse Beamforming Design for Non-Coherent UD-CRAN with mm-Wave Fronthaul Links., 2021,,.		O