

# Toyoko Suzuki

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5031687/toyoko-suzuki-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

891  
citations

18  
h-index

25  
g-index

88  
ext. papers

1,026  
ext. citations

3.9  
avg, IF

4.38  
L-index

#	Paper	IF	Citations
84	Preparation of elastic/glassy Janus composite particles by seeded polymerization. <i>Colloid and Polymer Science</i> , <b>2022</b> , 300, 365	2.4	
83	Synthesis of Polypyrrole and Its Derivatives as a Liquid Marble Stabilizer via a Solvent-Free Chemical Oxidative Polymerization Protocol. <i>ACS Omega</i> , <b>2022</b> , 7, 13010-13021	3.9	2
82	Magnetite incorporated amine-functional SiO <sub>2</sub> support for bimetallic Cu-Ni alloy nanoparticles produced highly effective nanocatalyst. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 647, 129044	5.1	1
81	In situ preparation of inorganic nanoparticles in amino-functionalized porous cellulose particles. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50397	2.9	0
80	Monodispersed Nitrogen-Containing Carbon Capsules Fabricated from Conjugated Polymer-Coated Particles via Light Irradiation. <i>Langmuir</i> , <b>2021</b> , 37, 4599-4610	4	6
79	Mesoporous amine functionalized SiO <sub>2</sub> supported Cu nanocatalyst and a kinetic-mechanistic degradation study of azo dyes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2021</b> , 617, 126403	5.1	4
78	One-Shot Deprotonative Metalation/Transmetalation/Polymerization of Halothiophenes Catalyzed by Nickel Complex for Polythiophene Synthesis. <i>Synthesis</i> , <b>2021</b> , 53, 3081-3084	2.9	2
77	Thermally-Induced Doping of the Regioregular Polythiophene Bearing Alkylene Spaced Benzene sulfonate Group at the Side Chain. <i>Heterocycles</i> , <b>2021</b> , 103, 249	0.8	0
76	Preparation of Salt-Responsive Hollow Hydrophilic Polymer Particles by Inverse Suspension Polymerization. <i>Langmuir</i> , <b>2021</b> , 37, 9371-9377	4	0
75	Preparation of Polypropylene-Composite Particles by Dispersion Polymerization. <i>Langmuir</i> , <b>2021</b> , 37, 10388-10393	4	0
74	Preparation of Poly(Ionic Liquid) Particles with Anionic Side Chain by Dispersion Polymerization. <i>Macromolecular Rapid Communications</i> , <b>2020</b> , 41, e2000271	4.8	3
73	Thermally Induced Self-Doping of Conjugated Polymers Bearing a Pendant Neopentyl Sulfonate Group. <i>Macromolecules</i> , <b>2020</b> , 53, 1171-1179	5.5	7
72	Preparation of Cellulose/Silver Composite Particles Having a Recyclable Catalytic Property. <i>ACS Omega</i> , <b>2020</b> , 5, 1919-1926	3.9	12
71	Preparation of Cylindrical Janus Particles Using a Stirring Method. <i>ACS Omega</i> , <b>2020</b> , 5, 33047-33052	3.9	2
70	Formation of Colloidal Superstructures of Disc-like Particles Utilizing Hydrogen Bonding Interactions between Steric Stabilizers. <i>Macromolecules</i> , <b>2020</b> , 53, 11027-11032	5.5	1
69	Preparation of Cellulose Particles with a Hollow Structure. <i>Langmuir</i> , <b>2020</b> , 36, 14076-14082	4	3
68	Incorporation Behavior of Nonionic Emulsifiers inside Particles and Secondary Particle Nucleation during Emulsion Polymerization of Styrene. <i>Langmuir</i> , <b>2020</b> , 36, 9747-9755	4	2

67	Morphology control of silicone/poly(methyl methacrylate) (elastic/glassy) composite particles. <i>Polymer Chemistry</i> , <b>2020</b> , 11, 6328-6334	4.9	1
66	Formal preparation of regioregular and alternating thiophene-thiophene copolymers bearing different substituents. <i>Beilstein Journal of Organic Chemistry</i> , <b>2020</b> , 16, 317-324	2.5	2
65	The interface adsorption behavior in a Pickering emulsion stabilized by cylindrical polystyrene particles. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 552, 230-235	9.3	13
64	Preparation of Janus Particles Composed of Hydrophobic and Hydrophilic Polymers. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 20996-21002	3.9	8
63	Unprecedented Regioregular Poly(1,4-arylene)s Prepared by Nickel(II)-Catalyzed Cross-Coupling Polymerization of 2,5-Disubstituted Bromo(chloro)arylene. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 9647-9650	3.6	1
62	Unprecedented Regioregular Poly(1,4-arylene)s Prepared by Nickel(II)-Catalyzed Cross-Coupling Polymerization of 2,5-Disubstituted Bromo(chloro)arylene. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 9547-9550	16.4	4
61	Preparation of free-standing silicone particles in aqueous heterogeneous system. <i>Polymers for Advanced Technologies</i> , <b>2019</b> , 30, 3003-3010	3.2	2
60	Synthesis and Properties of Regioregular Polythiophene Bearing Cyclic Siloxane Moiety at the Side Chain and the Formation of Polysiloxane Gel by Acid Treatment of the Thin Film. <i>Chemistry Letters</i> , <b>2019</b> , 48, 611-614	1.7	7
59	Computational Studies on the Racemization Barriers of Winding Vine-Shaped Heterobiaryls with Molecular Asymmetry. <i>Heterocycles</i> , <b>2019</b> , 99, 294	0.8	3
58	Preparation of Cylindrical Polystyrene Particles and their Adsorption Behavior. <i>Journal of the Japan Society of Colour Material</i> , <b>2019</b> , 92, 299-303	0	
57	Synthesis of furan dimer-based polyamides with a high melting point. <i>Journal of Polymer Science Part A</i> , <b>2018</b> , 56, 1516-1519	2.5	15
56	Nanocolloidal Hydrogel for Heavy Metal Scavenging. <i>ACS Nano</i> , <b>2018</b> , 12, 8160-8168	16.7	62
55	A Facile Method for Preparation of Polymer Particles Having a "Cylindrical" Shape. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 9936-9940	16.4	18
54	Morphology Control of Porous Cellulose Particles by Tuning the Surface Tension of Media during Drying. <i>Langmuir</i> , <b>2018</b> , 34, 15490-15494	4	5
53	Compound droplets derived from a cholesteric suspension of cellulose nanocrystals. <i>Soft Matter</i> , <b>2018</b> , 14, 9713-9719	3.6	7
52	A Facile Method for Preparation of Polymer Particles Having a Cylindrical Shape. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 10084-10088	3.6	1
51	Preparation of Flattened Cross-Linked Hollow Particles by Suspension Polymerization in a Solid Dispersion Medium. <i>Langmuir</i> , <b>2017</b> , 33, 1541-1546	4	10
50	Emulsion Polymerization with a Biosurfactant. <i>Langmuir</i> , <b>2017</b> , 33, 5814-5818	4	14

49	Water Absorption Behavior of Polystyrene Particles Prepared by Emulsion Polymerization with Nonionic Emulsifiers and Innovative Easy Synthesis of Hollow Particles. <i>Langmuir</i> , <b>2017</b> , 33, 3468-3475	4	18
48	Encapsulation of Either Hydrophilic or Hydrophobic Substances in Spongy Cellulose Particles. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 944-949	9.5	18
47	Preparation of disk-like cellulose particles. <i>Cellulose</i> , <b>2017</b> , 24, 3111-3118	5.5	4
46	Morphological change of thermosensitive imidazolium-based poly(ionic liquid)/poly(phenylethylmethacrylate) composite particles. <i>Polymers for Advanced Technologies</i> , <b>2017</b> , 28, 470-475	3.2	
45	Preparation of poly(ionic liquid) composite particles and function modification with anion exchange. <i>RSC Advances</i> , <b>2016</b> , 6, 31574-31579	3.7	10
44	Preparation of Poly(ionic liquid) Hollow Particles with Switchable Permeability. <i>Langmuir</i> , <b>2016</b> , 32, 2331-2347	4.7	26
43	Interfacial Synthetic Approach for Constructing Metal-Organic Framework Crystals Using Metal Ion-Doped Polymer Substrate. <i>Crystal Growth and Design</i> , <b>2016</b> , 16, 2472-2476	3.5	21
42	Versatile synthesis of high performance, crosslinked polymer microcapsules with encapsulated n-hexadecane as heat storage materials by utilizing microsuspension controlled/living radical polymerization (ms CLRP) of ethylene glycol dimethacrylate with the SaPSeP method. <i>Polymer</i> , <b>2015</b> , 56, 122-130	3.9	13
41	Influence of the molecular-oriented structure of ionic liquids on the crystallinity of aluminum hydroxide prepared by a sol-gel process in ionic liquids. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 18705-9	3.6	1
40	Controlling the Morphology of Rattle-like Particles Prepared by One-step Suspension Polymerization. <i>Journal of the Adhesion Society of Japan</i> , <b>2015</b> , 51, 233-234	0.1	1
39	Preparation of janus particles with different stabilizers and formation of one-dimensional particle arrays. <i>Langmuir</i> , <b>2015</b> , 31, 674-8	4	21
38	Preparation of cellulose particles using an ionic liquid. <i>Journal of Colloid and Interface Science</i> , <b>2014</b> , 418, 126-31	9.3	31
37	Morphology changes of ionic liquid encapsulating polymer microcontainers upon X-ray irradiation. <i>RSC Advances</i> , <b>2014</b> , 4, 3272-3277	3.7	8
36	Preparation of submicrometer-sized quaternary ammonium-based poly(ionic liquid) particles via emulsion polymerization and switchable responsiveness of emulsion film. <i>Langmuir</i> , <b>2014</b> , 30, 3406-12	4	13
35	RAFT Polymerization in a Miniemulsion System Using a Novel Type of Amphiphilic RAFT Agent with Poly(ethylene glycol) Bound to a Dithiobenzoate Group. <i>Macromolecules</i> , <b>2014</b> , 47, 130-136	5.5	10
34	One-step synthesis of "rattle-like" polymer particles via suspension polymerization. <i>Chemical Communications</i> , <b>2014</b> , 50, 9921-4	5.8	16
33	Preparation of Composite Particles Utilizing Hydrogen Bonding Interaction. <i>Journal of the Japan Society of Colour Material</i> , <b>2014</b> , 87, 356-360	0	2
32	Preparation of free-standing thermosensitive composite gel particles incorporating ionic liquids. <i>Soft Matter</i> , <b>2013</b> , 9, 1761-1765	3.6	7

31	Preparation of raspberry-like polymer particles by a heterocoagulation technique utilizing hydrogen bonding interactions between steric stabilizers. <i>Langmuir</i> , <b>2013</b> , 29, 554-60	4	43
30	Preparation of hemispherical polymer particles via phase separation induced by microsuspension polymerization. <i>Colloid and Polymer Science</i> , <b>2013</b> , 291, 71-76	2.4	5
29	Preparation of ionic liquid-encapsulated polymer particles. <i>Colloid and Polymer Science</i> , <b>2013</b> , 291, 45-51	2.4	21
28	Effect of partitioning of monomer and emulsifier in aqueous media on particle formation in emulsion homopolymerization of hydrophobic and hydrophilic monomers with a nonionic emulsifier. <i>Polymer Journal</i> , <b>2013</b> , 45, 153-159	2.7	9
27	Effects of stirring prior to starting emulsion polymerization of styrene with nonionic emulsifier on particle formation and its incorporation. <i>Colloid and Polymer Science</i> , <b>2012</b> , 290, 561-567	2.4	4
26	Effect of stirring rate on particle formation in emulsifier-free, organotellurium-mediated living radical emulsion polymerization (emulsion TERP) of styrene. <i>Polymer Journal</i> , <b>2012</b> , 44, 205-210	2.7	18
25	Emulsifier-Free, Organotellurium-Mediated Living Radical Emulsion Polymerization of Styrene: Effect of Stirring Rate. <i>Macromolecules</i> , <b>2011</b> , 44, 263-268	5.5	32
24	Formation of Nonspherical Particles with Uneven Surface in Emulsion Copolymerization of Styrene and Methacrylic Acid with Nonionic Emulsifier. <i>Macromolecular Symposia</i> , <b>2010</b> , 288, 33-40	0.8	1
23	A Novel Estimation Method of the Distribution of Carboxyl Groups Within Copolymer Particles Using Isothermal Titration Calorimeter. <i>Macromolecular Symposia</i> , <b>2009</b> , 281, 135-141	0.8	1
22	Thermal properties of hexadecane encapsulated in poly(divinylbenzene) particles. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 112, 3257-3266	2.9	23
21	Preparation of multihollow polystyrene particles by seeded emulsion polymerization using seed particles with incorporated nonionic emulsifier: effect of temperature. <i>Colloid and Polymer Science</i> , <b>2009</b> , 287, 251-257	2.4	12
20	Effect of stirring on preparation of hollow copolymer particles by alkali/cooling method. <i>Central South University</i> , <b>2009</b> , 16, 563-568		1
19	Incorporation of nonionic emulsifier inside carboxylated polymer particles during emulsion copolymerization: influence of methacrylic acid content. <i>Langmuir</i> , <b>2009</b> , 25, 101-6	4	19
18	Preparation of divinylbenzene copolymer particles with encapsulated hexadecane for heat storage application. <i>Colloid and Polymer Science</i> , <b>2008</b> , 286, 217-223	2.4	33
17	Influence of water domain formed in hexadecane core inside cross-linked capsule particle on thermal properties for heat storage application. <i>Colloid and Polymer Science</i> , <b>2008</b> , 286, 753-759	2.4	31
16	Preparation of hollow poly(divinyl benzene) particles with multiple holes in the shell by microsuspension polymerization with the SaPSeP method. <i>Colloid and Polymer Science</i> , <b>2008</b> , 286, 1561-1567	2.4	12
15	Incorporation of nonionic emulsifiers inside styrene/methacrylic acid copolymer particles during emulsion copolymerization. <i>Polymer</i> , <b>2008</b> , 49, 3042-3047	3.9	16
14	Mechanical properties of cross-linked polymer particles prepared by nitroxide-mediated radical polymerization in aqueous micro-suspension. <i>Polymer</i> , <b>2007</b> , 48, 3836-3843	3.9	28

13	Influence of hydrophilic/lipophilic balance of nonionic emulsifiers on emulsion copolymerization of styrene and methacrylic acid. <i>Colloid and Polymer Science</i> , <b>2007</b> , 285, 1755-1761	2.4	14
12	Preparation of Poly (divinylbenzene) Particles with Encapsulated Hexadecane for Heat Storage Application. <i>Kobunshi Ronbunshu</i> , <b>2007</b> , 64, 171-176	0	8
11	Estimation of water absorption state within ionized carboxylated polymer particles with high sensitive differential scanning calorimetry. <i>Colloid and Polymer Science</i> , <b>2006</b> , 284, 802-806	2.4	3
10	Estimation of distribution state of carboxyl groups within submicron-sized, carboxylated polymer particle with isothermal titration calorimeter. <i>Colloid and Polymer Science</i> , <b>2006</b> , 284, 1319-1323	2.4	13
9	Effect of hydrophilicity of polymer particles on their glass transition temperatures in the emulsion state. <i>Colloid and Polymer Science</i> , <b>2004</b> , 282, 1150-1154	2.4	7
8	Preparation of cationic nanoparticles by the particle dissolution method from submicron-sized, styrene-butyl acrylate-dimethylaminoethyl methacrylate terpolymer particles. <i>Colloid and Polymer Science</i> , <b>2003</b> , 281, 168-172	2.4	7
7	Estimation of heterogeneous surface structure of submicron-sized, composite polymer particles consisting of hydrophobic and hydrophilic components by atomic force microscopy*. <i>Colloid and Polymer Science</i> , <b>2003</b> , 281, 569-574	2.4	3
6	Variation of the morphology of a carboxylated polymer film by alkali treatment. <i>Colloid and Polymer Science</i> , <b>2002</b> , 280, 574-578	2.4	12
5	Estimation of the adsorption state of nonionic emulsifier molecules onto styrene/methacrylic acid copolymer particles by in situ <sup>1</sup> H NMR measurements. <i>Colloid and Polymer Science</i> , <b>2002</b> , 280, 1053-1056	2.4	2
4	Microanalysis of the surface concentration of sulfate groups at polystyrene particle by isothermal titration calorimetry. <i>Colloid and Polymer Science</i> , <b>1999</b> , 277, 579-582	2.4	9
3	Synthesis of temperature-sensitive micron-sized monodispersed composite polymer particles and its application as a carrier for biomolecules. <i>Colloid and Polymer Science</i> , <b>1998</b> , 276, 470-475	2.4	29
2	Production of micron-sized monodispersed composite polymer particles by seeded polymerization utilizing the dynamic swelling method. <i>Colloid and Polymer Science</i> , <b>1997</b> , 275, 288-292	2.4	34
1	Amine functional silica-supported bimetallic Cu-Ni nanocatalyst and investigation of some typical reductions of aromatic nitro-substituents. <i>Colloid and Polymer Science</i> , 1	2.4	2