
## Zhen Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5033274/publications.pdf Version: 2024-02-01



ZHEN WANC

#	Article	IF	CITATIONS
1	Genome Assembly of Alfalfa Cultivar Zhongmu-4 and Identification of SNPs Associated with Agronomic Traits. Genomics, Proteomics and Bioinformatics, 2022, 20, 14-28.	6.9	26
2	RAD-Seq-Based High-Density Linkage Maps Construction and Quantitative Trait Loci Mapping of Flowering Time Trait in Alfalfa (Medicago sativa L.). Frontiers in Plant Science, 2022, 13, .	3.6	6
3	Genome-wide identification, phylogeny and expression analysis of the SPL gene family and its important role in salt stress in Medicago sativa L BMC Plant Biology, 2022, 22, .	3.6	7
4	<i>MLK4</i> â€mediated phosphorylation of histone H3T3 promotes flowering by transcriptional silencing of <i>FLC/MAF</i> in <i>Arabidopsis thalian a</i> . Plant Journal, 2021, 105, 1400-1412.	5.7	9
5	Overexpression of MtRAV3 enhances osmotic and salt tolerance and inhibits growth of Medicago truncatula. Plant Physiology and Biochemistry, 2021, 163, 154-165.	5.8	11
6	Gibberellins Inhibit Flavonoid Biosynthesis and Promote Nitrogen Metabolism in Medicago truncatula. International Journal of Molecular Sciences, 2021, 22, 9291.	4.1	7
7	A global alfalfa diversity panel reveals genomic selection signatures in Chinese varieties and genomic associations with root development. Journal of Integrative Plant Biology, 2021, 63, 1937-1951.	8.5	20
8	iTRAQ-based comparative proteomic analysis of differences in the protein profiles of stems and leaves from two alfalfa genotypes. BMC Plant Biology, 2020, 20, 447.	3.6	3
9	Arabidopsis thaliana MLK3, a Plant-Specific Casein Kinase 1, Negatively Regulates Flowering and Phosphorylates Histone H3 In Vitro. Genes, 2020, 11, 345.	2.4	13
10	Mut9p-LIKE KINASE Family Members: New Roles of the Plant-Specific Casein Kinase I in Plant Growth and Development. International Journal of Molecular Sciences, 2020, 21, 1562.	4.1	8
11	Quantitative trait locus mapping of yield and plant height in autotetraploid alfalfa (Medicago sativa) Tj ETQq1 1	0.784314 5.2	$rg_{10}^{\text{BT}}$ /Over (
12	Genetic mapping of leaf-related traits in autotetraploid alfalfa (Medicago sativa L.). Molecular Breeding, 2019, 39, 1.	2.1	6
13	Molecular Cloning and Functional Identification of a Squalene Synthase Encoding Gene from Alfalfa (Medicago sativa L.). International Journal of Molecular Sciences, 2019, 20, 4499.	4.1	9
14	High-density linkage map construction and mapping QTL for yield and yield components in autotetraploid alfalfa using RAD-seq. BMC Plant Biology, 2019, 19, 165.	3.6	26
15	Isolation and Functional Characterization of MsFTa, a FLOWERING LOCUS T Homolog from Alfalfa (Medicago sativa). International Journal of Molecular Sciences, 2019, 20, 1968.	4.1	13
16	Arabidopsis NUCLEOSTEMIN-LIKE 1 (NSN1) regulates cell cycling potentially by cooperating with nucleosome assembly protein AtNAP1;1. BMC Plant Biology, 2018, 18, 99.	3.6	19
17	Molecular cloning and functional analysis of the drought tolerance gene MsHSP70 from alfalfa (Medicago sativa L.). Journal of Plant Research, 2017, 130, 387-396.	2.4	43
18	The Divergence of Flowering Time Modulated by FT/TFL1 Is Independent to Their Interaction and Binding Activities. Frontiers in Plant Science, 2017, 8, 697.	3.6	24

#	Article	IF	CITATIONS
19	Osmotic stress induces phosphorylation of histone H3 at threonine 3 in pericentromeric regions of <i>Arabidopsis thaliana</i> . Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 8487-8492.	7.1	82
20	A Genome-Wide Association Study Coupled With a Transcriptomic Analysis Reveals the Genetic Loci and Candidate Genes Governing the Flowering Time in Alfalfa (Medicago sativa L.). Frontiers in Plant Science, 0, 13, .	3.6	2