

# Sangita Mukhopadhyay

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5034362/publications.pdf>

Version: 2024-02-01

60  
papers

2,885  
citations

186209

28  
h-index

175177

52  
g-index

60  
all docs

60  
docs citations

60  
times ranked

3410  
citing authors

#	ARTICLE	IF	CITATIONS
1	Human resistin stimulates the pro-inflammatory cytokines TNF- $\alpha$ and IL-12 in macrophages by NF- $\kappa$ B-dependent pathway. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 1092-1101.	1.0	531
2	The PPE18 of <i>Mycobacterium tuberculosis</i> Interacts with TLR2 and Activates IL-10 Induction in Macrophage. <i>Journal of Immunology</i> , 2009, 183, 6269-6281.	0.4	189
3	The PE/PPE multigene family codes for virulence factors and is a possible source of mycobacterial antigenic variation: Perhaps more?. <i>Biochimie</i> , 2012, 94, 110-116.	1.3	149
4	PPE Antigen Rv2430c of <i>Mycobacterium tuberculosis</i> Induces a Strong B-Cell Response. <i>Infection and Immunity</i> , 2003, 71, 6338-6343.	1.0	126
5	The ESAT-6 Protein of <i>Mycobacterium tuberculosis</i> Interacts with Beta-2-Microglobulin ( $\beta$ 2M) Affecting Antigen Presentation Function of Macrophage. <i>PLoS Pathogens</i> , 2014, 10, e1004446.	2.1	126
6	The PE and PPE proteins of <i>Mycobacterium tuberculosis</i> . <i>Tuberculosis</i> , 2011, 91, 441-447.	0.8	123
7	The genomic organization of mouse resistin reveals major differences from the human resistin: functional implications. <i>Gene</i> , 2003, 305, 27-34.	1.0	116
8	TLRs/NLRs: Shaping the landscape of host immunity. <i>International Reviews of Immunology</i> , 2018, 37, 3-19.	1.5	106
9	Macrophage Effector Functions Controlled by Bruton's Tyrosine Kinase Are More Crucial Than the Cytokine Balance of T Cell Responses for Microfilarial Clearance. <i>Journal of Immunology</i> , 2002, 168, 2914-2921.	0.4	101
10	The PPE18 Protein of <i>Mycobacterium tuberculosis</i> Inhibits NF- $\kappa$ B/relA-Mediated Proinflammatory Cytokine Production by Upregulating and Phosphorylating Suppressor of Cytokine Signaling 3 Protein. <i>Journal of Immunology</i> , 2011, 186, 5413-5424.	0.4	81
11	PE11, a PE/PPE family protein of <i>Mycobacterium tuberculosis</i> is involved in cell wall remodeling and virulence. <i>Scientific Reports</i> , 2016, 6, 21624.	1.6	81
12	The Co-Operonic PE25/PPE41 Protein Complex of <i>Mycobacterium tuberculosis</i> Elicits Increased Humoral and Cell Mediated Immune Response. <i>PLoS ONE</i> , 2008, 3, e3586.	1.1	79
13	Pathogenesis in tuberculosis: transcriptomic approaches to unraveling virulence mechanisms and finding new drug targets. <i>FEMS Microbiology Reviews</i> , 2012, 36, 463-485.	3.9	59
14	Interleukin-10 (IL-10) mediated suppression of IL-12 production in RAW 264.7 cells also involves c-rel transcription factor. <i>Immunology</i> , 2005, 114, 313-321.	2.0	56
15	Role of PPE18 Protein in Intracellular Survival and Pathogenicity of <i>Mycobacterium tuberculosis</i> in Mice. <i>PLoS ONE</i> , 2012, 7, e52601.	1.1	52
16	Glutathione-Redox Balance Regulates c-rel-Driven IL-12 Production in Macrophages: Possible Implications in Antituberculosis Immunotherapy. <i>Journal of Immunology</i> , 2010, 184, 2918-2929.	0.4	49
17	Mycobacterial PknG Targets the Rab711 Signaling Pathway To Inhibit Phagosome-Lysosome Fusion. <i>Journal of Immunology</i> , 2018, 201, 1421-1433.	0.4	49
18	Hydrogen peroxide inhibits IL-12 p40 induction in macrophages by inhibiting c-rel translocation to the nucleus through activation of calmodulin protein. <i>Blood</i> , 2006, 107, 1513-1520.	0.6	47

#	ARTICLE	IF	CITATIONS
19	Endocytosis of Mycobacterium tuberculosis Heat Shock Protein 60 Is Required to Induce Interleukin-10 Production in Macrophages*. Journal of Biological Chemistry, 2013, 288, 24956-24971.	1.6	45
20	Macrophage takeover and the host-bacilli interplay during tuberculosis. Future Microbiology, 2015, 10, 853-872.	1.0	44
21	Association of Strong Immune Responses to PPE Protein Rv1168c with Active Tuberculosis. Vaccine Journal, 2008, 15, 974-980.	3.2	41
22	The Evil Axis of Obesity, Inflammation and Type-2 Diabetes. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2011, 11, 23-31.	0.6	41
23	Mycobacterium tuberculosis conserved hypothetical protein rRv2626c modulates macrophage effector functions. Immunology, 2010, 130, 34-45.	2.0	37
24	Immunoregulatory functions and expression patterns of PE/PPE family members: Roles in pathogenicity and impact on anti-tuberculosis vaccine and drug design. IUBMB Life, 2015, 67, 414-427.	1.5	35
25	Lipid metabolism and intracellular bacterial virulence: key to next-generation therapeutics. Future Microbiology, 2018, 13, 1301-1328.	1.0	35
26	Proline-Proline-Glutamic Acid (PPE) Protein Rv1168c of Mycobacterium tuberculosis Augments Transcription from HIV-1 Long Terminal Repeat Promoter. Journal of Biological Chemistry, 2012, 287, 16930-16946.	1.6	32
27	The PPE2 protein of Mycobacterium tuberculosis translocates to host nucleus and inhibits nitric oxide production. Scientific Reports, 2017, 7, 39706.	1.6	32
28	PPE2 protein of Mycobacterium tuberculosis may inhibit nitric oxide in activated macrophages. Annals of the New York Academy of Sciences, 2013, 1283, 97-101.	1.8	31
29	Transduction of Functionally Contrasting Signals by Two Mycobacterial PPE Proteins Downstream of TLR2 Receptors. Journal of Immunology, 2016, 197, 1776-1787.	0.4	29
30	Poorer NF- $\kappa$ B signaling by microfilariae in macrophages from BALB/c mice affects their ability to produce cytotoxic levels of nitric oxide to kill microfilariae. FEBS Letters, 2004, 567, 275-280.	1.3	28
31	Mycobacterium tuberculosis heat shock protein 60 modulates immune response to PPD by manipulating the surface expression of TLR2 on macrophages. Cellular Microbiology, 2008, 10, 1711-1722.	1.1	28
32	Cell envelope lipids in the pathophysiology of Mycobacterium tuberculosis. Future Microbiology, 2018, 13, 689-710.	1.0	26
33	Mycobacterium tuberculosis PPE2 Protein Interacts with p67phox and Inhibits Reactive Oxygen Species Production. Journal of Immunology, 2019, 203, 1218-1229.	0.4	25
34	PPE17 (Rv1168c) protein of Mycobacterium tuberculosis detects individuals with latent TB infection. PLoS ONE, 2018, 13, e0207787.	1.1	23
35	Mycobacterium tuberculosis PPE protein Rv0256c induces strong B cell response in tuberculosis patients. Infection, Genetics and Evolution, 2014, 22, 244-249.	1.0	21
36	Scavenger receptor-specific allergen delivery elicits IFN- $\beta$ -dominated immunity and directs established TH2-dominated responses to a nonallergic phenotype. Journal of Allergy and Clinical Immunology, 2002, 109, 321-328.	1.5	19

#	ARTICLE	IF	CITATIONS
37	Anti-B7-1/B7-2 antibody elicits innate-effector responses in macrophages through NF- $\kappa$ B-dependent pathway. <i>International Immunology</i> , 2007, 19, 477-486.	1.8	17
38	Secretory proteins of <i>Mycobacterium tuberculosis</i> and their roles in modulation of host immune responses: focus on therapeutic targets. <i>FEBS Journal</i> , 2022, 289, 4146-4171.	2.2	17
39	<i>Mycobacterium tuberculosis</i> PPE18 Protein Reduces Inflammation and Increases Survival in Animal Model of Sepsis. <i>Journal of Immunology</i> , 2018, 200, 3587-3598.	0.4	14
40	Calcium Signaling Commands Phagosome Maturation Process. <i>International Reviews of Immunology</i> , 2019, 38, 57-69.	1.5	14
41	<i>Mycobacterium tuberculosis</i> PPE18 protein inhibits MHC class II antigen presentation and B cell response in mice. <i>European Journal of Immunology</i> , 2021, 51, 603-619.	1.6	13
42	Aptamers: An Emerging Tool for Diagnosis and Therapeutics in Tuberculosis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 656421.	1.8	12
43	The <i>Mycobacterium tuberculosis</i> PPE protein Rv1168c induces stronger B cell response than Rv0256c in active TB patients. <i>Infection, Genetics and Evolution</i> , 2016, 40, 339-345.	1.0	10
44	Uncovering Structural and Molecular Dynamics of ESAT-6: $\beta$ 2M Interaction: Asp53 of Human $\beta$ 2-Microglobulin Is Critical for the ESAT-6: $\beta$ 2M Complexation. <i>Journal of Immunology</i> , 2019, 203, 1918-1929.	0.4	10
45	PPE65 of <i>M. tuberculosis</i> regulate pro-inflammatory signalling through LRR domains of Toll like receptor-2. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 152-158.	1.0	10
46	Isocitrate Dehydrogenase of <i>Helicobacter pylori</i> Potentially Induces Humoral Immune Response in Subjects with Peptic Ulcer Disease and Gastritis. <i>PLoS ONE</i> , 2008, 3, e1481.	1.1	10
47	Nitric oxide inhibits interleukin-12 p40 through p38 MAPK-mediated regulation of calmodulin and c-rel. <i>Free Radical Biology and Medicine</i> , 2007, 42, 686-697.	1.3	9
48	The N-terminal domain of <i>Mycobacterium tuberculosis</i> PPE17 (Rv1168c) protein plays a dominant role in inducing antibody responses in active TB patients. <i>PLoS ONE</i> , 2017, 12, e0179965.	1.1	9
49	ESAT-6 Protein of <i>Mycobacterium tuberculosis</i> Increases Holotransferrin-Mediated Iron Uptake in Macrophages by Downregulating Surface Hemochromatosis Protein HFE. <i>Journal of Immunology</i> , 2020, 205, 3095-3106.	0.4	9
50	Nitric Oxide: Friendly Rivalry in Tuberculosis. <i>Current Signal Transduction Therapy</i> , 2007, 2, 121-128.	0.3	8
51	Moonlighting by PPE2 Protein: Focus on Mycobacterial Virulence. <i>Journal of Immunology</i> , 2021, 207, 2393-2397.	0.4	7
52	PPE2 protein of <i>Mycobacterium tuberculosis</i> affects myeloid hematopoiesis in mice. <i>Immunobiology</i> , 2021, 226, 152051.	0.8	6
53	Dribbling through the host defence: targeting the TLRs by pathogens. <i>Critical Reviews in Microbiology</i> , 2019, 45, 354-368.	2.7	5
54	Rabaptin5 acts as a key regulator for Rab71-mediated phagosome maturation process. <i>Immunology</i> , 2022, 165, 328-340.	2.0	5

#	ARTICLE	IF	CITATIONS
55	The PE and PPE Family Proteins of <i>Mycobacterium tuberculosis</i> : What they Are Up To?. , 2019, , 123-150.		3
56	Phagosome maturation and modulation of macrophage effector function by intracellular pathogens: target for therapeutics. <i>Future Microbiology</i> , 2022, 17, 59-76.	1.0	2
57	Therapeutic application of PPE2 protein of <i>Mycobacterium tuberculosis</i> in inhibiting tissue inflammation. <i>EMBO Molecular Medicine</i> , 0, , .	3.3	2
58	<i>Mycobacterium tuberculosis</i> : what is the role of PPE2 during infection?. <i>Future Microbiology</i> , 2017, 12, 457-460.	1.0	1
59	<i>Mycobacterium tuberculosis</i> protein PPE2 binds to DNA region containing promoter activity. <i>Biochemical and Biophysical Research Communications</i> , 2021, 567, 166-170.	1.0	0
60	Phagosome-Lysosome Fusion Hijack-An Art of Intracellular Pathogens. <i>Proceedings of the Indian National Science Academy</i> , 2017, 91, .	0.5	0