

# Mitsuyoshi Takahara

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/50367/publications.pdf>

Version: 2024-02-01

78  
papers

996  
citations

566801

15  
h-index

476904

29  
g-index

79  
all docs

79  
docs citations

79  
times ranked

1162  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Cardiac Function on Loss of Patency in Patients With Peripheral Artery Disease Presenting the Femoropopliteal Lesions Endovascularly Treated With New-Generation Devices. <i>Journal of Endovascular Therapy</i> , 2023, 30, 75-83.	0.8	1
2	Injury Precipitating Tissue Loss and Time to Referral to a Vascular Center in Patients with Chronic Limb-Threatening Ischemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2023, 30, 287-298.	0.9	2
3	Comparison of Aortobifemoral Bypass and Endovascular Treatment for Chronic Infrarenal Abdominal Aortic Occlusion From the CHAOS (Chronic Abdominal Aortic Occlusion,) Trial. <i>Journal of Endovascular Therapy</i> , 2023, 30, 14-18.	0.7	14
4	Lifestyle changes and their impact on glycemic control and weight control in patients with diabetes during the coronavirus disease 2019 pandemic in Japan. <i>Journal of Diabetes Investigation</i> , 2022, 13, 375-385.	1.1	16
5	Vessel Diameter Evaluated by Intravascular Ultrasound Versus Angiography. <i>Journal of Endovascular Therapy</i> , 2022, 29, 343-349.	0.8	14
6	Acute effects of whole body vibration exercise on post-load glucose metabolism in healthy men: a pilot randomized crossover trial. <i>Endocrine</i> , 2022, 75, 752-759.	1.1	0
7	Motivation for Treatment Correlating Most Strongly with an Increase in Satisfaction with Type 2 Diabetes Treatment. <i>Diabetes Therapy</i> , 2022, 13, 709-721.	1.2	1
8	Independent predictors of major adverse cardiovascular events at 3 years after aortoiliac stent implantation. <i>Journal of Vascular and Interventional Radiology</i> , 2022, , .	0.2	1
9	Clinical features and prognosis of patients with and without diabetes mellitus undergoing endovascular aortic aneurysm repair. <i>BMC Endocrine Disorders</i> , 2022, 22, 92.	0.9	0
10	Three-Year Glycaemic Control and Management in Patients with Type 2 Diabetes Initiating Second-Line Treatment in Japan: A Prospective Observational Study, J-DISCOVER. <i>Diabetes Therapy</i> , 2022, 13, 251-264.	1.2	4
11	Comparison of continuous subcutaneous insulin infusion treatment and multiple daily injection treatment on the progression of diabetic complications in Japanese patients with juvenile-onset type 1 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1528-1532.	1.1	1
12	Trends in maternal characteristics and perinatal outcomes among Japanese pregnant women with type 1 and type 2 diabetes from 1982 to 2020. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1761-1770.	1.1	3
13	Outcomes and ascending aorta diameter change after zone 0 endografting with ascending aortic wrapping. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, , .	0.8	0
14	Vascular Pathology and Impact of Stent Eccentricity for Stent Restenosis in Femoropopliteal Endovascular Therapy. <i>Journal of Vascular and Interventional Radiology</i> , 2022, , .	0.2	0
15	Improvement of beta-cell function in conjunction with glycemic control after medical nutrition therapy in newly-diagnosed type 2 diabetes mellitus. <i>BMC Endocrine Disorders</i> , 2022, 22, .	0.9	1
16	Drug Eluting Versus Covered Stent for Femoropopliteal Artery Lesions: Results of the ULTIMATE Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 64, 359-366.	0.8	4
17	Glycemic control of people with diabetes over months after the 2018 North Osaka Earthquake. <i>Diabetology International</i> , 2021, 12, 80-86.	0.7	2
18	Preoperative fundus examination in patients with diabetes scheduled for surgery. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1508-1511.	1.1	0

#	ARTICLE	IF	CITATIONS
19	Diabetes Mellitus and Lower Extremity Peripheral Artery Disease. JMA Journal, 2021, 4, 225-231.	0.6	11
20	When diabetes encounters chronic limb-threatening ischemia: Sweet life with a foot left behind?. Journal of Diabetes and Its Complications, 2021, 35, 107801.	1.2	1
21	Letter to the Editor from Watanabe et al: "Long-term Glycemic Variability and Vascular Complications in Type 2 Diabetes: Post Hoc Analysis of the FIELD Study". Journal of Clinical Endocrinology and Metabolism, 2021, 106, e2376-e2377.	1.8	0
22	Association of obesity, diabetes, and physical frailty with dental and tongue "lip motor dysfunctions in patients with metabolic disease. Obesity Research and Clinical Practice, 2021, 15, 243-248.	0.8	7
23	Evaluation of change in metabolome caused by comprehensive diabetes treatment: A prospective observational study of diabetes inpatients with gas chromatography/mass spectrometry-based non-target metabolomic analysis. Journal of Diabetes Investigation, 2021, 12, 2232-2241.	1.1	6
24	Clinical Impact of Stent Graft Thrombosis in Femoropopliteal Arterial Lesions. JACC: Cardiovascular Interventions, 2021, 14, 1137-1147.	1.1	9
25	The impact of vascularized tissue flap coverage on aortic graft infection with and without infected graft excision. European Journal of Cardio-thoracic Surgery, 2021, 60, 1043-1050.	0.6	3
26	Features of asymptomatic contralateral limb in patients with chronic limb-threatening ischemia. Journal of Cardiology, 2021, 79, 153-160.	0.8	0
27	Three-Year Clinical Outcomes of the Innovalis Self-Expanding Nitinol Stent for the Treatment of Femoropopliteal Lesions. CardioVascular and Interventional Radiology, 2021, 44, 1722-1727.	0.9	4
28	Current and Past Obesity in Japanese Patients with Critical Limb Ischemia Undergoing Revascularization. Journal of Atherosclerosis and Thrombosis, 2021, 28, 44-51.	0.9	4
29	Impact of Hospital Volume on Clinical Outcomes after Aortoiliac Stenting in Patients with Peripheral Artery Disease. Journal of Atherosclerosis and Thrombosis, 2020, 27, 516-523.	0.9	6
30	Prospective study on clinical characteristics of Japanese diabetic patients with chronic limb-threatening ischemia presenting Fontaine stage IV. Diabetology International, 2020, 11, 33-40.	0.7	10
31	Consistency of plasma glucagon levels in patients with type 1 diabetes after a 1-year period. Journal of Diabetes Investigation, 2020, 11, 337-340.	1.1	6
32	Plasma xanthine oxidoreductase activity in Japanese patients with type 2 diabetes across hospitalized treatment. Journal of Diabetes Investigation, 2020, 12, 1512-1520.	1.1	7
33	Investigation of the Effect of Canagliflozin on the Disposition Index, a Marker of Pancreatic Beta Cell Function, in Patients with Type 2 Diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 4457-4468.	1.1	1
34	Three-Year Outcomes of Endovascular Therapy for Aortoiliac Lesions. Circulation: Cardiovascular Interventions, 2020, 13, e009168.	1.4	3
35	Multicentre randomised controlled trial to evaluate the efficacy of pre-emptive inferior mesenteric artery embolisation during endovascular aortic aneurysm repair on aneurysm sac change: protocol of Clarify IMA study. BMJ Open, 2020, 10, e031758.	0.8	11
36	A Novel Angiographic Risk Score for Femoropopliteal Interventions. Journal of Endovascular Therapy, 2020, 27, 967-973.	0.8	17

#	ARTICLE	IF	CITATIONS
37	Inverse association of diabetes and dialysis with the severity of femoropopliteal lesions and chronic total occlusion: a cross-sectional study of 2056 cases. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 514.	0.7	3
38	Effect of tasteless calorie-free gum chewing before meal on postprandial plasma glucose, insulin, glucagon, and gastrointestinal hormones in Japanese men without diagnosed glucose metabolism disorder: a pilot randomized crossover trial. <i>Diabetology International</i> , 2020, 11, 394-402.	0.7	1
39	Baseline Characteristics of Patients with Type 2 Diabetes Initiating Second-Line Treatment in Japan: Findings from the J-DISCOVER Study. <i>Diabetes Therapy</i> , 2020, 11, 1563-1578.	1.2	8
40	Identification of Plasma Inositol and Indoxyl Sulfate as Novel Biomarker Candidates for Atherosclerosis in Patients with Type 2 Diabetes. -Findings from Metabolome Analysis Using GC/MS-. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1053-1067.	0.9	15
41	Duration from Wound Occurrence to Referral to a Vascular Center in Japanese Patients with Critical Limb Ischemia. <i>Annals of Vascular Diseases</i> , 2020, 13, 56-62.	0.2	5
42	Heterogeneity of Age and Its Associated Features in Patients with Critical Limb Ischemia. <i>Annals of Vascular Diseases</i> , 2020, 13, 300-307.	0.2	4
43	Presentation Pattern of Lower Extremity Endovascular Intervention versus Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 761-768.	0.9	9
44	Dysregulated plasma glucagon levels in Japanese young adult type 1 diabetes patients. <i>Journal of Diabetes Investigation</i> , 2019, 10, 62-66.	1.1	16
45	Clinical characteristics of Japanese diabetic patients with critical limb ischemia presenting Fontaine stage IV. <i>Diabetology International</i> , 2019, 10, 231-235.	0.7	13
46	Diabetes mellitus and other cardiovascular risk factors in lower-extremity peripheral artery disease versus coronary artery disease: an analysis of 1,121,359 cases from the nationwide databases. <i>Cardiovascular Diabetology</i> , 2019, 18, 155.	2.7	35
47	One-Year Clinical Outcomes following Implantation of Innova <sup>TM</sup> Self-Expanding Nitinol Stents in Patients with Peripheral Artery Diseases Presenting Femoropopliteal Artery Lesions. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 847-855.	0.9	10
48	One-Year Outcomes of Endovascular Therapy for Aortoiliac Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007441.	1.4	16
49	Evaluation of health utility values for diabetic complications, treatment regimens, glycemic control and other subjective symptoms in diabetic patients using the EQ-5D-5L. <i>Acta Diabetologica</i> , 2019, 56, 309-319.	1.2	20
50	Predictors of postoperative bleeding after vitrectomy for vitreous hemorrhage in patients with diabetic retinopathy. <i>Journal of Diabetes Investigation</i> , 2018, 9, 940-945.	1.1	10
51	Rationale and Design for the J-DISCOVER Study: DISCOVERing the Treatment Reality of Type 2 Diabetes in a Real-World Setting in Japan—A Protocol. <i>Diabetes Therapy</i> , 2018, 9, 165-175.	1.2	23
52	Factors associated with treatment satisfaction in patients with type 2 diabetes mellitus using oral glucose-lowering agents: a cross-sectional study in urban districts in Japan. <i>Endocrine Journal</i> , 2018, 65, 1001-1009.	0.7	9
53	Wound Blush Obtainment Is the Most Important Angiographic Endpoint for Wound Healing. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 188-194.	1.1	18
54	Once-weekly oral antidiabetic agent and treatment satisfaction. <i>Current Medical Research and Opinion</i> , 2017, 33, 2093-2094.	0.9	1

#	ARTICLE	IF	CITATIONS
55	Three-Year Outcomes of Surgical Versus Endovascular Revascularization for Critical Limb Ischemia. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	121
56	Improved treatment satisfaction and medication adherence after readjusting oral medication regimens with the cooperation of health insurance pharmacy in type 2 diabetic patients in Japan. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2017, 3, 27.	0.4	4
57	Patient Perspectives on Combination Therapy of a Once-weekly Oral Medication Plus Daily Medication for Lifestyle-related Chronic Diseases. <i>Internal Medicine</i> , 2017, 56, 615-620.	0.3	4
58	Marked recovery from glucotoxicity of $\beta$ -cell function after medical nutrition therapy without pharmacotherapy in type 2 diabetic outpatients with extreme hyperglycemia: a pilot retrospective study. <i>Endocrine Journal</i> , 2017, 64, 1125-1129.	0.7	2
59	Retrospective Multicenter Comparison of S.M.A.R.T. CONTROL and MISAGO Stents in Treatment of Femoropopliteal Lesions. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 1642-1649.	0.2	4
60	Variations in the associations of taste-related words with foods in diabetic patients in Japan according to gender, age, and geographical region: a multicenter study conducted in seven regions of Japan. <i>Diabetology International</i> , 2016, 7, 314-320.	0.7	0
61	Clinical backgrounds associated with discrepancy between subjective and objective assessments of medication adherence in Japanese type 2 diabetic patients. <i>Diabetology International</i> , 2016, 7, 398-403.	0.7	3
62	A case of diabetic ketoacidosis after everolimus treatment. <i>Acta Diabetologica</i> , 2016, 53, 861-862.	1.2	2
63	Significant elevation of serum dipeptidyl peptidase-4 activity in young-adult type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 113, 135-142.	1.1	23
64	Ameliorated pancreatic $\beta$ cell dysfunction in type 2 diabetic patients treated with a sodium-glucose cotransporter 2 inhibitor ipragliflozin. <i>Endocrine Journal</i> , 2015, 62, 77-86.	0.7	47
65	Positive conversion of GAD autoantibody in patients with presumed type 2 diabetes. <i>Acta Diabetologica</i> , 2015, 52, 629-630.	1.2	0
66	Predictors of 2-Year Mortality and Risk Stratification After Surgical or Endovascular Revascularization of Infringuinal Artery Disease in Hemodialysis Patients With Critical Limb Ischemia. <i>Journal of Endovascular Therapy</i> , 2015, 22, 719-724.	0.8	9
67	Short-term selective alleviation of glucotoxicity and lipotoxicity ameliorates the suppressed expression of key $\beta$ -cell factors under diabetic conditions. <i>Biochemical and Biophysical Research Communications</i> , 2015, 467, 948-954.	1.0	50
68	1-Year Results of the ZEPHYR Registry (Zilver <span style="font-variant: small-caps;">A</span> PTX for the Femoral Artery and Proximal Popliteal Artery). <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1105-1112.	1.1	134
69	Comment on Nordwall et al. Impact of HbA1c, Followed From Onset of Type 1 Diabetes, on the Development of Severe Retinopathy and Nephropathy: The VISS Study (Vascular Diabetic Complications) <i>Tj ETQq1 4.0.7843 14 rgBT / Qv</i>	1.1	14
70	Surgical reconstruction versus peripheral intervention in patients with critical limb ischemia – a prospective multicenter registry in Japan: The SPINACH study design and rationale. <i>Vascular</i> , 2014, 22, 411-420.	0.4	24
71	Vitamin D deficiency is significantly associated with retinopathy in young Japanese type 1 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, e41-e43.	1.1	34
72	Assessment of vibratory sensation with a tuning fork at different sites in Japanese patients with diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2014, 5, 90-93.	1.1	10

#	ARTICLE	IF	CITATIONS
73	Shared and additional risk factors for decrease of toe-brachial index compared to ankle-brachial index in Japanese patients with diabetes mellitus. <i>Atherosclerosis</i> , 2014, 235, 76-80.	0.4	13
74	Risk categorization for calculating net reclassification improvement. <i>European Journal of Epidemiology</i> , 2013, 28, 607-609.	2.5	4
75	Clinical efficacy of endovascular therapy for patients with critical limb ischemia attributable to pure isolated infrapopliteal lesions. <i>Journal of Vascular Surgery</i> , 2013, 57, 974-981.e1.	0.6	57
76	Predictive impact of adiponectin for detecting dysglycemia in non-fasting Japanese employees with metabolic risk factors. <i>Endocrine Journal</i> , 2013, 60, 959-966.	0.7	0
77	Circulating Adiponectin Levels and their Associated Factors in Young Lean Healthy Japanese Women. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 57-64.	0.9	7
78	The Influence of Glycemic Control on the Prognosis of Japanese Patients Undergoing Percutaneous Transluminal Angioplasty for Critical Limb Ischemia. <i>Diabetes Care</i> , 2010, 33, 2538-2542.	4.3	68