

Masahiro Okuda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5037098/masahiro-okuda-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51
papers

1,148
citations

20
h-index

33
g-index

54
ext. papers

1,303
ext. citations

3.9
avg, IF

3.98
L-index

#	Paper	IF	Citations
51	Proton Pump Inhibitors Ameliorate Capecitabine-induced Hand-Foot Syndrome in Patients With Breast Cancer: A Retrospective Study.. <i>Anticancer Research</i> , 2022 , 42, 2591-2598	2.3	0
50	Effect of number of medications and complexity of regimens on medication adherence and blood pressure management in hospitalized patients with hypertension. <i>PLoS ONE</i> , 2021 , 16, e0252944	3.7	0
49	Opioid therapy duration before naldemedine treatment is a significant independent risk of diarrhea: a retrospective cohort study. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2021 , 7, 3	1.8	2
48	Concomitant lansoprazole ameliorates cisplatin-induced nephrotoxicity by inhibiting renal organic cation transporter 2 in rats. <i>Biopharmaceutics and Drug Disposition</i> , 2020 , 41, 239-247	1.7	4
47	Postoperative Anaemia Is a Risk Factor for Bleeding-Related Event in Thromboprophylaxis Using Fondaparinux Sodium Injection after Total Knee or Hip Arthroplasty. <i>Biological and Pharmaceutical Bulletin</i> , 2020 , 43, 266-271	2.3	2
46	Impact of physician-pharmacist collaborative protocol-based pharmacotherapy management for HIV outpatients: a retrospective cohort study. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2020 , 6, 9	1.8	3
45	Population Pharmacokinetics and Pharmacodynamics of Teicoplanin and C-Reactive Protein in Hospitalized Patients With Gram-Positive Infections. <i>Clinical Pharmacology in Drug Development</i> , 2020 , 9, 175-188	2.3	5
44	Tadalafil treatment in mice for preeclampsia with fetal growth restriction has neuro-benefic effects in offspring through modulating prenatal hypoxic conditions. <i>Scientific Reports</i> , 2019 , 9, 234	4.9	7
43	Risk factors for the development of hypermagnesemia in patients prescribed magnesium oxide: a retrospective cohort study. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2019 , 5, 4	1.8	7
42	Concomitant febuxostat enhances methotrexate-induced hepatotoxicity by inhibiting breast cancer resistance protein. <i>Scientific Reports</i> , 2019 , 9, 20359	4.9	8
41	Evaluation of Medication Adherence and Pharmacokinetics of Dasatinib for Earlier Molecular Response in Japanese Patients With Newly Diagnosed Chronic Myeloid Leukemia: A Pilot Study. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 575-581	3.2	2
40	Monitoring of peripheral blood cluster of differentiation 4 adenosine triphosphate activity and CYP3A5 genotype to determine the pharmacokinetics, clinical effects and complications of tacrolimus in patients with autoimmune diseases. <i>Experimental and Therapeutic Medicine</i> , 2018 , 15, 532-538	2.1	4
39	Stereoselective Inhibition of Renal Basolateral Human Organic Anion Transporter 3 by Lansoprazole Enantiomers. <i>Pharmacology</i> , 2018 , 101, 176-183	2.3	3
38	Co-administration of proton pump inhibitors ameliorates nephrotoxicity in patients receiving chemotherapy with cisplatin and fluorouracil: a retrospective cohort study. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 79, 943-949	3.5	23
37	Tadalafil Improves L-NG-Nitroarginine Methyl Ester-Induced Preeclampsia With Fetal Growth Restriction-Like Symptoms in Pregnant Mice. <i>American Journal of Hypertension</i> , 2017 , 31, 89-96	2.3	19
36	Effect of lipid emulsion infusion on paliperidone pharmacokinetics in the acute overdose rat model: A potential emergency treatment for paliperidone intoxication. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 109, 217-222	5.1	2
35	Performance evaluation of the compounding robot, APOTECACHemo, for injectable anticancer drugs in a Japanese hospital. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2017 , 3, 12	1.8	23

34	Usefulness of limited sampling strategy for mycophenolic acid area under the curve considering postoperative days in living-donor renal transplant recipients with concomitant prolonged-release tacrolimus. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2017 , 3, 17	1.8	3
33	Drug Repositioning of Proton Pump Inhibitors for Enhanced Efficacy and Safety of Cancer Chemotherapy. <i>Frontiers in Pharmacology</i> , 2017 , 8, 911	5.6	36
32	Japanese antimicrobial consumption surveillance: First report on oral and parenteral antimicrobial consumption in Japan (2009-2013). <i>Journal of Global Antimicrobial Resistance</i> , 2016 , 7, 19-23	3.4	71
31	Lansoprazole Exacerbates Pemetrexed-Mediated Hematologic Toxicity by Competitive Inhibition of Renal Basolateral Human Organic Anion Transporter 3. <i>Drug Metabolism and Disposition</i> , 2016 , 44, 1543-9	4	18
30	A novel approach to predict cetuximab-induced hypersensitivity reaction: detection of drug-specific IgE on basophils. <i>Cancer Medicine</i> , 2016 , 5, 1004-12	4.8	12
29	Clinical Utility of Basophil CD203c as a Biomarker for Predicting the Timing of Hypersensitivity Reaction in Carboplatin Rechallenge: Three Case Reports. <i>Clinical Therapeutics</i> , 2016 , 38, 1537-1541	3.5	9
28	Changes in the pharmacokinetics of teicoplanin in patients with hyperglycaemic hypoalbuminaemia: Impact of albumin glycosylation on the binding of teicoplanin to albumin. <i>International Journal of Antimicrobial Agents</i> , 2015 , 46, 164-8	14.3	12
27	Effect of Genetic Polymorphism of CYP3A5 and CYP2C19 and Concomitant Use of Voriconazole on Blood Tacrolimus Concentration in Patients Receiving Hematopoietic Stem Cell Transplantation. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 581-8	3.2	19
26	Analyses of Risk Factors and Preventive Effect of Antiemetics on Vomiting Induced by Therapy with Cisplatin Suspension in Lipiodol for Hepatocellular Carcinoma. <i>Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences)</i> , 2015 , 41, 768-775	0.1	1
25	MicroRNAs as regulators of drug transporters, drug-metabolizing enzymes, and tight junctions: implication for intestinal barrier function. <i>Pharmacology & Therapeutics</i> , 2014 , 143, 217-24	13.9	38
24	Carboplatin-induced severe hypersensitivity reaction: role of IgE-dependent basophil activation and FcRI. <i>Cancer Science</i> , 2014 , 105, 1472-9	6.9	28
23	Characteristics of pemetrexed transport by renal basolateral organic anion transporter hOAT3. <i>Drug Metabolism and Pharmacokinetics</i> , 2014 , 29, 148-53	2.2	21
22	Arbekacin treatment of a patient infected with a <i>Pseudomonas putida</i> producing a metallo-beta-lactamase. <i>Journal of Intensive Care</i> , 2013 , 1, 3	7	2
21	MicroRNA-145 post-transcriptionally regulates the expression and function of P-glycoprotein in intestinal epithelial cells. <i>Molecular Pharmacology</i> , 2013 , 83, 399-405	4.3	64
20	Evaluation of basophil CD203c as a predictor of carboplatin-related hypersensitivity reaction in patients with gynecologic cancer. <i>Biological and Pharmaceutical Bulletin</i> , 2012 , 35, 1487-95	2.3	28
19	An antioxidant Trolox restores decreased oral absorption of cyclosporine A after liver ischemia-reperfusion through distinct mechanisms between CYP3A and P-glycoprotein in the small intestine. <i>European Journal of Pharmacology</i> , 2012 , 690, 192-201	5.3	3
18	Hepatic drug interaction between tacrolimus and lansoprazole in a bone marrow transplant patient receiving voriconazole and harboring CYP2C19 and CYP3A5 heterozygous mutations. <i>Clinical Therapeutics</i> , 2011 , 33, 1077-80	3.5	9
17	Risk factors contributing to the development of carboplatin-related delayed hypersensitivity reactions in Japanese patients with gynecologic cancers. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 415-9	3.5	22

16	Drug interaction between itraconazole and bortezomib: exacerbation of peripheral neuropathy and thrombocytopenia induced by bortezomib. <i>Pharmacotherapy</i> , 2010 , 30, 661-5	5.8	11
15	Decreased oral absorption of cyclosporine A after liver ischemia-reperfusion injury in rats: the contribution of CYP3A and P-glycoprotein to the first-pass metabolism in intestinal epithelial cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 328, 249-55	4.7	29
14	Altered functions and expressions of drug transporters in liver, kidney and intestine in disorders of local and remote organs: possible role of oxidative stress in the pathogenesis. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2009 , 5, 907-20	5.5	21
13	Interactions of fluoroquinolone antibacterials, DX-619 and levofloxacin, with creatinine transport by renal organic cation transporter hOCT2. <i>Drug Metabolism and Pharmacokinetics</i> , 2006 , 21, 432-6	2.2	23
12	Transient up-regulation of P-glycoprotein reduces tacrolimus absorption after ischemia-reperfusion injury in rat ileum. <i>Biochemical Pharmacology</i> , 2005 , 69, 561-8	6	24
11	Lansoprazole-tacrolimus interaction in Japanese transplant recipient with CYP2C19 polymorphism. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 791-4	2.9	32
10	Methotrexate-loxoprofen interaction: involvement of human organic anion transporters hOAT1 and hOAT3. <i>Drug Metabolism and Pharmacokinetics</i> , 2004 , 19, 369-74	2.2	76
9	Distinct characteristics of organic cation transporters, OCT1 and OCT2, in the basolateral membrane of renal tubules. <i>Pharmaceutical Research</i> , 2001 , 18, 1528-34	4.5	53
8	Kinetic analysis of p-aminohippurate transport in the OK kidney epithelial cell line. <i>Pharmaceutical Research</i> , 2000 , 17, 1155-7	4.5	4
7	Hormonal regulation of organic cation transporter OCT2 expression in rat kidney. <i>FEBS Letters</i> , 2000 , 473, 173-6	3.8	115
6	Effects of arbekacin and vancomycin on release of lactate dehydrogenase and fragmentation of DNA in LLC-PK1 kidney epithelial cells. <i>Pharmaceutical Research</i> , 1999 , 16, 1132-5	4.5	2
5	Gender differences in expression of organic cation transporter OCT2 in rat kidney. <i>FEBS Letters</i> , 1999 , 461, 339-42	3.8	130
4	Functional characterization of the rat multispecific organic anion transporter OAT1 mediating basolateral uptake of anionic drugs in the kidney. <i>FEBS Letters</i> , 1998 , 438, 321-4	3.8	108
3	Cellular toxicity of aminoglycoside antibiotics in G418-sensitive and -resistant LLC-PK1 cells. <i>Pharmaceutical Research</i> , 1994 , 11, 609-15	4.5	7
2	Decreased cellular toxicity of neomycin in a clonal cell line isolated from LLC-PK1. <i>Pharmaceutical Research</i> , 1993 , 10, 573-6	4.5	3
1	Effects of mannitol on serum and red-cell potassium concentrations.. <i>The Journal of Japan Society for Clinical Anesthesia</i> , 1986 , 6, 196-203	0	