

Bianca Ferreira-da Silva

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5037371/bianca-ferreira-da-silva-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

1,679
citations

21
h-index

39
g-index

65
ext. papers

1,988
ext. citations

7.4
avg, IF

5.05
L-index

#	Paper	IF	Citations
65	Occurrence and distribution of pharmaceuticals in surface water, suspended solids and sediments of the Ebro river basin, Spain. <i>Chemosphere</i> , 2011 , 85, 1331-9	8.4	273
64	Analytical chemistry of metallic nanoparticles in natural environments. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 528-540	14.6	137
63	One-way biohydrogen transfer for oxidation of sec-alcohols. <i>Organic Letters</i> , 2008 , 10, 2155-8	6.2	99
62	Stereoselective bioreduction of bulky-bulky ketones by a novel ADH from <i>Ralstonia</i> sp. <i>Journal of Organic Chemistry</i> , 2008 , 73, 6003-5	4.2	92
61	A survey of emerging contaminants in the estuarine receiving environment around Auckland, New Zealand. <i>Science of the Total Environment</i> , 2014 , 468-469, 202-10	10.2	88
60	Quantifying the contribution of dyes to the mutagenicity of waters under the influence of textile activities. <i>Science of the Total Environment</i> , 2017 , 601-602, 230-236	10.2	55
59	The flavoprotein-catalyzed reduction of aliphatic nitro-compounds represents a biocatalytic equivalent to the Nef-reaction. <i>Green Chemistry</i> , 2010 , 12, 616	10	53
58	Electrochemical mineralization of norfloxacin using distinct boron-doped diamond anodes in a filter-press reactor, with investigations of toxicity and oxidation by-products. <i>Electrochimica Acta</i> , 2016 , 213, 856-864	6.7	52
57	Combination of photoelectrocatalysis and ozonation: A novel and powerful approach applied in Acid Yellow 1 mineralization. <i>Applied Catalysis B: Environmental</i> , 2016 , 180, 161-168	21.8	48
56	Zero-valent iron mediated degradation of ciprofloxacin - assessment of adsorption, operational parameters and degradation products. <i>Chemosphere</i> , 2014 , 117, 345-52	8.4	48
55	Voltammetric sensor for simultaneous determination of p-phenylenediamine and resorcinol in permanent hair dyeing and tap water by composite carbon nanotubes/chitosan modified electrode. <i>Microchemical Journal</i> , 2014 , 116, 261-268	4.8	39
54	Occurrence of PPCPs in a Brazilian water reservoir and their removal efficiency by ecological filtration. <i>Chemosphere</i> , 2019 , 226, 210-219	8.4	38
53	Photoelectrocatalytic/photoelectro-Fenton coupling system using a nanostructured photoanode for the oxidation of a textile dye: Kinetics study and oxidation pathway. <i>Chemosphere</i> , 2015 , 136, 63-71	8.4	38
52	Enhanced photoabsorption properties of composites of Ti/TiO ₂ nanotubes decorated by Sb ₂ S ₃ and improvement of degradation of hair dye. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014 , 276, 96-103	4.7	38
51	Occurrence and risk assessment of an azo dye - The case of Disperse Red 1. <i>Chemosphere</i> , 2016 , 156, 95-100	8.4	35
50	Electrochemical mineralization of cephalexin using a conductive diamond anode: A mechanistic and toxicity investigation. <i>Chemosphere</i> , 2017 , 168, 638-647	8.4	34
49	On the performance of a hybrid process to mineralize the herbicide tebuthiuron using a DSA [®] anode and UVC light: A mechanistic study. <i>Applied Catalysis B: Environmental</i> , 2017 , 200, 237-245	21.8	34

48	Hydrogen production and simultaneous photoelectrocatalytic pollutant oxidation using a TiO ₂ /WO ₃ nanostructured photoanode under visible light irradiation. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 765, 188-196	4.1	27
47	Concentrating Per- and Polyfluoroalkyl Substances (PFAS) in Municipal Solid Waste Landfill Leachate Using Foam Separation. <i>Environmental Science & Technology</i> , 2020 , 54, 12550-12559	10.3	26
46	On the performance of HOCl/Fe ²⁺ , HOCl/Fe ²⁺ /UVA, and HOCl/UVC processes using in situ electrogenerated active chlorine to mineralize the herbicide picloram. <i>Applied Catalysis B: Environmental</i> , 2018 , 227, 170-177	21.8	25
45	Comparative study on the degradation of cephalexin by four electrochemical advanced oxidation processes: Evolution of oxidation intermediates and antimicrobial activity. <i>Chemical Engineering Journal</i> , 2019 , 372, 1104-1112	14.7	24
44	Visible light-driven photoelectrocatalytic degradation of acid yellow 17 using Sn ₃ O ₄ flower-like thin films supported on Ti substrate (Sn ₃ O ₄ /TiO ₂ /Ti). <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 376, 196-205	4.7	20
43	Comparative electrochemical degradation of the herbicide tebuthiuron using a flow cell with a boron-doped diamond anode and identifying degradation intermediates. <i>Electrochimica Acta</i> , 2017 , 247, 860-870	6.7	19
42	Combined photoelectrocatalytic/electro-Fenton process using a Pt/TiO ₂ 2 NTs photoanode for enhanced degradation of an azo dye: A mechanistic study. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 734, 43-52	4.1	19
41	Evolution of the antibacterial activity and oxidation intermediates during the electrochemical degradation of norfloxacin in a flow cell with a PTFE-doped EPbO ₂ anode: Critical comparison to a BDD anode. <i>Electrochimica Acta</i> , 2018 , 284, 260-270	6.7	18
40	Chemo-promiscuity of alcohol dehydrogenases: reduction of phenylacetaldoxime to the alcohol. <i>Tetrahedron</i> , 2010 , 66, 3410-3414	2.4	17
39	Influence of auxochrome group in disperse dyes bearing azo groups as chromophore center in the biotransformation and molecular docking prediction by reductase enzyme: Implications and assessment for environmental toxicity of xenobiotics. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 160, 114-126	7	17
38	Combining different assays and chemical analysis to characterize the genotoxicity of waters impacted by textile discharges. <i>Environmental and Molecular Mutagenesis</i> , 2016 , 57, 559-71	3.2	16
37	Comparison of UVC-based advanced oxidation processes in the mineralization of bisphenol A: Identification of oxidation by products and toxicity evaluation. <i>Chemical Engineering Journal</i> , 2020 , 386, 123986	14.7	16
36	Assessment of the autoxidation mechanism of p-toluenediamine by air and hydrogen peroxide and determination of mutagenic environmental contaminant in beauty salon effluent. <i>Science of the Total Environment</i> , 2019 , 685, 911-922	10.2	14
35	Production of a benzylated flavonoid from 5,7,3',4',5'-pentamethoxyflavanone by <i>Penicillium griseoroseum</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2010 , 67, 184-188		14
34	A greener flow injection method based on a LWCC for the screening of tetracycline antibiotics in bovine milk samples. <i>Analytical Methods</i> , 2016 , 8, 5262-5271	3.2	12
33	Assessment of p-aminophenol oxidation by simulating the process of hair dyeing and occurrence in hair salon wastewater and drinking water from treatment plant. <i>Journal of Hazardous Materials</i> , 2020 , 387, 122000	12.8	12
32	From Waste Collection Vehicles to Landfills: Indication of Per- and Polyfluoroalkyl Substance (PFAS) Transformation. <i>Environmental Science and Technology Letters</i> , 2021 , 8, 66-72	11	12
31	Identification of biotransformation products of disperse dyes with rat liver microsomes by LC-MS/MS and theoretical studies with DNA: Structure-mutagenicity relationship using <i>Salmonella</i> /microsome assay. <i>Science of the Total Environment</i> , 2018 , 613-614, 1093-1103	10.2	11

30	Di clavatol and tetronic acids from <i>Penicillium griseoroseum</i> . <i>Natural Product Research</i> , 2013 , 27, 9-16	2.3	11
29	Removal kinetics of sulfamethazine and its transformation products formed during treatment using a horizontal flow-anaerobic immobilized biomass bioreactor. <i>Journal of Hazardous Materials</i> , 2019 , 365, 34-43	12.8	11
28	Oxidative potential of some endophytic fungi using 1-indanone as a substrate. <i>Journal of Microbiology and Biotechnology</i> , 2012 , 22, 832-7	3.3	10
27	Biodegradation of the fungicide Pyraclostrobin by bacteria from orange cultivation plots. <i>Science of the Total Environment</i> , 2020 , 746, 140968	10.2	10
26	The last straw: Characterization of per- and polyfluoroalkyl substances in commercially-available plant-based drinking straws. <i>Chemosphere</i> , 2021 , 277, 130238	8.4	10
25	Use of diffusion-ordered NMR spectroscopy and HPLC-UV-SPE-NMR to identify undeclared synthetic drugs in medicines illegally sold as phytotherapies. <i>Magnetic Resonance in Chemistry</i> , 2013 , 51, 541-8	2.1	9
24	Determination of ethyl carbamate in cachaças produced by selected yeast and spontaneous fermentation. <i>Journal of the Institute of Brewing</i> , 2016 , 122, 63-68	2	9
23	Evaluation of extraction workflows for quantitative analysis of per- and polyfluoroalkyl substances: A case study using soil adjacent to a landfill. <i>Science of the Total Environment</i> , 2021 , 760, 143944	10.2	9
22	Non-targeted analyses of organic compounds in urban wastewater. <i>Magnetic Resonance in Chemistry</i> , 2015 , 53, 704-10	2.1	8
21	Voltammetric sensor based on magnetic particles modified composite electrode for determination of triamterene in biological sample. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 2491-2501	2.6	8
20	Which route to take for diclofenac removal from water: Hydroxylation or direct photolysis?. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 382, 111879	4.7	7
19	Comparing the electrochemical degradation of the fluoroquinolone antibiotics norfloxacin and ciprofloxacin using distinct electrolytes and a BDD anode: evolution of main oxidation byproducts and toxicity. <i>Journal of Environmental Chemical Engineering</i> , 2020 , 8, 104433	6.8	7
18	A rapid and simple method to quantify per- and polyfluoroalkyl substances (PFAS) in plasma and serum using 96-well plates. <i>MethodsX</i> , 2020 , 7, 101111	1.9	7
17	Identification of organic contaminants in vinasse and in soil and groundwater from fertigated sugarcane crop areas using target and suspect screening strategies. <i>Science of the Total Environment</i> , 2021 , 761, 143237	10.2	7
16	Using ionic liquid combined with HPLC-DAD to analyze semi-permanent hair dyes in commercial formulations. <i>Analytical Methods</i> , 2015 , 7, 1115-1122	3.2	6
15	Quantification of ethyl carbamate in cachaça produced in different agro-industrial production systems. <i>Journal of the Institute of Brewing</i> , 2016 , 122, 299-303	2	6
14	Design, synthesis and characterization of a hexapeptide bio-inspired by acetylcholinesterase and its interaction with pesticide dichlorvos. <i>Analyst, The</i> , 2014 , 139, 273-9	5	4
13	On the performance of distinct electrochemical and solar-based advanced oxidation processes to mineralize the insecticide imidacloprid. <i>Chemosphere</i> , 2021 , 275, 130010	8.4	4

12	Biotransformation of disperse dyes using nitroreductase immobilized on magnetic particles modified with tosyl group: Identification of products by LC-MS-MS and theoretical studies conducted with DNA. <i>Environmental Pollution</i> , 2018 , 242, 863-871	9.3	3
11	Comparison of Two Methods for Counting Molds in Fermentations Using the Production of Bikaverin by <i>Fusarium oxysporum</i> CCT7620 as a Model. <i>Current Microbiology</i> , 2020 , 77, 3671-3679	2.4	3
10	Per- and Polyfluoroalkyl Substances (PFAS) in Street Sweepings. <i>Environmental Science & Technology</i> , 2021 ,	10.3	3
9	Coupling Zero-Valent Iron and Fenton processes for degrading sulfamethazine, sulfathiazole, and norfloxacin. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 105761	6.8	2
8	Assessment of the compounds formed by oxidative reaction between p-toluenediamine and p-aminophenol in hair dyeing processes: Detection, mutagenic and toxicological properties. <i>Science of the Total Environment</i> , 2021 , 795, 148806	10.2	2
7	Insights into the microbial degradation pathways of the ioxynil octanoate herbicide. <i>Biocatalysis and Agricultural Biotechnology</i> , 2018 , 13, 258-264	4.2	1
6	Assessment of semi-permanent hair dyes in wash water from beauty salons by liquid chromatography-tandem mass spectrometry-selected reaction monitoring (LC-MS/MS-SRM). <i>Analytical Methods</i> , 2020 , 12, 5415-5423	3.2	1
5	Pressurized Liquid Extraction (PLE) and QuEChERS evaluation for the analysis of antibiotics in agricultural soils. <i>MethodsX</i> , 2020 , 7, 101171	1.9	1
4	Automated method to determine pharmaceutical compounds in wastewater using on-line solid-phase extraction coupled to LC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 5147-5160	4.4	0
3	On-line solid-phase extraction of pharmaceutical compounds from wastewater treatment plant samples using restricted access media in column-switching liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1180, 122896	3.2	0
2	Assessment of per- and polyfluoroalkyl substances (PFAS) in the Indian River Lagoon and Atlantic coast of Brevard County, FL reveals distinct spatial clusters.. <i>Chemosphere</i> , 2022 , 134478	8.4	0
1	Study of the in vitro metabolic profile of a new β -adrenergic agonist in rat and human liver microsomes by using liquid chromatography-multiple-stage mass spectrometry and nuclear magnetic resonance. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 172, 67-77	3.5	