

Pornsak Sriamornsak

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5040951/pornsak-sriamornsak-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155
papers

5,515
citations

37
h-index

71
g-index

164
ext. papers

6,193
ext. citations

4.8
avg, IF

6.16
L-index

#	Paper	IF	Citations
155	Doxorubicin: an update on anticancer molecular action, toxicity and novel drug delivery systems. <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 157-70	4.8	1415
154	Modification of theophylline release with alginate gel formed in hard capsules. <i>AAPS PharmSciTech</i> , 2007 , 8, E51	3.9	221
153	Mucoadhesive properties of various pectins on gastrointestinal mucosa: an in vitro evaluation using texture analyzer. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007 , 67, 132-40	5.7	185
152	Swelling, erosion and release behavior of alginate-based matrix tablets. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007 , 66, 435-50	5.7	158
151	Application of pectin in oral drug delivery. <i>Expert Opinion on Drug Delivery</i> , 2011 , 8, 1009-23	8	140
150	Targeted therapy for cancer using pH-responsive nanocarrier systems. <i>Life Sciences</i> , 2012 , 90, 381-7	6.8	139
149	Swelling and erosion of pectin matrix tablets and their impact on drug release behavior. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007 , 67, 211-9	5.7	132
148	Improved intestinal absorption of calcitonin by mucoadhesive delivery of novel pectin-liposome nanocomplexes. <i>Journal of Controlled Release</i> , 2008 , 125, 236-45	11.7	122
147	Characterization of chitosan acetate as a binder for sustained release tablets. <i>Journal of Controlled Release</i> , 2004 , 99, 15-26	11.7	119
146	Calcium pectinate gel beads for controlled release drug delivery:: I. Preparation and in vitro release studies. <i>International Journal of Pharmaceutics</i> , 1998 , 160, 207-212	6.5	118
145	Investigation of pectin as a carrier for oral delivery of proteins using calcium pectinate gel beads. <i>International Journal of Pharmaceutics</i> , 1998 , 169, 213-220	6.5	104
144	Effect of calcium concentration, hardening agent and drying condition on release characteristics of oral proteins from calcium pectinate gel beads. <i>European Journal of Pharmaceutical Sciences</i> , 1999 , 8, 221-7	5.1	94
143	Study on the mucoadhesion mechanism of pectin by atomic force microscopy and mucin-particle method. <i>Carbohydrate Polymers</i> , 2010 , 79, 54-59	10.3	93
142	Swelling and diffusion studies of calcium polysaccharide gels intended for film coating. <i>International Journal of Pharmaceutics</i> , 2008 , 358, 205-13	6.5	76
141	Emulsion gel beads of calcium pectinate capable of floating on the gastric fluid: effect of some additives, hardening agent or coating on release behavior of metronidazole. <i>European Journal of Pharmaceutical Sciences</i> , 2005 , 24, 363-73	5.1	76
140	Viscometric study of pectin-mucin interaction and its mucoadhesive bond strength. <i>Carbohydrate Polymers</i> , 2008 , 71, 170-179	10.3	75
139	Development of time-, pH-, and enzyme-controlled colonic drug delivery using spray-dried chitosan acetate and hydroxypropyl methylcellulose. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008 , 68, 253-9	5.7	69

138	Mucoadhesion of pectin as evidence by wettability and chain interpenetration. <i>Carbohydrate Polymers</i> , 2008 , 74, 458-467	10.3	64
137	Use of pectin as a carrier for intragastric floating drug delivery: Carbonate salt contained beads. <i>Carbohydrate Polymers</i> , 2007 , 67, 436-445	10.3	62
136	Cryo-scanning electron microscopy (cryo-SEM) as a tool for studying the ultrastructure during bead formation by ionotropic gelation of calcium pectinate. <i>International Journal of Pharmaceutics</i> , 2008 , 352, 115-22	6.5	56
135	Design and evaluation of floating multi-layer coated tablets based on gas formation. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008 , 69, 255-63	5.7	54
134	Fabrication of pectin-based nanoemulsions loaded with itraconazole for pharmaceutical application. <i>Carbohydrate Polymers</i> , 2010 , 82, 384-393	10.3	52
133	Enhanced anti-tumor effect of pH-responsive dextrin nanogels delivering doxorubicin on colorectal cancer. <i>Carbohydrate Polymers</i> , 2015 , 126, 222-30	10.3	50
132	Studies on pectins as potential hydrogel matrices for controlled-release drug delivery. <i>Drug Development and Industrial Pharmacy</i> , 1999 , 25, 1271-6	3.6	50
131	Effect of drug loading method on drug content and drug release from calcium pectinate gel beads. <i>AAPS PharmSciTech</i> , 2010 , 11, 1315-9	3.9	47
130	Self-nanoemulsifying drug delivery system of nifedipine: impact of hydrophilic-lipophilic balance and molecular structure of mixed surfactants. <i>AAPS PharmSciTech</i> , 2014 , 15, 456-64	3.9	46
129	Effect of high-pressure homogenization on stability of emulsions containing zein and pectin. <i>Asian Journal of Pharmaceutical Sciences</i> , 2017 , 12, 21-27	9	45
128	Development of sustained release theophylline pellets coated with calcium pectinate. <i>Journal of Controlled Release</i> , 1997 , 47, 221-232	11.7	45
127	Alginate-based pellets prepared by extrusion/spheronization: effect of the amount and type of sodium alginate and calcium salts. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008 , 69, 274-84	5.7	45
126	Novel pH-responsive dextrin nanogels for doxorubicin delivery to cancer cells with reduced cytotoxicity to cardiomyocytes and stem cells. <i>Carbohydrate Polymers</i> , 2014 , 114, 78-86	10.3	44
125	Impact of salt form and molecular weight of chitosan on swelling and drug release from chitosan matrix tablets. <i>Carbohydrate Polymers</i> , 2013 , 97, 26-33	10.3	42
124	Calcium pectinate gel coated pellets as an alternative carrier to calcium pectinate beads. <i>International Journal of Pharmaceutics</i> , 1997 , 156, 189-194	6.5	41
123	Alginate-based pellets prepared by extrusion/spheronization: a preliminary study on the effect of additive in granulating liquid. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007 , 67, 227-35	5.7	41
122	Development of pectin nanoparticles through mechanical homogenization for dissolution enhancement of itraconazole. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 365-375	9	40
121	Novel pectin-based nanoparticles prepared from nanoemulsion templates for improving in vitro dissolution and in vivo absorption of poorly water-soluble drug. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012 , 82, 250-61	5.7	40

120	Morphology and buoyancy of oil-entrapped calcium pectinate gel beads. <i>AAPS Journal</i> , 2004 , 6, e24	3.7	39
119	Flocculating and suspending properties of commercial citrus pectin and pectin extracted from pomelo (<i>Citrus maxima</i>) peel. <i>Carbohydrate Polymers</i> , 2011 , 83, 561-568	10.3	37
118	Atomic force microscopy imaging of novel self-assembling pectin- α -posome nanocomplexes. <i>Carbohydrate Polymers</i> , 2008 , 71, 324-329	10.3	37
117	A novel gel formation method, microstructure and mechanical properties of calcium polysaccharide gel films. <i>International Journal of Pharmaceutics</i> , 2006 , 323, 72-80	6.5	37
116	Swelling kinetics of spray-dried chitosan acetate assessed by magnetic resonance imaging and their relation to drug release kinetics of chitosan matrix tablets. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2011 , 77, 320-6	5.7	36
115	Rheological synergy in aqueous mixtures of pectin and mucin. <i>Carbohydrate Polymers</i> , 2008 , 74, 474-481	10.3	35
114	Buccal administration of mucoadhesive blend films saturated with propranolol loaded nanoparticles. <i>Asian Journal of Pharmaceutical Sciences</i> , 2018 , 13, 34-43	9	32
113	Novel disintegrating microcrystalline cellulose pellets with improved drug dissolution performance. <i>Powder Technology</i> , 2013 , 233, 278-285	5.2	32
112	Effect of drying technique and disintegrant on physical properties and drug release behavior of microcrystalline cellulose-based pellets prepared by extrusion/spheronization. <i>Chemical Engineering Research and Design</i> , 2010 , 88, 100-108	5.5	32
111	Design and characterization of clindamycin-loaded nanofiber patches composed of polyvinyl alcohol and tamarind seed gum and fabricated by electrohydrodynamic atomization. <i>Asian Journal of Pharmaceutical Sciences</i> , 2018 , 13, 450-458	9	30
110	Enhanced dissolution and oral bioavailability of nifedipine by spontaneous emulsifying powders: effect of solid carriers and dietary state. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015 , 91, 25-34	5.7	30
109	Development of polysaccharide gel-coated pellets for oral administration. 2. Calcium alginate. <i>European Journal of Pharmaceutical Sciences</i> , 2006 , 29, 139-47	5.1	30
108	Stability of rice bran oil-in-water emulsions stabilized by pectin-zein complexes: Effect of composition and order of mixing. <i>Food Hydrocolloids</i> , 2016 , 61, 589-598	10.6	29
107	Use of spray-dried chitosan acetate and ethylcellulose as compression coats for colonic drug delivery: effect of swelling on triggering in vitro drug release. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2009 , 71, 356-61	5.7	29
106	Effect of drug solubility on release behavior of calcium polysaccharide gel-coated pellets. <i>European Journal of Pharmaceutical Sciences</i> , 2007 , 32, 231-9	5.1	29
105	Effect of degree of esterification of pectin and calcium amount on drug release from pectin-based matrix tablets. <i>AAPS PharmSciTech</i> , 2004 , 5, 50-57	3.9	29
104	Modulation of drug release kinetics of shellac-based matrix tablets by in-situ polymerization through annealing process. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008 , 69, 1004-13	5.7	28
103	Characterization and release studies of oral microbeads containing thiolated pectin-doxorubicin conjugates for colorectal cancer treatment. <i>Asian Journal of Pharmaceutical Sciences</i> , 2017 , 12, 509-520	9	26

102	Nanoparticle formation by using shellac and chitosan for a protein delivery system. <i>Pharmaceutical Development and Technology</i> , 2013 , 18, 686-93	3.4	25
101	Development of polysaccharide gel coated pellets for oral administration 1. Physico-mechanical properties. <i>International Journal of Pharmaceutics</i> , 2006 , 326, 80-8	6.5	25
100	Application of multiple stepwise spinning disk processing for the synthesis of poly(methyl acrylates) coated chitosan-diclofenac sodium nanoparticles for colonic drug delivery. <i>European Journal of Pharmaceutical Sciences</i> , 2013 , 50, 303-11	5.1	24
99	Preparation and Characterization of Hydroxypropyl Methylcellulose/Polycarbophil Mucoadhesive Blend Films Using a Mixture Design Approach. <i>Chemical and Pharmaceutical Bulletin</i> , 2017 , 65, 284-294	1.9	24
98	Thiolated pectin-doxorubicin conjugates: Synthesis, characterization and anticancer activity studies. <i>Carbohydrate Polymers</i> , 2017 , 174, 493-506	10.3	23
97	Designing nanoemulsion templates for fabrication of dextrin nanoparticles via emulsion cross-linking technique. <i>Carbohydrate Polymers</i> , 2014 , 101, 650-5	10.3	21
96	Effect of Ultrasonic Treatment on Physical Properties of Tapioca Starch. <i>Advanced Materials Research</i> , 2012 , 506, 294-297	0.5	21
95	Composite film-coated tablets intended for colon-specific delivery of 5-aminosalicylic acid: using deesterified pectin. <i>Pharmaceutical Development and Technology</i> , 2003 , 8, 311-8	3.4	20
94	A new self-emulsifying formulation of mefenamic acid with enhanced drug dissolution. <i>Asian Journal of Pharmaceutical Sciences</i> , 2015 , 10, 121-127	9	19
93	Spontaneous emulsification of nifedipine-loaded self-nanoemulsifying drug delivery system. <i>AAPS PharmSciTech</i> , 2015 , 16, 435-43	3.9	19
92	Preliminary investigation of some polysaccharides as a carrier for cell entrapment. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 1998 , 46, 233-6	5.7	19
91	Wax-incorporated emulsion gel beads of calcium pectinate for intragastric floating drug delivery. <i>AAPS PharmSciTech</i> , 2008 , 9, 571-6	3.9	19
90	Characterization of recrystallized itraconazole prepared by cooling and anti-solvent crystallization. <i>Asian Journal of Pharmaceutical Sciences</i> , 2015 , 10, 230-238	9	18
89	Fabrication of thermally stabilized shellac through solid state reaction with phthalic anhydride. <i>Materials Letters</i> , 2011 , 65, 1241-1244	3.3	18
88	Design and characterization of prednisolone-loaded nanoparticles fabricated by electrohydrodynamic atomization technique. <i>Chemical Engineering Research and Design</i> , 2016 , 109, 816-823	5.5	17
87	Pectins from Citrus maxima. <i>Pharmaceutical Biology</i> , 2009 , 47, 521-526	3.8	17
86	Pectin-based bioadhesive delivery of carbenoxolone sodium for aphthous ulcers in oral cavity. <i>AAPS PharmSciTech</i> , 2010 , 11, 743-51	3.9	16
85	Use of back-scattered electron imaging as a tool for examining matrix structure of calcium pectinate. <i>International Journal of Pharmaceutics</i> , 2003 , 267, 151-6	6.5	16

84	Nucleotropic doxorubicin nanoparticles decrease cancer cell viability, destroy mitochondria, induce autophagy and enhance tumour necrosis. <i>Journal of Pharmacy and Pharmacology</i> , 2015 , 67, 68-77	4.8	15
83	Effect of a small molecule on diffusion and swelling properties of selected polysaccharide gel beads. <i>Carbohydrate Polymers</i> , 2010 , 79, 219-223	10.3	15
82	Fabrication of spontaneous emulsifying powders for improved dissolution of poorly water-soluble drugs. <i>Powder Technology</i> , 2015 , 271, 100-108	5.2	14
81	Design and characterization of monolaurin loaded electrospun shellac nanofibers with antimicrobial activity. <i>Asian Journal of Pharmaceutical Sciences</i> , 2018 , 13, 459-471	9	14
80	Advanced technologies for assessment of polymer swelling and erosion behaviors in pharmaceutical aspect. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2013 , 83, 315-21	5.7	14
79	Effect of pH on Stability of Oil-in-Water Emulsions Stabilized by Pectin-Zein Complexes. <i>Advanced Materials Research</i> , 2013 , 747, 127-130	0.5	14
78	Effect of source variation on drug release from HPMC tablets: linear regression modeling for prediction of drug release. <i>International Journal of Pharmaceutics</i> , 2011 , 411, 36-42	6.5	14
77	Effect of degree of esterification of pectin and calcium amount on drug release from pectin-based matrix tablets. <i>AAPS PharmSciTech</i> , 2004 , 5, E9	3.9	14
76	Redox-responsive microbeads containing thiolated pectin-doxorubicin conjugate inhibit tumor growth and metastasis: An in vitro and in vivo study. <i>International Journal of Pharmaceutics</i> , 2018 , 545, 1-9	6.5	13
75	Effect of heat on characteristics of chitosan film coated on theophylline tablets. <i>Drug Development and Industrial Pharmacy</i> , 2002 , 28, 919-30	3.6	13
74	Improved dissolution of extract for oral administration by preparing solid dispersion via solvent evaporation. <i>Asian Journal of Pharmaceutical Sciences</i> , 2017 , 12, 124-133	9	12
73	Chitosan-Pectin Composite Gel Spheres: Effect of Some Formulation Variables on Drug Release. <i>Macromolecular Symposia</i> , 2004 , 216, 17-22	0.8	12
72	Design of porous Eudragit L beads for floating drug delivery by wax removal technique. <i>Asian Journal of Pharmaceutical Sciences</i> , 2017 , 12, 227-234	9	10
71	Enhancement of solubility and oral bioavailability of manidipine by formation of ternary solid dispersion with d- α -tocopherol polyethylene glycol 1000 succinate and copovidone. <i>Drug Development and Industrial Pharmacy</i> , 2017 , 43, 2064-2075	3.6	10
70	Use of Risk Assessment and Plackett-Burman Design for Developing Resveratrol Spray-Dried Emulsions: a Quality-by-Design Approach. <i>AAPS PharmSciTech</i> , 2018 , 20, 14	3.9	10
69	Impact of anti-tacking agents on properties of gas-entrapped membrane and effervescent floating tablets. <i>AAPS PharmSciTech</i> , 2014 , 15, 1357-69	3.9	8
68	Effect of annealing time and addition of lactose on release of a model substance from Eudragit [®] RS coated pellets produced by a fluidized bed coater. <i>Chemical Engineering Research and Design</i> , 2011 , 89, 697-705	5.5	8
67	Effect of sodium fluorescein on release characteristics of a macromolecule from calcium alginate gel beads. <i>Carbohydrate Polymers</i> , 2011 , 84, 1208-1212	10.3	8

66	Development of polysaccharide gel-coated pellets for oral administration: swelling and release behavior of calcium pectinate gel. <i>AAPS PharmSciTech</i> , 2007 , 8, E79	3.9	8
65	Evaluation of Yam (<i>Dioscorea</i> sp.) Starch and Arrowroot (<i>Maranta arundinacea</i>) Starch as Suspending Agent in Suspension. <i>Advanced Materials Research</i> , 2010 , 93-94, 362-365	0.5	7
64	Novel Strategy to Fabricate Floating Drug Delivery System Based on Sublimation Technique. <i>AAPS PharmSciTech</i> , 2016 , 17, 693-9	3.9	6
63	Development and in vitro/in vivo evaluation of tamarind seed gum-based oral disintegrating tablets after fabrication by freeze drying. <i>Journal of Drug Delivery Science and Technology</i> , 2019 , 54, 1012-1018	4.5	6
62	Improving dissolution and photostability of resveratrol using redispersible dry emulsion: Application of design space for optimizing formulation and spray-drying process. <i>Journal of Drug Delivery Science and Technology</i> , 2019 , 51, 411-418	4.5	6
61	Stability study of resveratrol-loaded emulsions using pectin as an emulsifier. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 199-200	9	6
60	Preparation and Characterization of Shellac Fiber as a Novel Material for Controlled Drug Release. <i>Advanced Materials Research</i> , 2010 , 152-153, 1232-1235	0.5	6
59	Comparison of In Vitro Binding of Bile Salt by Pectins from Various Sources. <i>Advanced Materials Research</i> , 2012 , 506, 274-277	0.5	6
58	Development and characterization of nifedipine-amino methacrylate copolymer solid dispersion powders with various adsorbents. <i>Asian Journal of Pharmaceutical Sciences</i> , 2017 , 12, 335-343	9	5
57	Drug-Loaded Pectin Microparticles Prepared by Emulsion-Solvent Evaporation. <i>Advanced Materials Research</i> , 2012 , 506, 282-285	0.5	5
56	Enhancing oral absorption of poorly water-soluble herb () extract using self-nanoemulsifying formulation. <i>Pharmaceutical Development and Technology</i> , 2020 , 25, 340-350	3.4	5
55	Effect of Physical Aging on Physical Properties of Pregelatinized Tapioca Starch. <i>Advanced Materials Research</i> , 2012 , 506, 35-38	0.5	4
54	Physical Stabilizing Effect of Biopolymers on Solid Dispersions Containing Indomethacin and Polyethylene Glycol. <i>Advanced Materials Research</i> , 2012 , 506, 307-310	0.5	4
53	Effect of Zein Concentration on the Formation of Pectin-Zein Complexes. <i>Advanced Materials Research</i> , 2012 , 506, 319-322	0.5	4
52	Effect of Chitosan Salts and Molecular Weight on a Nanoparticulate Carrier for Therapeutic Protein. <i>Pharmaceutical Development and Technology</i> , 2005 , 10, 189-196	3.4	4
51	Influence of Process Parameters on the Characteristics of Hydrophilic Drug-Loaded Microparticles through Double Emulsion Solvent Evaporation Technique. <i>Key Engineering Materials</i> , 2019 , 819, 252-257 ^{0.4}	0.4	4
50	Design and optimization of resveratrol-loaded porous calcium silicate powders for dissolution and photostability enhancement. <i>Heliyon</i> , 2019 , 5, e01399	3.6	3
49	Dissolution improvement by solid dispersions composed of nifedipine, Eudragit [®] E and silica from rice husk. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 195-196	9	3

48	Investigation of Nanoscale Structure of Self-Emulsifying Drug Delivery System Containing Poorly Water-Soluble Model Drug. <i>Advanced Materials Research</i> , 2014 , 970, 272-278	0.5	3
47	Effect of Glycerol on Properties of Tapioca Starch-Based Films. <i>Advanced Materials Research</i> , 2014 , 1060, 128-132	0.5	3
46	Effect of Coconut Oil and Surfactants on Stability of Nanoemulsions. <i>Advanced Materials Research</i> , 2012 , 506, 429-432	0.5	3
45	Microwave-Assisted Modification of Arrowroot Starch for Pharmaceutical Matrix Tablets. <i>Advanced Materials Research</i> , 2010 , 93-94, 358-361	0.5	3
44	Impact of Drug Loading Method on Drug Release from 3D-Printed Tablets Made from Filaments Fabricated by Hot-Melt Extrusion and Impregnation Processes. <i>Pharmaceutics</i> , 2021 , 13,	6.4	3
43	Donepezil updated review of challenges in dosage form design. <i>Journal of Drug Delivery Science and Technology</i> , 2021 , 63, 102549	4.5	3
42	Manufacture of 2D-Printed Precision Drug-Loaded Orodispersible Film Prepared from Tamarind Seed Gum Substrate. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 5852	2.6	3
41	Optimized Taste-Masked Microparticles for Orally Disintegrating Tablets as a Promising Dosage Form for Alzheimer's Disease Patients. <i>Pharmaceutics</i> , 2021 , 13,	6.4	3
40	Effect of cooling technique on physicochemical properties of ternary solid dispersion of manidipine hydrochloride prepared by melting method. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 193-194 ⁹		3
39	An Insight into Stabilization Mechanism of a Solid Dispersion of Indomethacin/Partially Hydrolyzed Polyvinyl Alcohol Prepared by Hot-Melt Extrusion. <i>Chemical and Pharmaceutical Bulletin</i> , 2018 , 66, 859-865 ¹⁰		3
38	Development of ready-to-use products derived from Bacillus subtilis strain CMs026 for plant disease control. <i>BioControl</i> , 2019 , 64, 173-183	2.3	2
37	Particle design of itraconazole by evaporative recrystallization for dissolution improvement. <i>Chemical Engineering Research and Design</i> , 2015 , 100, 444-451	5.5	2
36	Comparison of Solvent Miscibility of Coconut Oil and its Modified Forms. <i>Advanced Materials Research</i> , 2014 , 1060, 151-154	0.5	2
35	Behaviour of Lipid-Based Formulations Containing Nifedipine in Aqueous Media as Observed by Small Angle X-Ray Scattering. <i>Advanced Materials Research</i> , 2013 , 747, 139-142	0.5	2
34	Manufacture of Ternary Solid Dispersions Composed of Nifedipine, Eudragit [®] E and Adsorbent. <i>Advanced Materials Research</i> , 2011 , 317-319, 185-188	0.5	2
33	Pectin-Based Nano-Sized Emulsions Prepared by High-Pressure Homogenization. <i>Advanced Materials Research</i> , 2012 , 506, 286-289	0.5	2
32	Stability of freeze-dried pH-responsive dextrin nanogels containing doxorubicin. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 648-654	9	2
31	Development of a zero-order kinetics drug release floating tablet with anti-flip-up design fabricated by 3D-printing technique. <i>Journal of Pharmaceutical Investigation</i> , 2021 , 51, 213-222	6.3	2

30	Fabrication of Indomethacin-Loaded Polyvinyl Alcohol Filaments through Hot-Melt Extrusion. <i>Key Engineering Materials</i> , 2020 , 859, 247-251	0.4	1
29	Effect of Processing Parameters on Release Profiles of Donepezil Hydrochloride-Loaded Microparticles. <i>Key Engineering Materials</i> , 2020 , 859, 283-288	0.4	1
28	Film coated floating tablets using sublimable substances. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 128-129	9	1
27	Effect of solvent on properties of pectin microspheres prepared by emulsion-dehydration technique. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 217-218	9	1
26	Preparation and physical properties of itraconazole-loaded nanoemulsions using pineapple starch as co-emulsifier. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 110-111	9	1
25	Improved stability of solid dispersions of manidipine with polyethylene glycol 4000/copovidone blends: application of ternary phase diagram. <i>Drug Development and Industrial Pharmacy</i> , 2017 , 43, 483-491	3.6	1
24	Comparison of In Vitro Binding of Various Bile Salts by Coconut Fibers. <i>Advanced Materials Research</i> , 2014 , 1060, 155-158	0.5	1
23	Borneol as Sublimable Agent in Floating Matrix Tablet. <i>Advanced Materials Research</i> , 2014 , 1060, 33-36	0.5	1
22	Effect of Drug Loading and Process Temperature on Physicochemical Properties of Manidipine Hydrochloride Solid Dispersion. <i>Advanced Materials Research</i> , 2014 , 1060, 176-179	0.5	1
21	Preparation of Eudragit [®] L Beads for Intra-gastric Floating Drug Delivery. <i>Advanced Materials Research</i> , 2014 , 1060, 79-82	0.5	1
20	Dissolution Improvement of Itraconazole by a Nanoparticulate System Containing Lecithin-Pectin Complexes. <i>Advanced Materials Research</i> , 2013 , 747, 162-165	0.5	1
19	Effect of Biopolymer on the Dissolution and Stability of Itraconazole. <i>Advanced Materials Research</i> , 2013 , 747, 115-118	0.5	1
18	Modeling of Drug Release from Matrix Tablets with Process Variables of Microwave-Assisted Modification of Arrowroot Starch Using Artificial Neural Network. <i>Advanced Materials Research</i> , 2010 , 152-153, 1700-1703	0.5	1
17	Design of Shellac-Based Film with Improved Mechanical Properties through Composite Formation with Clay. <i>Advanced Materials Research</i> , 2012 , 506, 290-293	0.5	1
16	Liposome-Based Mucoadhesive Formulations for Oral Delivery of Macromolecules 2009 , 169-193		1
15	Effect of Formulations and Spray Drying Process Conditions on Physical Properties of Resveratrol Spray-Dried Emulsions. <i>Key Engineering Materials</i> , 2019 , 819, 246-251	0.4	1
14	Chitosan Nanoparticles in Atherosclerosis Development to Preclinical Testing. <i>Pharmaceutics</i> , 2022 , 14, 935	6.4	1
13	Factors Affecting Formation of Emulsions Containing Soybean Oil. <i>Advanced Materials Research</i> , 2013 , 747, 725-728	0.5	0

12	Design of Floating HPMC Matrix Tablets: Effect of Formulation Variables on Floating Properties and Drug Release. <i>Advanced Materials Research</i> , 2011 , 311-313, 1140-1143	0.5	0
11	Cytotoxicity of pH-Responsive Dextrin Nanogels against Human Osteosarcoma 143B Cells. <i>Advanced Materials Research</i> , 2014 , 1060, 227-230	0.5	
10	Application of Artificial Neural Networks for Prediction of Ibuprofen Yield from Ultrasound-Assisted Anti-Solvent Crystallization. <i>Advanced Materials Research</i> , 2014 , 1060, 145-148	0.5	
9	Effect of Lipophilicity of Drugs on Dissolution Profiles of Self-Nanoemulsifying Drug Delivery System. <i>Advanced Materials Research</i> , 2014 , 1060, 37-40	0.5	
8	Pectin-Chitosan Multilayer Coated Microbeads of Diclofenac Sodium Prepared by Layer-by-Layer Technique. <i>Advanced Materials Research</i> , 2014 , 1060, 45-49	0.5	
7	Factors Affecting Physical Properties of Prednisolone Loaded Nanoparticles Fabricated by Electrohydrodynamic Atomization Technique. <i>Advanced Materials Research</i> , 2014 , 1060, 103-106	0.5	
6	Ultrasound Effect on Swelling Properties and Drug Release Behaviors of Spray-Dried Tapioca Starch Tablets. <i>Advanced Materials Research</i> , 2013 , 747, 131-134	0.5	
5	Preparation of Solid Self-Emulsifying Drug Delivery System of Manidipine Hydrochloride. <i>Advanced Materials Research</i> , 2013 , 747, 143-146	0.5	
4	Magnesium Stearate as Anti-Tacking Agent in Acrylic Polymer Films Intended for Gas-Entrapped Floating Delivery System. <i>Advanced Materials Research</i> , 2012 , 506, 497-500	0.5	
3	Innovative Coatingverfahren 2011 , 201-210		
2	Coating mit Biopolymeren 2011 , 179-195		
1	Doxorubicin: The dogma and the bone. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 22-23	9	