

# Akihito Suzuki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5041792/publications.pdf>

Version: 2024-02-01

50  
papers

709  
citations

516215

16  
h-index

642321

23  
g-index

50  
all docs

50  
docs citations

50  
times ranked

979  
citing authors

#	ARTICLE	IF	CITATIONS
1	A three-factor model of the MADRS in major depressive disorder. <i>Depression and Anxiety</i> , 2005, 21, 95-97.	2.0	64
2	Influences of parental rearing on the personality traits of healthy Japanese. <i>Comprehensive Psychiatry</i> , 2007, 48, 465-469.	1.5	51
3	CYP2C19 polymorphism affects personality traits of Japanese females. <i>Neuroscience Letters</i> , 2007, 411, 77-80.	1.0	41
4	Monoamine oxidase A gene promoter polymorphism affects novelty seeking and reward dependence in healthy study participants. <i>Psychiatric Genetics</i> , 2006, 16, 55-58.	0.6	34
5	The brain-derived neurotrophic factor Val66Met polymorphism modulates the effects of parental rearing on personality traits in healthy subjects. <i>Genes, Brain and Behavior</i> , 2011, 10, 385-391.	1.1	30
6	Dysfunctional Parenting Styles Increase Interpersonal Sensitivity in Healthy Subjects. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 938-941.	0.5	23
7	Genetic polymorphisms in the serotonergic system and symptom clusters of major depressive disorder. <i>Journal of Affective Disorders</i> , 2011, 135, 374-376.	2.0	23
8	Parental overprotection increases interpersonal sensitivity in healthy subjects. <i>Comprehensive Psychiatry</i> , 2009, 50, 54-57.	1.5	22
9	Inverse correlation between clinical response to paroxetine and plasma drug concentration in patients with major depressive disorders. <i>Human Psychopharmacology</i> , 2011, 26, 602-608.	0.7	19
10	Correlations of interpersonal sensitivity with negative working models of the self and other: evidence for link with attachment insecurity. <i>Annals of General Psychiatry</i> , 2014, 13, 5.	1.2	19
11	Association study of catechol-O-methyltransferase Val158Met polymorphism with personality traits in Japanese healthy volunteers. <i>European Psychiatry</i> , 2007, 22, 462-465.	0.1	18
12	Relationship of interpersonal sensitivity with dimensions of the Temperament and Character Inventory in healthy subjects. <i>Comprehensive Psychiatry</i> , 2008, 49, 184-187.	1.5	18
13	Interaction effect between the BDNF Val66Met polymorphism and parental rearing for interpersonal sensitivity in healthy subjects. <i>Psychiatry Research</i> , 2012, 200, 945-948.	1.7	18
14	Relationship Between Leukocyte Telomere Length and Personality Traits in Healthy Subjects. <i>European Psychiatry</i> , 2015, 30, 291-295.	0.1	18
15	Effects of the "affectionless control" parenting style on personality traits in healthy subjects. <i>Psychiatry Research</i> , 2009, 165, 181-186.	1.7	17
16	Parental care influences leukocyte telomere length with gender specificity in parents and offsprings. <i>BMC Psychiatry</i> , 2014, 14, 277.	1.1	17
17	Combination of the serotonin transporter and norepinephrine transporter gene promoter polymorphisms might influence harm avoidance and novelty seeking in healthy females. <i>Neuroscience Letters</i> , 2008, 439, 52-55.	1.0	16
18	Effects of perceived affectionless control parenting on working models of the self and other. <i>Psychiatry Research</i> , 2016, 242, 315-318.	1.7	16

#	ARTICLE	IF	CITATIONS
19	Parental overprotection increases sociotropy with gender specificity in parents and recipients. <i>Journal of Affective Disorders</i> , 2012, 136, 824-827.	2.0	15
20	Comparison of entorhinal cortex atrophy between early-onset and late-onset Alzheimer's disease using the VSRAD, a specific and sensitive voxel-based morphometry. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 372-376.	1.3	14
21	Perceived parental affectionless control is associated with high neuroticism. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1111-1114.	1.0	14
22	Close relation of interpersonal sensitivity with negative core beliefs about the self, the central construct of cognitive vulnerability to depression. <i>Psychiatry Research</i> , 2018, 263, 162-165.	1.7	14
23	Parental overprotection engenders dysfunctional attitudes about achievement and dependency in a gender-specific manner. <i>BMC Psychiatry</i> , 2013, 13, 345.	1.1	13
24	Effect of the cytochrome P450 19 (aromatase) gene polymorphism on personality traits in healthy subjects. <i>Behavioural Brain Research</i> , 2009, 205, 234-237.	1.2	12
25	Association study between a functional polymorphism of tyrosine hydroxylase gene promoter and personality traits in healthy subjects. <i>Behavioural Brain Research</i> , 2010, 208, 209-212.	1.2	12
26	Interpersonal Sensitivity is Correlated With Sociotropy But Not With Autonomy in Healthy Subjects. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 153-155.	0.5	12
27	Functional polymorphism of the GTP cyclohydrolase 1 gene affects the personality trait of novelty seeking in healthy subjects. <i>Neuroscience Letters</i> , 2011, 503, 220-223.	1.0	11
28	Marked differences in core beliefs about self and others, between sociotropy and autonomy: personality vulnerabilities in the cognitive model of depression. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 863-866.	1.0	11
29	Relationships of sociotropy and autonomy with dimensions of the Temperament and Character Inventory in healthy subjects. <i>Comprehensive Psychiatry</i> , 2011, 52, 507-510.	1.5	9
30	Relationship of the FKBP5 C/T polymorphism with dysfunctional attitudes predisposing to depression. <i>Comprehensive Psychiatry</i> , 2014, 55, 1422-1425.	1.5	9
31	No association between the $\sim$ 3081A/T polymorphism in the norepinephrine transporter gene promoter and personality traits in healthy subjects. <i>Neuroscience Letters</i> , 2007, 425, 192-194.	1.0	8
32	Increased Body Mass Index Associated With Increased Harm Avoidance and Decreased Self-Directedness in Japanese Women. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 199-201.	0.5	8
33	Implication of P-Glycoprotein in Formation of Depression-Prone Personality: Association Study between the C3435TMDR1 Gene Polymorphism and Interpersonal Sensitivity. <i>Neuropsychobiology</i> , 2014, 69, 89-94.	0.9	8
34	Relationship of negative and positive core beliefs about the self with dysfunctional attitudes in three aspects of life. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2585-2588.	1.0	8
35	Relationship of the 24-item Dysfunctional Attitude Scale with the Temperament and Character Inventory in healthy subjects. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 388-392.	0.7	7
36	Affectionless control by the same-sex parents increases dysfunctional attitudes about achievement. <i>Comprehensive Psychiatry</i> , 2014, 55, 1411-1414.	1.5	7

#	ARTICLE	IF	CITATIONS
37	Relation of high neuroticism with increased methylation of the BDNF gene. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1787-1793.	1.0	6
38	No association between the TPH A218C polymorphism and personality traits in Japanese healthy subjects. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 395-398.	2.5	5
39	Distinctive correlations of sociotropy and autonomy with working models of the self and other. <i>Comprehensive Psychiatry</i> , 2014, 55, 1643-1646.	1.5	5
40	Link of negative core beliefs about the self with perceived dysfunctional parenting. <i>Psychiatry Research</i> , 2018, 270, 715-719.	1.7	5
41	Interrelations among negative core beliefs, attachment anxiety and low self-directedness, putative central constructs of depression vulnerabilities in cognitive, attachment and psychobiological personality theories. <i>Psychiatry Research</i> , 2018, 268, 34-36.	1.7	5
42	Associations of the A118G OPRM1 polymorphism with sociotropy and interpersonal sensitivity. <i>Brain and Behavior</i> , 2022, 12, .	1.0	5
43	Association study of the cytochrome P450 17 gene polymorphism with personality traits in healthy subjects. <i>Behavioural Brain Research</i> , 2008, 194, 21-24.	1.2	4
44	&lt;p&gt;&mu;-Opioid Receptor Polymorphism Moderates Sensitivity to Parental Behaviors During Characterization of Personality Traits&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2161-2167.	1.0	4
45	&lt;p&gt;Interrelation Between Increased BDNF Gene Methylation and High Sociotropy, a Personality Vulnerability Factor in Cognitive Model of Depression&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1257-1263.	1.0	4
46	Oxytocin receptor polymorphism influences characterization of harm avoidance by moderating susceptibility to affectionless control parenting. <i>Brain and Behavior</i> , 2021, 11, e2393.	1.0	4
47	Strong correlation between the self-model/other-model system and the anxiety/avoidance system assessing basic attachment dimensions. <i>Journal of Affective Disorders</i> , 2018, 237, 35-36.	2.0	2
48	Implication of core beliefs about negative-self in neuroticism. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 278-283.	1.2	2
49	Link of dysfunctional attitudes with the negative self-model. <i>Annals of General Psychiatry</i> , 2016, 15, 11.	1.2	1
50	Relationship between interpersonal sensitivity and leukocyte telomere length. <i>BMC Medical Genetics</i> , 2017, 18, 112.	2.1	1