
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5045182/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Exposure to GenX and Its Novel Analogs Disrupts Hepatic Bile Acid Metabolism in Male Mice. Environmental Science & Technology, 2022, 56, 6133-6143.	4.6	38
2	Disturbance in transcriptomic profile, proliferation and multipotency in human mesenchymal stem cells caused by hexafluoropropylene oxides. Environmental Pollution, 2022, 292, 118483.	3.7	9
3	Arenesulfonyl fluoride synthesis via one-pot copper-free Sandmeyer-type three-component reaction of aryl amine, K2S2O5, and NFSI. Journal of Fluorine Chemistry, 2022, 254, 109948.	0.9	7
4	Aliphatic sulfonyl fluoride synthesis <i>via</i> reductive decarboxylative fluorosulfonylation of aliphatic carboxylic acid NHPI esters. Organic Chemistry Frontiers, 2022, 9, 1115-1120.	2.3	29
5	One-Step Solvothermal Synthesis of Sub-2-Âμm Sea Urchin-Like TiO2 Microspheres for High-Performance Liquid Chromatography Stationary Phase. Chromatographia, 2022, 85, 365-371.	0.7	1
6	Core-shell MOFs-based composites of defect-functionalized for mixed-mode chromatographic separation. Journal of Chromatography A, 2022, 1671, 463011.	1.8	5
7	Nontargeted Identification and Temporal Trends of Per- and Polyfluoroalkyl Substances in a Fluorochemical Industrial Zone and Adjacent Taihu Lake. Environmental Science & Technology, 2022, 56, 7986-7996.	4.6	39
8	Comparative Hepatotoxicity of a Novel Perfluoroalkyl Ether Sulfonic Acid, Nafion Byproduct 2 (H-PFMO2OSA), and Legacy Perfluorooctane Sulfonate (PFOS) in Adult Male Mice. Environmental Science & Technology, 2022, 56, 10183-10192.	4.6	11
9	A new strategy for the preparation of core-shell MOF/Polymer composite material as the mixed-mode stationary phase for hydrophilic interaction/ reversed-phase chromatography. Analytica Chimica Acta, 2021, 1143, 181-188.	2.6	22
10	2D metal-organic framework nanosheets-assembled core-shell composite material as stationary phase for hydrophilic interaction liquid chromatography. Talanta, 2021, 222, 121603.	2.9	18
11	Design and evaluation of novel MOF–polymer core–shell composite as mixed-mode stationary phase for high performance liquid chromatography. Mikrochimica Acta, 2021, 188, 76.	2.5	12
12	Deoxyfluorination of Carboxylic, Sulfonic, Phosphinic Acids and Phosphine Oxides by Perfluoroalkyl Ether Carboxylic Acids Featuring <scp>CF₂O</scp> Units. Chinese Journal of Chemistry, 2021, 39, 1225-1232.	2.6	15
13	Magnetic mesoporous carbon nanosheets derived from two-dimensional bimetallic metal-organic frameworks for magnetic solid-phase extraction of nitroimidazole antibiotics. Journal of Chromatography A, 2021, 1645, 462074.	1.8	35
14	Rapid Access to <i>N</i> -Protected Sulfonimidoyl Fluorides: Divergent Synthesis of Sulfonamides and Sulfonimidamides. Organic Letters, 2021, 23, 3975-3980.	2.4	23
15	Chronic exposure to PFO4DA and PFO5DoDA, two perfluoroalkyl ether carboxylic acids (PFECAs), suppresses hepatic stress signals and disturbs glucose and lipid metabolism in male mice. Journal of Hazardous Materials, 2021, 411, 124963.	6.5	27
16	A novel approach for the preparation of core-shell MOF/polymer composites as mixed-mode stationary phase. Talanta, 2021, 232, 122459.	2.9	11
17	Fabrication of two-dimensional metal–organic framework nanosheets/PDA composites as mixed-mode stationary phase for chromatographic separation. Mikrochimica Acta, 2021, 188, 360.	2.5	4
18	An alternative strategy to construct uniform MOFs-Grafted silica core-shell composites as mixed-mode stationary phase for chromatography separation. Analytica Chimica Acta, 2021, 1183, 338942.	2.6	9

#	Article	IF	CITATIONS
19	Exposure to GenX and its novel analogs disrupts fatty acid metabolism in male mice. Environmental Pollution, 2021, 291, 118202.	3.7	20
20	Copper-catalyzed three-component reaction of arylhydrazine hydrochloride, DABSO, and NFSI for the synthesis of arenesulfonyl fluorides. Organic and Biomolecular Chemistry, 2021, 19, 8999-9003.	1.5	11
21	Hydrogel Coating with Temperature Response Retention Behavior and Its Application in Selective Separation of Liquid Chromatography. Analytical Chemistry, 2021, 93, 16017-16024.	3.2	23
22	Perfluoropolyether carboxylic acids (novel alternatives to PFOA) impair zebrafish posterior swim bladder development via thyroid hormone disruption. Environment International, 2020, 134, 105317.	4.8	58
23	Near-Infrared Fluorescence Probe for Evaluating Acetylcholinesterase Activity in PC12 Cells and In Situ Tracing AChE Distribution in Zebrafish. ACS Sensors, 2020, 5, 83-92.	4.0	49
24	Magnetic 3D hierarchical Ni/NiO@C nanorods derived from metal-organic frameworks for extraction of benzoylurea insecticides prior to HPLC-UV analysis. Mikrochimica Acta, 2020, 187, 88.	2.5	25
25	Novel Perfluoroalkyl Ether Carboxylic Acids (PFECAs) and Sulfonic Acids (PFESAs): Occurrence and Association with Serum Biochemical Parameters in Residents Living Near a Fluorochemical Plant in China. Environmental Science & Technology, 2020, 54, 13389-13398.	4.6	78
26	Gemini cationic surfactants with flexible perfluorinated-ether chains. Journal of Fluorine Chemistry, 2020, 239, 109632.	0.9	13
27	A Series of Deoxyfluorination Reagents Featuring OCF ₂ Functional Groups. Organic Letters, 2020, 22, 8634-8637.	2.4	11
28	Cobalt-Catalyzed Radical Hydrotrifluoroethylation of Styrenes with Trifluoroethyl Iodide. Organic Letters, 2020, 22, 6552-6556.	2.4	18
29	Rapid synthesis of acyl fluorides from carboxylic acids with Cu(O2CCF2SO2F)2. Tetrahedron Letters, 2020, 61, 152624.	0.7	9
30	Arenesulfonyl Fluoride Synthesis via Copperâ€free Sandmeyerâ€type Fluorosulfonylation of Arenediazonium Salts. Chinese Journal of Chemistry, 2020, 38, 1107-1110.	2.6	33
31	Interactions of Perfluorooctanesulfonate and 6:2 Chlorinated Polyfluorinated Ether Sulfonate with Human Serum Albumin: A Comparative Study. Chemical Research in Toxicology, 2020, 33, 1478-1486.	1.7	21
32	Rational design of a near-infrared fluorescence probe for highly selective sensing butyrylcholinesterase (BChE) and its bioimaging applications in living cell. Talanta, 2020, 219, 121278.	2.9	19
33	Metal-organic frameworks derived magnetic porous carbon for magnetic solid phase extraction of benzoylurea insecticides from tea sample by Box-Behnken statistical design. Journal of Chromatography A, 2020, 1626, 461328.	1.8	21
34	An alternative approach for the preparation of a core–shell bimetallic central metal–organic framework as a hydrophilic interaction liquid chromatography stationary phase. Analyst, The, 2020, 145, 3851-3856.	1.7	10
35	Arenesulfonyl Fluoride Synthesis via Copper-Catalyzed Fluorosulfonylation of Arenediazonium Salts. Organic Letters, 2020, 22, 2281-2286.	2.4	99
36	Magnetic N-doped 3D graphene-like framework carbon for extraction of cephalexin monohydrate and ceftiofur hydrochloride. Talanta, 2020, 215, 120932.	2.9	19

#	Article	IF	CITATIONS
37	High efficiency and simple preparation of polyacrylamide coated silica stationary phase for hydrophilic interaction liquid chromatography. Journal of Chromatography A, 2019, 1605, 360357.	1.8	17
38	Preparation of magnetic carbonized polyaniline nanotube and its adsorption behaviors of xanthene colorants in beverage and fish samples. Journal of Chromatography A, 2019, 1605, 460369.	1.8	9
39	Accumulation, Biotransformation, and Endocrine Disruption Effects of Fluorotelomer Surfactant Mixtures on Zebrafish. Chemical Research in Toxicology, 2019, 32, 1432-1440.	1.7	25
40	Intermolecular oxidative radical fluoroalkylfluorosulfonylation of unactivated alkenes with (fluoroalkyl)trimethylsilane, silver fluoride, sulfur dioxide and <i>N</i> -fluorobenzenesulfonimide. Organic Chemistry Frontiers, 2019, 6, 447-450.	2.3	46
41	Synthesis of magnetic metal–organic framework composites, Fe ₃ O ₄ -NH ₂ @MOF-235, for the magnetic solid-phase extraction of benzoylurea insecticides from honey, fruit juice and tap water samples. New Journal of Chemistry, 2019. 43. 12563-12569.	1.4	34
42	Chronic exposure to 6:2 chlorinated polyfluorinated ether sulfonate acid (F-53B) induced hepatotoxic effects in adult zebrafish and disrupted the PPAR signaling pathway in their offspring. Environmental Pollution, 2019, 249, 550-559.	3.7	56
43	Comparative Hepatotoxicity of Novel PFOA Alternatives (Perfluoropolyether Carboxylic Acids) on Male Mice. Environmental Science & Technology, 2019, 53, 3929-3937.	4.6	47
44	Nanogold hybrid silica gel and its 1-octadecanethiol self-assembled modified composite as a stationary phase for liquid chromatography. Analyst, The, 2019, 144, 3072-3079.	1.7	3
45	Catalystâ€Free Hydroxytrifluoromethylation of Alkenes Usinglodotrifluoromethane. Chinese Journal of Chemistry, 2019, 37, 597-604.	2.6	32
46	Parental exposure to 6:2 chlorinated polyfluorinated ether sulfonate (F-53B) induced transgenerational thyroid hormone disruption in zebrafish. Science of the Total Environment, 2019, 665, 855-863.	3.9	46
47	Unusual Hypochlorous Acid (HClO) Recognition Mechanism Based on Chlorine–Oxygen Bond (Clâ^'O) Formation. Chemistry - A European Journal, 2019, 25, 7168-7176.	1.7	23
48	Studies of chromatographic separation and self-emulsification of crude oil. Petroleum Science and Technology, 2019, 37, 220-225.	0.7	2
49	Zincâ€Mediated Intermolecular Reductive Radical Fluoroalkylsulfination of Unsaturated Carbon–Carbon Bonds with Fluoroalkyl Bromides and Sulfur Dioxide. Chemistry - A European Journal, 2019, 25, 1824-1828.	1.7	45
50	βâ€Cyclodextrinâ€modified threeâ€dimensional graphene oxideâ€wrapped melamine foam for the solidâ€phase extraction of flavonoids. Journal of Separation Science, 2018, 41, 2207-2213.	1.3	22
51	Oxidative Radical Intermolecular Trifluoromethylthioarylation of Styrenes by Arenediazonium Salts and Copper(I) Trifluoromethylthiolate. Journal of Organic Chemistry, 2018, 83, 5836-5843.	1.7	25
52	Copper(ii)-catalyzed trifluoromethylation of iodoarenes using Chen's reagent. Organic Chemistry Frontiers, 2018, 5, 1143-1147.	2.3	17
53	A chromium(III) oxide-coated steel wire prepared by arc ion plating for use in solid-phase microextraction of aromatic hydrocarbons. Mikrochimica Acta, 2018, 185, 82.	2.5	9
54	Photoinduced hydroxylperfluoroalkylation of styrenes. Organic Chemistry Frontiers, 2018, 5, 1045-1048.	2.3	34

#	Article	IF	CITATIONS
55	Occurrence and Tissue Distribution of Novel Perfluoroether Carboxylic and Sulfonic Acids and Legacy Per/Polyfluoroalkyl Substances in Black-Spotted Frog (<i>Pelophylax nigromaculatus</i>). Environmental Science & Technology, 2018, 52, 982-990.	4.6	143
56	Iron(III) Porphyrin Catalyzed Olefination of Aldehydes with 2,2,2â€Trifluorodiazoethane (CF ₃ CHN ₂). European Journal of Organic Chemistry, 2018, 2018, 2082-2090.	1.2	17
57	Cytotoxicity of novel fluorinated alternatives to long-chain perfluoroalkyl substances to human liver cell line and their binding capacity to human liver fatty acid binding protein. Archives of Toxicology, 2018, 92, 359-369.	1.9	177
58	6:2 fluorotelomer sulfonamide alkylbetaine (6:2 FTAB), a novel perfluorooctane sulfonate alternative, induced developmental toxicity in zebrafish embryos. Aquatic Toxicology, 2018, 195, 24-32.	1.9	29
59	Graphene oxide reinforced ionic liquid-functionalized adsorbent for solid-phase extraction of phenolic acids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1072, 123-129.	1.2	26
60	Visible Light-Induced Radical Cyclization of Tertiary Bromides with Isonitriles To Construct Trifluoromethylated Quaternary Carbon Center. Journal of Organic Chemistry, 2018, 83, 14588-14599.	1.7	11
61	Two-generational reproductive toxicity assessment of 6:2 chlorinated polyfluorinated ether sulfonate (F-53B, a novel alternative to perfluorooctane sulfonate) in zebrafish. Environmental Pollution, 2018, 243, 1517-1527.	3.7	60
62	Subchronic Hepatotoxicity Effects of 6:2 Chlorinated Polyfluorinated Ether Sulfonate (6:2 Cl-PFESA), a Novel Perfluorooctanesulfonate (PFOS) Alternative, on Adult Male Mice. Environmental Science & Technology, 2018, 52, 12809-12818.	4.6	99
63	Naked-eye and ratiometric fluorescence probe for fast and sensitive detection of hydrogen sulfide and its application in bioimaging. New Journal of Chemistry, 2018, 42, 19272-19278.	1.4	14
64	A porous polyaniline nanotube sorbent for solid-phase extraction of the fluorescent reaction product of reactive oxygen species in cells, and its determination by HPLC. Mikrochimica Acta, 2018, 185, 468.	2.5	11
65	Oxidative radical phosphonotrifluoromethylthiolation of unactivated alkenes with alkyl phosphonate, silver(I) trifluoromethanethiolate and potassium persulfate. Tetrahedron, 2018, 74, 6213-6219.	1.0	12
66	Worldwide Distribution of Novel Perfluoroether Carboxylic and Sulfonic Acids in Surface Water. Environmental Science & Technology, 2018, 52, 7621-7629.	4.6	367
67	Hepatotoxic Effects of Hexafluoropropylene Oxide Trimer Acid (HFPO-TA), A Novel Perfluorooctanoic Acid (PFOA) Alternative, on Mice. Environmental Science & Technology, 2018, 52, 8005-8015.	4.6	110
68	Preparation and application of guanidyl-functionalized graphene oxide-grafted silica for efficient extraction of acidic herbicides by Box-Behnken design. Journal of Chromatography A, 2018, 1571, 65-75.	1.8	23
69	Zinc sulfide nanosheets as a novel solid-phase extraction material for flavonoids. Journal of Separation Science, 2017, 40, 1403-1409.	1.3	3
70	Recent catalytic syntheses of trifluoromethylthio-containing organic compounds by transition metals, chiral organocatalysts, and photocatalysts. Chinese Chemical Letters, 2017, 28, 719-728.	4.8	35
71	6:2 Chlorinated polyfluorinated ether sulfonate, a PFOS alternative, induces embryotoxicity and disrupts cardiac development in zebrafish embryos. Aquatic Toxicology, 2017, 185, 67-75.	1.9	117
72	Graphene oxide for solid-phase extraction of bioactive phenolic acids. Analytical and Bioanalytical Chemistry, 2017, 409, 3541-3549.	1.9	24

#	Article	IF	CITATIONS
73	A novel molybdenum disulfide nanosheet self-assembled flower-like monolithic sorbent for solid-phase extraction with high efficiency and long service life. Journal of Chromatography A, 2017, 1507, 18-24.	1.8	20
74	Zinc oxide crystal whiskers as a novel sorbent for solid-phase extraction of flavonoids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1060, 91-96.	1.2	9
75	Novel Chlorinated Polyfluorinated Ether Sulfonates and Legacy Per-/Polyfluoroalkyl Substances: Placental Transfer and Relationship with Serum Albumin and Glomerular Filtration Rate. Environmental Science & Technology, 2017, 51, 634-644.	4.6	183
76	Comparative hepatotoxicity of 6:2 fluorotelomer carboxylic acid and 6:2 fluorotelomer sulfonic acid, two fluorinated alternatives to long-chain perfluoroalkyl acids, on adult male mice. Archives of Toxicology, 2017, 91, 2909-2919.	1.9	43
77	Oxidative decarboxylative radical trifluoromethylthiolation of alkyl carboxylic acids with silver(<scp>i</scp>) trifluoromethanethiolate and selectfluor. RSC Advances, 2017, 7, 880-883.	1.7	15
78	Trifluoromethylfluorosulfonylation of Unactivated Alkenes Using Readily Available Ag(O ₂ CCF ₂ SO ₂ F) and <i>N</i> â€Fluorobenzenesulfonimide. Angewandte Chemie - International Edition, 2017, 56, 15432-15435.	7.2	63
79	Trifluoromethylfluorosulfonylation of Unactivated Alkenes Using Readily Available Ag(O ₂ CCF ₂ SO ₂ F) and <i>N</i> â€Fluorobenzenesulfonimide. Angewandte Chemie, 2017, 129, 15634-15637.	1.6	19
80	Direct preparation of a graphene oxide modified monolith in a glass syringe as a solid-phase extraction cartridge for the extraction of quaternary ammonium alkaloids from Chinese patent medicine. Journal of Separation Science, 2017, 40, 4411-4419.	1.3	10
81	Recent Developments in Solid-phase Microextraction Coatings for Environmental and Biological Analysis. Chemistry Letters, 2017, 46, 1444-1455.	0.7	31
82	First Report on the Occurrence and Bioaccumulation of Hexafluoropropylene Oxide Trimer Acid: An Emerging Concern. Environmental Science & Technology, 2017, 51, 9553-9560.	4.6	186
83	6:2 fluorotelomer carboxylic acid (6:2 FTCA) exposure induces developmental toxicity and inhibits the formation of erythrocytes during zebrafish embryogenesis. Aquatic Toxicology, 2017, 190, 53-61.	1.9	31
84	Molecularly Tunable Fluorescent Quantum Defects. Journal of the American Chemical Society, 2016, 138, 6878-6885.	6.6	126
85	Visible Light-Induced Photoredox Construction of Trifluoromethylated Quaternary Carbon Centers from Trifluoromethylated Tertiary Bromides. Journal of Organic Chemistry, 2016, 81, 7051-7063.	1.7	13
86	Polymeric ionic liquid modified graphene oxide-grafted silica for solid-phase extraction to analyze the excretion-dynamics of flavonoids in urine by Box-Behnken statistical design. Journal of Chromatography A, 2016, 1456, 10-18.	1.8	38
87	Bis(trifluoromethanesulfonyl)imide-based ionic liquids grafted on graphene oxide-coated solid-phase microextraction fiber for extraction and enrichment of polycyclic aromatic hydrocarbons in potatoes and phthalate esters in food-wrap. Talanta, 2016, 153, 392-400.	2.9	71
88	Solid-phase extraction of flavonoids in honey samples using carbamate-embedded triacontyl-modified silica sorbent. Food Chemistry, 2016, 204, 56-61.	4.2	40
89	A highly thermal stable solid phase microextraction fiber prepared by an inorganic binder. Analytica Chimica Acta, 2016, 918, 35-42.	2.6	22
90	A New Rhodamine-based Fluorescent Probe for the Detection of Singlet Oxygen. Chemistry Letters, 2015, 44, 244-246.	0.7	8

#	Article	IF	CITATIONS
91	Histidine-modified organic-silica hybrid monolithic column for mixed-mode per aqueous and ion-exchange capillary electrochromatography. Journal of Separation Science, 2015, 38, 2046-2052.	1.3	13
92	Graphene oxide decorated with silver nanoparticles as a coating on a stainlessâ€steel fiber for solidâ€phase microextraction. Journal of Separation Science, 2015, 38, 2439-2446.	1.3	14
93	Polyethylene glycol/graphene oxide coated solidâ€phase microextraction fiber for analysis of phenols and phthalate esters coupled with gas chromatography. Journal of Separation Science, 2015, 38, 2700-2707.	1.3	10
94	Visible-Light-Induced Photocatalysis of 1,1,1-Trifluoro-2-iodoethane with Alkylalkenes and Silyl Enol Ethers. Synthesis, 2015, 47, 3891-3900.	1.2	22
95	Synthesis of Fluorinated 1,4,5-Substituted 1,2,3-Triazoles by RuAACÂ-Reaction. Synthesis, 2015, 47, 3936-3946.	1.2	36
96	Novel dextran/graphene oxide composite material as a sorbent for solid-phase microextraction of polar aromatic compounds. RSC Advances, 2015, 5, 21720-21727.	1.7	10
97	Direct Trifluoromethylthiolation of Unactivated C(sp ³)H Using Silver(I) Trifluoromethanethiolate and Potassium Persulfate. Angewandte Chemie - International Edition, 2015, 54, 4070-4074.	7.2	153
98	The antioxidant mechanism of nitroxide TEMPO: scavenging with glutathionyl radicals. RSC Advances, 2015, 5, 63655-63661.	1.7	19
99	Review of recent advances in CF bond activation of aliphatic fluorides. Journal of Fluorine Chemistry, 2015, 179, 14-22.	0.9	208
100	A polar-embedded C30 stationary phase: Preparation and evaluation. Journal of Chromatography A, 2015, 1388, 133-140.	1.8	42
101	Au nanoparticle decorated graphene oxide as a novel coating for solid-phase microextraction. RSC Advances, 2015, 5, 41536-41543.	1.7	12
102	Preparation of an Al ₂ O ₃ /SiO ₂ core–shell composite material for solid phase extraction of flavonoids. Analytical Methods, 2015, 7, 3486-3492.	1.3	16
103	A fluoride-sensing receptor based on 2,2′-bis(indolyl)methane by dual-function of colorimetry and fluorescence. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2015, 149, 531-535.	2.0	8
104	Cu-Mediated 2,2,2-trifluoroethylation of terminal alkynes using 1,1-dichloro-2,2,2-trifluoroethane (HCFC-123). Organic Chemistry Frontiers, 2015, 2, 1379-1387.	2.3	25
105	2,2,2-Trifluoroethylation of Styrenes with Concomitant Introduction of a Hydroxyl Group from Molecular Oxygen by Photoredox Catalysis Activated by Visible Light. Organic Letters, 2015, 17, 4714-4717.	2.4	81
106	Preparation and application of a novel mixed-mode monolith for reversed-phase and per aqueous capillary electrochromatography. Analytical Methods, 2015, 7, 4750-4756.	1.3	5
107	Polyelectrolyte assembled graphene oxide coated silica composite as sorbent for solid-phase extraction of cinnamic acid and its derivatives. RSC Advances, 2015, 5, 4420-4427.	1.7	5
108	Double carboxyl silicane modified graphene oxide coated silica composite as sorbent for solid-phase extraction of quarternary alkaloids. Analytical Methods, 2015, 7, 135-142.	1.3	10

#	Article	IF	CITATIONS
109	β-Perfluoroalkylated meso-Aryl-Substituted Subporphyrins: Synthesis and Properties. Synthesis, 2014, 46, 1674-1688.	1.2	7
110	Recent advances of ionic liquids and polymeric ionic liquids in capillary electrophoresis and capillary electrochromatography. Journal of Chromatography A, 2014, 1357, 147-157.	1.8	69
111	Fluorescence and HPLC Detection of Hydroxyl Radical by a Rhodamine-Nitroxide Probe and its Application in Cell Imaging. Journal of Fluorescence, 2014, 24, 313-318.	1.3	22
112	A water-soluble BODIPY derivative as a highly selective "Turn-On―fluorescent sensor for H2O2 sensing in vivo. Biosensors and Bioelectronics, 2014, 56, 58-63.	5.3	95
113	Carbon-based sorbents: Carbon nanotubes. Journal of Chromatography A, 2014, 1357, 53-67.	1.8	99
114	Difluoromethylation and trifluoromethylation reagents derived from tetrafluoroethane β-sultone: Synthesis, reactivity and applications. Coordination Chemistry Reviews, 2014, 261, 28-72.	9.5	86
115	Amino-terminated ionic liquid modified graphene oxide coated silica composite stationary phase for hydrophilic interaction chromatography. RSC Advances, 2014, 4, 37381-37388.	1.7	23
116	A novel imidazolium-based organic–silica hybrid monolith for per aqueous capillary electrochromatography. RSC Advances, 2014, 4, 25819.	1.7	9
117	Preparation of nanoporous array anodic titanium wire supported solid-phase microextraction fiber coated with a copolymerized polymerizable ionic liquid monomer pair. Analytical Methods, 2014, 6, 7875-7882.	1.3	2
118	A General, Regiospecific Synthetic Route to Perfluoroalkylated Arenes via Arenediazonium Salts with R _F Cu(CH ₃ CN) Complexes. European Journal of Organic Chemistry, 2014, 2014, 6303-6309.	1.2	24
119	Evaluating the antioxidant capacity of polyphenols with an off–on fluorescence probe and the mechanism study. Analytical Methods, 2014, 6, 7149.	1.3	17
120	Synthesis of α-CF3 ketones from alkenes and electrophilic trifluoromethylating reagents by visible-light driven photoredox catalysis. Journal of Fluorine Chemistry, 2014, 167, 79-83.	0.9	30
121	Visualizing the changes in the cellular redox environment using a novel profluorescent rhodamine nitroxide probe. New Journal of Chemistry, 2013, 37, 2991.	1.4	16
122	Design and synthesis of β-multi-substituted push–pull porphyrins. RSC Advances, 2013, 3, 8227.	1.7	14
123	Pd-Catalyzed Allylic Alkylation of CF3-Containing Esters with Three Electron-Withdrawing Groups. Synlett, 2013, 24, 611-614.	1.0	6
124	Radical Addition of Perfluoroalkyl Iodides to Alkenes and Alkynes Initiated by Sodium Dithionite in an Aqueous Solution in the Presence of a Novel Fluorosurfactant. Chinese Journal of Chemistry, 2013, 31, 939-944.	2.6	13
125	[RuH2(PPh3)4]-Catalyzed Michael Addition Reaction of α-Fluoronitroalkanes. Synthesis, 2012, 44, 3815-3821.	1.2	3
126	Progress in fluoroalkylation of organic compounds via sulfinatodehalogenation initiation system. Chemical Society Reviews, 2012, 41, 4536.	18.7	183

#	Article	IF	CITATIONS
127	Michael Addition Reaction of Fluorinated Nitro Compounds. Chinese Journal of Chemistry, 2012, 30, 798-802.	2.6	6
128	A novel colorimetric and fluorometric anion sensor based on BODIPY-calix[4]pyrrole conjugate. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2012, 72, 95-101.	1.6	16
129	A Bodipy-based derivative for selective fluorescence sensing of homocysteine and cysteine. New Journal of Chemistry, 2011, 35, 61-64.	1.4	71
130	A sandwich anion receptor by a BODIPY dye bearing two calix[4]pyrrole units. Chemical Papers, 2011, 65,	1.0	12
131	A colorimetric and fluorometric fluoride sensor based on a BODIPY-phenol conjugate. Science China Chemistry, 2011, 54, 797-801.	4.2	7